


Figure 1. Bear Lake Special Harvest Area (5 AAC 21.373(e)(4)) and the freshwater of the Resurrection River Drainage open to sport fishing (5 AAC 56.122(a)(9)(D)).



PROPOSED BY:




Figure 16.—Lower Cook Inlet management area, Southern District hatchery special harvest areas, Halibut Cove to Anisom Point.




Figure 18.--Lower Cook Inlet management area, Southern District hatchery special harvest areas, Port Graham Area.

Below you will see a summary of information from the Statewide Harvest Survey for sport harvested and caught Sockeye salmon caught in Res. Bay.

Statewide Harvest Survey estimates for Sockeye Salmon in Res. B

	Boat		Shore	
	Harvest	Caught	Harvest	Caught
1996	478	841	263	364
1997	569	1,094	1,217	1,447
1998	870	1,107	383	700
1999	794	859	226	280
2000	808	2,069	624	659
2001	746	1,267	265	374
2002	1,094	1,338	773	900
2003	960	1,371	587	717
2004	1,521	1,662	779	888
2005	2,230	2,736	2,692	2,960
2006	2,348	3,403	2,024	2,292
2007	2,179	2,777	1,981	2,765
2008	2,098	2,576	3,179	4,240
2009	2,322	2,540	7,926	8,532
2010	866	1,001	3,582	3,702
2011	975	1,054	7,351	7,949
2012	739	1,074	3,837	4,117
2013	1,440	2,553	3,176	3,487
2014	1,866	1,910	3,061	3,405