

**Annual Report to the Alaska Board of Game on  
Intensive Management for Moose  
with Wolf, Black Bear, and Grizzly Bear Predation  
Control in Game Management Unit 19A**

**Prepared by the Division of Wildlife Conservation  
February 2014**



1) **Description of IM Program<sup>1</sup> and Department recommendation for reporting period**

A) This report is an **annual** evaluation for a predation control program authorized by the Alaska Board of Game (Board) under 5 AAC 92.123

B) Month this report was submitted by the Department to the Board:

February X (annual report) August    (interim annual update) Year 2013

C) Program name: Unit 19A wolf and bear predation control program (Fig. 1)

D) Existing program does not have an associated Operational Plan

E) Game Management Unit(s) fully or partly included in IM program area: Unit 19A

F) IM objectives for moose population size 7600–9300 harvest 400–550

G) Month and year the current predation control program was originally authorized by the Board: March 2004. Indicate date(s) if renewed: March 2009

H) Predation control is currently active in this IM area.

I) If active, month and year the **current** predation control program began: December 2004 for wolves July 2012 (regulatory year 2012) for bears

J) A habitat management program funded by the Department or from other sources is currently active in this IM area: No

K) Size of IM program area (square miles) and geographic description: Unit 19A- 10,048 mi<sup>2</sup>

L) Size and geographic description of area for assessing ungulate abundance: Central Kuskokwim Villages Moose Management Area (MMA)- 3,905 mi<sup>2</sup>. The Wolf Control Focus Area (WCFA) is the same geographic area as the (MMA).

M) Size and geographic description of area for ungulate harvest reporting: MMA- 3,905 mi<sup>2</sup>

N) Size and geographic description of area for assessing predator abundance: MMA- 3,905 mi<sup>2</sup>; Unit 19A Bear Control Focus Area (BCFA) – 534 mi<sup>2</sup>

O) Size and geographic description of predation control area: MMA- 3,905 mi<sup>2</sup> for wolves BCFA; 534 mi<sup>2</sup> for bears


---

<sup>1</sup> For purpose and context of this report format, see *Intensive Management Protocol, section on Tools for Program Implementation and Assessment*

P) **Criteria for evaluating progress toward IM objectives:** moose abundance and harvest

Q) **Criteria for success with this program:** Progress within the MMA and BCFA that contributes towards achieving the Unit 19A IM moose population objective of 7600–9300 and moose harvest objective of 400–550

R) **Department recommendation for IM program in this reporting period:** Continue program (details provided in section 6)



**Figure 1.** Unit 19A intensive management area and wolf and bear control focus areas. The Wolf Control Focus Area (WCFA) is the same geographic area as the Central Kuskokwim Villages Moose Management Area (MMA).

## 2) Prey data

**Date(s) and method of most recent abundance assessment for moose:** March 2011-  
Goespatial moose population estimate (GSPE) in MMA (Table 1)

**Compared to IM area, was a similar trend and magnitude of difference in abundance observed in nearby non-treatment area(s) since program inception:** Non-

treatment area not established

**Date(s) of most recent age and sex composition survey:** November 2011-east/west line transects in Holitna/Hoholitna Drainages

**Compared to IM area, was a similar composition trend and magnitude of difference in composition observed in nearby non-treatment area(s) since program inception:**  
Non-treatment area not established

**Table 1. Moose abundance, age and sex composition in Central Kuskokwim Villages Moose Management Area (MMA) since program implementation in year 1 to year 9. Regulatory year is 1 July to 30 June (e.g, RY 2013 is 1 July 2013 to 30 June 2014).**

Period	RY	Abundance (variation) <sup>1</sup>	Composition (number per 100 females) <sup>2</sup>		
			Calves	Males	Total <i>n</i>
Year 1	2004	1085 moose ( $\pm 17\%$ ; 90% CI)	--	--	--
Year 2	2005	--	24	8	307
Year 3	2006	--	--	--	--
Year 4	2007	1703 moose ( $\pm 28\%$ ; 90% CI)	45	35	200
Year 5	2008	--	27	34	124
Year 6	2009	--	36	51	129
Year 7	2010	962 moose ( $\pm 18\%$ at 90% CI) 1666 ( $\pm 36\%$ 90% CI) –w/scf	19	48	212
Year 8	2011	--	31	38	164
Year 9	2012	--	--	--	--

<sup>1</sup>February/March GSPE surveys (observed moose, not corrected for sightability unless denoted w/scf).

<sup>2</sup>November line transect surveys; 2005 composition survey conducted in a larger geographic area than other years.

**Describe trend in abundance or composition:** No detectable trend in moose abundance within the MMA

**Table 2. Moose harvest in Central Kuskokwim Villages Moose Management Area (MMA) since program implementation in year 1 to year 10. Regulatory year is 1 July to 30 June (e.g, RY 2013 is 1 July 2013 to 30 June 2014). Methods for estimating unreported harvest are described in Survey and Inventory reports.**

Period	RY	Reported		Total harvest	Other mortality <sup>a</sup>	Total
		Male	Female			
Year 1	2004	37	--	37	--	37
Year 2	2005	42	--	42	--	42
Year 3	2006	1 <sup>b</sup>	--	1	0	1

Period	RY	Reported		Total harvest	Other mortality <sup>a</sup>	Total
		Male	Female			
Year 4	2007	2 <sup>b</sup>	--	2	0	2
Year 5	2008	1 <sup>b</sup>	--	1	4	5
Year 6	2009	1 <sup>b</sup>	--	1	1	2
Year 7	2010	3 <sup>b</sup>	--	3	0	3
Year 8	2011	2 <sup>b</sup>	--	2	2	4
Year 9	2012	2 <sup>b</sup>	--	2	0	2
Year 10 <sup>c</sup>	2013	0	--	0	0	0

<sup>a</sup>Mortuary harvest

<sup>b</sup>Hunting season closed, except within the Lime Village Management Area

<sup>c</sup>Preliminary data

**Describe trend in harvest:** Declined due to hunting season closure in most of the MMA

**Describe any other harvest related trend if appropriate:** None

### 3) Predator data

#### Wolves

**Date(s) and method of most recent spring abundance assessment for wolves in the MMA:**  
April 2013-private pilot interviews and state pilot observations

**Date(s) and method of most recent fall abundance assessment for wolves in the MMA:** April 2013- calculated for fall 2012 by subtracting total removal from MMA from spring 2013 abundance estimate

**Other research or evidence of trend or abundance status in wolves:** Pre-control wolf estimate was modeled at 75–100 in MMA

**Table 3. Wolf abundance and removal in Central Kuskokwim Villages Moose Management Area (MMA) since program implementation in year 1 to year 9. Removal objective is to reduce wolf numbers as low as possible in the MMA and to maintain 30-36 in all of Unit 19A to ensure wolves persist in the unit. The fall RY 2012 modeled wolf population estimate for all of Unit 19A is 87-117. Regulatory year is 1 July to 30 June (e.g, RY 2012 is 1 July 2012 to 30 June 2013).**

Period	RY	Fall abundance <sup>a</sup>	Harvest removal		Dept. control removal	Public control removal	Total removal	Spring abundance
			Trap	Hunt				
Year 1	2004	--	3	0	0	40	43	--
Year 2	2005	44–46	2	0	0	36	38	5–7 <sup>b</sup>
Year 3	2006	--	0	0	0	7	7	--

Period	RY	Fall abundance <sup>a</sup>	Harvest removal		Dept. control removal	Public control removal	Total removal	Spring abundance
			Trap	Hunt				
Year 4	2007	27	0	3	0	12	15	12 <sup>b</sup>
Year 5	2008	--	1	0	0	19	0	--
Year 6	2009	--	0	0	0	2	2	--
Year 7	2010	30	1	0	0	10	11	19 <sup>b</sup>
Year 8	2011	21	0	0	0	8	8	13 <sup>c</sup>
Year 9	2012	24	2	0	0	0	0	22 <sup>c</sup>

<sup>a</sup> Calculated by subtracting total removal from MMA spring abundance during each RY.

<sup>b</sup> Abundance based on aerial reconnaissance survey.

<sup>c</sup> Abundance based on private and department pilot observations.

### **Black Bears**

#### **Date(s) and method of most recent spring abundance assessment for black bears in the BCFA:**

May 2012-modeled based on known bear densities in similar habitats.

#### **Date(s) and method of most recent fall abundance assessment for black bears in the BCFA:**

None

**Other research or evidence of trend or abundance status in black bears:** Estimated population of 2500–3000 black bears in Unit 19A is based on known bear densities in similar habitats in other game management units in Interior Alaska. MILLER S., G.C. WHITE, R.A. SELLERS, H.V. REYNOLDS, J.W. SCHOEN, K. TITUS, V.G. BARNES, JR., R.B. SMITH, R.R. NELSON, W.B. BALLARD, AND C.C. SCHWARTZ. 1997. Brown and black bear density estimation in Alaska using radiotelemetry and replicated mark-resight techniques. *Wildlife Monographs* 133. in BOUDREAU T.A. 2005. Units 19, 21A and 21E black bear management report. Pages 218–222 in C. Brown, editor. Black bear management report of survey and inventory activities 1 July 2001–30 June 2004. Alaska Department of Fish and Game. Project 17.0. Juneau, Alaska.

**Table 4. Black bear abundance and removal in Bear Control Focus Area (BCFA) since bear control was implemented in Year 9. Removal objective is to reduce bear numbers as low as possible within the BCFA. The spring RY 2012 estimated black bear population for all of Unit 19A is 2,475–2,970. Regulatory year is 1 July to 30 June (e.g. RY 2012 is 1 July 2012 to 30 June 2013).**

Period	RY	Spring abundance (95% CI)	Harvest removal		Dept. control removal		Total removal	Fall abundance
			FA <sup>a</sup>	SPR <sup>b</sup>	FA	SP		
Year 9	2012	135–160 <sup>c</sup>	0	1	0	84 <sup>d</sup>	85	--
Year 10 <sup>c</sup>	2013	--	2	--	--	--	2	--

--	--	--	--	--	--	--	--	--

<sup>a</sup> Fall

<sup>b</sup> Spring

<sup>c</sup> Based on known bear densities in similar habitats

<sup>d</sup> Includes one bear killed but not recovered

<sup>e</sup> Preliminary data

### **Brown Bears**

**Date(s) and method of most recent spring abundance assessment for brown bears in the BCFA:** May 2012-modeled based on known bear densities in similar habitats.

**Date(s) and method of most recent fall abundance assessment for brown bears in the BCFA:** None

**Other research or evidence of trend or abundance status in black bears:** Estimated population of 200 brown bears in Unit 19A is based on known bear densities in similar habitats in other game management units in Interior Alaska. MILLER S., G.C. WHITE, R.A. SELLERS, H.V. REYNOLDS, J.W. SCHOEN, K. TITUS, V.G. BARNES, JR., R.B. SMITH, R.R. NELSON, W.B. BALLARD, AND C.C. SCHWARTZ. 1997. Brown and black bear density estimation in Alaska using radiotelemetry and replicated mark-resight techniques. *Wildlife Monographs* 133. in BOUDREAU T.A. 2005. Units 19, 21A and 21E black bear management report. Pages 218–222 in C. Brown, editor. *Black bear management report of survey and inventory activities 1 July 2001–30 June 2004. Alaska Department of Fish and Game. Project 17.0. Juneau, Alaska.*

**Table 5. Brown bear abundance and removal in Bear Control Focus Area (BCFA) since bear control was implemented in Year 9. Removal objective is to reduce bear numbers as low as possible within the BCFA. The Spring RY 2012 estimated brown bear population for all of Unit 19A is 200. Regulatory year is 1 July to 30 June (e.g. RY 2013 is 1 July 2013 to 30 June 2014).**

Period	RY	Spring abundance (95% CI)	Harvest removal		Dept. control removal		Total removal	Fall abundance
			FA <sup>a</sup>	SPR <sup>b</sup>	FA	SP		
Year 9	2012	10–15 <sup>c</sup>	0	0	0	5	5	--
Year 10 <sup>d</sup>	2013	--	0	--	--	--	--	--

<sup>a</sup> Fall

<sup>b</sup> Spring

<sup>c</sup> Based on known bear densities in similar habitats

<sup>d</sup> Preliminary data

#### 4) Habitat data and nutritional condition of prey species

Where active habitat enhancement is occurring or was recommended in the Operational Plan, describe progress toward objectives: No active habitat enhancement.

**Table 6. Nutritional indicators for moose in Central Kuskokwim Villages Moose Management Area (MMA) since program implementation in year 1 to year 9. Regulatory year is 1 July to 30 June (e.g, RY 2012 is 1 July 2012 to 30 June 2013).**

Period	RY	Twinning Rate (% of radiocollared cows with calf that had twins) (n)	Twinning Rate (% of uncollared cows with calf that had twins) (n)
Year 1	2004	43(7)	--
Year 2	2005	--	--
Year 3	2006	--	64(11)
Year 4	2007	--	75(4)
Year 5	2008	--	--
Year 6	2009	--	--
Year 7	2010	--	--
Year 8	2011	--	--
Year 9	2012	54(26)	60(15)

#### 5) Costs specific to implementing Intensive Management

**Table 7. Cost (\$1000 = 1.0) of agency salary based on estimate of proportional time of field level staff and cost of operations for intensive management activities (e.g., predator control or habitat enhancement beyond normal Survey and Inventory work) performed by personnel in the Department or work by other state agencies (e.g., Division of Forestry) or contractors in Unit 19A during years 7-9. Fiscal year (FY) is also 1 July to 30 June but the year is one greater than the comparable RY (e.g, FY 2010 is 1 July 2009 to 30 June 2010).**

Period	FY	Predation control <sup>a</sup>		Other IM activities		Total IM cost	Research cost <sup>d</sup>
		Time <sup>b</sup>	Cost <sup>c</sup>	Time	Cost		
Year 7	2011	0.4	3.5	5.2	47.2	50.7	0.0
Year 8	2012	0.5	3.9	2.0	31.8	35.7	0.0
Year 9	2013	9.7	373.2	2.0	29.2	402.4	0.0

<sup>a</sup>State or private funds only.

<sup>b</sup>Person-months (22 days per month)

<sup>c</sup>Salary plus operations

<sup>d</sup>Separate from implementing IM program but beneficial for understanding of ecological or human response to management treatment (scientific approach that is not unique to IM).



**6) Evaluation (February 2014) for program renewal following Year 9 and Department recommendations for Unit 19A**

Has progress toward defined criteria been achieved? No

Has achievement of success criteria occurred? No

Recommendation for IM program: Continue

Rationale for recommendation on overall program: 1 of 2 years of bear control was completed in spring 2013. Calf survival appears to have improved. Continued predation reduction is needed to enhance moose recovery.

Other recommendations (if continuation is recommended, specific actions on individual practices): Program was recently modified to include bear control. Conclude department bear control effort in spring 2014 and continue aerial wolf control. Establish abundance criteria of 2.0 moose/mi<sup>2</sup> (1,068 moose) within the BCFA. Establish harvest criteria of 120 moose from within the WCFA.