2024 ANNUAL MANAGEMENT PLAN WALLY NOERENBERG HATCHERY

Prince William Sound Aquaculture Corporation

This Annual Management Plan (AMP) is prepared to fulfill the requirements of 5 AAC 40.840. This plan must organize and guide the hatchery's operations regarding production goals, broodstock management, and harvest management of hatchery returns. The plan must be developed with consideration of the hatchery's production cycle. The production cycle begins with adult returns, that lead to egg takes and end with fish releases. Action may be taken outside of the management plan if allowed under the hatchery permit or modified by emergency order. In-season assessments and project alterations by Prince William Sound Aquaculture Corporation (PWSAC) or Alaska Department of Fish and Game (ADF&G) may result in changes to this AMP in order to reach or maintain program objectives. PWSAC will notify the ADF&G private nonprofit (PNP) hatchery program coordinator in a timely manner of any departure from the AMP. The ADF&G PNP coordinator will advise as to whether an amendment, exception report, or other action is warranted. No variation or deviation will be implemented until an AMP amendment has been approved or waived by both the department and PWSAC. This policy applies to all hatchery operations covered under the AMP.

I. OPERATIONAL PLAN

1.1 Egg-Take Goals by Species

Chum Salmon: The chum salmon egg-take goal is 153 million (131 million plus 22 million permitted for AFK per section 1.8). Anticipated broodstock requirements to achieve the egg-take goal are approximately 119,000 females and 86,000 males, and 23,000 additional fish (to account for an assumed 10% loss to sea lion predation) for a total of 228,000 fish, assuming:

- (a) Average fecundity of 1,816 eggs/female
- (b) 58% historical 10-year average female %
- (c) 15% holding mortality
- (d) 15% green/over-mature spawners

Pink Salmon: The pink salmon egg-take goal is 148 million. Anticipated broodstock requirements to achieve the egg-take goal are approximately 146,000 females and 148,000 males, and 32,600 additional fish (to account for an assumed 10% loss to sea lion predation) for a total of 326,000 fish, assuming:

- (a) Average fecundity of 1,433 eggs/female
- (b) 50% historical 5-even-year average female %
- (c) 15% holding mortality
- (d) 15% green/over-mature spawners

If the required broodstock for pink salmon egg-take goal at Wally Noerenberg Hatchery (WNH) is not available for returning fish to the hatchery, PWSAC will consult with ADF&G staff to implement broodstock collection in order to conduct an egg take at Armin F. Koernig Hatchery (AFK) to collect up to 148 million additional green eggs in order to reach the WNH goal. After eyeing at AFK, eggs will be transferred to WNH for rearing and release.

If the required broodstock for pink salmon egg-take goal at AFK is not available for returning fish to the hatchery, PWSAC will consult with ADF&G staff to implement broodstock collection in order to conduct an egg take at WNH to collect up to 162 million additional green eggs in order to reach the AFK goal. After eyeing at WNH, eggs will be transferred to AFK for rearing and release.

Coho Salmon, WNH: The coho salmon egg-take goal is 3.75 million. Anticipated broodstock requirements to achieve the egg-take goal are approximately 1,190 females and 1,190 males, assuming:

- (a) Average fecundity of 4,100 eggs/female
- (b) 1/1 female to male ratio
- (c) 15% holding mortality
- (d) 15% green/over-mature spawners

Coho Salmon, Cordova: The coho salmon egg-take goal is 250,000, pending amendment of the PNP permit (Permit Alteration Request, PAR, approval) and FTP approval to increase the total number of Power Creek stock eggs to 250,000 for smolt release. Anticipated broodstock requirements to achieve the egg-take goal are approximately 72 females and 72 males, assuming:

- (a) Average fecundity of 3,475 eggs/female
- (b) 1/1 female to male ratio
- (c) 0 % holding mortality
- (d) 0% green/over-mature spawners

If the required broodstock for the coho salmon egg-take goal is not available from returning fish to Power Creek, Ibeck Creek, or the hatchery (Mile 18 stock at the hatchery), PWSAC will confer with VFDA on the feasibility of obtaining eggs or confer with ADF&G about conducting an egg take at the Mile-18 location (broodstock source) in Cordova or conduct an egg take at the remote release location in Cordova (Fleming Spit Pond) to make up the balance of the goal. Mile-18, Corbin, Power, and Ibeck Creek stocks will not be mixed at WNH.

1.2 Broodstock

The expected broodstock collection schedules for chum and pink salmon are derived from historic run timing curves for Wally Noerenberg Hatchery (WNH). The chum and pink salmon curves are an aggregate of all years (chum salmon 1987–2023; pink salmon 2008–2022 even years) SHA hatchery harvests and Esther Subdistrict commercial fishery catch data from ADF&G Annual Management Reports and preliminary inseason estimates. The adult return summary includes the projected total return, hatchery escapement schedule, and fish available for common property fishery harvest (Table 3).

To ensure that run timing is proportionally represented in broodstock, a hatchery escapement schedule that includes the broodstock acquisition schedule will be implemented based on run timing percentages, by date, in the AMP tables to establish a hatchery escapement goal by week. These goals will be measured according to the total number of fish estimated in the hatchery SHAs. If in-season catch data indicate the run is earlier or later than the historical run curve would suggest, then PWSAC must consult with the department prior to altering the hatchery escapement schedule, accordingly, to match the actual run.

The hatchery escapement exclusion zone (HEEZ), outlined in section 3.4, protects potential broodstock fish staging directly in front of the hatchery from being harvested in common property fisheries. These fish include those that will eventually become broodstock along with those needed to ensure a high quality, efficient, and successful egg collection process.

Any fish collected beyond those utilized as broodstock will be sold for cost recovery to fund PWSAC's salmon fisheries enhancement program. Historically, PWSAC has carried forward revenues from the hatchery raceway fish sales and full-utilization programs to the following year as a reduction in the cost recovery revenue goal calculation. This provides benefits to the commercial common property fisheries (CCPF) with an increased PWSAC salmon harvest and, potentially, an earlier timed CCPF.

A portion of the SHA hatchery escapement is kept separate by means of a barrier net near the mouth of Esther Creek. Brood fish will be collected by volitional entry through the fishway leading to the brood holding pond.

1.3 Egg-take Schedule and Data Reporting

Ultimately, the egg-take schedule depends upon broodstock recruitment and maturation rate of the broodstock in salt and fresh water. The table below summarizes an anticipated egg-take schedule based on the average historical egg-take percent completion 1996–2023. All data associated with egg take and broodstock collection will be provided to the department by November 1 each year. Data will be provided in electronic format (Excel file) and include all the categories presented in the template attached as Table 7. Data to be collected specifically includes the numbers of green and over-ripe females from the broodstock and associated cost recovery.

Anticipated Egg-take Schedule

Percent Complete	Chum Salmon	Pink Salmon	Coho Salmon
25%	July 7	August 29	October 19
50%	July 13	September 3	October 27
75%	July 18	September 7	November 4
100%	July 27	September 15	November 11

For a complete listing of PWSAC hatchery egg-take schedules, see Table 4. For a complete listing of PWSAC's egg-take goals, see Table 2.

1.4 Egg Transport and Carcass Disposal Plans

Approximately 22 million green chum salmon eggs will be allowed to develop to the eyed-egg stage, and then transported off-station to Armin F. Koernig Hatchery (AFK) for incubation, rearing, and release.

If the required broodstock for pink salmon egg-take goal at Wally Noerenberg Hatchery (WNH) is not available for returning fish to the hatchery, PWSAC will consult with ADF&G staff to implement broodstock collection in order to conduct an egg take at AFK to collect up to 148 million additional green eggs in order to reach the WNH goal. After eyeing at AFK, eggs will be transferred to WNH for rearing and release.

If the required broodstock for pink salmon egg-take goal at AFK is not available for returning fish to the hatchery, PWSAC will consult with ADF&G staff to implement broodstock collection in order to conduct an egg take at WNH to collect up to 162 million additional green eggs in order to reach the AFK goal. After eyeing at WNH, eggs will be transferred to AFK for rearing and release.

Approximately 50,000 BY24 king salmon eyed eggs will be transferred from the William Jack Hernandez Sport Fish Hatchery to WNH to complete the incubation cycle. The resultant fry will emerge volitionally into a freshwater raceway and reared at WNH. In May 2026, the smolt will be transported to saltwater net pens in Crab Bay on the Evans Island. The king salmon smolt will be reared for approximately two weeks and released.

During egg-take PWSAC may sell broodstock carcasses and inviable eggs if a market is available. The carcass of a salmon from which milt or eggs are extracted for lawful use as broodstock may be disposed of in accordance with Alaska Department of Environmental Conservation (DEC) requirements. If carcasses are not sold, inviable eggs and carcasses will be disposed of in accordance with Alaska DEC requirements.

1.5 Incubation Plans

The following tables contain egg take goals, incubation plans, and estimated releases for brood year 2024 (BY24) chum salmon, pink salmon, and coho salmon.

Chum Salmon Production Summary

	Egg Take	Current Year Green Egg/Fry		Fry/Smolt	Permitted
Program Name	Site	Goal	Eyed Eggs	Released ¹	Maximum
					111 million green
WNH Chum Salmon	WNH	84,000,000	76,500,000	73,000,000	eggs
Port Chalmers Chum					
Salmon	WNH	47,000,000	42,400,000	40,500,000	41 million fry
AFKH Chum					34 million green
Salmon ²	WNH	22,000,000	20,000,000	_ 3	eggs

¹ Release goals assume that egg-take goals and standard survivals are achieved. If egg-take goals are not achieved or survivals are lower than anticipated, remote release transport and rearing logistics may be impacted, and release goals may be altered through an amendment to this plan.

Pink Salmon Production Summary

Program Name	Egg Take Site	Current Year Green Egg/Fry Goal	Eyed Eggs	Fry/Smolt Released ¹	Permitted Maximum
110grum 1 (ume	5100	Jour		Tiorensed	148 million green
WNH Pink Salmon	WNH	148,000,000	140,000,000	134,000,000	eggs
					148 million green
WNH Pink Salmon	AFKH ¹	0	140,000,000	134,000,000	eggs
AFKH Pink					162 million green
Salmon	WNH	162,000,000	153,000,000	_ 2	eggs

¹ If the required broodstock for egg-take goals at WNH is not available, up to 148 million green eggs may be taken at AFKH and transferred to WNH at the eyed-egg development stage for release at Lake Bay.

Coho Salmon Production Summary

	Egg	Current Year			
	Take	Green Egg/Fry		Fry/Smolt	Permitted
Program Name	Site	Goal	Eyed Eggs	Released	Maximum
					4,000,000 green
WNH Coho Salmon	WNH	4,000,000	3,800,000	3,500,000	eggs
Whittier Coho					
Salmon ¹	WNH	_2	_2	100,000	100,000 smolt
Crab Bay Coho					
Salmon ¹	WNH	_2	_2	50,000	50,000 smolt
Fleming Spit Coho					250,000 green eggs
Salmon ³	WNH	$250,000^2$	_2	$200,000^3$	200,000 smolt ³

¹ Permitting limits stock to Mile 18 Creek or Corbin Creek.

² Approximately 20 million chum salmon will be transferred to the AFK hatchery at the eyed-egg developmental stage.

³ Fry release provided in AFK Hatchery AMP.

² Fry release provided in AFK Hatchery AMP.

² Permitting allows for a total of 4 million green eggs at WNH with releases permitted for numbers of smolt.

³ Permitting limits stock to Mile 18 Creek, Ibeck Creek, or Power Creek. Submitted a PAR to increase egg take from 135,000 to 250,000 green eggs and increase release from 100,000 to 200,000 smolts.

The above tables were generated with the following assumptions:

(a) survival from green to eyed stage of:

94.5% for pink salmon

91.5% for chum salmon

95.0% for coho salmon

(b) survival from eyed stage to emergence of:

96.0% for pink, chum, and coho salmon

(c) survival from emergence to fed fry of:

99.5% for pink salmon

99.0% for chum salmon

97.0% for coho salmon

(d) survival from fed fry to smolt release of 99.5% for coho.

All eggs will be incubated at WNH. During the fall incubation period, 100% of pink, chum, Chinook, and coho salmon production will be thermally otolith-marked at the eyed-egg stage. See section 4.1 for more details.

1.6 Rearing and Release Plans

Pink Salmon: Pink salmon fry will emerge non-volitionally from incubators, pass via separate flume, and then enter into saltwater rearing pens. The saltwater net pen rearing complex consists of 16 12.2 m x 12.2 m x 3.0 m rearing pens. Maximum loading densities will be 11 kg/m³.

Approximately 135.6 million pink salmon fry will be released in Lake Bay (WNH) in 2024. Based on the predicted outmigration curve and zooplankton bloom timing, the pink salmon fry will be reared for an average of six weeks and released in two groups into the zooplankton bloom.

Chum Salmon: Chum salmon fry destined to be released in Lake Bay will emerge non-volitionally from incubators, pass via separate flume, and then enter into saltwater rearing pens. The Lake Bay saltwater net pen rearing complex consists of 32 rearing pens that are 12.2 m x 12.2 m x 3.0 m. Maximum loading densities will be 11 kg/m^3 .

Approximately 134.1 million chum salmon fry will be released in three locations in 2024. Approximately 73.6 million will be released at WNH, 41.1 million at Port Chalmers, and 19.4 million at AFK.

The AFK saltwater net pen rearing complex consists of ten 12.2 m x 12.2 m x 3.0 m rearing pens. Maximum loading densities will be 11 kg/m^3 .

Based on the predicted outmigration curve and zooplankton bloom timing, the chum salmon fry will be reared for an average of 12 weeks in saltwater net pens and released in one group per release site at a target size of 1.8 grams.

Coho Salmon Releases: Approximately 1.25 million brood year 2022 (BY22) coho salmon smolt will be released in four locations in 2024. Approximately 1.0 million will be released at WNH,

100,000 at Whittier, 100,000 at Cordova, and 50,000 at Crab Bay. The coho salmon will be reared in raceways at WNH. At WNH, the smolt will be transferred to saltwater pens for 4 to 12 weeks prior to release. The smolt released at Whittier, Cordova, and Crab Bay will receive at least 14 days of saltwater rearing at their release location. Maximum rearing densities will be 50 kg/m³ in fresh water and 11 kg/m³ in salt water. All coho salmon smolt will be released in mid-May with a target size of 15 grams.

Coho Salmon Rearing: Approximately 3.5 million BY23 coho salmon fry will begin feeding in the raceways in mid-June 2024 and approximately 1.87 will remain there until the spring of 2025. The other approximately 1.58 million will be passed through a flume, and then into saltwater rearing pens in October 2024.

Chinook Salmon: Approximately 46,000 BY22 king salmon smolt released in Crab Bay in 2024.

For a complete listing of PWSAC's estimated 2024 releases see Table 5. 1.7 Fry Transport Methods.

Coho Salmon Transports: All coho salmon smolt will be transported by barge in eight 600-gallon stainless steel tanks with supplemental oxygen at 100–200% saturation. The water source used during transport will be Esther Lake, with the addition of NaCl and potassium chloride (KCl) to achieve a five ppt saline solution. The saline solution helps to reduce stress to the fish during transport. Maximum transfer densities will be 120kg/m³.

1.8 Permitted Capacity

WNH was issued PNP Hatchery Permit #20 in 1983. It is permitted to incubate 148 million pink salmon eggs, 131 million chum salmon eggs, 4 million coho salmon eggs, and 4 million king salmon eggs. An additional 34 million chum salmon eggs permitted for AFK may be taken and incubated at WNH annually.

Fish Transport Permit Summary

FTP	Expiration		
Number	Date	Ancestral Stock	Purpose

PINK SALMON

96A-0048	6/30/31	Duck, Millard, and Larsen Creeks	Allows 148 million egg take, incubation, and release of resultant fish at WNH (even-year stocks).
24A-1002	6/30/31	Ewan, O'Brien, and Hardins Creeks	Allows 148 million egg take, incubation, and release of resultant fish at WNH (odd-year stocks)
		Duck, Millard, and	Allows backup egg take of 148 million green eggs at AFK, transport to WNH for incubation and release of
16A-0059	4/30/26	Larsen Creeks	resultant fish (even-year stocks).

			Allows backup egg take of 148 million green eggs at
		Ewan, O'Brien, and	AFK, transport to WNH for incubation and release of
24A-1003	4/30/26	Hardins Creeks	resultant fish (odd-year stocks).

CHUM SALMON

		Wells River/ Bear	Allows transport of 41 million fry for
94A-0006	6/30/25	Trap	release at Port Chalmers.
16A-0056	4/30/26	Wells River/ Bear Trap	Allows 131 million egg take, incubation, and release of 111 resultant fish at WNH.

COHO SALMON

	1	1	
22A-0005	1/1/27	Corbin Creek	Allows 4.0 million egg take, incubation, rearing and release of resultant fish at WNH.
			Allows 135,000 remote egg take, rearing at
22A-0007	10/1/27	Power Creek	WNH, and release at Fleming Spit (Cordova)
			Allows 135,000 remote egg take, rearing at
22A-0008	10/1/27	Ibeck Creek	WNH, and release at Fleming Spit (Cordova)
		Mile 18 Copper	Allows transport and release of 100,000 smolt
21A-0011	4/30/26	River Delta	at Fleming Spit, Cordova.
		Corbin Creek	Allows transfer and release of 50,000 smolts
20A-0022	4/30/25	Corom Creek	at Chenega Cove, Chenega Island.
		Corbin Creek	Allows transfer and release of 50,000 smolts
None ¹	N/A ¹	Coroin Creek	at Crab Bay, Evans Island.
		Solomon Gulch	Allows transfer and release of 100,000 smolts
		Hatchery/	from WNH at Whittier, near a freshwater
19A-0017	6/30/27	Corbin Creek	outlet.
			Allows transfer and release of 100,000 smolts
		WNH/	from WNH at Whittier, near a freshwater
22A-0006	6/30/27	Corbin Creek	outlet.
		Mile 18 Copper	Allows transport and release of 50,000
19A-0028	6/30/27	River	smolts at Chenega Cove, Chenega Island.
		Mile 18 Copper	Allows 4.0 million egg take, incubation,
18A-0038	8/30/28	River Delta	rearing and release of resultant fish at WNH.
		Mile 18 Copper	Allows transport and release of 100,000
17A-0050	04/30/27	River Delta	smolts at Fleming Spit, Cordova.
			Allows 4.0 million backup egg take at
			Solomon Gulch Hatchery and transport of
16A-0061	4/30/26	Corbin Creek	eggs to WNH.
		Mile 18 Copper	Allows backup 2.0 million remote egg take
16A-0062	4/30/26	River	and transport of eggs to WNH.

		Mile 18 Copper	Allows transport and release of 100,000
98A-0053	6/30/29	River Delta	smolts at Whittier near a freshwater outlet.

KING SALMON

			Allows transport of up to 50,000 eyed eggs
			from WJHSFH to WNH for incubation and
		Crooked Creek/	freshwater rearing and smolt release at
21A-0004	12/31/25	Crooked Creek	Chenega Cove, Chenega Island.
			Allows transport of up to 50,000 eyed eggs
			from WJHSFH to WNH for incubation and
		Ship Creek/	freshwater rearing and smolt release at
19A-0027	6/30/27	Ship Creek	Chenega Cove, Chenega Island.
		Ship Creek/	Allows transport of up to 50,000 smolt from
23A-0007	5/15/25	Ship Creek	WNH to Crab Bay, Evans Island and release.
			Allows transport of up to 50,000 eyed eggs
			from WJHSFH to WNH for incubation and
		Crooked Creek/	freshwater rearing and smolt release at Crab
None ¹	N/A ¹	Crooked Creek	Bay, Evans Island (contingency stock).
			Allows transport of up to 50,000 eyed eggs
			from WJHSFH to WNH for incubation and
		Ninilchik River/	freshwater rearing and smolt release at Crab
None ¹	N/A ¹	Ninilchik River	Bay, Evans Island (contingency stock).

¹ FTP application has been submitted and is in review.

II. DONOR STOCK MANAGEMENT

If the required broodstock for the coho salmon egg-take goal is not available from returning fish to the hatchery, PWSAC will confer with VFDA on the feasibility of obtaining eggs or confer with ADF&G about conducting an egg-take at the Mile-18 location (broodstock source) in Cordova or at the remote release location in Cordova (Fleming Spit Pond) to make up the balance of the goal. Coho stocks will not be mixed at WNH.

No Power Creek or Ibeck Creek specific fisheries management actions are anticipated to ensure coho salmon returns to these systems to meet broodstock purposes because Copper River Delta coho salmon are typically managed in aggregate to achieve the delta-wide escapement goal.

III. HATCHERY RETURN MANAGEMENT

PWSAC operates five facilities: AFK, Cannery Creek Hatchery (CCH), Gulkana Hatchery (GH), Main Bay Hatchery (MBH), and WNH. The corporation generates revenues for annual operations from a 2% enhancement tax and from the sale of hatchery-produced salmon returning to the facilities.

In 1997, the PWSAC Board of Directors (BOD) elected to have corporate cost recovery based upon revenue goals specific to the seine and gillnet salmon fisheries rather than a goal of harvesting a fixed percentage of the returning adults. This results in each gear group paying for the enhanced production from which they benefit. PWSAC calculates these revenue goals by allocating production costs between the seine-caught and gillnet-caught salmon fisheries.

On March 8, 2024, the PWSAC BOD approved the annual corporate budget for Fiscal Year 2025 detailing potential sources of revenue and expenditures. The pink salmon cost-recovery revenue goal is \$8,523,164. The WNH chum and MBH sockeye salmon cost-recovery revenue goals are \$4,535,009 and \$1,500,000 respectively. Additional revenue may be generated through PWSAC's raceway fish sales during its egg-take full utilization program.

PWSAC uses preseason assumptions for the number of returning fish, price per pound, and average adult weight to calculate the total projected value of returning hatchery-produced salmon. Based on these assumptions, PWSAC estimates that approximately 54% of the run will be required to meet the revenue goal in the Fiscal Year 2025 financial plan.

Hatchery escapement means all fish that escape the common property fishery and includes two categories of escapement: (a) the number of brood to meet production objectives; and (b) the number of hatchery produced fish taken for the hatchery harvest requirement, to be used to pay for the hatchery's reasonable operating and capital costs (5 AAC 40.990(6)).

Pink Salmon Returns: The AFK, CCH, and WNH pink salmon runs will be managed collectively through openings and closures of respective hatchery subdistricts. Managing the enhanced pink salmon runs in aggregate may result in site-specific common property fisheries (CPF) contribution rates being above or below the approximate target of 37% CPF pink salmon harvest.

WNH Chum and MBH Sockeye Salmon Runs: The WNH chum salmon and the MBH sockeye salmon runs will be managed collectively through openings and closures of respective hatchery subdistricts. The collective management will occur concurrently for the WNH chum salmon and MBH salmon revenue goal. Managing the runs in aggregate may result in site-specific CPF contribution rates being above or below the approximate targets of 43% and 70% for the WNH chum and MBH sockeye salmon harvest, respectively.

AFK Hatchery and Port Chalmers remote-release chum salmon runs are expected to have a 100% CPF harvest.

Reduction of CPF opportunity in respective hatchery subdistricts may be necessary to ensure hatchery escapement objectives are met. PWSAC will work closely with local ADF&G management biologists to achieve the seine and gillnet fisheries revenue goals as rapidly as possible to allow for orderly and consistent CCPF.

3.1 Hatchery Fish Migration Routes and Timing

Chum Salmon: WNH chum salmon donor stocks were originally selected to contribute primarily to the early drift gillnet fishery in the Coghill District, and to the mixed seine and drift gillnet fishery later in the season.

In 2005, the Alaska Board of Fisheries revised regulation 5 ACC 24.370 to utilize WNH and Port Chalmers chum salmon fisheries as a means of correcting exvessel value allocation disparities between the purse seine and drift gillnet fleets. The 2018–2022 five-year average value percentages calculated by ADF&G for each gear type are 47.1% drift gillnet, 52.9% purse seine, and 4.5% set gillnet. As a result, the purse seine gear group will have exclusive access to the Port Chalmers Subdistrict from June 1 through July 30 in 2024. WNH chum salmon released off-station at AFK will be harvested by the purse seine fleet in the AFK terminal harvest area (THA) and SHA between June 1 and July 20.

Pink Salmon: WNH pink salmon stock originated from the AFK Hatchery pink salmon stock. The timing and distribution of the two hatchery returns appear to be very similar. A percentage of WNH pink salmon are expected to be harvested by seiners in the Southwestern District, as well as in Perry Passage, Culross Passage, and other areas in the Northern District. Pink salmon are also expected to be harvested by both purse seiners and drift gillnetters in the Esther Subdistrict and by drift gillnetters and set gillnetters in the Eshamy District.

Coho Salmon: WNH coho salmon are present in the fishery from early August through September. Although some fish are undoubtedly intercepted in the southern areas of Prince William Sound, substantial portions of the coho salmon run are expected to be harvested by purse seine and drift gillnet fishermen in the Esther Subdistrict. There is no direct cost recovery from coho salmon; however, incidental catch of coho salmon during later pink salmon cost recovery and brood collection can amount up to 20% of the run.

The Esther and Perry Island subdistricts are shown in Figures 1–2.

3.2 Terminal and Special Harvest Areas

The boundaries of the hatchery SHA and the THA are illustrated in Figure 3. The SHA is used by the hatchery operator to harvest hatchery fish for cost recovery. The THA is normally closed to commercial and subsistence fishing and provides a buffer between the hatchery SHA and open waters of the Esther Subdistrict.

The SHA is defined as the waters of Lake Bay north of 60°47.56′N lat. (5 AAC 24.368(d)). The THA includes all waters inside of a line from Hodgkin Point at 60° 46.93′ N. lat., 148° 02.10′ W. long. to Esther Light at 60° 47.14′ N. lat., 148° 06.02′ W. long., excluding the waters of the Wally Noerenberg Hatchery SHA (5 AAC 24.368(c)). All latitude and longitude coordinates are based on the North American Datum of 1983.

During periods when the Esther Subdistrict closure is in effect to provide protection to cost recovery fish, the department is willing to permit cost-recovery operations in waters outside of the regulatory SHA/THA boundaries to maintain fish quality. While the department views PWSAC achieving its revenue goals using existing hatchery subdistricts in a timely and efficient manner as

beneficial for maintaining fish quality and providing for increased common property fishing opportunity outside of those districts, there is concern over the harvest of wild stock salmon outside of the SHA. When the Esther Subdistrict is open to the CPF, the SHA will not be expanded. Special harvest area boundaries may be altered by emergency order if necessary for proper management of natural or hatchery stock (5 AAC 40.005(e).

The SHA shall be opened and closed to commercial fishing by emergency order (EO). Sport fisheries will be managed in accordance with regulations as provided in 5 AAC 47–5 AAC 75. Emergency orders may be issued to liberalize or restrict sport fisheries based on achievement of broodstock goals.

The following requirements must be adhered to for permitted cost-recovery operations to be conducted outside the regulatory SHA/THA boundaries:

- PWSAC will agree to pay all costs associated with sampling, otolith preparation, and reading of otoliths from permitted cost-recovery harvest(s).
- PWSAC will notify the department with reasonable time prior to any cost-recovery operations to request an emergency order (EO) permitting the activity and to provide notice for scheduling of sampling personnel.
- All EOs issued to permit cost-recovery operations will be for discrete dates.
- Cost-recovery harvest(s) from these areas will not be mixed with any other harvest at any time until after sampling. No sorting of cost-recovery harvest(s) is permitted until after sampling.
- EOs permitting cost-recovery operations outside the SHA may not be issued until the previous harvest has been evaluated for wild stock interception.
- The department may discontinue permitted cost-recovery operations outside the SHA at any time.

3.3 Hatchery Returns

3.3.1 On-Station Returns

Chum Salmon: PWSAC's anticipated 2024 run of chum salmon to WNH is 2,820,000 assuming a 3.77% marine survival (Table 1). Assuming a broodstock goal of 228,000 fish, and approximately 1,374,000 chum salmon sold for cost recovery, the total hatchery escapement will be approximately 57% of the run.

WNH - Chum Salmon Projected Run Summary

]			
Total Return	Broodstock	Cost Recovery	Total	CPF Harvest ¹
2,820,000	228,000	1,374,000	1,602,000	1,218,000
% of Total	8%	49%	57%	43%

¹ Terminal and non-terminal.

WNH - Chum Salmon Projected Run and Age Composition Summary

		Anticipated	Anticipated			
		Marine	Total BY	Return	2024	% of
BY	Fry Released	Survival	Return	Age	Projected Run	Total
2018	82,400,000	2.42%	1,993,705	Age-6	33,000	1.1 %
2019	70,790,000	4.90%	3,467,643	Age-5	880,000	31.2 %
2020	77,306,000	3.41%	2,634,309	Age-4	1,757,000	62.3 %
2021	71,701,000	3.41%	2,443,311	Age-3	151,000	5.4%
				Total	2,820,000	100.0%

Historical average return age composition: 2% age-6, 26% age-5, 67% age-4, and 5% age-3.

Pink Salmon: PWSAC's anticipated 2024 adult return of pink salmon to WNH is 3,300,000 fish, assuming 2.44% marine survival (5 -even average) from the BY22 fry release of 134.8 million (Table 1). Assuming a broodstock goal of 326,000 fish and approximately 1,723,000 pink salmon sold for cost recovery, the hatchery escapement will be approximately 62% of the return.

Pink Salmon Projected Return Summary

	Н			
Total Return	Broodstock	Cost Recovery	Total	CPF Harvest ¹
3,300,000	326,000	1,723,000	2,049,000	1,251,000
% of Total	10%	52%	62%	38%

¹ Terminal and non-terminal.

Coho Salmon: PWSAC's expected 2024 return of coho salmon to WNH is 62,000 fish, assuming a marine survival of 3.7% (VFDA historic Corbin Creek average) from the BY21 smolt release of 1.69 million (Table 1). Assuming the harvest rate will be insignificant (interception during pink salmon cost recovery) and a broodstock goal of 2,700 fish, approximately 98% of the coho salmon will be available for the CPF.

Coho Salmon Projected Return Summary

	Н			
Total Return	Broodstock	Cost Recovery	Total	CPF Harvest
62,000	2,380	-0-	2,380	59,620
% of Total	4%	0%	4%	96%

3.3.2 Off-Station Returns

Chum Salmon: PWSAC's expected 2024 run of chum salmon to Port Chalmers is 920,000, assuming a 2.59% marine survival (Table 1). All fish will be harvested by the CPF. The expected 2024 run of chum salmon to Sawmill Bay is covered under a separate plan (AFK Hatchery Annual Management Plan).

Port Chalmers - Chum Salmon Projected Run Summary

	Н			
Total Return	Broodstock	Cost Recovery	Total	CPF Harvest
920,000	-0-	-0-	-0-	920,000
% of Total	0%	0%	0%	100%

Port Chalmers - Chum Salmon Projected Run and Age Composition Summary

		Anticipated	Anticipated		2024	-
		Marine	Total BY	Return	Projected	% of
BY	Fry Released	Survival	Return	Age	Run	Total
2018	20,500,000	4.30%	881,516	Age-6	14,000	1.5 %
2019	32,500,000	4.50 %	1,463,896	Age-5	481,000	32.4%
2020	41,000,000	1.59 %	655,215	Age-4	401,000	61.8%
2021	40,290,000	1.59 %	642,302	Age-3	38,000	4.3 %
				Total	920,000	100.0%

Historical average return age composition: 2% age-6, 33% age-5, 61% age-4, and 4% age-3.

Coho Salmon: PWSAC's total expected 2024 return of coho salmon to Chenega Bay is 1,900 assuming a marine survival of 3.70% (Corbin Creek historic average) from the BY21 smolt releases of 50,000 (Table 1). The total expected 2024 return of coho salmon to Cordova is 1,400 assuming a marine survival of 1.39% from the BY21 Mile 18 smolt release of 100,000. The total expected 2024 return of coho salmon to Whittier is 1,400 assuming a marine survival of 1.39% from the BY21 Mile 18 smolt release of 100,000. All Crab Bay, Chenega Cove, Cordova, and Whittier-released fish are designated to be harvested in all common property fisheries. If the required broodstock for the coho salmon egg-take goal is not available from fish returning to the hatchery, PWSAC will confer with VFDA on the feasibility of obtaining eggs or confer with ADF&G about conducting an egg take at the remote Mile-18 location (broodstock source) in Cordova or conduct an egg take at the remote release location in Cordova (Fleming Spit Pond) to make up the balance of the goal. Mile-18 and Corbin Creek stocks will not be mixed at WNH.

Chenega Bay - Coho Salmon Projected Return Summary

	Ha			
Total Return	Broodstock	Cost Recovery	Total	CPF Harvest
1,900	-0-	-0-	-0-	1,900
% of Total	0%	0%	0%	100%

Cordova - Coho Salmon Projected Return Summary

	Hat	_		
Total Return	Broodstock	Cost Recovery	Total	CPF Harvest
1,400	-0-	-0-	-0-	1,400
% of Total	0%	0%	0%	100%

Whittier - Coho Salmon Projected Return Summary

	Hat			
Total Return	Broodstock	Cost Recovery	Total	CPF Harvest
1,400	-0-	-0-	-0-	1,400
% of Total	0%	0%	0%	100%

3.4 Separation of Hatchery Escapement

The hatchery escapement goals summarized in the table below are the midpoints of the special harvest area (SHA) escapement goal ranges, to provide for the broodstock and cost-recovery requirements based on these variables: sex ratio of fish available for broodstock, fecundity, holding mortality percentage, immature and over-mature spawner percentage, average fish size, and price per pound.

SHA Escapement Goal Summary

	Hatchery	SHA Escapement Goal
Species	Escapement Goal	Range
Chum Salmon	1,602,000	1,384,000–1,875,000
Pink Salmon	2,049,000	1,787,000–2,414,000

In 2013, PWSAC designated a Hatchery Escapement Exclusion Zone (HEEZ) within the WNH SHA. The HEEZ consists of the waters of the SHA north of a latitude line at 60°47.78′N.

3.5 Special Management Strategies

Effective management of mixed-stock fisheries is difficult. It is the intent of ADF&G to provide stated PWSAC hatchery escapement goals by species. Achieving the target revenue goal will depend upon the timing and magnitude of PWSAC salmon runs, average fish size, and price per pound PWSAC receives. It will also depend upon precise in-season assessments of both wild and hatchery run strength. Depending upon the precision of in-season run assessments, the actual percentages of PWSAC total runs by species, which are provided for hatchery escapement, may

fall above or below the stated goals. If precise and timely stock identification data are available, ADF&G will use them to manage the fisheries in season for an allocation of PWSAC-produced pink, chum, and sockeye salmon between the CPF and PWSAC. Pink salmon will be managed for PWSAC hatchery escapement after July 20. Sockeye and chum salmon will be managed for PWSAC hatchery escapement by stock.

Performance of the hatchery run is evaluated by comparison of daily harvest rates to a predicted run entry table. In addition, daily sex ratios in the hatchery harvest predict, by a regression equation, the fraction of the run that has returned to date. PWSAC will provide these two types of data from the cost-recovery harvest to ADF&G management staff on a daily basis during the season so the area management biologist can make estimates of the number of salmon remaining in the run. Once egg-take operations commence at the hatchery, progress towards the hatchery's final goal could determine future SHA openings dependent upon SHA fish abundance estimates. PWSAC will provide daily estimates of fish abundance inside the barrier seine (if applicable), within the HEEZ, and in the SHA outside of the HEEZ, along with egg-take progress updates to ADF&G management staff.

If hatchery escapement problems occur at the hatchery, commercial CPF restrictions will be made in the Esther and/or Perry Island subdistricts based upon the magnitude of the shortfall and stage of the run.

PWSAC will submit written management recommendations to the department with clear justifications as to how the recommendations support achieving cost recovery and/or broodstock collection goals. Each recommendation, in the form of a brief email, will include, but not be limited to, current cost-recovery harvest data, HEEZ and outer SHA estimates, actual and anticipated run entry, and actual and anticipated cost-recovery progress. Each recommendation will also include a summary of actual and anticipated hatchery escapement and broodstock collection progress as it relates to the weekly goals established in this AMP. For this reporting, hatchery escapement will be defined as fish in the HEEZ and outer SHA, both upstream and downstream of the barrier net, as appropriate. Fish in the raceways or brood holding ponds will be defined as broodstock.

To ensure accurate and clear reporting, the AMP Adult Run Summary table from the AMP for each hatchery and species will be submitted to the department when requested, as well as with written management recommendations.

It will be the responsibility of the PWSAC staff, with written consent of the PWSAC Executive Committee, to advise ADF&G of any desired in-season adjustments to the preseason hatchery escapement goals, and/or significant changes to the preseason management strategy. Recognizing the imprecision of preseason forecasts and inseason assessment of wild stock and hatchery contribution estimates, ADF&G will assess PWSAC's requested changes based upon the best available information. If, based on the assessment of ADF&G, the total hatchery run will be less than or greater than the original PWSAC forecasted return, then ADF&G will adjust openings, as necessary, to best provide for wild stock, hatchery escapement, and CPF harvests. Total hatchery and wild stock runs will be estimated after a thorough postseason analysis of all available data. Postseason estimates may not coincide with ADF&G's or PWSAC's in-season estimates.

Chum Salmon: During the chum salmon run, the Esther and Granite Bay subdistricts are managed to attain chum salmon broodstock, cost-recovery objectives, and wild salmon escapement into Coghill District. If these objectives are on track, time and/or areas open to fishing may be expanded. If sockeye salmon escapement into Coghill Lake is weak and/or cost recovery and broodstock objectives are behind projections, restrictions in the Esther and/or Granite Bay subdistricts will be necessary. Given a shortfall in either wild or hatchery escapement, fishing time and/or area in the Esther Subdistrict may be reduced. If management of the Esther Subdistrict is not achieving either wild or hatchery escapement, fishing time and/or area in the Granite Bay Subdistrict may be reduced.

Pink Salmon: Because there is no way of isolating hatchery fish from wild stocks in waters of the general purse seine districts, these districts can only be opened and closed as the wild stock run strength will allow. When the hatchery return can withstand a higher exploitation rate than the returning wild stocks, hatchery fish that are not intercepted in the mixed stock areas of the general districts continue into the Esther Subdistrict and waters of Lake and Quillian bays. Wild stock pink salmon escapement shortfalls have occurred several times in the Coghill District since 1988. Beginning in 1994, CPF openings in the Esther Subdistrict have been restricted to within one and a half miles of Esther Island to minimize harvest of weak pink salmon stocks destined for Port Wells. Recommendations discussed by the Salmon Harvest Task Force have included closing those waters west of Lake Bay to seine harvests during weak wild stock returns to provide a greater corridor for wild fish transiting the Esther Subdistrict.

The principal tool available to manage the hatchery pink salmon return is EO manipulation of the Esther and Perry Island subdistricts (figures 1–2). Closure of the hatchery subdistricts during the regular season can be used to decrease interception of hatchery fish to assure that the corporation can achieve its cost recovery and broodstock objectives. When it is apparent that a large hatchery surplus exists in the Esther or Perry Island subdistricts, efforts will be made to provide fishing time in such a manner to prevent a large buildup of fish from occurring and to allow for a timely harvest of the highest quality fish possible.

Coho Salmon: No special management action is anticipated for coho salmon, although fish entering the SHA will be available for PWSAC harvest. It is likely that a weekly fishing schedule in the Esther Subdistrict will be established for the coho salmon return. This schedule will be continued into mid-September to provide for harvest of coho salmon returning to the hatchery. Duration of openings may be modified depending upon run performance.

3.6 Sport Fish Harvest

Sport fisheries will be managed in accordance with regulations as provided in 5 AAC 47–5 AAC 75. Emergency orders may be issued to liberalize or restrict sport fisheries based on achievement of broodstock goals.

WNH coho salmon returning to Chenega Bay, Cordova, and Whittier release locations are expected to contribute to local sport fisheries. These locations have been designated by the BOF as THAs,

which allow for the sport harvest of up to six coho salmon instead of three, as is the case in the remaining portions of Prince William Sound.

Chum, pink, and coho salmon are expected to contribute to sport fisheries in the WNH THA and SHA. The area within 100 feet of the WNH broodstock holding pen is closed to sport fishing (5 AAC 55.023(3)).

3.7 Subsistence Harvest

The WNH facility is within the Prince William Sound general subsistence area. Alaska residents may harvest fish for subsistence use using the legal gear type for the Coghill District.

3.8 Avoidance of Nontarget Species

Numerical abundance of stocks of fish other than WNH stocks of salmon is insignificant in the WNH THA and SHA. No particular problems are expected to occur.

IV. EVALUATION STUDIES

4.1 Otolith Marking

During the fall incubation period (September–December 2024), 100% of the pink, chum, and coho will be marked at the eyed-egg stage. The table below summarizes the 2024 thermal otolith mark–assignment by the ADF&G Mark, Tag, and Age Lab (MTAL). Voucher samples are collected and submitted along with data per the ADF&G MTAL sampling protocol. Planned otolith marks may change with confirmation from the North Pacific Anadromous Fish Commission Mark Coordinator for Alaska.

Species	Anticipated Number of Eyed Eggs	Thermal Otolith Mark	Intended Release Location
Chum Salmon	77,000,000	4,3nH	WNH (Lake Bay)
Chum Salmon	42,900,000	1,3n,2H	WNH or Port Chalmers
Chum Salmon	0	3,3,4Н	WNH or Port Chalmers
Pink Salmon	69,500,000	8H	WNH (Lake Bay)
Pink Salmon	69,500,000	8H3	WNH (Lake Bay)
			WNH (Lake Bay),
Coho Salmon	1,875,000	3H	Whittier, Crab Bay
Coho Salmon	1,875,000	3H3	WHN (Lake Bay)
Coho Salmon	135,000 ¹	5H3	Cordova (Fleming Spit)
King Salmon	49,500	2,7H	Crab Bay

¹ Submitted a PAR to increase egg take from 135,000 to 250,000 green eggs and increase release from 100,000 to 200,000 smolts).

4.2 Otolith Recovery in Returning Adults

The recovery of otoliths from returning adult salmon will occur this year. Recovery efforts will be directed at the CPF and cost recovery and will be performed by field personnel at processing locations.

Otolith mark data will be used by ADF&G and PWSAC to measure fishery contribution and marine survival of salmon. ADF&G will provide PWSAC with preliminary otolith mark—recovery data from fishery samples by December 1, and any additional otolith data from straying studies and other projects by April 1. Similarly, PWSAC will provide ADF&G with independently-collected otolith mark—recovery data by April 1 each year. These data are to be the individual specimen otolith mark results.

V. ATTACHMENTS

FIGURE 1. Coghill Fishery Management District

FIGURE 2. Esther and Granite Bay Subdistricts

FIGURE 3. WNH THA, SHA, and HEEZ

TABLE 1. 2024 PWSAC Hatchery Return Forecast Summary

TABLE 2. 2024 Planned Egg-Takes

TABLE 3. 2024 WNH Chum Salmon Adult Return Summary 2024 WNH Pink Salmon Adult Return Summary

TABLE 4. 2024 Hatchery Egg-Take Schedules

TABLE 5. 2024 PWSAC Estimated Salmon Releases

TABLE 6. 2025 PWSAC Estimated Salmon Releases


TABLE 7. Egg-take Data Template for Each Species at Each Hatchery


VI. APPROVAL


Recommendation for Approval: Wally Noerenberg Hatchery Annual Management Plan, 2024


Geoff Clark, PWSAC, General Manager	4/25/2024
Brittany Blain-Roth, Area Management Biologist, Division of Sport Fish	4/29/2024
Heather Scannell, Area Management Biologist, Division of Commercial Fisheries	4/8/2024
Jeremy Botz, Area Management Biologist, Division of Commercial Fisheries	4/25/2024
Jason Dye, Regional Supervisor, Division of Sport Fish	4/9/2024
Bert Lewis, Regional Supervisor, Division of Commercial Fisheries	4/29/2024
Ethan Ford, Regional Resource Development Biologist, Div. of Commercial Fisheries	4/29/2024
Lorraine Vercessi, PNP Hatchery Program Coordinator, Div. of Commercial Fisheries	3 4/30/2024
The 2024 Wally Noerenberg Hatchery Annual Management Plan is hereby appro	oved:
Tom Taube, Deputy Director, Division of Sport Fish	5/1/2024
Forrest Bowers, Operations Manager, Division of Commercial Fisheries	5/1/2024














TABLE 1. 2024 PWSAC Hatchery Return Forecast

PRINCE WILLIAM SOUND AQUACULTURE CORPORATION 2024 HATCHERY RETURN FORECAST

			AD	ULT	RETURN	
SITE/		RUN	ESTIMATE			EST. MARINE
LOCATION	SPECIES	TIME	LOW	POINT	HIGH	SURVIVAL
			•			
RETURNS T	O THE HATCHERII	ES				
AFK	PINK	JUL 19 -	1,300,000	2,800,000	4,300,000	1.61%
		SEP 05		<u>.</u>		
	CHUM	JUN 1 -	200,000	240,000	270,000	1.27%
		JUL 27				
CCH	PINK	JUL 23 -	1,500,000	4,100,000	6,700,000	2.42%
		SEP 07				
WNH	PINK	JUL 19 -	900,000	3,300,000	5,700,000	2.44%
		SEP 05				
			1			
	CHUM	JUN 1 -	2,490,000	2,820,000	3,160,000	3.77%
		JUL 27				
	COHO	AUG 01 -	32,000	62,000	157,000	3.70%
		SEP 20				
MBH	COGHILL	JUN 15 -	765,000	864,000	961,000	8.27%
	SOCKEYE	AUG 01		1		
GH	CROSSWIND LAKE		39,000	45,000	51,000	0.54%
	SOCKEYE					
	PAXSON LAKE - GI		15,200	17,800	20,500	0.33%
	SOCKEYE			-		-
	PAXSON LAKE - GII		4,400	5,000	5,700	0.92%
	SOCKEYE					
	SUMMIT LAKE		0	0	0	0.00%
	SOCKEYE					

RETURNS TO REMOTE RELEASE LOCATIONS

RETURNS TO RE	MOIEKEL	EASE LUC	AHONS			
PORT CHALMERS	CHUM	JUN 1 -	790,000	920,000	1,050,000	2.59%
		JUL 27				
CORDOVA	СОНО	AUG 01 -	100	1,400	2,800	1.39%
		SEP 20				
WHITTIER	СОНО	AUG 01 -	100	1,400	2,800	1.39%
		SEP 20				
CHENEGA	СОНО	AUG 01 -	1,000	1,900	4,700	3.70%
		SEP 20			·	
	•		1		•	
CHENEGA	CHINOOK	MAY 25 -	520	650	780	1.49%
		JULY 10				
TOTAL PWSAC R		NK	3,700,000	10,200,000	16,700,000	2.16%
	"	INIX	3,700,000	10,200,000	10,700,000	2.10/0
			1			
	CH	IUM	3,480,000	3,980,000	4,480,000	2.54%
	CC	НО	33,200	66,700	167,300	3.70%
	CHIN	NOOK	520	650	780	1.49%
	SOCKEYE -	SOUND, MBH	765,000	864,000	961,000	8.27%
		GH,COPPER /ER	58,600	67,800	77,200	0.60%
	•					

PRINCE WILLIAM SOUND AQUACULTURE CORPORATION

2024 EGG-TAKE GOALS

			EGG-TAKE	EGG-TAKE
SPECIES	HATCHERY	ORGINAL DONOR STOCK	LOCATION	GOAL
CHUM	WALLY NOERENBERG	WELLS RIVER	WNH	153,000,000
SOCKEYE	MAIN BAY	COGHILL LAKE	МВН	12,400,000
	GULKANA I	GULKANA RIVER	GHI	35,000,000
	GULKANA II	GULKANA RIVER	GHII	1,750,000
			TOTAL	49,150,000
PINK	ARMIN F. KOERNIG	LARSEN, EWAN, GALENA	AFK	190,000,000
	CANNERY CREEK	CANNERY CREEK	ССН	187,000,000
	WALLY NOERENBERG	LARSEN, EWAN, GALENA	WNH	148,000,000
			TOTAL	525,000,000
СОНО	WALLY NOERENBERG	CORBIN CREEK	WNH	3,750,000
		POWER CREEK	CDV	250,000
			TOTAL	4,000,000
CHINOOK	WALLY NOERENBERG	WJHSFH	WNH	50,000
			TOTAL PWSAC	731,200,000

TABLE 3. 2024 WNH Stock Adult Return Summary. Chum salmon.

Prelimi	narv																					
	<u> </u>											TABLE	2.									
														N SUMMARY								
RETURN:	2.820.000											ADULI	KE I UKI	N SUMMART								
BROODSTK:	228,000											HATCHERY:	WNH									
FISH SALES:	1,374,000											SPECIES:										
HAT. TOTAL:	1,602,000											YEAR:										
CPF TOTAL:	1,218,000)																				
% EXPLOIT.:	43.2%	CPF																				
	56.8%	PWSAC																				
	RL	JN-TIMING P	ERCENTAGE	S		SHA HATCHERY ESCA	PEMENT ESTIMATE	S			HATCHERY ESCA	APEMENT SCI	HEDULE									
	Projected	Projected	Actual	Actual	Fishway	INSIDE Barrier Seine	HEEZ	OUTSIDE HEEZ		BROOD	STOCK		FISH S	ALES		C.P.F. H	IARVEST			TOTAL R	ETURN	
Date	% Cum.	% Female	% Cum.	% Female	Estimate	Estimate	Estimate	Estimate		Proj. Daily	Act. Cum. Act. Daily							Act. Daily				
23-May	0.0%								0	0	0	0		0	0	0	-		0	0	_	-
24-May	0.0%								0		0	0			0	0			0	0		
25-May 26-May	0.0%								0		0	0			0	0			0	0		
26-May 27-May	0.0%								0		0	0		-	0	0			0	0		_
27-May 28-May	0.0%								0		0	0	_	-	0	0			0	0		
20-May	0.0%								0		0	0			0	0			0	0		_
30-May	0.0%								0		0	0		-	0	0			0	0		
31-May	0.0%								0	0	0	0	0	0	0	0	0		0	0	0	0
1-Jun	0.1%								228	228	0	2,592	2,592	0	0	0	0		2,820	2,820	0	0
2-Jun	0.2%								456	228	0	5,184	2,592	0	0	0	0		5,640	2,820	0	0
3-Jun	0.3%								684	228	0	7,776		0	0	0			8,460	2,820		_
4-Jun	0.5%								1,140	456	0	12,960		0	0	0			14,100	5,640		
5-Jun	0.7%								1,596	456	0	18,144		0	0	0			19,740	5,640		_
6-Jun	0.9%								2,052	456	0	23,328		0	0	0			25,380	5,640		_
7-Jun	1.5% 2.4%	24.8%							3,420		0	38,880		0	0	0			42,300	16,920		
8-Jun 9-Jun		24.1% 25.0%							5,472 7,068	2,052 1,596	0	62,208 80,352		0	0	0			67,680 87,420	25,380 19,740		_
10-Jun	4.8%	26.0%							10.944	3,876	0	124,416		0	0	0	-		135,360	47,940	_	-
11-Jun	7.2%	27.2%							16,416		0	186,624	7	0	0	0			203,040	67,680		_
12-Jun	9.2%	27.6%							20,976	4,560	0	238,464		0	0	0			259,440	56,400		
13-Jun		28.7%							25,308	4,332	0	287,712		0	0	0			313,020	53,580		0
14-Jun	14.3%	30.4%							32,604	7,296	0	370,656	82,944	0	0	0	0		403,260	90,240	0	0
15-Jun	15.7%	33.6%							35,796	3,192	0	406,944		0	(0)	(0)			442,740	39,480		-
16-Jun	17.5%	35.7%							39,900	4,104	0	453,600		0	(0)	0			493,500	50,760		_
17-Jun	19.5%	38.7%							44,460	4,560	0	505,440		0	(0)	0			549,900	56,400		
18-Jun	21.9%	40.9%							49,932	5,472	0	567,648		0	(0)	0			617,580	67,680		
19-Jun	23.6% 26.6%	43.9% 44.5%							53,808 60,648	3,876 6,840	0	611,712		0	(0)	0			665,520	47,940		_
20-Jun 21-Jun		44.5%							66,576	5,928	0	689,472 756,864	77,760 67,392	0	(0)	0	-		750,120 823,440	84,600 73,320	_	-
21-Jun	31.3%	42.2%							71,364	4,788	0	811.296		0	(0)	0			882,660	59,220		_
23-Jun	33.4%	43.0%							76,152	4,788	0	865,728		0	(0)	0			941,880	59,220		
24-Jun		43.7%							80,940	4,788	0	920,160		0	(0)	0			1,001,100	59,220	_	_
25-Jun		43.7%							86,412		0	956,191		0	26,177	26,177			1,068,780	67,680		_
26-Jun	40.2%	45.0%							91,656	5,244	0	977,570		0	64,414	38,237			1,133,640	64,860		0
27-Jun	42.4%	47.0%							96,672		0	977,570		0	121,438	57,024			1,195,680	62,040	0	
28-Jun	46.4%	49.9%							105,792	9,120	0	977,570			225,118	103,680			1,308,480	112,800		
29-Jun	49.3%	52.6%							112,404		0	977,570			300,286	75,168			1,390,260	81,780		
30-Jun	51.7%	54.0%							117,876	5,472	0	977,570	0		362,494	62,208			1,457,940	67,680		
1-Jul	54.7%	56.8%							124,716		0	977,570		-	440,254	77,760			1,542,540	84,600		_
2-Jul		57.2%							132,696	7,980	0	977,570	0	-	530,974	90,720			1,641,240	98,700		
3-Jul	61.4%	58.6%							139,992	7,296	0	977,570	0	0	613,918	82,944	0		1,731,480	90,240	0	0

TABLE 3. Page 2 of 4. 2024 WNH Stock Adult Return Summary. Chum salmon (continued).

Prelimi	narv																					
												TABLE	3:									
	PROJECTED)										ADULT	RETURN	SUMM	ARY							
RETURN:	2.820.000		-																			
BROODSTK:	228,000											HATCHERY:	WNH									
FISH SALES:	1,374,000											SPECIES:										
HAT. TOTAL:	1,602,000)										YEAR:										
CPF TOTAL:	1,218,000)																				
% EXPLOIT.:	43.2%	CPF																				
	56.8%	PWSAC																				
	RU	JN-TIMING P	ERCENTAGE	S		SHA HATCHERY ESCA	APEMENT ESTIMATE	ES			HATCHERY ESCA	APEMENT SCH	IEDULE									
	Projected	Projected	Actual	Actual	Fishway	INSIDE Barrier Seine	HEEZ	OUTSIDE HEEZ		BROODS			FISH SA				C.P.F. HAF	RVEST		TOTAL RE		
Date	% Cum.	% Female	% Cum.	% Female	Estimate	Estimate	Estimate	Estimate			Act. Cum. Act. Daily	-	Proj. Daily		Act. Daily	Proj. Cum.		Act. Cum. Act. Daily			Act. Cum.	Act. Daily
4-Jul	64.1%	57.6%							146,148	6,156	0	977,570	0	0		683,902	69,984	0	1,807,620	76,140	0	0
5-Jul	67.7%	58.2%							154,356	8,208	0	977,570	0	0		777,214	93,312	0	1,909,140	101,520	0	0
6-Jul	69.0%	57.9%							157,320	2,964	0	977,570	0	0		810,910	33,696	0	1,945,800	36,660	0	0
7-Jul	71.0%	63.6%							161,880	4,560	0	977,570	0	0		862,750	51,840	0	2,002,200	56,400	0	0
8-Jul	75.1%	60.7%							171,228	9,348	0	977,570	0	0		969,022	106,272	0	2,117,820	115,620	0	0
9-Jul	78.4%	63.4%							178,752	7,524	0	977,570	0	0		1,054,558	85,536	0	2,210,880	93,060	0	0
10-Jul	80.4%								183,312	4,560	0	977,570	0	0		1,106,398	51,840	0	2,267,280	56,400	0	0
11-Jul	82.6%								188,328	5,016	0	977,570	0	0		1,163,422	57,024	0	2,329,320	62,040	0	0
12-Jul 13-Jul	85.1% 88.7%								194,028 202,236	5,700 8,208	0	977,570	0	0		1,228,222 1,321,534	64,800	0	2,399,820	70,500	0	
13-Jul 14-Jul	90.3%								202,236	3,648	0	977,570 977,570	0	0		1,363,006	93,312 41,472	0	2,501,340 2,546,460	101,520 45,120	0	
14-Jul 15-Jul	92.2%								210,216	4,332	0	977,570	0	0		1,412,254	49,248	0	2,540,460	53,580	0	0
16-Jul	93.3%								212,724	2,508	0	977,570	0	0		1,440,766	28,512	0	2,631,060	31,020	0	
17-Jul	94.1%								214,548	1,824	0	977,570	0	0		1,461,502	20,736	0	2,653,620	22,560	0	
18-Jul	95.3%								217,284	2,736	0	977.570	0	0		1,492,606	31,104	0	2,687,460	33.840	0	
19-Jul	96.5%								220,020	2,736	0	977.570	0	0		1,523,710	31,104	0	2,721,300	33.840	0	0
20-Jul	97.1%								221,388	1,368	0	977,570	0	0		1,539,262	15,552	0	2,738,220	16,920	0	0
21-Jul	97.7%								222,756	1,368	0	977,570	0	0		1,554,814	15,552	0	2,755,140	16,920	0	0
22-Jul	98.0%								223,440	684	0	977,570	0	0		1,562,590	7,776	0	2,763,600	8,460	0	0
23-Jul	98.2%								223,896	456	0	977,570	0	0		1,567,774	5,184	0	2,769,240	5,640	0	0
24-Jul	98.9%								225,492	1,596	0	977,570	0	0		1,585,918	18,144	0	2,788,980	19,740	0	0
25-Jul	99.0%								225,720	228	0	977,570	0	0		1,588,510	2,592	0	2,791,800	2,820	0	0
26-Jul	99.3%								226,404	684	0	977,570	0	0		1,596,286	7,776	0	2,800,260	8,460	0	0
27-Jul	99.4%								226,632	228	0	977,570	0	0		1,598,878	2,592	0	2,803,080	2,820	0	0
28-Jul	99.6%								227,088	456	0	977,570	0	0		1,604,062	5,184	0	2,808,720	5,640	0	0
29-Jul	99.6%								227,088	0	0	977,570	0	0		1,604,062	0	0	2,808,720	0	0	0
30-Jul	99.8%								227,544	456	0	977,570	0	0		1,609,246	5,184	0	2,814,360	5,640	0	0
31-Jul	99.8%								227,544	0	0	977,570	0	0		1,609,246	0	0	2,814,360	0	0	0
1-Aug	99.9%								227,772	228	0	977,570	0	0		1,611,838	2,592	0	2,817,180	2,820	0	0
2-Aug	99.9%								227,772	0	0	977,570	0	0		1,611,838	0	0	2,817,180	0	0	0
3-Aug									227,772	0	0	977,570	0	0		1,611,838	0	0	2,817,180	0	0	0
4-Aug									227,772	0	0	977,570	0	0		1,611,838	0	0	2,817,180	0	0	0
5-Aug									227,772	0	0	977,570	0	0		1,611,838	0 500	0	2,817,180	0	0	0
6-Aug									228,000	228	0	977,570	0	0		1,614,430	2,592	0	2,820,000	2,820	0	0
7-Aug	100.0%								228,000	0	U	977,570	0	0		1,614,430	U	0	2,820,000	0	U	0

TABLE 3. Page 3 of 4. 2024 WNH Stock Adult Return Summary. Pink salmon.

D !!																								
Prelimi	nary																							
													TABLE	3:										
	PROJECTED												ADULT	RETUR	NSUMI	/IARY								
RETURN																								
BROODSTK	326,000												HATCHERY:											
FISH SALES	1,723,000												SPECIES:	PINK										
CPF TOTAL	2,049,000 1,251,000												YEAR:	2024										
% EXPLOIT.	37.9%																							
		PWSAC																						
		JN-TIMING P				SHA HATCHERY ESCA						IERY ESCA	PEMENT SCI											
Date	Projected % Cum.	Projected % Female	Actual % Cum.	Actual % Female	Fishway Estimate	INSIDE Barrier Seine Estimate	HEEZ Estimate	OUTSIDE HEEZ Estimate	Proi. Cum.	BROOD Proi. Daily		Act. Daily	Proj. Cum.	FISH S Proi. Daily		Act. Daily	Proi. Cum.	C.P.F. HA		Act. Daily	Proj. Cum.	TOTAL RE		Act. Daily
7-Ju	0.0%								0	0	0		0	0	0		0	0	0		0	0	0	0
8-Ju	0.0%								0	0	0		0	0			0	0	0		0	0	0	0
9-Ju	0.0%								0	0	0		0				0	0	0		0	0	0	_
10-Ju	0.0%							-	0	0	0		0	0			0				0	0	0	
11-Ju 12-Ju	0.2%								652 1,304	652 652	0		0	0			5,948 11,896	5,948 5,948	0		6,600 13,200	6,600 6,600	0	
12-Ju	0.4%								1,630	326	0		0	0	0		14,870	2,974	0		16,500	3,300	0	0
14-Ju	0.6%								1,956	326	0		0	0			17,844	2,974	0		19,800	3,300	0	0
15-Ju	0.7%								2,282	326	0		0	0			20,818	2,974	0		23,100	3,300	0	
16-Ju	0.9%	15.5%							2,934	652	0		0	0			26,766	5,948	0		29,700	6,600	0	
17-Ju	1.0%	14.3%							3,260	326	0		0	0			29,740	2,974	0		33,000	3,300	0	
18-Ju 19-Ju	1.3%	11.7% 13.3%							4,238 5,216	978 978	0		0	0	0		38,662 47,584	8,922 8,922	0		42,900 52,800	9,900 9,900	0	
20-Ju	1.8%	12.3%							5,868	652	0		5,948	5,948	0		47,584	0,922	0		59,400	6,600	0	
21-Ju	2.2%	11.9%							7,172	1,304	0		17,844	11,896	0		47,584	0			72,600	13,200	0	
22-Ju	2.7%	12.2%							8,802	1,630	0		32,714	14,870	0		47,584	0	0		89,100	16,500	0	0
23-Ju	3.8%	13.1%							12,388	3,586	0		65,428	32,714	0		47,584	0			125,400	36,300	0	
24-Ju	4.8%	14.7%							15,648	3,260	0		95,168	29,740	0		47,584	0			158,400	33,000	0	
25-Ju 26-Ju	6.0% 7.1%	15.2% 15.9%							19,560 23,146	3,912 3,586	0		130,856 163,570		0		47,584 47,584	0			198,000 234,300	39,600 36,300	0	
20-Ju	8.2%	18.3%							26,732	3,586	0		196,284	32,714	0		47,584	0			270,600	36,300	0	
28-Ju	10.3%	19.9%							33,578	6,846	0		258,738	62,454	0		47,584	0			339,900	69,300	0	0
29-Ju	12.5%	25.3%							40,750	7,172	0		324,166		0		47,584	0	0		412,500	72,600	0	0
30-Ju	14.4%	24.2%							46,944	6,194	0		380,672		0		47,584	0	0		475,200	62,700	0	
31-Ju 1-Au	16.3% 17.8%	27.7% 26.5%							53,138 58.028	6,194 4.890	0		437,178 481.788	56,506 44,610	0		47,584 47,584	0			537,900 587,400	62,700 49.500	0	
2-Aug		27.8%							65.852	7,824	0		553,164		0		47,584	0			666,600	79,200	0	_
3-Aug	22.1%	28.0%							72,046	6,194	0		556,498		0		100,756	53,172	0		729,300	62,700	0	
4-Aug	24.5%	29.3%							79,870	7,824	0		556,498	0	0		172,132	71,376	0	ı	808,500	79,200	0	0
5-Auç		32.0%							88,020	8,150	0		556,498	0	0		246,482	74,350	0		891,000	82,500	0	0
6-Aug	30.6%	32.7%							99,756	11,736	0		556,498	0			353,546	107,064	0		1,009,800	118,800	0	_
7-Aug 8-Aug	32.6%	33.9% 34.4%							106,276 115,730	6,520 9,454	0		556,498 556,498	0	0		413,026 499,272	59,480 86,246	0		1,075,800 1,171,500	66,000 95,700	0	_
9-Aug	37.0%	39.9%							120,620	4,890	0		556,498	0	0		543.882	44,610	0		1,171,500	49,500	0	
10-Auç	40.0%	43.2%							130,400	9,780	0		556,498	0			633,102		0		1,320,000	99,000	0	
11-Aug	43.4%	47.0%							141,484	11,084	0		556,498	0	0		734,218	101,116	0		1,432,200	112,200	0	
12-Auç	46.6%	46.9%							151,916	10,432	0		556,498	0	0		829,386	95,168	0		1,537,800	105,600	0	0
13-Aug	51.9%	48.8%							169,194	17,278	0		556,498	0			987,008	157,622	0		1,712,700	174,900	0	
14-Aug 15-Aug	54.3% 61.0%	48.0% 50.9%							177,018 198,860	7,824 21,842	0		556,498 556,498	0	0		1,058,384 1,257,642	71,376 199,258	0		1,791,900 2,013,000	79,200 221,100	0	
15-Aug 16-Aug	61.0%	50.9%							198,860	9,780	0		556,498	0			1,257,642	199,258 89,220	0		2,013,000	99.000	0	
17-Aug	69.9%	53.0%							227,874	19,234	0		556,498	0	0		1,522,328	175,466	0		2,306,700	194,700	0	
18-Aug	72.3%	53.5%							235,698	7,824	0		556,498	0	0		1,593,704	71,376	0		2,385,900	79,200	0	0
19-Aug	75.7%	54.2%							246,782	11,084	0		556,498	0			1,694,820	101,116	0		2,498,100	112,200	0	0
20-Aug	77.7%	55.8%							253,302	6,520	0		556,498	0			1,754,300	59,480	0		2,564,100	66,000	0	0
21-Auç	80.7%	57.4%							263,082	9,780	0		556,498	0	0		1,843,520 1,905,974	89,220	0		2,663,100	99,000	0	0
22-Aug 23-Aug	82.8% 85.6%	58.4% 58.8%							269,928 279.056	6,846 9,128	0		556,498 556,498	0			1,905,974	62,454 83,272	0		2,732,400 2.824.800	69,300 92,400	0	
24-Aug		58.9%							284,272	5,216	0		556,498	0			2,036,830		0		2,877,600	52,800	0	
										.,=			,				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,			, ,, ,,,,,,	. ,		

TABLE 3. Page 4 of 4. 2024 WNH Stock Adult Return Summary. Pink salmon (continued).

Prelimi	nary																						
	_												TABLE 3	3:									
	PROJECTED												ADULT F	RETURN	SUMN	IARY							
RETURN:	3,300,000																						
BROODSTK:	326,000												HATCHERY:	WNH									
FISH SALES:	1,723,000												SPECIES:	PINK									
HAT. TOTAL:	2,049,000												YEAR:	2024									
CPF TOTAL:	1,251,000																						
% EXPLOIT.:	37.9%																						
	62.1%	PWSAC																					
	RU	N-TIMING PE	RCENTAGE	S		SHA HATCHERY ESCA	PEMENT ESTIMATES	S		•	HATCHE	RY ESCA	PEMENT SCH	EDULE									
	Projected	Projected	Actual	Actual	Fishway	INSIDE Barrier Seine	HEEZ	OUTSIDE HEEZ		BROODS	STOCK			FISH S/	ALES			C.P.F. HARVES	T		TOTAL RE	TURN	
Date	% Cum.	% Female	% Cum.	% Female	Estimate	Estimate	Estimate	Estimate	Proj. Cum.	Proj. Daily A	Act. Cum.	Act. Daily	Proj. Cum.	Proj. Daily	Act. Cum.	Act. Daily	Proj. Cum.	Proj. Daily Act. C	um. Act. Daily	Proj. Cum.	Proj. Daily /	Act. Cum. /	Act. Daily
24-Aug	87.2%	58.9%							284,272	5,216	0		556,498	0	0		2,036,830	47,584	0	2,877,600	52,800	0	0
25-Aug	89.1%	58.2%							290,466	6,194	0		556,498	0	0		2,093,336	56,506	0	2,940,300	62,700	0	0
26-Aug	90.7%	60.3%							295,682	5,216	0		556,498	0	0		2,140,920	47,584	0	2,993,100	52,800	0	0
27-Aug	92.0%	61.5%							299,920	4,238	0		556,498	0	0		2,179,582	38,662	0	3,036,000	42,900	0	0
28-Aug	93.1%	65.0%							303,506	3,586	0		556,498	0	0		2,212,296	32,714	0	3,072,300	36,300	0	0
29-Aug	94.1%	65.4%							306,766	3,260	0		556,498	0	0		2,242,036	29,740	0	3,105,300	33,000	0	0
30-Aug	95.0%								309,700	2,934	0		556,498	0	0		2,268,802	26,766	0	3,135,000	29,700	0	0
31-Aug	95.9%								312,634	2,934	0		556,498	0	0		2,295,568	26,766	0	3,164,700	29,700	0	0
1-Sep	96.9%								315,894	3,260	0		556,498	0	0		2,325,308	29,740	0	3,197,700	33,000	0	0
2-Sep	97.5%								317,850	1,956	0		556,498	0	0		2,343,152	17,844	0	3,217,500	19,800	0	0
3-Sep	98.0%								319,480	1,630	0		556,498	0	0		2,358,022	14,870	0	3,234,000	16,500	0	0
4-Sep	98.5%								321,110	1,630	0		556,498	0	0		2,372,892	14,870	0	3,250,500	16,500	0	0
5-Sep	98.9%								322,414	1,304	0		556,498	0	0		2,384,788	11,896	0	3,263,700	13,200	0	0
6-Sep	99.3%								323,718	1,304	0		556,498	0	0		2,396,684	11,896	0	3,276,900	13,200	0	0
7-Sep	99.6%								324,696	978	0		556,498	0	0		2,405,606	8,922	0	3,286,800	9,900	0	0
8-Sep	99.7%								325,022	326	0		556,498	0	0		2,408,580	2,974	0	3,290,100	3,300	0	0
9-Sep	99.8%								325,348	326	0		556,498	0	0		2,411,554	2,974	0	3,293,400	3,300	0	0
10-Sep	99.9%								325,674	326	0		556,498	0	0		2,414,528	2,974	0	3,296,700	3,300	0	0
11-Sep	100.0%								326,000	326	0		556,498	0	0		2,417,502	2,974	0	3,300,000	3,300	0	0

TABLE 4. 2024 PWSAC Hatchery Egg-Take Schedules

PRINCE WILLIAM SOUND AQUACULTURE CORPORATION

2024 EGG-TAKE SCHEDULE

									DATE											
SITE	SPECIES	30-Jun	07-Jul	14-Jul	21-Jul	28-Jul	04-Aug	11-Aug	18-Aug	25-Aug	01-Sep	08-Sep	15-Sep	22-Sep	29-Sep	06-Oct	13-Oct	20-Oct	27-Oct	03-Nov
AFK	PINK									24-Aug			15-Sep							
CCH	PINK									24-Aug			17-Sep							
GH I	SOCKEYE							15-Aug									15-Oct			
GH II	SOCKEYE					25-Jul			10-Aug											
MBH	SOCKEYE MBH-COGHILL					01-Aug			20-Aug											
WNH	CHUM	01-Jul					01-Aug													
	PINK									24-Aug			15-Sep]						
	СОНО																19-Oct			11-Nov

TABLE 5. 2024 PWSAC Estimated Salmon Releases

2024 ANTICIPATED SALMON RELEASES

			BROOD	RELEASE	ESTIMATED FRY/
SPECIES	HATCHERY	ORGINAL DONOR STOCK	YEAR	LOCATION	SMOLT RELEASE
CHUM	WALLY NOERENBERG	WELLS RIVER	2023	WNH	73,600,000
			2023	PORT CHALMERS	41,100,000
			2023	AFK	19,400,000
				TOTAL	134,100,000
SOCKEYE	MAIN BAY	COGHILL LAKE	2022	МВН	5,500,000
	GULKANA I	GULKANA RIVER	2023	PAXSON LAKE	4,900,000
		GULKANA RIVER	2023	SUMMIT LAKE	0
		GULKANA RIVER	2023	CROSSWIND LAKE	3,700,000
	GULKANA II	GULKANA RIVER	2023	PAXSON LAKE	1,100,000
				TOTAL	15,200,000
PINK	ARMIN F. KOERNIG	LARSEN, EWAN, GALENA	2023	AFK	173,700,000
	CANNERY CREEK	CANNERY CREEK	2023	ССН	171,000,000
	WALLY NOERENBERG	LARSEN, EWAN, GALENA	2023	WNH	135,600,000
				TOTAL	480,300,000
СОНО	WALLY NOERENBERG	CORBIN CREEK	2022	WNH	1,000,000
		MILE 18	2022	CORDOVA	97,000
		MILE 18	2022	WHITTIER	100,000
		CORBIN CREEK	2022	CHENEGA	50,000
			-	TOTAL	1,247,000
CHINOOK	WALLY NOERENBERG	SHIP CREEK	2022	CHENEGA	45,900
CHINOOK	WALLINGLING	JIII CILLIN	2022	CHENEGA	73,300
				GRAND TOTAL	630,892,900
				· · · · · · · · · · · · · · · · · · ·	·

TABLE 6. 2025 PWSAC Estimated Salmon Releases

2025 ANTICIPATED SALMON RELEASES

			BROOD	RELEASE	ESTIMATED FRY/
SPECIES	HATCHERY	ORGINAL DONOR STOCK	YEAR	LOCATION	SMOLT RELEASE
CHUM	WALLY NOERENBERG	WELLS RIVER	2024	WNH	73,200,000
			2024	PORT CHALMERS	40,800,000
			2024	AFK	19,400,000
				TOTAL	133,400,000
SOCKEYE	MAIN BAY	COGHILL LAKE	2023	МВН	11,080,000
	GULKANA I	GULKANA RIVER	2024	PAXSON LAKE	6,000,000
		GULKANA RIVER	2024	SUMMIT LAKE	4,700,000
		GULKANA RIVER	2024	CROSSWIND LAKE	10,000,000
	GULKANA II	GULKANA RIVER	2024	PAXSON LAKE	1,300,000
				TOTAL	33,080,000
PINK	ARMIN F. KOERNIG	LARSEN, EWAN, GALENA	2024	AFK	171,600,000
	CANNERY CREEK	CANNERY CREEK	2024	ССН	168,800,000
	WALLY NOERENBERG	LARSEN, EWAN, GALENA	2024	WNH	133,600,000
				TOTAL	474,000,000
соно	WALLY NOERENBERG	CORBIN CREEK	2023	WNH	3,100,000
		POWER CREEK	2023	CORDOVA	100,000
		CORBIN CREEK	2023	WHITTIER	100,000
		CORBIN CREEK	2023	CHENEGA	50,000
				TOTAL	3,350,000
CHINOOK	WALLY NOERENBERG	SHIP CREEK	2023	CHENEGA	45,900
				GRAND TOTAL	643,875,900

TABLE 7. Egg-take Data Template for Each Species at Each Hatchery

Table 7.																								
Egg Take D	ata for each	n species	at each hat	chery																				
																								ļ
Brood Year	MthDay	Date	Hatchery	Species	Stock	Lot #	Egg Grams	Eggs/gram			Sample Fecundity	y Fertility	Good Female	Grn Female	Bad Female	Mort Female	Good Male	Mort Male	Excess Male	% Green		aily Female	Daily Males	Daily Tota
									0	1/511101											#DIV/0!	#DIV/0!	0	
									0												#DIV/0!	#DIV/0!	0	
									0												#DIV/0!	#DIV/0!	0	
									0												#DIV/0!	#DIV/0!	0	-
									0	1/511101											#DIV/0!	#DIV/0!	0	
									0	#DIV/0!											#DIV/0!	#DIV/0!	0	
									0	#DIV/0!											#DIV/0!	#DIV/0!	0	
									0	#DIV/0!											#DIV/0!	#DIV/0!	0	
									0	#DIV/0!											#DIV/0!	#DIV/0!	0	•
									0	#DIV/0!											#DIV/0!	#DIV/0!	0	
									0	#DIV/0!											#DIV/0!	#DIV/0!	0	0
									0	#DIV/0!											#DIV/0!	#DIV/0!	0	0
									0	#DIV/0!											#DIV/0!	#DIV/0!	0	0
									0	#DIV/0!											#DIV/0!	#DIV/0!	0	0
									0	#DIV/0!											#DIV/0!	#DIV/0!	0	0
									0												#DIV/0!	#DIV/0!	0	
									0												#DIV/0!	#DIV/0!	0	_
									0	#DIV/0!											#DIV/0!	#DIV/0!	0	
									0	#DIV/0!											#DIV/0!	#DIV/0!	0	
									0												#DIV/0!	#DIV/0!	0	
									0												#DIV/0!	#DIV/0!	0	
									0	#DIV/0!											#DIV/0!	#DIV/0!	0	
									1 0	#DIV/0!											#DIV/0!	#DIV/0!	0	
									n	#DIV/0!											#DIV/0!	#DIV/0!	0	
									0												#DIV/0!	#DIV/0!	0	
										#DIV/0!											#DIV/0!	#DIV/0!	0	
										#DIV/0!											#DIV/0!	#DIV/0!	0	
									1 0	#DIV/0!											#DIV/0!	#DIV/0!	0	