Interim Annual Report to the Alaska Board of Game on Intensive Management for Moose with Wolf, Black Bear, and Grizzly Bear Predation Control in Game Management Unit 19A

Prepared by the Division of Wildlife Conservation August 2015



- 1) Description of IM Program¹ and Department recommendation for reporting period
 - A) This report is an <u>interim</u> evaluation for a predation control program authorized by the Alaska Board of Game (Board) under 5 AAC 92.123
 - **B)** Month this report was submitted by the Department to the Board:

February (annual report) August X (interim annual update) Year 2015

- C) Program name: Unit 19A wolf and bear predation control program (Fig. 1)
- D) Existing program has an associated Operational Plan
- E) Game Management Unit(s) fully or partly included in IM program area: <u>Unit 19A</u>
- F) IM objectives for moose population size 7,600–9,300 harvest 400–550
- **G)** Month and year the current predation control program was originally authorized by the Board: <u>March 2004</u>. Indicate date(s) if renewed: <u>March 2009; February 2014</u>
- H) Predation control is *currently active* in this IM area.
- I) If active, month and year the <u>current</u> predation control program began: <u>December 2004</u> for wolves July 2012 (regulatory year 2012) for bears
- J) A habitat management program funded by the Department or from other sources is currently active in this IM area: $\underline{\rm No}$
- K) Size of IM program area (square miles) and geographic description: Unit 19A is $10,048 \text{ mi}^2$
- L) Size and geographic description of area for assessing ungulate abundance: The Wolf Control Focus Area (WCFA) is 3,905 mi²; Unit 19A Bear Control Focus Area (BCFA) is 534 mi²
- M) Size and geographic description of area for ungulate harvest reporting: $\underline{\text{WCFA} \text{ is}}$ $\underline{3,905 \text{ mi}^2}$
- N) Size and geographic description of area for assessing predator abundance: WCFA is 3,905 mi²; Unit 19A Bear Control Focus Area (BCFA) is 534 mi²
- **O)** Size and geographic description of predation control area: WCFA is 3,905 mi² for wolves BCFA; 534 mi² for bears

¹ For purpose and context of this report format, see *Intensive Management Protocol, section on Tools for Program Implementation and Assessment*

- P) Criteria for evaluating progress toward IM objectives: moose abundance and harvest
- **Q)** Criteria for success with this program: <u>BCFA abundance=2.0 moose/mi² (~1,100 moose);</u> <u>and WCFA harvest=120 moose</u>
- **R**) **Department recommendation for IM program in this reporting period**: <u>Continue</u> <u>program</u> (details provided in section 6)




Figure 1. Unit 19A intensive management area and wolf and bear control focus areas.

2) Prey data

Date(s) and method of most recent abundance assessment for moose: <u>March 2014</u>, <u>Geospatial moose population estimate (GSPE) in WCFA</u>

Compared to IM area, was a similar trend and magnitude of difference in abundance observed in nearby non-treatment area(s) since program inception: Non-treatment area not established

Date(s) of most recent age and sex composition survey: <u>November 2013</u>, east-west line transects in Holitna-Hoholitna Drainages

Compared to IM area, was a similar composition trend and magnitude of difference in composition observed in nearby non-treatment area(s) since program inception: <u>Non-treatment area not established</u>

| Table 1. Moose abundance, age and sex composition in Wolf Control Focus Area (WCFA) |
|--|
| or Bear Control Focus Area (BCFA) since program implementation in year 1. Regulatory |
| year is 1 July to 30 June (e.g, RY 2004 is 1 July 2004 to 30 June 2005). |

| | • | · · · · | Composition (number per | | |
|-------------|------------|------------------------------------|-------------------------|----------|----------------|
| | Regulatory | | 10 | 0 female | $(s)^2$ |
| Period | Year | Abundance (variation) ¹ | Calves | Males | Total <i>n</i> |
| Year 1 | 2004 | 1085 moose (± 17%; 90% CI) | | | |
| Year 2 | 2005 | | 24 | 8 | 307 |
| Year 3 | 2006 | | | | |
| Year 4 | 2007 | 1703 moose (± 28%; 90% CI) | 45 | 35 | 200 |
| Year 5 | 2008 | | 27 | 34 | 124 |
| Year 6 | 2009 | | 36 | 51 | 129 |
| Year 7 | | 962 moose (± 18% at 90% CI) | 19 | 48 | 212 |
| | 2010 | 1,666 moose (± 36% 90% CI) w/scf | | | |
| Year 8 | 2011 | | 31 | 38 | 164 |
| Year 9 | 2012 | | | | |
| Year 10^3 | | 798 moose (±13.6% at 90% CI) | 50 | 55 | 244 |
| | 2013 | w/scf | | | |
| Year 11 | 2014 | | | | |

¹February-March GSPE surveys (observed moose, not corrected for sightability unless denoted w/scf [with sightability correction factor]).

²November line transect surveys; 2005 composition survey conducted in a larger geographic area than other years. ³GSPE conducted in BCFA only

Describe trend in abundance or composition: <u>No detectable trend in moose abundance within</u> the WCFA

| | Regulatory | Reported Harvest | | Total | Other | | |
|---------|------------|------------------|--------|---------|------------------------|-------|--|
| Period | Year | Male | Female | harvest | mortality ^a | Total | |
| Year 1 | 2004 | 37 | | 37 | | 37 | |
| Year 2 | 2005 | 42 | | 42 | | 42 | |
| Year 3 | 2006 | 1 ^b | | 1 | 0 | 1 | |
| Year 4 | 2007 | 2 ^b | | 2 | 0 | 2 | |
| Year 5 | 2008 | 1 ^b | | 1 | 4 | 5 | |
| Year 6 | 2009 | 1 ^b | | 1 | 1 | 2 | |
| Year 7 | 2010 | 3 ^b | | 3 | 0 | 3 | |
| Year 8 | 2011 | 2 ^b | | 2 | 2 | 4 | |
| Year 9 | 2012 | 2 ^b | | 2 | 0 | 2 | |
| Year 10 | 2013 | 2 | | 2 | 1 | 3 | |
| Year 11 | 2014 | 2 | | 2 | 2 | 4 | |

Table 2. Moose harvest in Wolf Control Focus Area (WCFA) since program implementationin year 1. Regulatory year is 1 July to 30 June (e.g. RY 2004 is 1 July 2004 to 30 June 2005).

^aMortuary harvest; other permitted harvest

^bHunting season closed, except within the Lime Village Management Area

Describe trend in harvest: Declined due to hunting season closure in most of the WCFA

Describe any other harvest related trend if appropriate: None

3) Predator data

Wolves

Date(s) and method of most recent spring abundance assessment for wolves in the WCFA: April 2015, private pilot interviews and state pilot observations

Date(s) and method of most recent fall abundance assessment for wolves in the WCFA: <u>April 2015, calculated for fall 2014 by adding total removal from WCFA to spring 2015</u> <u>abundance estimate</u>

Other research or evidence of trend or abundance status in wolves: <u>Pre-control wolf</u> estimate was modeled at 75–100 wolves in the WCFA

Table 3. Wolf abundance and removal in Wolf Control Focus Area (WCFA) since program implementation in year 1. Removal objective is to reduce wolf numbers as low as possible in the WCFA and to maintain 30-36 in all of Unit 19A to ensure wolves persist in the unit. The fall RY 2012 modeled wolf population estimate for all of Unit 19A is 87-117. Regulatory year is 1 July to 30 June (e.g, RY 2004 is 1 July 2004 to 30 June 2005).

| | | | Harvest removal | | removal | | Dept. | Public | T (1 | а.: |
|---------|------------|------------------------|--------------------|------|---------|---------|---------|------------------|-------|-----|
| | Regulatory | Fall | | | control | control | Total | Spring | | |
| Period | Year | abundance ^a | Trap | Hunt | removal | removal | removal | abundance | | |
| Year 1 | 2004 | | 3 | 0 | 0 | 40 | 43 | | | |
| Year 2 | 2005 | 44–46 | 2 | 0 | 0 | 36 | 38 | 5–7 ^b | | |
| Year 3 | 2006 | | 0 | 0 | 0 | 7 | 7 | | | |
| Year 4 | 2007 | 27 | 0 | 3 | 0 | 12 | 15 | 12 ^b | | |
| Year 5 | 2008 | | 1 | 0 | 0 | 19 | 20 | | | |
| Year 6 | 2009 | | 0 | 0 | 0 | 2 | 2 | | | |
| Year 7 | 2010 | 30 | 1 | 0 | 0 | 10 | 11 | 19 ^b | | |
| Year 8 | 2011 | 21 | 0 | 0 | 0 | 8 | 8 | 13 ^c | | |
| Year 9 | 2012 | 24 | 2 | 0 | 0 | 0 | 2 | 22 ^c | | |
| Year 10 | 2013 | 32 | 2 | 0 | 0 | 6 | 8 | 24 ^c | | |
| Year 11 | 2014 | 27 | 4 | 1 | 0 | 2 | 7 | 20 ^c | | |

^aCalculated by adding total removal to WCFA spring abundance during each regulatory year.

^bAbundance based on aerial reconnaissance survey.

^cAbundance based on private and department pilot observations.

Black Bears

Date(s) and method of most recent spring abundance assessment for black bears in the BCFA: <u>May 2013, based on removal estimator.</u>

Date(s) and method of most recent fall abundance assessment for black bears in the BCFA: <u>None</u>

Other research or evidence of trend or abundance status in black bears: Estimated population of 2,500–3,000 black bears in Unit 19A and 135–160 total bears in the BCFA prior to removal. Estimator is based on known bear densities in similar habitats in other game management units in Interior Alaska.

MILLER S., G.C. WHITE, R.A. SELLERS, H.V. REYNOLDS, J.W. SCHOEN, K. TITUS, V.G. BARNES, JR., R.B. SMITH, R.R. NELSON, W.B. BALLARD, AND C.C. SCHWARTZ. 1997. Brown and black bear density estimation in Alaska using radiotelemetry and replicated mark-resight techniques. *Wildlife Monographs* 133.

BOUDREAU T.A. 2005. Units 19, 21A and 21E black bear management report. Pages 218–222 in C. Brown, editor. Black bear management report of survey and inventory activities 1 July 2001–30 June 2004. Alaska Department of Fish and Game. Project 17.0. Juneau, Alaska.

Table 4. Black bear abundance and removal in Bear Control Focus Area (BCFA) since bear control was implemented in Year 9. Removal objective is to reduce bear numbers as low as possible within the BCFA. The spring RY 2012 estimated black bear population for all of Unit 19A is 2,500–3,000. Regulatory year is 1 July to 30 June (e.g. RY 2012 is 1 July 2012 to 30 June 2013).

| | | | | Dept. | | ept. | | | | |
|---------|------------|----------------|-----------------|-----------------|-----------------|-----------------|---------|-----------|-------|------|
| | | Spring | Harvest | | Harvest control | | | | | |
| | Regulatory | abundance | removal | | removal | | rem | oval | Total | Fall |
| Period | Year | (95% CI) | FA ^a | SP ^b | FA ^a | SP ^b | removal | abundance | | |
| Year 9 | 2012 | $92 - 102^{c}$ | 0 | 1 | 0 | 84 ^d | 85 | | | |
| Year 10 | 2013 | | 0 | | 0 | 54 | 54 | | | |
| Year 11 | 2014 | | 2 | | 0 | 0 | 2 | | | |

^aFall ^bSpring

[°]Independent bears

^dIncludes one bear killed but not recovered

Brown Bears

Date(s) and method of most recent spring abundance assessment for brown bears in the BCFA: May 2012, modeled based on known bear densities in similar habitats.

Date(s) and method of most recent fall abundance assessment for brown bears in the BCFA: <u>None</u>

Other research or evidence of trend or abundance status in black bears: <u>Estimated</u> population of 200 brown bears in Unit 19A is based on known bear densities in similar habitats in other game management units in Interior Alaska.

MILLER S., G.C. WHITE, R.A. SELLERS, H.V. REYNOLDS, J.W. SCHOEN, K. TITUS, V.G. BARNES, JR., R.B. SMITH, R.R. NELSON, W.B. BALLARD, AND C.C. SCHWARTZ. 1997. Brown and black bear density estimation in Alaska using radiotelemetry and replicated mark-resight techniques. *Wildlife Monographs* 133.

BOUDREAU T.A. 2005. Units 19, 21A and 21E black bear management report. Pages 218–222 in C. Brown, editor. Black bear management report of survey and inventory activities 1 July 2001–30 June 2004. Alaska Department of Fish and Game. Project 17.0. Juneau, Alaska.

Table 5. Brown bear abundance and removal in Bear Control Focus Area (BCFA) since bear control was implemented in Year 9. Removal objective is to reduce bear numbers as low as possible within the BCFA. The Spring RY 2012 estimated brown bear population for all of Unit 19A is 200. Regulatory year is 1 July to 30 June (e.g. RY 2012 is 1 July 2012 to 30 June 2013).

| | | | | | D | ept. | | |
|---------|------------|--------------------|-----------------|-----------------|-----------------|----------|---------|-----------|
| | | Spring | Harvest | | Harvest control | | | |
| | Regulatory | abundance | rem | oval | rem | noval | Total | Fall |
| Period | Year | (95% CI) | FA ^a | SP ^b | FA ^a | SP^{b} | removal | abundance |
| Year 9 | 2012 | 10–15 ^c | 0 | 0 | 0 | 5 | 5 | |
| Year 10 | 2013 | | 0 | 0 | 0 | 10 | 10 | |
| Year 11 | 2014 | | 0 | 0 | 0 | 0 | 0 | |

^aFall ^bSpring

^cBased on known bear densities in similar habitats

4) Habitat data and nutritional condition of prey species

Where active habitat enhancement is occurring or was recommended in the Operational Plan, describe progress toward objectives: <u>No active habitat enhancement.</u>

| Table 6. Nutritional indicators for moose in Wolf Control Focus Area (WCFA) since |
|---|
| program implementation. Regulatory year is 1 July to 30 June (e.g, RY 2004 is 1 July 2004 |
| to 30 June 2005). |

| to 50 Julie 2005). | | | | | | | | |
|--------------------|------------|---------------------|---------------------|--|--|--|--|--|
| | | Twinning Rate | Twinning Rate | | | | | |
| | | (% of radiocollared | (% of uncollared | | | | | |
| | Regulatory | cows with calf that | cows with calf that | | | | | |
| Period | Year | had twins) (n) | had twins) (n) | | | | | |
| Year 1 | 2004 | 43 (7) | | | | | | |
| Year 2 | 2005 | | | | | | | |
| Year 3 | 2006 | | 64 (11) | | | | | |
| Year 4 | 2007 | | 75 (4) | | | | | |
| Year 5 | 2008 | | | | | | | |
| Year 6 | 2009 | | | | | | | |
| Year 7 | 2010 | | | | | | | |
| Year 8 | 2011 | | | | | | | |
| Year 9 | 2012 | 54 (26) | 60 (15) | | | | | |
| Year 10 | 2013 | 70 (27) | 48 (27) | | | | | |
| Year 11 | 2014 | | | | | | | |

5) Costs specific to implementing Intensive Management

Table 7. Cost (\$1000 = 1.0) of agency salary based on estimate of proportional time of field level staff and cost of operations for intensive management activities (e.g., predator control or habitat enhancement beyond normal Survey and Inventory work) performed by personnel in the Department or work by other state agencies (e.g., Division of Forestry) or contractors in Unit 19A during years 7-11. Fiscal year (FY) is also 1 July to 30 June but the year is one greater than the comparable RY (e.g, FY 2011 is 1 July 2010 to 30 June 2011).

| | Fiscal | Predation control ^a | | Other IM | activities | Total IM | Research |
|---------|--------|--------------------------------|-------------------|----------|------------|----------|-------------------|
| Period | Year | Time ^b | Cost ^c | Time | Cost | cost | cost ^d |
| Year 7 | 2011 | 0.4 | 3.5 | 5.2 | 47.2 | 50.7 | 0.0 |
| Year 8 | 2012 | 0.5 | 3.9 | 2.0 | 31.8 | 35.7 | 0.0 |
| Year 9 | 2013 | 9.7 | 408.7 | 2.0 | 29.2 | 437.9 | 0.0 |
| Year 10 | 2014 | 17.3 | 260.3 | 0.6 | 41.8 | 302.1 | 0.0 |
| Year 11 | 2015 | 1.0 | 10.6 | 0.6 | 4.4 | 15.0 | 0.0 |

^aState or private funds only.

^bPerson-months (22 days per month)

^cSalary plus operations

^dSeparate from implementing IM program but beneficial for understanding of ecological or human response to management treatment (scientific approach that is not unique to IM).

6) Evaluation (August 2014) for program renewal following Year 9 and Department recommendations for Unit 19A

Has progress toward defined criteria been achieved? No

Has achievement of success criteria occurred? <u>No</u>

Recommendation for IM program [choose one]: Continue

Rationale for recommendation on overall program: <u>The second of 2 years of bear control was</u> completed in spring 2014. Calf survival appears to have improved. Continued predation reduction is needed to enhance moose recovery.

Other recommendations (if continuation is recommended, specific actions on individual practices): <u>Program was modified to include bear control during spring 2013 and 2014. We concluded the department bear control effort in spring 2014. We recommend continuing aerial wolf control as moose recover. Program was modified during the February 2014 Board meeting by providing option for department bear control; continuing public wolf control; establishing population criteria of 2.0 moose/mi² within the BCFA; establishing harvest criteria of 120 moose from within the WCFA; and evaluating harvest from within the WCFA.</u>