# Kodiak Management Area Herring Sac Roe Fishery Harvest Strategy for the 2017 Season

by Geoff Spalinger

March 2017

Alaska Department of Fish and Game

**Divisions of Sport Fish and Commercial Fisheries** 



#### **Symbols and Abbreviations**

The following symbols and abbreviations, and others approved for the Système International d'Unités (SI), are used without definition in the following reports by the Divisions of Sport Fish and of Commercial Fisheries: Fishery Manuscripts, Fishery Data Series Reports, Fishery Management Reports, and Special Publications. All others, including deviations from definitions listed below, are noted in the text at first mention, as well as in the titles or footnotes of tables, and in figure or figure captions.

Weights and measures (metric)		General		Mathematics, statistics	
centimeter	cm	Alaska Administrative		all standard mathematical	
deciliter	dL	Code	AAC	signs, symbols and	
gram	g	all commonly accepted		abbreviations	
hectare	ha	abbreviations	e.g., Mr., Mrs.,	alternate hypothesis	H <sub>A</sub>
kilogram	kg		AM, PM, etc.	base of natural logarithm	е
kilometer	km	all commonly accepted		catch per unit effort	CPUE
liter	L	professional titles	e.g., Dr., Ph.D.,	coefficient of variation	CV
meter	m		R.N., etc.	common test statistics	(F, t, $\chi^2$ , etc.)
milliliter	mL	at	@	confidence interval	CI
millimeter	mm	compass directions:		correlation coefficient	
		east	E	(multiple)	R
Weights and measures (English)		north	Ν	correlation coefficient	
cubic feet per second	ft <sup>3</sup> /s	south	S	(simple)	r
foot	ft	west	W	covariance	cov
gallon	gal	copyright	©	degree (angular)	0
inch	in	corporate suffixes:		degrees of freedom	df
mile	mi	Company	Co.	expected value	Ε
nautical mile	nmi	Corporation	Corp.	greater than	>
ounce	OZ	Incorporated	Inc.	greater than or equal to	≥
pound	lb	Limited	Ltd.	harvest per unit effort	HPUE
quart	qt	District of Columbia	D.C.	less than	<
yard	yd	et alii (and others)	et al.	less than or equal to	$\leq$
-		et cetera (and so forth)	etc.	logarithm (natural)	ln
Time and temperature		exempli gratia		logarithm (base 10)	log
day	d	(for example)	e.g.	logarithm (specify base)	$\log_2$ etc.
degrees Celsius	°C	Federal Information		minute (angular)	1
degrees Fahrenheit	°F	Code	FIC	not significant	NS
degrees kelvin	Κ	id est (that is)	i.e.	null hypothesis	Ho
hour	h	latitude or longitude	lat or long	percent	%
minute	min	monetary symbols		probability	Р
second	S	(U.S.)	\$, ¢	probability of a type I error	
		months (tables and		(rejection of the null	
Physics and chemistry		figures): first three		hypothesis when true)	α
all atomic symbols		letters	Jan,,Dec	probability of a type II error	
alternating current	AC	registered trademark	®	(acceptance of the null	
ampere	А	trademark	тм	hypothesis when false)	β
calorie	cal	United States		second (angular)	
direct current	DC	(adjective)	U.S.	standard deviation	SD
hertz	Hz	United States of		standard error	SE
horsepower	hp	America (noun)	USA	variance	
hydrogen ion activity (negative log of)	pН	U.S.C.	United States Code	population sample	Var var
parts per million	ppm	U.S. state	use two-letter		
parts per thousand	ppt,		abbreviations		
	‰		(e.g., AK, WA)		
volts	V				
watts	W				

### FISHERY MANAGEMENT REPORT NO. 17-18

#### KODIAK MANAGEMENT AREA HERRING SAC ROE FISHERY HARVEST STRATEGY FOR THE 2017 SEASON

by Geoff Spalinger Alaska Department of Fish and Game, Division of Commercial Fisheries, Kodiak

> Alaska Department of Fish and Game Division of Sport Fish, Research and Technical Services 333 Raspberry Road, Anchorage, Alaska 99518-1565

> > March 2017

The Fishery Management Reports series was established in 1989 by the Division of Sport Fish for the publication of an overview of management activities and goals in a specific geographic area, and became a joint divisional series in 2004 with the Division of Commercial Fisheries. Fishery Management Reports are intended for fishery and other technical professionals, as well as lay persons. Fishery Management Reports are available through the Alaska State Library and on the Internet: http://www.adfg.alaska.gov/sf/publications/. This publication has undergone regional peer review.

> Geoff Spalinger Alaska Department of Fish and Game, Division of Commercial Fisheries 351 Research Court, Kodiak, AK 99615, USA

This document should be cited as follows: Spalinger, G. 2017. Kodiak Management Area herring sac roe fishery harvest strategy for the 2017 season. Alaska Department of Fish and Game, Fishery Management Report No. 17-18, Anchorage.

The Alaska Department of Fish and Game (ADF&G) administers all programs and activities free from discrimination based on race, color, national origin, age, sex, religion, marital status, pregnancy, parenthood, or disability. The department administers all programs and activities in compliance with Title VI of the Civil Rights Act of 1964, Section 504 of the Rehabilitation Act of 1973, Title II of the Americans with Disabilities Act (ADA) of 1990, the Age Discrimination Act of 1975, and Title IX of the Education Amendments of 1972.

If you believe you have been discriminated against in any program, activity, or facility please write: ADF&G ADA Coordinator, P.O. Box 115526, Juneau, AK 99811-5526

U.S. Fish and Wildlife Service, 4401 N. Fairfax Drive, MS 2042, Arlington, VA 22203

Office of Equal Opportunity, U.S. Department of the Interior, 1849 C Street NW MS 5230, Washington DC 20240

The department's ADA Coordinator can be reached via phone at the following numbers:

(VOICE) 907-465-6077, (Statewide Telecommunication Device for the Deaf) 1-800-478-3648, (Juneau TDD) 907-465-3646, or (FAX) 907-465-6078

For information on alternative formats and questions on this publication, please contact:

ADF&G Division of Sport Fish, Research and Technical Services, 333 Raspberry Road, Anchorage AK 99518 (907) 267-2375.

# TABLE OF CONTENTS

	Page
LIST OF TABLES	ii
LIST OF FIGURES	ii
ABSTRACT	1
NTRODUCTION	1
2017 HARVEST STRATEGY	2
Guideline Harvest Levels	2
Harvest Allocation	2
Section Assignments	2
Fishing Periods	3
Daily Fishing Periods for Most Purse Seine and Gillnet Sections	3
Purse Seine Fishery Management	4
Outer Ugak Bay Section Village Islands/Uganik Bay sections Danger Bay Section	4
Gillnet Fishery Management	
Гest Fishing	4
Management from May 1 to June 30	5
ADF&G AND INDUSTRY COOPERATION	5
CATCH REPORTING FOR BUYERS AND TENDERS	6
Preseason Permit Holder Registration	6
Registration Permit	6
Fransporter Permits	6
EMERGENCY ORDER ANNOUNCEMENTS	6
ΓABLES AND FIGURES	9

# LIST OF TABLES

Table	F	Page
1.	KMA districts and management sections, GHLs, closed sections, and district allocation percentages for	
	the herring sac roe fishery, 2017.	10
2.	Summary of season length, guideline harvest levels (GHL), harvest data by gear type, percentage of	
	harvest by gear type, number of landings, and estimated exvessel earnings for the herring fishery in the	
	KMA from 1979 to 2016	13
3.	Alaska Department of Fish and Game, Division of Commercial Fisheries management staff, KMA,	
	2017	15

# LIST OF FIGURES

Figure	2	Page
1.	Map of the Kodiak herring sac roe fishery harvest areas.	16

## ABSTRACT

This report describes the harvest strategy for the 2017 Kodiak Management Area (KMA) commercial Pacific herring *Clupea pallasii* sac roe fishery and includes the 2017 guideline harvest levels (GHL) by section, management changes from previous years, and reporting and registration requirements. The 2017 KMA areawide GHL is 1,645 tons, and individual GHLs have been established for 34 sections. The areawide GHL is divided between purse seine gear and gillnet gear due to a regulatory allocative management plan (5 AAC 27.535(e)). The purse seine GHL is 1,280 tons (77.8% of the areawide GHL), and the gillnet GHL is 365 tons (22.2% of the areawide GHL).

There will be 2 types of fishing periods in the KMA: those that fall under the "standard" fishing schedule established in regulation (5 AAC 27.510), and those that occur in sections managed by emergency order (EO). In order to maximize roe quality and control harvest rates, fishing periods for the Village Islands/Uganik Bay and Danger Bay sections will be established by EO. Herring will be sampled for age, sex, weight, length, and maturity from purse seine test sets. Time and area restrictions may be used to target effort on large herring with the highest roe content.

Key words: sac roe, herring, *Clupea pallasii*, guideline harvest levels (GHL), Kodiak Management Area (KMA), harvest strategy, Fisheries Management Report (FMR)

#### **INTRODUCTION**

The Alaska Department of Fish and Game (ADF&G) Commercial Fisheries Division staff in Kodiak will manage the 2017 Kodiak commercial Pacific herring *Clupea pallasii* sac roe fishery. This report presents the harvest strategy for the Kodiak Management Area (KMA) herring sac roe fishery, including the guideline harvest levels (GHL) by section, section gear assignments, changes in management, and reporting and registration requirements for the 2017 fishery.

The Kodiak herring sac roe fishery begins April 15 and lasts until June 30 (5 AAC 27.510 (a)). The fishery is intended to occur in an orderly fashion, with minimal waste of resource and within conservation limits as determined by ADF&G, while striving for the highest quality product (5 AAC 27.535 (e)(6)). The fishery will be managed in accordance with general statewide herring guideline harvest policies, which provide for catches in traditional inshore areas, management for the greatest value, and exploitation (harvest) not to exceed 20% of the available spawning biomass. Conservative GHLs are established due to the uncertainty in estimating individual section populations.

The KMA is divided into 13 districts that define areas used to manage the herring sac roe fishery (Figure 1; Table 1). Each district is further divided into smaller areas called sections. There are 81 sections in the KMA that define spawning areas or historical harvest locations. Current statistical charts, which illustrate districts and sections, are available at the ADF&G office in Kodiak (Figure 1).

GHLs are preseason harvest projections that are established for individual sections by Kodiak ADF&G fishery management biologists (Table 1). After a review of stock status trends for the entire KMA, ADF&G determines which sections will be open to commercial fishing and what level of harvest will be targeted. Each section's GHL is based on the following: 1) fishery performance during the preceding season or seasons (using total harvest, timing, duration of fishery, or average school size); 2) trends in age composition; 3) spawn and juvenile herring observations; 4) aerial surveys; and 5) hydroacoustic surveys. Information from commercial fishermen and spotter pilots are also considered in setting a GHL.

## **2017 HARVEST STRATEGY**

#### **GUIDELINE HARVEST LEVELS**

For the 2017 season, GHLs have been established for 34 of 81 sections (Table 1). Thirteen sections had little or no harvest during the last 10 years and are designated as exploratory in 2017. Exploratory areas are open to both gear types and have no set GHL. The remaining sections will remain closed, based on either low abundance or lack of herring sac roe harvests.

The 2017 area-wide GHL of 1,645 tons (Table 1) is a decrease of 25 tons from the 2016 GHL of 1,670 tons (Table 2).

### HARVEST ALLOCATION

ADF&G shall manage the herring sac roe fishery to provide opportunities for gillnet permit holders to harvest approximately 25% of the total preseason GHL and purse seine permit holders to harvest approximately 75% (Table 1; 5 AAC 27.535 (e)). With few exceptions, this is accomplished by assigning sections to only purse seine gear or only gillnet gear. Each district having more than 1 section that is open for fishing will have approximately 20–30% of the GHL for the district allocated to the gillnet permit holders and 70–80% allocated to the purse seine permit holders (5 AAC 27.535 (e)(2)(D)). Determining which gear type will be assigned to a section is based on the following: 1) estimated biomass and age composition of the stock(s) within a section; 2) historical harvest by gear from that section; 3) historical harvest timing; 4) management concerns; 5) determination of allocative percentages; and 6) input from fishery participants as solicited during a preseason meeting.

From May 1 through June 30, ADF&G may open any area with remaining GHL to any gear group if the fishery is not likely to result in overharvest (5 AAC 27.535 (e)(1)(C)).

Of the total 1,645 ton GHL, 1,280 tons of herring (77.8%) will be allocated to purse seine permit holders, and 365 tons (22.8%) will be allocated to gillnet permit holders (Table 1) in accordance with regulatory management plan (5 AAC 27.535 (e)).

### **SECTION ASSIGNMENTS**

The following adjacent sections will be combined and managed as a single section for the 2017 sac roe herring season ((5 AAC 27.535 (e)(1)(A)); Table 1):

- Izhut Bay, Kitoi Bay, and MacDonald Lagoon;
- Village Islands, Northeast Arm Uganik, East Arm Uganik, and South Arm Uganik bays; and
- Outer Deadman and Inner Deadman bays.

Purse Seine <sup>a</sup>	Gillnet <sup>a</sup>	Exploratory (both gear types)
Village Islands/Uganik Bays	Izhut/Kitoi/MacDonald	Delphin Bay
Inner Alitak	Perenosa Bay	Bluefox Bay
Inner/Outer Deadman	Tonki Bay	Geese-Twoheaded
E. Upper Olga Bay	Malina Bay	Kaiugnak
W. Upper Olga Bay	Raspberry Strait	SW Sitkalidak
Three Saints Bay	Viekoda Bay	Newman Bay
West Sitkalidak Strait	Terror Bay	Tanginak Anchorage
Inner Kiliuda Bay	West Uganik Passage	Inner Kukak Bay
East Sitkalidak Strait	Sulua Bay	Inner Katmai Bay
Outer Kiliuda Bay	Lower Olga Bay	Alinchak Bay
Outer Ugak Bay	Shearwater Bay	Puale Bay
Danger Bay	Barling Bay	Portage Bay
	Inner Ugak Bay	Wide Bay
	Womens Bay	
	Kalsin Bay	

The remaining sections will be assigned as follows:

<sup>a</sup> Beginning May 1, sections may be opened to either gear type.

#### FISHING PERIODS

#### **Daily Fishing Periods for Most Purse Seine and Gillnet Sections**

Unless otherwise specified by emergency order (EO), herring may be taken during the sac roe season from April 15 through June 30 as follows:

- For purse seine permit holders: from April 15 through May 7, fishing periods for purse seine permit holders are from noon until 9:00 PM on odd-numbered days and from 9:00 AM until noon on even-numbered days. From May 8 through June 30, fishing periods are from noon until 10:00 PM on odd-numbered days and from 9:00 AM until noon on even-numbered days (5 AAC 27.510 (a)(1)).
- For gillnet permit holders: fishing periods for gillnet permit holders are from noon on odd-numbered days until noon on even-numbered days (5 AAC 27.510 (a)(2)). Continuous fishing, announced by EO, will occur if participation and overharvest concerns are low.

Regulations stipulate a 24-hour closed period for both gear types from noon on even-numbered days until noon on odd-numbered days (5 AAC 27.510). The "day-on, day-off" schedule applies to most sections allocated to seine gear, except for those to be managed under EO authority.

It is anticipated that gillnet effort will be low in 2017. As a result, fishing periods in gillnet only sections will be announced by EO and remain open until further notice. If effort is higher than anticipated, fishing periods in gillnet only sections will revert to the schedule in regulation

ADF&G may use EO authority to restrict fishing time and close areas in any section if overharvest concerns exist during the season. ADF&G may also use EO authority to close sections if resources are not available to monitor the fishery and there are overharvest concerns.

### PURSE SEINE FISHERY MANAGEMENT

ADF&G will manage the Outer Ugak Bay, Village Islands/Uganik Bay, and Danger Bay sections differently than other purse seine sections within the KMA. Openings of these sections may be delayed, and some of these sections will be managed in season by EO to maximize roe percentage of the landed product and to control harvest rates.

#### **Outer Ugak Bay Section**

The initial opening in the Outer Ugak Bay Section will be delayed until an ADF&G vessel is available to monitor the fishery. A news release will be issued 24 hours in advance of any opening in this section. Once open, fishing periods will be as stated in 5 AAC 27.510 (a)(1). Fishermen are strongly encouraged to sample catches for roe quality and size of herring prior to landing to ensure the highest value of product.

#### Village Islands/Uganik Bay sections

The Village Islands, Northeast Arm Uganik, East Arm Uganik, and South Arm Uganik sections will be managed as 1 section with a total GHL of 250 tons (Table 1). The Village Islands/Uganik Bay sections will be open to purse seine only in 2017.

These sections will be actively managed for roe quality and size of herring by the ADF&G management biologist aboard the R/V *K-Hi-C* or the R/V *Resolution* depending on the availability of either vessel. There will be at least 24-hour notice prior to any potential fishing period. ADF&G will attempt to target herring with approximately 11% roe recovery on the grounds. Permit holders wishing to fish in these sections are urged to contact the management biologist to volunteer for test fishing and discuss how the fishery will be managed.

#### **Danger Bay Section**

The Danger Bay Section will be managed with a total GHL of 400 tons (Table 1). The Danger Bay Section will be open to purse seine only in 2017.

This section will be actively managed for roe quality and size of herring by the ADF&G management biologist aboard the ADF&G vessel R/V *K-Hi-C*. ADF&G will attempt to target herring with approximately 11% roe recovery on the grounds. Permit holders wishing to fish in this section are urged to contact the management biologist at 10:00 AM Saturday, April 15, aboard the R/V *K-Hi-C* to volunteer for test fishing and discuss how the fishery will be managed.

### GILLNET FISHERY MANAGEMENT

Gillnet fishing periods will be modified by EO to allow continuous fishing.

### **TEST FISHING**

ADF&G staff will not conduct roe recovery testing; industry personnel (processor technicians, fishermen, or tendermen) are expected to determine roe quality. Instructions on how to determine roe quality and recovery percentages may be available from buyers and processors. Additionally, processors establish minimum size requirements (average weights) for the herring that they will purchase. All fishermen are urged to check with their buyer to determine what roe recovery and size limits will be marketable.

Prior to any fishing period in the Village Islands/Uganik Bay and Danger Bay sections, the management biologist on the grounds will seek volunteer fishermen to conduct test sets to sample fish size and roe quality. The management biologist will choose the boats to make test fishing sets. In some circumstances, more than 1 boat may be needed. All test fishing will be coordinated and directed by the ADF&G management biologist on the grounds. No test set will be allowed without first consulting the management biologist, either in person or via VHF radio channel 6.

Small amounts of herring from each test set will be kept to determine marketability. Approximately 75–150 lbs. of herring will be randomly selected from each set to be tested for mature roe and average weight (grams). Herring will be sampled onboard the fishing vessel or may be transported to a central fishing boat or tender for later testing. ADF&G biologists will attempt to manage fisheries so that industry roe recovery and size requirements are met or exceeded. ADF&G will broadcast test fishery results on VHF channel 6.

### MANAGEMENT FROM MAY 1 TO JUNE 30

ADF&G may open any section with unharvested GHL to both gear groups beginning May 1 unless overharvest concerns exist (5 AAC 27.535(e)(1)(c). Some areas will not open to both gear groups until an ADF&G field crew is stationed on the grounds to monitor the fishery. At least 24 hours of advance notice will be given prior to opening an area to both groups.

## ADF&G AND INDUSTRY COOPERATION

Due to funding cuts, ADF&G will not have a field crew that is normally stationed on the Eastside of Kodiak. As a result, there will be a preseason registration requirement that will require permit holders to report harvest location and tonnage immediately after landing herring. Fishermen should immediately contact the area management biologists in Kodiak, or onboard the R/V *Resolution* or the R/V *K-Hi-C*, when a harvest occurs. Timely harvest reporting is essential to managing the Kodiak herring fishery. ADF&G staff will make frequent contact with permit holders to collect harvest data, fleet movement information, spawn observations, and observations of juvenile and adult herring concentrations.

Past cooperation between the ADF&G, the fishing fleet, and buyers has been excellent, and it is hoped that this will continue. If cooperation is lacking, <u>closure of sections may be necessary</u>, and future openings will be closely evaluated. Fishermen are strongly encouraged to sample catches prior to landing in order to harvest the highest value product possible.

Permit holders and spotter pilots are encouraged to provide biomass estimates, juvenile herring observations, and spawn observations to management staff. Past cooperation has helped staff evaluate stock status and gain critical management information. All information from fishermen and spotter pilots will remain confidential. Of particular interest are any observations of herring in closed management sections. Timely information will be used by management staff to conduct aerial or hydroacoustic surveys to assess herring abundance.

Samples from commercial herring harvests will be collected by management biologists. These are primarily used to monitor age composition and, when used with other stock performance indicators, assist in determining stock status. Support and assistance from the industry is necessary for this style of fishery management to be successful. This support will result in a

more manageable fishery and greater economic benefit to the permit holders, and will help ensure the long-term health of the KMA herring stocks.

## CATCH REPORTING FOR BUYERS AND TENDERS

Processors and independent tender operators are required to provide daily catch reports by section to the Kodiak ADF&G office by 9:00 AM. Herring onboard tenders that have not yet been delivered to a processing facility must also be reported. Timely and accurate harvest reports received from field crews, permit holders, tender operators, spotters, and processors are critical in the assessment of herring harvests and guide the management of the fishery. Inaccurate or late information could result in premature area closures or overharvest. Catch reporting procedures and ADF&G contact information is listed on the registration permit.

### PRESEASON PERMIT HOLDER REGISTRATION

ADF&G will require permit holders to register prior to participating in the 2017 fishery. It is the responsibility of the permit holders to keep ADF&G informed of fishing activity and report herring harvests daily. The registration permit will outline reporting requirements by gear type. Failure to maintain contact with ADF&G will result in closures.

Purse seine permit holders are reminded that they may use only 1 purse seine vessel to harvest herring; this may be either the vessel identified on the permit card or a replacement vessel. If a Kodiak sac roe seine permit holder intends to fish with a different vessel than is listed on their permit card, they must register the replacement vessel with Kodiak management staff (5 AAC 27.525 (d)).

#### **REGISTRATION PERMIT**

Each KMA tender operator and buyer must obtain a registration permit from ADF&G in the Kodiak office, either in person or through an authorized agent (5 AAC 27.540). A registration permit is required prior to taking fish onboard the tender or taking fish at the processing plant. Tenders are required to complete ADF&G fish tickets for each delivery. The fish ticket must have the fisherman's permit information legibly recorded and must show how many pounds or tons of fish were harvested (the on-the-grounds weight), date of harvest, and section from which the fish were harvested.

### **TRANSPORTER PERMITS**

All KMA herring sac roe permit holders that intend to transport herring, other than their own commercially harvested herring, are required to have in their possession a fish transporter permit (AS 16.05.671). Permit applications are available at the Kodiak ADF&G office.

## **EMERGENCY ORDER ANNOUNCEMENTS**

Two types of EOs will be issued in season: 1) announcements of short commercial fishing periods or closures in the Village Islands/Uganik Bay and Danger Bay sections; and 2) announcements of in-period fishery closures in sections that follow the standard fishing schedule. When a preseason GHL for a section is approached or achieved, that section will be closed for the remainder of the season. Due to the rapid pace of the harvest in certain locations, in-period closures are likely. When in-period closures are necessary, there may be as little as 5 minutes advance notice prior to the closure time, or less if appropriate. In-period closures will be

announced on VHF channel 6. Fishermen and tender operators should monitor VHF channel 6 to remain aware of section closures.

At any time during the season, if ADF&G determines that herring stock abundance is below preseason expectations, sections may be closed prior to reaching their GHL.

A news release will be issued to announce fishery decisions such as openings, closures, and area restrictions. News releases are posted on the ADF&G website and distributed to processors, local radio stations, newspapers, and other interested parties.

All permit holders, tender operators, and processors are responsible for staying updated on section closures as they occur in season. Fishery information can be obtained in the following ways:

- 1) Contact the herring management staff in the Kodiak office in person, by telephone at 486-1830, or by using Dispatch #7410.
- 2) Contact ADF&G field personnel on VHF channel 6 or using Dispatch (R/V *Resolution*: #7411 and R/V *K-Hi-C*: #7412).
- 3) Contact any local herring processor for the latest Kodiak herring news release.
- 4) Call the ADF&G 24-hour recorded message phone at 486-4559.
- 5) Obtain a copy of the most recent news release from the Kodiak ADF&G office at 351 Research Ct. (copies are available 24 hours a day in a bin located outside the main entrance to the building).
- 6) Listen to the ADF&G reports broadcast over the local AM and FM radio stations (consult stations for broadcast times):

560 AM KVOK 101.1 FM KRXX 100.1 FM KMXT

- 7) News releases may also be searched for and subscribed to on the internet at: http://www.adfg.alaska.gov/index.cfm?adfg=cfnews.main.
- 8) Contact ADF&G biologists after hours at the following numbers:

James Jackson – 907-942-2097 Todd Anderson – 701-214-7667 Geoff Spalinger – 952-567-1420

# **TABLES AND FIGURES**

Statistical	Management	GHL	Purse seine	Gillnet			
area	section	tons	tons	tons			
North Afognak I	District						
NA10	Shuyak Island	Closed	-	-			
NA20	Delphin Bay	Exploratory	Exploratory	Exploratory			
NA30	Perenosa Bay	10	Closed	10			
NA40	Seal Bay	Closed	-	-			
NA50	Tonki Bay	30	Closed	30			
West Afognak D	District						
WA10	Raspberry Strait	10	Closed	10			
WA20	Malina Bay	10	Closed	10			
WA31	Paramanof Bay	Closed	-	-			
WA32	Foul Bay	Closed	-	-			
WA40	Blue Fox/Devil's Inlet	Exploratory	Exploratory	Exploratory			
WA50	Offshore W. Afognak	Closed	-	-			
South Afognak I	District						
SA10	Izhut Bay	40	Closed	40			
SA20	Kitoi Bay	* SA10, SA20, a	nd SA30 will be managed	as one section.			
SA30	MacDonalds Lagoon	* SA10, SA20, a	nd SA30 will be managed	as one section.			
SA40	Danger Bay	400	400	Closed			
SA50	Litnik	Closed	-	-			
SA60	Duck Bay	Closed	-	-			
Total All Afogna	ak Districts	500	400	100			
District Allocation			80.0%	20.0%			
Uganik District							
UG10	Kupreanof	Closed	-	-			
UG20	Viekoda Bay	15	Closed	15			
UG21	Terror Bay	15	Closed	15			
UG30	Village Islands	250	250	Closed			
UG31	West Uganik Passage	35	Closed 35				
UG32	NE Arm Uganik Bay	* UG30, UG32, UG3	33, and UG34 will be mana	ged as one section.			
UG33	East Arm Uganik Bay		33, and UG34 will be mana	-			
UG34	South Arm Uganik Bay		33, and UG34 will be mana				
UG40	Offshore Uganik	Closed	-	-			
District Total		315	250	65			
District Allocation	on Percentage		79.4%	20.6%			
Uyak District	<u> </u>						
UY10	Offshore Uyak	Closed	-	-			
UY20	Harvester Island	Closed	-	-			
UY30	Inner Uyak	Closed	-	-			
UY32	Browns Lagoon	Closed	-	-			
UY31	Larsen Bay	Closed	-	-			
UY40	Zachar Bay	Closed	-	-			
UY50	Spiridon Bay	Closed					
District Total	Spindon Day	010000	_	_			
District Total		-continued-		_			

Table 1.-KMA districts and management sections, GHLs, closed sections, and district allocation percentages for the herring sac roe fishery, 2017.

10

Table 1.–Page 2 of 3.	e 2 of 3.	-Page 2	le 1	Tabl
-----------------------	-----------	---------	------	------

Statistical	Management	GHL	Purse seine	Gillnet	
area	section	tons	tons	tons	
Alitak District					
AL10	Outer Alitak	Closed	-	-	
AL20	Inner Alitak	25	25	Closed	
AL21	Inner Deadman Bay	90	90	Closed	
AL22	Outer Deadman Bay	*AL21 and .	AL22 will be managed as	one section.	
AL30	Sulua Bay	25	Closed	25	
AL40	Lower Olga	25	Closed	25	
AL41	East Upper Olga Bay	25	25	Closed	
AL50	West Upper Olga Bay	25	25	Closed	
AL60	Geese/Twoheaded	Exploratory	Exploratory	Exploratory	
District Total		215	165	50	
District Alloca	tion Percentage		76.7%	23.3%	
Sturgeon/Halil	•				
SH10	Sturgeon/Halibut	Closed	Closed	Closed	
Eastside Distri	ict				
EA10	Kaiugnak	Exploratory	Exploratory	Exploratory	
EA20	SW Sitkalidak	Exploratory	Exploratory	Exploratory	
EA21	Three Saints Bay	25	25	Closed	
EA22	Newman Bay	Exploratory	Exploratory	Exploratory	
EA23	W. Sitkalidak Strait	50	50	Closed	
EA24	Barling Bay	30	Closed	30	
EA30	E. Sitkalidak Strait	75	75	Closed	
EA31	Tanginak Anchorage	Exploratory	Exploratory	Exploratory	
EA40	Outer Sitkalidak	Closed	-	-	
EA41	Boulder Bay	Closed	-	-	
EA42	Shearwater Bay	50	Closed	50	
EA43	Outer Kiliuda Bay	75	75	Closed	
EA44	Inner Kiliuda Bay	40	40	Closed	
EA50	Outer Ugak Bay	125	125	Closed	
EA51	Inner Ugak Bay	50	Closed	50	
EA52	Pasagshak Bay	Closed	-	-	
District Total		545	415	130	
District Alloca	tion Percentage		76.1%	23.9%	

Statistical	Management	GHL	Purse seine	Gillnet	
area	section	tons	tons	tons	
Northeast Distric	et				
NE10	Womens Bay	10	Closed	10	
NE20	Kalsin Bay	10	Closed	10	
NE30	Middle Bay	Closed	-	-	
NE40	Inshore Chiniak	Closed	-	-	
NE50	Offshore Chiniak	Closed	-	-	
Inner Marmot D	istrict				
IM10	Monashka Bay	Closed	-	-	
IM20	Anton Larsen Bay	Closed	-	-	
IM30	Sharatin Bay	Closed	-	-	
IM40	Kizhuyak Bay	50	50	Closed	
IM50	Spruce Island	Closed	-	-	
Total NE/IM Dis	stricts	70	50	20	
District Allocation	on Percentage		71.4%	28.6%	
North Mainland	District				
NM10	Hallo Bay	Closed	-	-	
NM20	Inner Kukak	Exploratory	Exploratory	Exploratory	
NM30	Outer Kukak	Closed	-	-	
NM40	Missak Bay	Closed	-	-	
Mid Mainland D	bistrict				
MM10	Inner Katmai	Exploratory	Exploratory	Exploratory	
MM20	Outer Katmai	Closed	-	-	
MM30	Alinchak	Exploratory	Exploratory	Exploratory	
MM40	Puale Bay	Exploratory	Exploratory	Exploratory	
MM50	Portage Bay	Exploratory	Exploratory	Exploratory	
MM60	Outer Portage	Closed	-	-	
South Mainland	e				
SM10	Wide Bay	Exploratory	Exploratory	Exploratory	
SM20	Lower Shelikof	Closed	-	-	
Mainland Distric		0	0	0	
District Allocatio		-	0.0%	0.0%	
Grand Total		1,645	1,280	365	
	entage All Districts	-,0.0	77.8%	22.2%	

Table 1.–Page 3 of 3.

				На	rvest	Perc	cent	Numb	er of					Estin	nated		
	Season		Total	(te	ons)	harve	st by	landing	gs by	Units	of gear	Averag	ge catch	ave	rage	Price	Estimated
	length	GHL	harvest	by ge	ar type	gear	type	gear t	ype	fis	hed	(tons)	by gear	earn	ings <sup>a</sup>	per	exvessel
Year	(days)	(tons)	(tons)	Seine	Gillnet	Seine	Gillnet	Seine	Gillnet	Seine	Gillnet	Seine	Gillnet	Seine	Gillnet	ton <sup>a</sup>	total value <sup>a</sup>
1979	36	2,400	1,735	1,457	278	84%	16%	-	-	57	125	26	2	\$38,342	\$3,336	\$1,500	\$2,602,500
1980	35	2,400	2,383	2,009	374	84%	16%	-	-	92	109	22	3	\$15,068	\$2,368	\$690	\$1,644,270
1981	48	2,400	2,065	1,596	469	77%	23%	207	406	79	114	20	4	\$14,647	\$2,983	\$725	\$1,497,125
1982	59	2,400	1,771	1,447	324	82%	18%	138	191	45	67	32	5	\$17,686	\$2,660	\$550	\$974,050
1983	51	2,400	2,319	1,797	522	77%	23%	164	284	41	64	44	8	\$35,063	\$6,525	\$800	\$1,855,200
1984	54	2,400	2,163	1,691	472	78%	22%	138	212	39	69	43	7	\$34,687	\$5,472	\$800	\$1,730,400
1985	59	2,000	1,968	1,244	724	63%	37%	118	348	34	81	37	9	\$32,929	\$8,044	\$900	\$1,771,200
1986	61	1,690	1,558	1,110	448	71%	29%	132	385	31	71	36	6	\$34,016	\$5,994	\$950	\$1,480,100
1987	61	1,640	2,146	1,591	554	74%	26%	122	411	29	62	55	9	\$54,862	\$8,935	\$1,000	\$2,146,000
1988	59	2,065	2,171	1,304	867	60%	40%	169	555	33	76	40	11	\$51,370	\$14,830	\$1,300	\$2,822,300
1989	76	2,415	2,249	1,513	736	67%	33%	171	627	37	83	41	9	\$34,758	\$7,537	\$850	\$1,911,650
1990	75	2,375	2,347	1,644	703	70%	30%	156	544	27	63	61	11	\$51,756	\$9,485	\$850	\$1,994,950
1991	83	2,510	2,432	1,697	735	70%	30%	169	587	32	64	53	11	\$45,077	\$9,762	\$850	\$2,067,200
1992	77	2,720	4,283	3,260	1,023	76%	24%	185	706	40	74	82	14	\$40,750	\$6,912	\$500	\$2,141,500
1993	77	3,525	4,929	4,203	726	85%	15%	237	294	41	86	103	8	\$56,382	\$4,643	\$550	\$2,710,950
1994	71	4,550	5,893	4,976	917	84%	16%	285	485	66	57	75	16	\$60,315	\$12,870	\$800	\$4,714,400
1995	73	4,480	4,604	3,837	768	83%	17%	280	642	73	71	53	11	\$66,858	\$13,759	\$1,272	\$5,856,288
1996	69	4,180	3,386	2,322	1,064	69%	31%	202	890	57	74	41	14	\$81,474	\$28,757	\$2,000	\$6,772,000
1997	49	3,435	3,235	2,629	606	81%	19%	183	418	64	59	41	10	\$20,539	\$5,136	\$500	\$1,617,500
1998	50	2,030	2,057	1,954	103	95%	5%	110	26	35	7	56	15	\$27,914	\$7,357	\$500	\$1,028,500
1999	38	1,495	1,651	1,589	62	96%	4%	94	16	31	5	51	12	\$33,984	\$8,221	\$663	\$1,094,613
2000 <sup>b</sup>	37	1,735	1,370	1,290	80	94%	6%	57	23	31	10	42	8	\$29,129	\$5,600	\$700	\$959,000
2001	47	1,540	1,694	1,412	282	83%	17%	67	37	33	9	43	31	\$21,394	\$15,667	\$500	\$847,000
2002	46	1,860	1,677	1,274	403	76%	24%	37	50	30	14	42	29	\$21,233	\$14,393	\$500	\$838,500
2003	42	2,600	1,992	1,738	254	87%	13%	59	45	31	11	56	23	\$28,032	\$11,545	\$500	\$996,000

Table 2.–Summary of season length, guideline harvest levels (GHL), harvest data by gear type, percentage of harvest by gear type, number of landings, and estimated exvessel earnings for the herring fishery in the KMA from 1979 to 2016.

-continued-

Table 2.–Page 2 of 2.

		Harvest		Perc	Percent Number of							Estimated						
	Season		Total	(to	ons)	harves	st by	landing	s by	Units	of gear	Averag	ge catch	aver	rage	Price	Estimated	
	length	GHL	harvest	by ge	ar type	gear t	ype	gear t	ype	fis	hed	(tons)	by gear	earni	ngs <sup>a</sup>	per	exvessel	
Year	(days)	(tons)	(tons)	Seine	Gillnet	Seine	Gillnet	Seine	Gillnet	Seine	Gillnet	Seine	Gillnet	Seine	Gillnet	ton <sup>a</sup>	total value <sup>a</sup>	
2004	42	2,850	3,167	2,894	273	91%	9%	95	36	27	11	107	25	\$53,593	\$12,409	\$500	\$1,583,500	
2005	37	3,475	3,463	2,932	531	85%	15%	134	61	32	12	92	44	\$45,813	\$22,125	\$500	\$1,731,500	
2006	34	3,705	2,643	2,617	26	99%	1%	86	с	21	с	125	с	\$34,270	с	\$275	\$726,825	
2007	37	4,000	2,546	2,510	36	99%	1%	105	8	21	3	120	12	\$47,810	\$4,800	\$400	\$1,018,400	
2008	38	4,290	3,099	3,086	13	99.6%	0.4%	108	с	22	с	140	с	\$73,643	с	\$525	\$1,626,975	
2009	54	4,765	4,759	4,549	210	96%	4%	218	19	31	6	147	35	\$77,040	\$18,375	\$525	\$2,498,475	
2010	48	6,075	5,701	5,538	163	97%	3%	277	14	36	7	154	23	\$61,533	\$9,314	\$400	\$2,280,400	
2011	48	6,135	2,957	2,937	20	99%	1%	95	6	14	3	210	7	\$41,957	\$1,333	\$200	\$591,400	
2012	72	5,355	4,260	4,253	7	99.8%	0.2%	164	с	23	c	185	с	\$55,474	с	\$300	\$1,278,000	
2013	65	5,410	4,447	4,298	149	97%	3%	189	18	33	5	130	30	\$29,956	\$6,854	\$230	\$1,022,810	
2014	28	5,830	2,463	2,463	0	100%	0%	99	0	21	0	117	0	\$11,729	\$0	\$100	\$246,300	
2015	15	3,190	357	357	0	100%	0%	19	0	9	0	40	0	\$4,363	\$0	\$110	\$39,270	
2016	24	1,670	365	365	0	100%	0%	15	0	3	0	122	0	\$15,817	\$0	\$130	\$47,450	
Average																		
1979 to 2015	53	3,198	2,809	2,406	403	85%	15%	145	261	38	46	75	14	\$40,147	\$8,765	\$671	\$1,857,218	
10-year avg.															<b>* * •</b> • • • • •	<b>**</b>	<b>.</b>	
2006 to 2015	44	4,876	3,323	3,261	62	99%	1%	136	9	23	3	137	15	\$43,777	\$5,811	\$307	\$1,132,886	
5-year avg. 2011 to 2015	46	5,184	2.897	2,862	35	99%	1%	113	6	20	2	136	9	\$28.696	\$2.047	\$188	\$635,556	
2011 to 2013	-	,	,	<i>)</i>			1 70	115	0	20	2	150	7	φ28,090	Ψ∠,047	ψ100	φ035,550	

<sup>a</sup> Exvessel values are based on dock delivered herring and inseason data.
<sup>b</sup> Beginning in 2000, an allocative harvest strategy was in effect.
<sup>c</sup> Confidentiality requirements prohibit the release of this information.

<u>KMA, 2017.</u>	
Offi	ice Staff
Regional Supervisor	Nick Sagalkin
Regional Finfish Management Supervisor	Jeff Wadle
Area Management Biologist	James Jackson
Assistant Area Management Biologist	Geoff Spalinger
Assistant Area Management Biologist	Todd Anderson
Fishery Biologist	Brad Fuerst
Fiel	ld Staff
R/V <i>K-Hi-C</i> :	
Boat Officer	Danny Wilson
Management Biologists	Geoff Spalinger/James Jackson
R/V Resolution:	
Boat Officer	Denis Cox
Management Biologists	Todd Anderson/James Jackson




Figure 1.-Map of the Kodiak herring sac roe fishery harvest areas.