

1991/92

HARVEST STRATEGY FOR THE KODIAK MANAGEMENT AREA
COMMERCIAL FOOD/BAIT HERRING FISHERY

By

Dave Prokopowich,
Kevin Brennan,
and
Dennis Gretsich

Regional Information Report¹ No 4K91-19

Alaska Department of Fish and Game
Division of Commercial Fisheries
211 Mission Road
Kodiak, Alaska 99615

September 1991

¹The Regional Information Report Series was established in 1987 to provide an information access system for all unpublished divisional reports. These reports frequently serve diverse ad hoc informational purposes or archive basic uninterpreted data. To accommodate timely reporting of recently collected information, reports in this series undergo only limited internal review and may contain preliminary data; this information may be subsequently finalized and published in the formal literature. Consequently, these reports should not be cited without prior approval of the author or the Division of Commercial Fisheries.

TABLE OF CONTENTS

<u>Item</u>	<u>Page</u>
List of Tables.....	i
List of Figures.....	ii
List of Appendices.....	iii
Introduction.....	iv
Season Opening Times and Dates.....	1
Fishing Periods.....	1
Permits Required.....	1
Legal Gear Restrictions.....	1
Regulations.....	1
Harvest Strategy.....	2
Guideline Harvest Levels.....	3
Reports Required by Fishermen.....	4

LIST OF TABLES

	Page
Table 1. Guideline Harvest Levels By Management Units.....	5

LIST OF FIGURES

	Page
Fig. 1. 1991/92 Statistical Chart for the Kodiak Food/ Bait Herring Fishery and the geographic area specifically defined covering the Eastern Shelikof Strait food/bait fishery.....	10

LIST OF APPENDICES

Appendix A. Management plan for the Eastern Shelikof Strait
Food and Bait Fishery..... 9

INTRODUCTION

- This harvest strategy attempts to answer most pertinent pre-season and in-season questions regarding the Kodiak food/bait herring fishery.
- This fishery targets both Kodiak and Kamishak spawning stocks which are present in the Kodiak Area during the food/bait season (8/1 - 2/28).
- Since the herring sac-roë fisheries in the Kodiak and Cook Inlet areas are closed-to-entry fisheries, they are treated as primary fisheries and are managed to provide for the majority of the harvest on the affected stocks to occur in these fisheries. The food/bait fisheries on these same stocks are subsequently treated as secondary fisheries and associated harvest levels are directly related to the results of the sac-roë fisheries on these stocks; food/bait harvest levels generally will not exceed 10% of the sac-roë harvest on any of these stocks. Consequently, consideration is given to the biological concerns associated with "double dipping" fisheries on the same stock and is also given to the 200+ limited entry permit holders for both Kodiak and Cook Inlet sac-roë fisheries whose economic interests in permits could be adversely affected without a specific allocative directive for each fishery.
- Since the commercial sac-roë fisheries in Kodiak and Cook Inlet target on herring with mature roë beginning with age 4 and primarily on age 5 and older herring, individual food/bait landings of age 3 or less will be adjusted to reflect weights of age 5 herring.
- A Board of Fisheries regulatory change in March 1988 resulted in the directive to manage the Kodiak Area food/bait fishery in a manner which considers the aforementioned concerns. Specifically management is guided by the following regulation:
 - 5 AAC 27.535
 - a) The department shall manage the herring food/bait fishery, (directed on Kodiak spawning stocks) so that the food/bait harvest does not exceed 10% of the actual herring harvest in the previous season.
 - b) The department shall manage the herring food/bait fishery that is directed on Kamishak spawning stocks, which over-winter in the Eastern Shelikof Strait, so that the food/bait harvest does not exceed 2% (two) of the total available spawning biomass of Kamishak stocks as determined by the department during the most recent Kamishak herring sac-roë season.

SEASON:

- August 1, 1991 through February 28, 1992.

FISHING PERIODS:

- Open to continuous fishing from 12:01 A.M. 8/1/91 to 12:00 P.M. 2/28/92 unless superseded by emergency order closures.

CLOSED WATERS:

- See CLOSED WATERS section of the 1991 Commercial Herring Fishing Regulations (page 46), 5 AAC 27.530
- Consult 1991 Commercial Salmon Fishing Regulations for listing of closed waters for the Kodiak food/bait herring fishery for the period August 1 through October 31, pages 57-61.

PERMITS REQUIRED (2):

A. Interim Use Permits for legal gear:

- H01K Purse Seine
- H34K Gillnet
- H07K Trawl

B. Registration Permit - Kodiak ADF&G Office

- Permit will be used for:
 - Monitoring fleet size by gear type.
 - Clarifying catch reporting procedures, closed water areas, and in-season emergency order announcement procedures.
- Both permits are available at the Kodiak Fish and Game Office.

LEGAL GEAR RESTRICTIONS:

- 01 - Purse Seines
 - Maximum length: 100 fathoms
 - Maximum depth: 1,00 meshes. For Area K there are no web size restrictions.
 - Lead length unrestricted.
- 34 - Gillnets
 - Maximum length: 150 fathoms; mesh size: 2-1/8" - 2-1/2".
- 07 - Trawl
 - No restrictions
- Consult the 1991 Commercial Herring Fishing Regulations for a complete listing of all regulations.

HARVEST STRATEGY:

Regulation 5 AAC 27.535(a)(b), as approved by the Alaska Board of Fisheries in March 1988, describes a harvest strategy for the Kodiak Area food/bait fishery which provides for:

- A secondary food/bait harvest, following a primary sac-roe harvest, on both Kodiak spawning stocks and on Kamishak spawning stocks which occur in the Kodiak Management Area during the Kodiak food/bait season (8/1 - 2/28).
- An exclusion of a food/bait harvest on Kodiak stocks in that portion of Shelikof Strait associated with the occurrence of Kamishak stocks as depicted in Figure 1, except that a harvest on Kodiak stocks may occur in the aforementioned units if the harvest occurs in in-shore areas (bays) prior to a closure of these areas based upon the G.H.L. for Kamishak stocks being achieved.
- An exploratory harvest scenario on unidentified stocks which occur in areas not covered by the two aforementioned provisions.

To accommodate this harvest strategy, thirteen (13) food/bait management units have been established to include geographical groupings of sac-roe stocks and adjacent offshore areas.

- For each management unit there is a Guideline Harvest Level (G.H.L.) which reflects the combined G.H.L.'s for Kodiak stocks included within each food/bait unit (See Table 1).
- Six of these food/bait units have also been identified and consolidated into a geographical grouping representing that area where the food/bait harvest on Kamishak stocks will most likely occur (See Figure 1).

The 1991-1992 food/bait G.H.L. for the Kodiak Area will be affected by the following management considerations:

- **For Kodiak spawning stocks**, the department will generally limit the food/bait harvest to 10% of the previous spring's sac-roe harvest on a stock by stock basis (Table 1). Variations are explained in the footnotes in Table 1. Harvest levels on Kodiak stocks in the adjacent offshore areas will reflect the combined food/bait G.H.L. for the sac-roe stocks included within that management unit.
- **For identified non-Kodiak spawning stocks**, the department will control the harvest to insure that a particular stock is not overexploited. Currently, Kamishak Bay spawning stock(s) is the only identified non-Kodiak spawning stock(s) which occurs in the Kodiak Management Area during the Kodiak food/bait season (8/1 - 2/28).
 - In the case of Kamishak Bay spawning stock(s) where evidence exists that it is present in Kodiak area waters during the food/bait season, the harvest level will not be allowed to exceed 212 tons. This tonnage is approximately 1% of the 1991 Kamishak Bay pre-sac-roe season total available indexed spawning biomass of 21,254 short tons.

- Management of Kamishak stocks for both the sac-roe and food/bait fisheries is outlined in Appendix A.
- During the food/bait fishery, the Department will attempt to identify the location of Kamishak stock(s) in Kodiak Area waters via data collected from the commercial fishery and/or the ADF&G vessel M/V Resolution during its hydroacoustical surveys targeting on Shelikof Strait herring biomass; the M/V Coho may also assist in this search.
- All herring samples will be expeditiously worked-up to apply AWL comparisons between Kodiak and Kamishak stocks.
- Biomass estimates will be obtained from the fishery in terms of verbal estimation via skipper interviews as to stocks, distribution, average school size and estimated number of schools. Biomass estimates will also be obtained acoustically from the M/V Resolution surveys.
- Herring harvested in this fishery from the following management units will be identified as either Kodiak stocks (per regulation 5 AAC 535(2) or as Kamishak stock(s).
- These units include F/B 1, F/B 2, F/B 4, F/B 5, F/B 11 and F/B 12 as as depicted in Figure 1.
- Herring harvested from the aforementioned food/bait management units, where the harvest occurred in in-shore (bays) locations, will be considered to be Kodiak stocks unless A-W-L and/or biomass data indicates otherwise, in which case they will be considered to be Kamishak stocks.
- If the harvest ceiling of 212 tons on Kamishak stocks is achieved, all of the aforementioned management units would be closed to herring fishing for the remainder of the food/bait season.
- **For non identified herring stocks** which may occur in off-shore locations in the remaining food and bait management units, the department will control the harvest to insure that a particular stock is not overexploited. Actual harvest levels may be determined by harvest location, biomass observed and age-weight-length information.

GUIDELINE HARVEST LEVELS:

- For the 1991/92 food/bait season the following harvest levels will be in effect:
 - **For Kodiak spawning stock:** Per regulation 5 AAC 27.535(a) as described under "Harvest Strategy", a maximum of 337.9 tons properly distributed by stock throughout the management area will be the food/bait harvest on Kodiak spawning stocks.
 - See Table 1 for harvest projections by stock.
 - **For Kamishak spawning stock:** Per regulation 5 AAC 27.535(b) as described under "Harvest Strategy", a maximum of 212 tons harvested from that portion of Shelikof Strait depicted in Figure 1 (see attached) will be the food/bait harvest ceiling on Kamishak spawning stocks which occur in the Kodiak Area during the food/bait season (8/1 - 2/28).

- Prior to harvesting Kamishak stocks in the aforementioned area, a harvest on Kodiak stocks may occur per regulation 5 AAC 27.535(a).
 - Herring harvested in inshore (bays) locations will be considered to be Kodiak stocks unless A-W-L sampling and/or biomass information indicates otherwise, in which case they will be considered to be Kamishak stocks.
- **For unidentified stocks:** No guideline harvest levels are established, however the department shall manage food/bait harvests in these areas not to exceed 10% exploitation rate.
 - Harvest levels per geographically distinct biomasses will be established in-season per information obtained from A-W-L sampling and from "skipper" interviews detailing estimates of biomass seasonal distribution and school size.

REPORTS REQUIRED BY FISHERMEN:

- **All** landings of herring for food/bait purposes must be **verbally** reported to ADF&G before the product is totally unloaded at the dock.
 - The following phone numbers will reach Fish and Game personnel 24 hours per day:
 - ADF&G Office: Monday through Friday
8:00 A.M. to 4:30 P.M. - 486-4791
 - After Office Hours:
 - 4:30 P.M. to 8:00 A.M. - 486-6007 (Dave Prokopowich)
 - 486-6475 (Kevin Brennan)
 - 486-4831 (Pete Probasco)

All fish tickets must be completed and sent in to the Kodiak Fish and Game office within a week of the landing.

- Send to: Alaska Department of Fish and Game
Division of Commercial Fisheries
ATTN: Dave Prokopowich
211 Mission Road
Kodiak, Alaska 99615

Table 1. Kodiak Management Area 1991/92 Herring Food/Bait Harvest Strategy
 A Listing of Guideline Harvest Levels by Food/Bait Management Units^{1/}
 (G.H.L. harvest numbers represent short tons)

Food/Bait Mgmt. Units	Sac-Roe Management Units		1991 Sac-Roe		1991/92 Food/Bait
	No.	Name	G.H.L.	Harvest	G.H.L.
F/B 1 West Afognak Unit	AO10	Raspberry	110.0	116.6	11.7
	AO20	Malina	30.0	57.6	5.8
	AO31	Paramanof	40.0	204.5	20.5 ^{3/}
	AO32	Foul Bay	20.0	22.6	2.3
	AO40	Blue Fox	10.0	0.0	1.0
	AO50	Offshore Afognak	-	0.0	g/
UNIT TOTALS:			210.0	401.3	41.3
F/B 2 North Afognak Unit	AO60	Shuyak	20.0	0.0	2.0 ^{4/}
	AO70	Perenosa	15.0	11.6	1.5
	AO71	Delphin	10.0	1.1	1.0
	AO72	Seal Bay	10.0	0.0	1.0
	AO80	Tonki	15.0	0.0	1.5
UNIT TOTALS:			70.0	12.7	7.0
F/B 3 East Afognak Unit	AO90	Izhut	25.0	6.5	2.5
	AO91	Kitoi	15.0	1.0	1.5
	AO92	McDonalds	10.0	0.0	1.0
	A100	Danger	20.0	4.3	2.0
	A101	Litnik	10.0	0.0	1.0
	A102	Inshore Marmot	10.0	0.0	10.0 ^{4/}
UNIT TOTALS:			90.0	11.8	18.0
F/B 4 Uganik Unit	UG10	Kupreanof	10.0	0.8	10.0 ^{4/}
	UG20	Viekoda	20.0	25.1	2.5
	UG21	Terror	60.0	17.6	6.0
	UG30	Village Islands	35.0	50.2	5.0
	UG31	W. Uganik Passage	20.0	39.5	3.9
	UG32	N.E. Arm Uganik	75.0	39.4	7.5
	UG33	E. Arm Uganik	40.0	56.1	5.6
	UG34	S. Arm Uganik	40.0	36.5	4.0
	UG40	Offshore Uganik	-	0.0	g/
UNIT TOTALS:			300.0	265.2	44.5

-continued-

Table 1. (Page 2 of 3)

Food/Bait Mgmt. Units	Sac-Roe Management Units		1991 Sac-Roe		1991/92 Food/Bait
	No.	Name	G.H.L.	Harvest	G.H.L.
F/B 5 Uyak Unit	UY10	Offshore Uyak	-	0.0	^{5/}
	UY20	Harvester	10.0	0.0	1.0
	UY30	Inner Uyak	240.0	161.2	24.0
	UY32	Browns Lagoon	20.0	17.1	2.0
	UY31	Larsen Bay	10.0	8.1	1.0
	UY40	Zachar	100.0	107.8	10.8
	UY50	Spiridon	160.0	136.0	16.0 ^{4/}
UNIT TOTALS:			540.0	430.2	54.8
F/B 6 Sturgeon/ Halibut Unit	SH01	Sturgeon/Halibut	Exploration	0.0	Exploration
UNIT TOTALS:				0.0	-
F/B 7 Alitak Unit	AL10	Outer Alitak	-	0.0	
	AL20	Inner Alitak	Exploration	65.5	Exploration
	AL21	Deadman	155.0	180.5	18.0
	AL30	Sulua	75.0	93.6	9.4
	AL40	Lower Olga/Moser	15.0	12.0	1.5
	AL50	Upper Olga/Moser	190.0	149.3	19.0 ^{4/}
	AL60	Geese/Twoheaded	Exploration	0.0	Exploration
UNIT TOTALS:			435.0	500.9	47.9
F/B 8 Eastside Unit	GO10	Kaiugnak	10.0	0.0	1.0
	GO20	W. Sitkalidak	65.0	67.1	6.7
	GO21	Barling	20.0	160.0	16.0 ^{3/}
	GO22	E. Sitkinak	95.0	106.9	10.7
	GO23	Tanginak	15.0	6.5	1.5
	GO30	Outer Sitkalidak	Exploration	0.0	-
	GO40	Outer Kiliuda	Exploration	0.0	Exploration
	GO41	Inner Kiliuda	10.0	14.2	1.4
	GO42	Shearwater	25.0	43.1	4.3
	GO50	Outer Ugak	Exploration	50.9	Exploration
	GO50	Pasagshak	25.0	0.0	2.5
GO51	Inner Ugak	50.0	91.8	9.2 ^{3/}	
UNIT TOTALS:			315.0	540.5	53.3

-continued-

Table 1. (Page 3 of 3)

Food/Bait Mgmt. Units	Sac-Roe Management Units		1991 Sac-Roe		1991/92 Food/Bait
	No.	Name	G.H.L.	Harvest	G.H.L.
F/B 9	GO60	Womens Bay	110.0	111.1	11.1
	G100	Kalsin Bay	15.0	9.2	1.5
Chiniak	G101	Middle Bay	20.0	15.4	2.0
Unit	G102	Inshore Chiniak	10.0	0.0	10.0 ^{4/}
UNIT TOTALS:			155.0	135.7	24.6
F/B 10	GO70	Monashka/Mill Bay	Exploration	0.0	Exploration
	GO80	Anton Larsen	15.0	3.2	1.5
North Kodiak	GO81	Sheratin	10.0	3.9	1.0
Unit	GO90	Kizhuyak	110.0	104.0	11.0
	G103	Spruce Island	10.0	0.0	10.0 ^{4/}
UNIT TOTALS:			145.0	111.1	23.5
F/B 11	MO10	North Mainland	Exploration	0.0	Exploration
	MO20	Inner Kukak	50.0	22.7	5.0
North Mainland	MO30	Outer Kukak	-	0.0	Exploration
Unit	MO40	Missak	Exploration	0.0	Exploration
UNIT TOTALS:			50.0	22.7	5.0
F/B 12	MO50	Inner Katmai	50.0	0.0	5.0
	MO60	Outer Katmai	-	0.0	Exploration
Mid-Mainland	MO70	Alinchak	30.0	0.0	3.0
Unit	MO80	Puale Bay	Exploration	0.0	Exploration
	MO90	Portage Bay	Exploration	0.0	Exploration
UNIT TOTALS:			80.0	0.0	8.0
F/B 13	M100	Outer Portage	-	0.0	Exploration
South Mainland	M110	Wide Bay	100.0	0.0	10.0
Unit	M120	Lower Shelikof	-	0.0	Exploration
UNIT TOTALS:			100.0	0.0	10.0
GRAND TOTALS:			2,490.0	2,432.0	337.9

*See footnotes on next page.

FOOTNOTES:

^{1/}The Kodiak Area total G.H.L. for food/bait fishery, as indicated in the 1991 Herring Regulations, is managed so that the food/bait harvest does not exceed 10% of the actual herring sac-roë harvest in the previous season. This table reflects the available food/bait harvest for each sac-roë stock or food/bait unit, whichever applies. (See Harvest Strategy.)

^{2/}Sac-roë management units where excessive sac-roë harvests may have occurred either this year or in the past and where a reduced food/bait harvest is justified.

^{3/}Sac-roë management units where the sac-roë harvest substantially exceeded pre-season expectations probably as a result of increased stock abundance rather than overharvest and where an increased food/bait harvest commensurate with the increased sac-roë fishery is justified.

^{4/}Sac-roë management units where a sac-roë underharvest may have occurred and where an increased food/bait harvest is justified. In some cases where the stock status is in question the increased food/bait harvest may still be less than pre-season expectations on those stocks.

^{5/}Sac-roë management units where the sac-roë harvest was substantially less than pre-season expectations probably as a result of an overestimation of stock strength and where a reduced food/bait harvest is justified.

^{6/}See plan for management of the Kamishak Bay Herring Spawning Stocks in the Eastern Shelikof Strait Food and Bait Fishery (Page 9).

Appedix A. Management of the Kamishak Bay Herring Spawning Stocks in the Shelikof Strait Food and Bait Fishery.

Addendum to the 1988 Kamishak Bay
Herring Management Plan


Kamishak Bay herring spawning stocks support both the Kamishak Bay sac-roe fishery and the Shelikof Strait food and bait fishery. Pursuant to the Board of Fisheries decision to allocate 2% of the Kamishak Bay herring spawning biomass to the Shelikof Strait food and bait fishery, the following adjustments will be made to the 1988 Kamishak Bay sac-roe fishery management plan to accommodate the Board's actions and to protect the Kamishak Bay herring stock from over harvest:

- 1) ADF&G guidelines direct that herring harvest rates be kept at or below 20% of the current best estimate of biomass, depending upon stock strength and age composition. Best estimates of biomass of the Kamishak Bay herring stock are currently determined by aerial survey following the spring sac-roe fishery. Therefore, harvest levels in the Shelikof Strait food and bait fishery will be based on this estimate of spawning biomass.
- 2) The harvest ceiling for the Shelikof Strait food and bait fishery will be 2% of the best estimate of the total Kamishak biomass, as determined by the Department during the most recent Kamishak herring sac-roe season. The total Kamishak Bay biomass will be determined by the best estimate of the spawning biomass following the sac-roe fishery plus the total harvest from the sac-roe fishery.
- 3) Present management strategy for the Kamishak Bay spawning stock attempts to achieve a maximum harvest rate on older fish of 20% while keeping the harvest rate of fish age 5 and younger at or below 10%.
- 4) If ADF&G determines the harvest rate for the stock of Kamishak Bay herring should be less than 20%, either due to a decrease in biomass, weak year classes, or poor recruitment, the 2% food and bait harvest ceiling will be reduced proportionally. [i.e. If the biological markers (decrease in biomass, weak year classes, or poor recruitment) indicate that the sac-roe harvest needs to be reduced, for example to 15%, the food and bait fishery would be reduced to 1.5%]
- 5) If the spawning biomass of the Kamishak Bay herring stock falls below the biological threshold level of 8,000 tons, both the Kamishak Bay sac-roe and the Shelikof Strait food and bait fishery will be closed or severely limited.
- 6) The allocation of herring to the Shelikof Strait food and bait fishery is based on spawning biomass, primarily age 5 and older herring, not on the biomass of juveniles. Therefore, the quantity of Kamishak Bay stocks ages 4 and younger caught in Shelikof Strait will be adjusted upward to bring the biomass of these younger age classes up to the biomass of age 5 herring.

1991
ALASKA DEPARTMENT OF FISH AND GAME
KODIAK AREA HERRING MANAGEMENT UNITS

SAC RICE STATISTICAL AREA

MARLAND DISTRICT		UPONUK DISTRICT	
0001	0001	0001	0001
0002	0002	0002	0002
0003	0003	0003	0003
0004	0004	0004	0004
0005	0005	0005	0005
0006	0006	0006	0006
0007	0007	0007	0007
0008	0008	0008	0008
0009	0009	0009	0009
0010	0010	0010	0010
0011	0011	0011	0011
0012	0012	0012	0012
0013	0013	0013	0013
0014	0014	0014	0014
0015	0015	0015	0015
0016	0016	0016	0016
0017	0017	0017	0017
0018	0018	0018	0018
0019	0019	0019	0019
0020	0020	0020	0020
0021	0021	0021	0021
0022	0022	0022	0022
0023	0023	0023	0023
0024	0024	0024	0024
0025	0025	0025	0025
0026	0026	0026	0026
0027	0027	0027	0027
0028	0028	0028	0028
0029	0029	0029	0029
0030	0030	0030	0030
0031	0031	0031	0031
0032	0032	0032	0032
0033	0033	0033	0033
0034	0034	0034	0034
0035	0035	0035	0035
0036	0036	0036	0036
0037	0037	0037	0037
0038	0038	0038	0038
0039	0039	0039	0039
0040	0040	0040	0040
0041	0041	0041	0041
0042	0042	0042	0042
0043	0043	0043	0043
0044	0044	0044	0044
0045	0045	0045	0045
0046	0046	0046	0046
0047	0047	0047	0047
0048	0048	0048	0048
0049	0049	0049	0049
0050	0050	0050	0050
0051	0051	0051	0051
0052	0052	0052	0052
0053	0053	0053	0053
0054	0054	0054	0054
0055	0055	0055	0055
0056	0056	0056	0056
0057	0057	0057	0057
0058	0058	0058	0058
0059	0059	0059	0059
0060	0060	0060	0060
0061	0061	0061	0061
0062	0062	0062	0062
0063	0063	0063	0063
0064	0064	0064	0064
0065	0065	0065	0065
0066	0066	0066	0066
0067	0067	0067	0067
0068	0068	0068	0068
0069	0069	0069	0069
0070	0070	0070	0070
0071	0071	0071	0071
0072	0072	0072	0072
0073	0073	0073	0073
0074	0074	0074	0074
0075	0075	0075	0075
0076	0076	0076	0076
0077	0077	0077	0077
0078	0078	0078	0078
0079	0079	0079	0079
0080	0080	0080	0080
0081	0081	0081	0081
0082	0082	0082	0082
0083	0083	0083	0083
0084	0084	0084	0084
0085	0085	0085	0085
0086	0086	0086	0086
0087	0087	0087	0087
0088	0088	0088	0088
0089	0089	0089	0089
0090	0090	0090	0090
0091	0091	0091	0091
0092	0092	0092	0092
0093	0093	0093	0093
0094	0094	0094	0094
0095	0095	0095	0095
0096	0096	0096	0096
0097	0097	0097	0097
0098	0098	0098	0098
0099	0099	0099	0099
0100	0100	0100	0100
0101	0101	0101	0101
0102	0102	0102	0102
0103	0103	0103	0103
0104	0104	0104	0104
0105	0105	0105	0105
0106	0106	0106	0106
0107	0107	0107	0107
0108	0108	0108	0108
0109	0109	0109	0109
0110	0110	0110	0110
0111	0111	0111	0111
0112	0112	0112	0112
0113	0113	0113	0113
0114	0114	0114	0114
0115	0115	0115	0115
0116	0116	0116	0116
0117	0117	0117	0117
0118	0118	0118	0118
0119	0119	0119	0119
0120	0120	0120	0120
0121	0121	0121	0121
0122	0122	0122	0122
0123	0123	0123	0123
0124	0124	0124	0124
0125	0125	0125	0125
0126	0126	0126	0126
0127	0127	0127	0127
0128	0128	0128	0128
0129	0129	0129	0129
0130	0130	0130	0130
0131	0131	0131	0131
0132	0132	0132	0132
0133	0133	0133	0133
0134	0134	0134	0134
0135	0135	0135	0135
0136	0136	0136	0136
0137	0137	0137	0137
0138	0138	0138	0138
0139	0139	0139	0139
0140	0140	0140	0140
0141	0141	0141	0141
0142	0142	0142	0142
0143	0143	0143	0143
0144	0144	0144	0144
0145	0145	0145	0145
0146	0146	0146	0146
0147	0147	0147	0147
0148	0148	0148	0148
0149	0149	0149	0149
0150	0150	0150	0150
0151	0151	0151	0151
0152	0152	0152	0152
0153	0153	0153	0153
0154	0154	0154	0154
0155	0155	0155	0155
0156	0156	0156	0156
0157	0157	0157	0157
0158	0158	0158	0158
0159	0159	0159	0159
0160	0160	0160	0160
0161	0161	0161	0161
0162	0162	0162	0162
0163	0163	0163	0163
0164	0164	0164	0164
0165	0165	0165	0165
0166	0166	0166	0166
0167	0167	0167	0167
0168	0168	0168	0168
0169	0169	0169	0169
0170	0170	0170	0170
0171	0171	0171	0171
0172	0172	0172	0172
0173	0173	0173	0173
0174	0174	0174	0174
0175	0175	0175	0175
0176	0176	0176	0176
0177	0177	0177	0177
0178	0178	0178	0178
0179	0179	0179	0179
0180	0180	0180	0180
0181	0181	0181	0181
0182	0182	0182	0182
0183	0183	0183	0183
0184	0184	0184	0184
0185	0185	0185	0185
0186	0186	0186	0186
0187	0187	0187	0187
0188	0188	0188	0188
0189	0189	0189	0189
0190	0190	0190	0190
0191	0191	0191	0191
0192	0192	0192	0192
0193	0193	0193	0193
0194	0194	0194	0194
0195	0195	0195	0195
0196	0196	0196	0196
0197	0197	0197	0197
0198	0198	0198	0198
0199	0199	0199	0199
0200	0200	0200	0200



- FOOD/BAIT MANAGEMENT AREAS**
- FBA 1 WEST APODNE
 - FBA 2 NORTH APODNE
 - FBA 3 EAST APODNE
 - FBA 4 UGAK
 - FBA 5 UYAK
 - FBA 6 STURGEONVILLE
 - FBA 7 ALYAK
 - FBA 8 EASTREE
 - FBA 9 CHANALOUTER MARLEY
 - FBA 10 INER MARLEY
 - FBA 11 NORTH MARLAND
 - FBA 12 ND MARLAND
 - FBA 13 SOUTH MARLAND

The Alaska Department of Fish and Game administers all programs and activities free from discrimination based on race, color, national origin, age, sex, religion, marital status, pregnancy, parenthood, or disability. The department administers all programs and activities in compliance with Title VI of the Civil Rights Act of 1964, Section 504 of the Rehabilitation Act of 1973, Title II of the Americans with Disabilities Act of 1990, the Age Discrimination Act of 1975, and Title IX of the Education Amendments of 1972.

If you believe you have been discriminated against in any program, activity, or facility, or if you desire further information please write to ADF&G, P.O. Box 25526, Juneau, AK 99802-5526; U.S. Fish and Wildlife Service, 4040 N. Fairfax Drive, Suite 300 Webb, Arlington, VA 22203 or O.E.O., U.S. Department of the Interior, Washington DC 20240.

For information on alternative formats for this and other department publications, please contact the department ADA Coordinator at (voice) 907-465-6077, (TDD) 907-465-3646, or (FAX) 907-465-6078.