

Fishery Management Report No. 07-31

**South Alaska Peninsula Annual Salmon Management
Report, 2006**

by

Aaron D. Poetter,

James Jackson,

and

Daniel F. Doolittle

May 2007

Alaska Department of Fish and Game

Divisions of Sport Fish and Commercial Fisheries



FISHERY MANAGEMENT REPORT NO. 07-31

**SOUTH ALASKA PENINSULA ANNUAL SALMON MANAGEMENT
REPORT, 2006**

by

Aaron D. Poetter,
James Jackson,
and
Daniel F. Doolittle

Alaska Department of Fish and Game, Division of Commercial Fisheries, Kodiak

Alaska Department of Fish and Game
Division of Sport Fish, Research and Technical Services
333 Raspberry Road, Anchorage, Alaska, 99518-1565

May 2007

The Division of Sport Fish Fishery Management Reports series was established in 1989 for the publication of an overview of Division of Sport Fish management activities and goals in a specific geographic area. Since 2004, the Division of Commercial Fisheries has also used the Fishery Management Report series. Fishery Management Reports are intended for fishery and other technical professionals, as well as lay persons. Fishery Management Reports are available through the Alaska State Library and on the Internet: <http://www.sf.adfg.state.ak.us/statewide/divreports/html/intersearch.cfm>. This publication has undergone regional peer review.

*Aaron D. Poetter,
James Jackson,
and
Daniel F. Doolittle,
Alaska Department of Fish and Game, Division of Commercial Fisheries
211 Mission Road, Kodiak, AK 99615, USA*

This document should be cited as:

Poetter, A. D., J. Jackson, and D. F. Doolittle. 2007. South Alaska Peninsula annual salmon management report, 2006. Alaska Department of Fish and Game, Fishery Management Report No. 07-31, Anchorage.

The Alaska Department of Fish and Game (ADF&G) administers all programs and activities free from discrimination based on race, color, national origin, age, sex, religion, marital status, pregnancy, parenthood, or disability. The department administers all programs and activities in compliance with Title VI of the Civil Rights Act of 1964, Section 504 of the Rehabilitation Act of 1973, Title II of the Americans with Disabilities Act (ADA) of 1990, the Age Discrimination Act of 1975, and Title IX of the Education Amendments of 1972.

If you believe you have been discriminated against in any program, activity, or facility please write:

ADF&G ADA Coordinator, P.O. Box 115526, Juneau AK 99811-5526

U.S. Fish and Wildlife Service, 4040 N. Fairfax Drive, Suite 300 Webb, Arlington VA 22203

Office of Equal Opportunity, U.S. Department of the Interior, Washington DC 20240

The department's ADA Coordinator can be reached via phone at the following numbers:

(VOICE) 907-465-6077, (Statewide Telecommunication Device for the Deaf) 1-800-478-3648, (Juneau TDD) 907-465-3646, or (FAX) 907-465-6078

For information on alternative formats and questions on this publication, please contact:

ADF&G, Sport Fish Division, Research and Technical Services, 333 Raspberry Road, Anchorage AK 99518 (907)267-2375.

TABLE OF CONTENTS

| | Page |
|--|-------------|
| LIST OF APPENDICES | ii |
| ABSTRACT | 1 |
| INTRODUCTION | 1 |
| SOUTH ALASKA PENINSULA AREA-WIDE INFORMATION | 2 |
| Historical Salmon Production, 1908-2006..... | 3 |
| Commercial Salmon Harvests for the 2006 Season..... | 3 |
| SOUTH UNIMAK AND SHUMAGIN ISLANDS JUNE FISHERIES | 3 |
| 2006 Management Plan | 4 |
| 2006 Season Summary | 4 |
| SOUTHEASTERN DISTRICT MAINLAND FISHERY | 5 |
| 2006 Management Plan | 6 |
| Effort Levels | 7 |
| Local Stock Fisheries..... | 7 |
| Northwest Stepovak Section | 7 |
| Stepovak Flats Section | 8 |
| 2006 Season Summary | 8 |
| SOUTH ALASKA PENINSULA POST-JUNE FISHERIES | 9 |
| 2006 Management Plan | 10 |
| Immature Salmon Concerns | 11 |
| 2006 Season Summary | 11 |
| Commercial Salmon Fishery Effort Levels and Harvests, July 1-October 31 | 12 |
| Chinook Salmon | 13 |
| Sockeye Salmon..... | 13 |
| Coho Salmon | 13 |
| Pink Salmon..... | 13 |
| Chum Salmon | 13 |
| Shumagin Islands Section 2006 Post-June Harvest Summary..... | 13 |
| Southeastern District 2006 Post-June Harvest Summary | 13 |
| South Central, Southwestern, and Unimak Districts 2006 Post-June Harvest Summary | 14 |
| SALMON ESCAPEMENTS | 14 |
| Escapement by Species..... | 15 |
| Sockeye Salmon..... | 15 |
| Coho Salmon | 15 |
| Pink Salmon..... | 15 |
| Chum Salmon | 15 |
| Escapement by District | 15 |
| ACKNOWLEDGMENTS | 16 |
| REFERENCES CITED | 16 |
| APPENDIX A. AREA WIDE INFORMATION..... | 19 |
| APPENDIX B. SOUTH UNIMAK AND SHUMAGIN ISLANDS JUNE FISHERIES | 57 |
| APPENDIX C. SOUTHEASTERN DISTRICT MAINLAND FISHERY | 89 |
| APPENDIX D. SOUTH ALASKA PENINSULA POST-JUNE FISHERIES..... | 127 |
| APPENDIX E. SALMON ESCAPEMENT DATA | 151 |

LIST OF APPENDICES

| Appendix | Page |
|--|-------------|
| A1. Map of the Alaska Peninsula Management Area with the North and South Peninsula defined..... | 20 |
| A2. Map of the Alaska Peninsula Management Area from Kupreanof Point to Scotch Cap with the South Peninsula salmon fishing districts defined..... | 21 |
| A3. Map of the Alaska Peninsula Area from Kupreanof Point to McGinty Point (Southeastern District) with the statistical salmon fishing areas shown. | 22 |
| A4. Map of the Alaska Peninsula Area from McGinty Point to Arch Point (South Central District) with the statistical salmon fishing areas shown. | 23 |
| A5. Map of the Alaska Peninsula Area from Arch Point to Cape Pankof Light (Southwestern District) with the statistical salmon fishing areas shown. | 24 |
| A6. Map of the Alaska Peninsula Area from Cape Pankof Light to Scotch Cap (Unimak District) with the statistical salmon fishing areas shown. | 25 |
| A7. Map of the Alaska Peninsula Management Area from Kupreanof Point to Scotch Cap with the legal gear types by district shown..... | 26 |
| A8. Number of actively fished limited entry (CFEC) permits in the South Alaska Peninsula, 1970-2006..... | 27 |
| A9. South Alaska Peninsula salmon harvest (number of fish), all gear combined, by species and year, 1908-2006. | 28 |
| A10. South Alaska Peninsula pink salmon catch and escapement by year, 1962-2006. | 31 |
| A11. South Alaska Peninsula chum salmon catch and escapement by year, 1962-2006. | 35 |
| A12. South Alaska Peninsula salmon catch and escapement by species and year, 1962-2006..... | 39 |
| A13. South Alaska Peninsula commercial salmon harvest, all gear combined, by species and day, 2006. | 43 |
| A14. South Alaska Peninsula commercial salmon harvest by species, statistical area, section, and district, 2006. | 45 |
| A15. South Alaska Peninsula commercial salmon harvest by species, district, and gear, 2006. | 48 |
| | |
| B1. South Unimak and Shumagin Islands June commercial sockeye and chum salmon harvest, all gear combined, by year, 1911-2006..... | 58 |
| B2. History of regulations for the South Unimak and Shumagin Islands June commercial salmon fisheries, 1962-2006. | 61 |
| B3. Map of the South Unimak and Shumagin Islands June fisheries with areas open to fishing defined. | 64 |
| B4. South Unimak and Shumagin Islands June fisheries commercial salmon harvest, all gear combined, by species and year, 1970-2006. | 65 |
| B5. South Unimak June commercial salmon harvest, all gear combined, by species and year, 1970-2006. | 66 |
| B6. Shumagin Islands June commercial salmon harvest, all gear combined, by species and year, 1970-2006..... | 67 |
| B7. South Unimak and Shumagin Islands June fisheries, number of fishing days and hours open to commercial fishing by year and gear, 1975-2006..... | 68 |
| B8. South Unimak and Shumagin Islands commercial sockeye and chum salmon harvests, all gear combined, by day, 2006..... | 69 |
| B9. South Unimak June commercial salmon harvest, all gear combined, by species and day, 2006..... | 70 |
| B10. South Unimak June commercial purse seine salmon harvest by species and day, 2006..... | 71 |
| B11. South Unimak June commercial drift gillnet salmon harvest by species and day, 2006. | 72 |
| B12. South Unimak June commercial set gillnet salmon harvest by species and day, 2006..... | 73 |
| B13. Shumagin Islands Section commercial salmon harvest, all gear combined, by species and day, 2006. | 74 |
| B14. Shumagin Islands Section commercial purse seine salmon harvest by species and day, 2006..... | 76 |
| B15. Shumagin Islands Section commercial set gillnet salmon harvest by species and day, 2006..... | 78 |

LIST OF APPENDICES (Continued)

| Appendix | Page |
|---|-------------|
| B16. South Unimak and Shumagin Islands June fisheries commercial sockeye and chum salmon harvests in percent by gear type and year, 1970-2006..... | 80 |
| B17. South Unimak June fishery commercial sockeye salmon harvests in number of fish and percent by gear type and year, 1970-2006..... | 81 |
| B18. South Unimak June fishery commercial chum salmon harvests in number of fish and percent by gear type and year, 1970-2006..... | 82 |
| B19. Shumagin Islands June fishery commercial sockeye salmon harvests in number of fish and percent by gear type and year, 1970-2006..... | 83 |
| B20. Shumagin Islands June fishery commercial chum salmon harvests in number of fish and percent by gear type and year, 1970-2006..... | 84 |
| B21. South Unimak and Shumagin Islands June commercial fisheries sockeye to chum salmon ratios, all gear combined, by location and year, 1960-2006..... | 85 |
| B22. South Unimak and Shumagin Islands June commercial fisheries sockeye to chum salmon ratios by location, gear type, and year, 1970-2006..... | 86 |
| B23. Number and type of commercial salmon gear fished in the South Unimak and Shumagin Islands Section waters combined during June, by year, 1970-2006..... | 87 |
| | |
| C1. Map of the South Alaska Peninsula Management Area from Kupreanof Point to Scotch Cap with the South Peninsula salmon fishing districts depicted..... | 90 |
| C2. Map of the Southeastern District Mainland (SEDM) fishery from Kupreanof Point to McGinty Point with the salmon fishing sections defined..... | 91 |
| C3. Map of the Total Chignik-bound sockeye salmon calculation, depicting the Southeastern District Mainland section, the Chignik Management Area, and the Cape Igvak section of the Kodiak Management Area..... | 92 |
| C4. Harvest of sockeye salmon, in number of fish and percent, considered to be Chignik-bound by regulation in the Chignik, Cape Igvak, and Southeastern District Mainland areas from 1964-2006..... | 93 |
| C5. Harvest comparison of Chignik-bound sockeye salmon June 1 through July 25, 1973-2006..... | 96 |
| C6. Southeastern District Mainland percent Chignik-bound sockeye salmon harvest from June 1 through July 25, 1970-2006..... | 97 |
| C7. SEDM total sockeye harvest and percent total year harvest by date 1985-2006..... | 98 |
| C8. SEDM total sockeye harvest and percent total year harvest by date 1997-2006..... | 99 |
| C9. SEDM total sockeye harvest and percent total year harvest by date 2001-2006..... | 100 |
| C10. SEDM fishery regulatory history, 1970-2006..... | 101 |
| C11. Graph of the Orzinski Lake sockeye salmon escapement goals by date..... | 102 |
| C12. Map of Kupreanof Point vicinity with closed waters defined..... | 103 |
| C13. Map of Orzinski Bay showing the area that may be open to fishing with seine gear (west of 160° 04.25' W long.) beginning July 1..... | 104 |
| C14. Set gillnet effort and sockeye salmon harvests in the Southeastern District Mainland fishery, June 1 through July 25, 1970-2006..... | 105 |
| C15. Southeastern District Mainland salmon harvest by species, set gillnet gear, June 1-July 25, 1970-2006..... | 106 |
| C16. Southeastern District Mainland commercial sockeye salmon harvest and percent by gear, June 1 through July 25, 1970-2006..... | 107 |
| C17. Harvest of sockeye salmon considered to be Chignik-bound by regulation in the Southeastern District Mainland, in number of fish and percent by gear, through July 25, 1970-2006..... | 108 |
| C18. Southeastern District Mainland commercial fishing effort and assignment of sockeye salmon harvests (number of fish) June 1- July 25, 1985-2006..... | 110 |
| C19. Southeastern District Mainland CFEC permits fished by gear type, June 1 through July 25, 1970-2006..... | 112 |
| C20. Purse seine effort and sockeye salmon harvests in the Southeastern District Mainland 1970-2006..... | 113 |
| C21. Southeastern District Mainland salmon harvest by species, purse seine gear, June 1-July 25, 1970-2006..... | 114 |
| C22. Orzinski Lake sockeye salmon daily escapement by year, 1990-2006..... | 115 |

LIST OF APPENDICES (Continued)

| Appendix | Page |
|--|-------------|
| C23. Orzinski Lake sockeye salmon escapement 1991-2006..... | 117 |
| C24. Orzinski Lake weir average cumulative sockeye salmon escapement timing, 1990-2006. | 118 |
| C25. Northwest Stepovak Section commercial salmon harvest, all gear combined, by species and day, 2006. | 119 |
| C26. Harvest of sockeye salmon considered to be both Chignik-bound and and local stocks in the Southeastern District Mainland fishery, June 1 through July 25, 1985-2006. | 120 |
| C27. Southeastern District Mainland salmon harvest by species, all gear combined, June 1-July 25, 1970-2006. | 121 |
| C28. Southeastern District Mainland commercial salmon harvest, all gear combined, by species and day, 2006. | 122 |
| C29. Southeastern District Mainland commercial purse seine salmon harvest (number of fish), by species and day, 2006..... | 124 |
| C30. Southeastern District Mainland commercial set gillnet salmon harvest (number of fish), by species and day, 2006..... | 125 |
| | |
| D1. Map of the South Peninsula from Kupreanof Point to Scotch Cap, with the general Post-June fishing area and the Southeastern District Mainland area shown. | 128 |
| D2. Map of the South Peninsula Post-June fishery with those areas defined where additional fishing time may be allowed during July 6-21..... | 129 |
| D3. Map of the South Peninsula Post-June fishery with those areas defined where additional fishing time may be allowed during July 22-31..... | 130 |
| D4. Map of Popof Island with test fishing sites defined..... | 131 |
| D5. Summary of the Shumagin Islands Section July salmon test fishery, 2006..... | 132 |
| D6. South Peninsula Post-June commercial salmon harvest, all gear combined, by species, July 6-21, 2006. | 133 |
| D7. South Peninsula Post-June commercial salmon harvest, all gear combined, by species, July 22-31, 2006. | 134 |
| D8. South Peninsula Post-June commercial salmon harvest, all gear combined, by species, August 1-31, 2006. | 135 |
| D9. South Peninsula fall fishery (September 1-October 31) commercial salmon harvest, all gear combined, by species and year, 1970-2006. | 136 |
| D10. South Peninsula (minus the Southeastern District Mainland fishery July 1-25 salmon harvest) Post-June (July 1-October 31) commercial salmon harvest, all gear combined, by species and year, 1970-2006. | 137 |
| D11. South Peninsula Post-June commercial salmon harvest, (including the Southeastern District Mainland fishery) all gear combined, by species and year, July 1-October 31, 1970-2006. | 138 |
| D12. South Peninsula (including Southeastern District Mainland fishery) Post-June commercial Chinook salmon harvest by gear and year, July 1- October 31, 1970-2006. | 139 |
| D13. South Peninsula (including Southeastern District Mainland fishery) Post-June commercial sockeye salmon harvest by gear and year, July 1-October 31, 1970-2006. | 140 |
| D14. South Peninsula (including Southeastern District Mainland fishery) Post-June commercial coho salmon harvest by gear and year, July 1-October 31, 1970-2006. | 141 |
| D15. South Peninsula (including Southeastern District Mainland fishery) Post-June commercial pink salmon harvest by gear and year, July 1-October 31, 1970-2006. | 142 |
| D16. South Peninsula (including Southeastern District Mainland fishery) Post-June commercial chum salmon harvest by gear and year, July 1-October 31, 1970-2006. | 143 |
| D17. Shumagin Islands Section Post-June commercial salmon harvest, all gear combined, by species and year, July 1-October 31, 1970-2006..... | 144 |
| D18. Southeastern District (minus the Southeastern District Mainland fishery July 1-25 salmon harvest) Post-June commercial salmon harvest, all gear combined, by species and year, July 1-October 31, 1970-2006. | 146 |

LIST OF APPENDICES (Continued)

| Appendix | Page |
|--|-------------|
| D19. Southeastern District fall fishery (September 1-October 31) commercial salmon harvest, all gear combined, by species and year, 1970-2006. | 148 |
| D20. South Central, Southwestern, and Unimak Districts, combined, Post-June commercial salmon harvest, all gear combined, by species and year, July 1-October 31, 1970-2006.. | 149 |
| D21. South Central, Southwestern, and Unimak Districts fall (September 1-October 31) commercial salmon harvest, all gear combined, by species and year, 1970-2006..... | 150 |
| E1. Summary of historical sockeye salmon escapement data from Orzinski Lake, Thin Point Lake, Middle Lagoon/ Morzhovoi, and Mortensen's Lagoon weirs. | 152 |
| E2. Method for calculating indexed total escapement..... | 153 |
| E3. South Peninsula total indexed salmon escapements by species and year, 1962-2006. | 154 |
| E4. South Peninsula total indexed salmon escapements by species, district, and section, 2006. | 156 |
| E5. South Peninsula total indexed sockeye salmon escapement by year, 1962-2006. | 157 |
| E6. Daily and cumulative salmon escapement counts through the United States Fish and Wildlife weir operated at Mortensen's Lagoon, 2006. | 158 |
| E7. South Peninsula total indexed pink salmon escapement by year, 1962-2006..... | 161 |
| E8. South Peninsula total indexed chum salmon escapement by year, 1962-2006. | 162 |
| E9. Sockeye salmon daily and cumulative escapement counts through the Orzinski Lake weir, 2006. | 163 |

ABSTRACT

This report summarizes the 2006 season and historical information concerning management of the subsistence and commercial salmon fisheries of the Unimak, Southwestern, South Central and Southeastern districts of the Alaska Peninsula Management Area, commonly referred to as the South Peninsula.

The total commercial salmon harvest (excluding test fish harvest) in the South Peninsula in 2006 was 5,400 Chinook *Oncorhynchus tshawytscha*, 1,835,218 sockeye *O. nerka*, 164,962 coho *O. kisutch*, 4,261,230 pink *O. gorbuscha*, and 1,175,843 chum *O. keta* salmon. Harvests of sockeye and chum salmon were above the recent 10-year averages (1996-2005). In 2006, the number of permit holders participating in the fishery (202) was well below the recent 10-year average (261) but similar to 2005 and 2004 levels.

The combined South Unimak and Shumagin Islands June salmon harvest included 932,291 sockeye and 299,827 chum salmon. The 2006 South Unimak June fishery harvest included 491,053 sockeye salmon and 96,016 chum salmon. The 2006 Shumagin Islands June fishery harvested 441,238 sockeye salmon and 203,811 chum salmon.

The Southeastern District Mainland (SEDM) harvest through July 25 was 77,513 sockeye salmon. The estimated Chignik-bound component of the SEDM harvest was 62,010 sockeye salmon, or 7.3% (6.0% allocation) of the total Chignik sockeye salmon harvest through July 25. There were no commercial openings in the Northwest Stepovak Section from through July 25. The total harvest for the Northwest Stepovak Section for the season was 8,258 sockeye salmon.

The Post-June non-terminal harvest (excluding test fish harvest) from the South Peninsula during the July 6-21 period included 393 Chinook, 318,226 sockeye, 48,945 coho, 193,255 pink, and 269,173 chum salmon. Additional fishing time was permitted in designated terminal areas as escapement warranted. The July 6-21 harvest from terminal areas included 20 Chinook, 33,536 sockeye, 449 coho, 8,958 pink, and 50,182 chum salmon.

The July 22-31, non-terminal harvest from the South Peninsula included 144 Chinook, 173,910 sockeye, 38,658 coho, 709,714 pink, and 116,241 chum salmon. Fishing in terminal areas was allowed as escapements warranted and salmon harvests included 7 Chinook, 23,548 sockeye, 199 coho, 97,202 pink, and 32,792 chum salmon.

During August, pink and chum salmon run strength in the South Peninsula was strong. There was relatively little fishing effort and pink and chum salmon markets were weak. Total August harvest included 295 Chinook, 241,385 sockeye, 56,763 coho, 1,841,595 pink, and 398,842 chum salmon.

The limited pink, chum and coho salmon markets resulted in moderate effort in the fall fishery (beginning September 1) outside of the Southeastern District. The salmon harvests for September in the South Peninsula Area included 15 Chinook, 34,809 sockeye, 14,514 coho, 502 pink, and 22,205 chum salmon.

Total indexed escapement estimates for sockeye (88,148), pink (2,862,250), and chum (764,750) salmon were within or above the escapement goal ranges for all South Peninsula districts combined in 2006. No Chinook salmon are known to spawn in South Peninsula streams. Due to budget reductions and weather, only limited coho salmon surveys occurred.

Key words: South Alaska Peninsula, commercial salmon fishery, South Unimak, Shumagin Islands, salmon harvest, salmon escapement, Alaska Board of Fisheries, salmon, *Oncorhynchus*, management plan.

INTRODUCTION

This report summarizes the 2006 season and historical information concerning management of the subsistence and commercial salmon fisheries of the Unimak, Southwestern, South Central and Southeastern districts of the Alaska Peninsula Management Area, commonly referred to as the South Peninsula.

The Alaska Peninsula Salmon Management Area is that part of Area M that includes waters of the North Peninsula from Cape Menshikof west to Cape Sarichef, and waters of the South Peninsula from Kupreanof Point west to Scotch Cap on Unimak Island (Appendix A1). This

report describes those commercial salmon fisheries located in South Peninsula waters, which are further divided into four districts: (1) the Southeastern District, consisting of waters between Kupreanof Point and McGinty Point; (2) the South Central District, consisting of waters between McGinty Point and Arch Point Light; (3) the Southwestern District, consisting of waters between Arch Point Light, False Pass, and Cape Pankof Light; and (4) the Unimak District, consisting of waters between Cape Pankof Light and Scotch Cap, including Sanak Island (Appendices A2-A6). The Southeastern District is further subdivided into two areas that have different management plans during part of the season; (1) the Shumagin Islands Section, consisting of the Shumagin Islands archipelago and (2) the Southeastern District Mainland (SEDM), consisting of Stepovak, Balboa, and Beaver bays (Appendix A3).

Five species of Pacific salmon are commercially harvested in the Alaska Peninsula Salmon Management Area: Chinook salmon *Oncorhynchus tshawytscha*, sockeye salmon *O. nerka*, coho salmon *O. kisutch*, pink salmon *O. gorbuscha*, and chum salmon *O. keta*. Only Commercial Fisheries Entry Commission (CFEC) Area M purse seine, drift gillnet, and set gillnet permit holders are allowed to commercially harvest salmon in South Peninsula waters (ADF&G 2004). Drift gillnet gear is excluded from the Southeastern and South Central districts, and most of the Southwestern District of the South Peninsula (Appendix A7). Of those Area M permits that were active in 2006, most were utilized in South Peninsula waters at some time during the season. Only 43 of 121 active purse seine permits recorded landings in South Peninsula waters (third lowest on record), as did 85 of 160 drift gillnet permits (second lowest since 1976), and 74 of 113 set gillnet permits (Appendix A8). During recent years, most of the purse seine and set gillnet permit holders fished South Peninsula waters throughout the season, while most of the drift gillnet permit holders fished South Unimak waters during June and North Peninsula waters from July into September (Murphy et al. 2005).

The Alaska Department of Fish and Game (ADF&G) staff stationed at Sand Point and Cold Bay (Appendix A2) managed the South Peninsula commercial salmon fisheries. Since 1990, the Sand Point staff has managed salmon fisheries in the Southeastern and South Central districts. The rest of the South Peninsula salmon fisheries have been managed primarily from Cold Bay.

Tables and figures in this report are organized into five series of appendix tables. Appendix A contains area wide harvest, management, and geographic information in tables and maps. Appendix B contains harvest information specific to the South Unimak and Shumagin Islands June fisheries. Appendix C includes harvest information specific to the Southeastern District Mainland fishery. Appendix D contains harvest information concerning the South Peninsula Post-June fishery. Appendix E includes information concerning salmon escapement in South Peninsula streams. Harvest data in this report are presented with 10- and 20-year averages in addition to other unconventional averages that reflect major changes to the management plans.

SOUTH ALASKA PENINSULA AREA-WIDE INFORMATION

Commercial salmon fisheries in South Peninsula waters date back to at least 1888, when canneries were operated at Orzinski Bay and Thin Point Cove; however, catch records are only available since 1908 (Appendix A9). Fish ticket data from 1970 to present are available in the ADF&G database.

HISTORICAL SALMON PRODUCTION, 1908-2006

Historically, South Peninsula salmon production has fluctuated dramatically for all species. Since 1962, the annual combined pink salmon catch and escapement (excluding June migrants) have ranged from 149,421 in 1973 to 22,530,258 in 1995 (Appendix A10). Since 1962, the annual combined chum salmon catch and escapement (excluding June migrants) have ranged from 223,228 in 1975 to 2,175,845 in 1994 (Appendix A11 and A12).

From 1947 to 1977, the South Peninsula annual total harvest (including migrants) averaged 2,896,285 salmon and was composed of 2,567 Chinook, 591,844 sockeye, 26,747 coho, 1,523,900 pink, and 751,226 chum salmon (Appendix A9). Pink and sockeye salmon are currently the most abundant salmon species harvested in the South Peninsula (Appendix A9). From 1978 to 2000, the South Peninsula annual harvest averaged 10,484,159 salmon, which was composed of 8,849 Chinook, 2,241,035 sockeye, 255,863 coho, 6,666,089 pink, and 1,312,324 chum salmon. From 1996 to 2005, the South Peninsula annual harvest has averaged 7,901,339 salmon and was composed of 4,990 Chinook, 1,812,466 sockeye, 191,835 coho, 5,104,747 pink, and 787,301 chum salmon (Appendix A9).

COMMERCIAL SALMON HARVESTS FOR THE 2006 SEASON

The first South Peninsula commercial salmon landing in 2006 occurred on June 7, and the last landing occurred on September 26. The 2006 South Peninsula commercial harvest of 7,442,653 salmon was composed of 5,400 Chinook, 1,835,218 sockeye, 164,692 coho, 4,261,230 pink, and 1,175,843 chum salmon (Appendix A13). The Southeastern District had the largest commercial salmon harvest of 5,014,489 fish (67%), while the South Central, Southwestern, and Unimak districts had harvests of 733,370 (10%), 1,362,910 (18%), and 331,884 salmon (5%), respectively (Appendix A14). By gear type, purse seine permit holders harvested 78.1% of the total harvest while drift gillnet permit holders harvested 5.1% and set gillnet permit holders harvested 16.8% (Appendix A15). Specific management actions, as directed by emergency order, are summarized in Appendix A16.

SOUTH UNIMAK AND SHUMAGIN ISLANDS JUNE FISHERIES

The first documented commercial harvests from the South Unimak and Shumagin Islands June fisheries occurred in 1911 (Appendix B1). During the early to mid 1960s, the South Unimak and Shumagin Islands fisheries were open to commercial salmon fishing five days per week (Appendix B2). From 1967-1970, fishing occurred seven days per week regardless of the Bristol Bay sockeye salmon run strength. Special regulatory meetings were held annually resulting in different regulations every year from 1971-1974.

In 1975, the Alaska Board of Fisheries (BOF) implemented an allocation plan in which the South Unimak and Shumagin Islands June fisheries were granted an annual guideline harvest level (GHL) based on the projected Bristol Bay inshore sockeye salmon harvest (Shaul 2003). Based on historical catch data, 6.8% of the forecasted inshore Bristol Bay harvest was allocated to the South Unimak June fishery and 1.5% was allocated to the Shumagin Islands June fishery. Portions of the GHL were assigned to discrete time periods so the harvest would be spread throughout June. Concerns over large harvests of chum salmon in the early 1980s, and a weak fall Yukon River chum salmon run resulted in a chum salmon cap that, if reached, would result in closure of the fishery for the remainder of June. Between 1986 and 2000, the chum salmon cap was as high as 700,000 fish (1992-1997) and as low as 350,000 fish (1998-2000).

In January 2001, the BOF modified the South Unimak and Shumagin Islands June salmon fishery management plan. These modifications were in effect through the 2003 season and included the elimination of the sockeye salmon GHL and the chum salmon cap. Fishing time for any gear group was reduced to a maximum of 16 hours per day. Fishing time by seine and drift gillnet gear was limited to a maximum of 48 hours in a floating seven day period with no more than two 16-hour periods on consecutive days in any seven day period. Purse seine and drift gillnet fishing periods through June 24 occurred at the same time in the South Unimak and Shumagin Islands fisheries.

For the years 2001 to 2003, from June 10 to June 24, set gillnet gear could be operated on consecutive days for 16-hour fishing periods as long as the set gillnet sockeye to chum salmon ratio was above the recent 10-year average in each fishery. If the set gillnet sockeye to chum salmon ratio fell below the recent 10-year average in either of the fisheries (South Unimak or Shumagin Islands), that fishery was closed for one period. From June 10 to June 24, daily fishing periods for set gillnet gear were from 6:00 am until 10:00 pm

After June 24, in either the South Unimak or Shumagin Islands fisheries, if the ratio of sockeye to chum salmon, all gear combined, was 2:1 or less on any day, the next fishing period was six hours in duration for all gear groups in that fishery. If the ratio of sockeye to chum salmon was 2:1 or less for two consecutive fishing periods in either fishery, the season was closed for the remainder of June for all gear groups. If the sockeye to chum salmon ratio was greater than 2:1, a six-hour fishing period could be extended to a maximum of 16 hours.

2006 MANAGEMENT PLAN

In February 2004, the BOF modified the South Unimak and Shumagin Islands June Fishery Management Plan 5 AAC 09.365 (which was still in effect in 2006) by:

1. Establishing fishing periods that begin at 6:00 AM on June 7 and end at 10:00 pm on June 29. All fishing periods will be 88 hours in duration interspersed by 32-hour closures, except for the last fishing period, which would be 64 hours.
2. Expanding the South Unimak fishery to include the entire Southwestern District and the West Pavlof and East Pavlof Bay sections of the South Central District (Appendix B3).
3. Establishing concurrent fishing time for all gear groups.

For a detailed regulatory history, see Appendix B2. For details on historical harvests and allocations, see Appendices B4-B23.

2006 SEASON SUMMARY

The 2006 season opened for all gear types with an 88-hour commercial fishing period on June 7. During June, all gear types fished four 88-hour fishing periods followed by one 64-hour period. All periods began at 6:00 am, ended at 10:00 pm, and were separated by 32-hour closures.

The 2006 South Unimak and Shumagin Islands June fishery sockeye and chum salmon harvest and effort were below the most recent 10-year average (1996-2005; Appendix B4). A total of 188 permit holders of all three gear types combined, harvested 932,291 sockeye salmon and 299,827 chum salmon.

During the 2006 South Unimak June fishery, 121 permit holders harvested 491,053 sockeye and 96,016 chum salmon (Appendices B5 and B9). In the South Unimak fishery, 12 purse seine

permit holders harvested 114,760 sockeye and 7,479 chum salmon (Appendix B10), 85 drift gillnet permit holders harvested 228,924 sockeye and 83,752 chum salmon (Appendix B11), and 24 set gillnet permit holders harvested 147,369 sockeye and 4,785 chum salmon (Appendix B12).

The harvest from the expanded area of the South Unimak fishery (Poperechnoi Island, north side of Dolgoi Island, West Pavlof Bay Section, and East Pavlof Bay Section) was 226 Chinook, 210,080 sockeye, 84 coho, 50,851 pink, and 7,633 chum salmon. In the South Unimak fishery, this represented 15.6% of the Chinook salmon harvest, 42.7% of the sockeye salmon harvest, 19.4% of the coho salmon harvest, 27.3% of the pink salmon harvest, and 7.9% of the chum salmon harvest. The expanded area of the South Unimak fishery was only open to seine and set gillnet gear and accounted for 78% of the purse seine and 82% of the set gillnet sockeye salmon harvest.

During the 2006 Shumagin Islands June fishery, 69 permit holders harvested 441,238 sockeye and 203,811 chum salmon (Appendices B6 and B13). Twenty-five purse seine permit holders harvested 302,729 sockeye and 183,192 chum salmon (Appendix B14), and 44 set gillnet permit holders harvested 138,509 sockeye and 20,619 chum salmon (Appendix B15).

Purse seine permit holders harvested 23.4% of the sockeye and 7.8% of the chum salmon in the South Unimak fishery, and 68.6% of the sockeye and 89.9% of the chum salmon in the Shumagin Islands fishery (Appendices B16-B20). Drift gillnet permit holders harvested 46.6% of the sockeye and 87.2% of the chum salmon in the South Unimak fishery (Appendices B17 and B18). Set gillnet permit holders harvested 30.0% of the sockeye and 5.0% of the chum salmon in the South Unimak fishery, and 31.4% of the sockeye and 10.0% of the chum salmon in the Shumagin Islands June fishery (Appendix B16-B20).

The June sockeye to chum salmon harvest ratios were about 5.1:1 in the South Unimak and 2.2:1 in the Shumagin Islands fishery (Appendix B21). The overall ratio for both fisheries combined, was about 3.1:1. In the South Unimak fishery, the sockeye to chum salmon ratio was 15.3:1 for purse seine, 2.7:1 for drift gillnet, and 30.8:1 for set gillnet permit holders (Appendix B22). In the Shumagin Islands fishery, the sockeye to chum salmon ratio was 1.7:1 for purse seine and 6.7:1 for set gillnet permit holders. In 2006, 36 purse seine, 85 drift gillnet, and 67 set gillnet permit holders recorded commercial salmon deliveries in the South Unimak and Shumagin Islands June fisheries (Appendix B23).

No test fishing programs were conducted during the June fishery in 2006.

SOUTHEASTERN DISTRICT MAINLAND FISHERY

The Southeastern District Mainland (SEDM) commercial salmon fishery occurs on the south side of the Alaska Peninsula (Area M). The SEDM is centered around Stepovak Bay and includes the mainland waters from Kupreanof Point in the east to McGinty Point in the west (Appendix C1). Included in this fishery are the waters of Beaver Bay, Balboa Bay, Southwest Stepovak, Northwest Stepovak, Stepovak Flats, and East Stepovak sections (Appendix C2).

Fishing effort in the SEDM primarily targets sockeye salmon considered bound for the Chignik Management Area (CMA; ADF&G 2004). The SEDM section is managed under the SEDM management plan from June 1 through July 25 on a 6% allocation of the total Chignik-bound sockeye salmon harvest. Fishing periods are based on the strength of the Chignik watershed

sockeye salmon escapement and harvest, along with the sockeye salmon harvest in the Cape Igvak Section of the Kodiak Management Area (KMA; Appendix C3; Eggers 2006). Since the inception of the management plan in 1985, the SEDM harvest of Chignik-bound sockeye salmon has ranged from 0% in 1997, to 11.5% in 2005 (Appendix C4). Since 1985, the allocated SEDM sockeye salmon harvest averaged 93,317 fish or 6.1% of the total Chignik-bound sockeye salmon harvest (Appendices C5 and C6). The SEDM harvest has met or exceeded the allocation 12 of the past 22 years (Appendix C4 through C6).

Before July 1, 80% of the sockeye salmon harvested in the SEDM are considered Chignik-bound (this 80% is attributed to the Chignik Area sockeye salmon allocation (5 AAC 09.360)). Beginning July 1, sockeye salmon harvested in the Northwest Stepovak Section (NWSS) of the SEDM are considered 100% local fish and the NWSS is managed on the sockeye salmon return to Orzinski Lake (Appendices C2 and C3). After July 25, the SEDM is managed under the South Alaska Peninsula Post-June Management Plan (5 AAC 09.366) and commercial fishery openings based on the strength of local sockeye, pink, chum, and coho salmon stocks. Since 1985, 59% of the sockeye salmon harvested in the SEDM occurred during the SEDM management plan's (June 1- July 25) timeframe (Appendix C7). In recent years this has dropped to 54% (Appendices C8 and C9). A historical regulatory summary can be found in Appendix C10.

2006 MANAGEMENT PLAN

Under the 2006 SEDM management plan (5 AAC 09.360):

- 1) Prior to July 1, the SEDM is managed on an allocation based on the strength of the Chignik Area sockeye salmon runs as described in 5 AAC 09.360 and 80% of the sockeye salmon caught are considered Chignik-bound. Beginning July 1, the NWSS is managed entirely on local stocks. All sockeye salmon harvested in the NWSS after July 1 are considered to be from Orzinski Lake stocks and are not counted toward the allocation. The NWSS, outside Orzinski Bay, may open to commercial salmon fishing during July 1-July 25 if the Orzinski Lake sockeye salmon interim escapement objectives are being met (Appendix C11). The BOF mandated fishing schedule for the NWSS, excluding Orzinski Bay from July 1-July 25, cannot exceed four days during a seven-day period. The maximum number of consecutive fishing days allowed is two.
- 2) The Stepovak Flats Section is managed for chum salmon returning to local streams throughout the entire season. However, 80% of the sockeye salmon caught in the Stepovak Flats Section through July 25 are considered Chignik-bound fish (Appendix C2).
- 3) The BOF allocated 6% of the total Chignik-bound sockeye salmon harvest from June 1 through July 25 to the SEDM fishery.
- 4) The BOF directed ADF&G to consider an extension of the Kupreanof Point closed waters area, as described in 5 AAC 09.350(37), by emergency order (Appendix C12). The Kupreanof Point closed waters extension remains in effect through September 30 if the waters specified in 5 AAC 15.350(20) are closed to conserve coho salmon stocks in the CMA.
- 5) Orzinski Bay may open to purse seine gear prior to July 11 if ADF&G determines the interim escapement objectives have been exceeded (Appendices C11 and C13).

The total Chignik-bound sockeye salmon harvest from June 1 through July 25 is calculated by adding 100% of the CMA sockeye salmon harvest, 90% of the Cape Igvak Section (KMA) and

80% of the SEDM sockeye salmon harvests from June 1 through July 25, excluding 100% of the sockeye salmon caught within the NWSS from July 1-25 (Appendix C3; 5 AAC 09.360).

There are two sockeye salmon runs into the Chignik watershed, the Black Lake (early) and the Chignik Lake (late) runs. The Black and Chignik lakes sockeye salmon runs overlap (transition period) during late June through early July (Stichert *In prep*). While the strength of the late run is being evaluated, the Cape Igvak and SEDM fisheries (except the NWSS beginning July 1) are usually closed. However, fishing may be allowed in the CMA to harvest excess early-run (Black Lake) sockeye salmon, even though late-run fish are present (Bouwens 2005).

EFFORT LEVELS

From 1975 to 2000, a substantial increase in set gillnet effort occurred in the SEDM fishery (Appendices C14 and C15). The numbers of set gillnet permits fished increased from 7 permits in 1975 to 64 permits in 1993, 1996, and 2000. From 2001 to 2006, effort decreased from 53 permits in 2002 to 24 permits fished in 2006 (Appendices C15 and C18). The number of set gillnet permits fished in the SEDM averaged 49 during 1997 to 2006 (Appendices C15 and C19). Historically, many fishermen participated in both set gillnet and purse seine fisheries, and received a limited entry permit for each gear type. During the 1970s and 1980s, many of the dual permit holders sold or transferred their set gillnet permits and retained their purse seine permits. This increased effort in the SEDM fishery, since many set gillnet permits that were previously used part-time were now fished full-time. Recently an increasing number of the remaining dual permit holders have not used their purse seine permit because of low salmon prices and high operating costs. This has lowered the overall purse seine effort (Appendices C16, C17, and C19).

The number of SEDM set gillnet landings increased from 14 in 1975 to 1,657 in 1984 (Appendices C15 and C18). However in 2006, due to curtailed fishing time, only 102 set gillnet landings were recorded. Due to changes in the management plans over time, set gillnet landings in the SEDM fishery averaged 440 from 1985 to 1991, 702 from 1992 to 1995, and 765 from 1996 to 2006 (Appendix C18).

The number of purse seine permits fished has fluctuated dramatically since 1985, and ranged from 0 in 1994 to 69 in 1990, with 13 permits fished in 2006 (Appendix C18). Purse seine landings in the SEDM averaged 56 from 1985 to 1991, 32 from 1992 to 1995, and 25 from 1996 to 2006 (Appendix C18). Overall, the number of purse seine permits fished in the SEDM averaged 28 from 1985 to 1991, 22 from 1992 to 1995, and 17 from 1996 to 2006 (Appendices C18, C20, and C21).

LOCAL STOCK FISHERIES

Northwest Stepovak Section

Commercial salmon fishing in the Northwest Stepovak Section is managed based on the strength of the Orzinski Lake sockeye salmon stock from July 1-25. During this period, a maximum of two consecutive fishing days and a total of four days within a seven-day period may be allowed (ADF&G 2004). After July 25, the section is managed under the Post-June Management Plan (5 AAC 09.366) and is based on the strength of local sockeye, pink, chum, and coho salmon stocks.

Prior to July 1, 80% of the sockeye salmon harvested in the Northwest Stepovak Section are attributed to the Chignik-bound sockeye salmon allocation (Appendix C2). Beginning July 1, all

sockeye salmon caught within the Northwest Stepovak Section are considered bound for Orzinski Lake (Appendix C3).

Orzinski Lake sockeye salmon escapements were assessed using a weir from 1935 to 1941, and most recently from 1990 to 2006 (Appendices C22 and C23). Based on historical aerial surveys and weir counts, Orzinski Lake sockeye salmon escapement objectives were developed by time periods and implemented beginning with the 1991 season (Appendix C11). The escapement goal for Orzinski Lake is 15,000-20,000 sockeye salmon (Nelson et al. 2006). From 1990 to 2006, the escapement has averaged 34,247 sockeye salmon and ranged from 15,000 in 1990 and 1999 to 75,450 in 2004 (Appendix C22). Since 1990, July 11 has been the average date when 50% of the total annual sockeye escapement has been achieved (Appendix C24).

In 2006, the Orzinski Lake weir was operated from June 8 through August 6 and 6,747 sockeye salmon (of which 167 were jack sockeye salmon) were counted through the weir (Appendix C22). The run was unusually late in 2006 and daily sockeye salmon escapements were still being recorded when the weir was removed for the season. A post weir estimate of 11,253 fish, from an aerial survey conducted on September 1, resulted in a total sockeye salmon escapement estimate of 18,000 fish (Appendix C22).

Stepovak Flats Section

Commercial salmon fishing in the Stepovak Flats Section is managed based on run strength of pink and chum salmon returning to Stepovak Flats streams. Eighty percent of the sockeye salmon harvest in this section are assigned to the 6.0% allocation criteria stated in the current SEDM salmon management plan. Prior to July 26, the Stepovak Flats Section is usually open concurrently with the rest of the SEDM. The entire section is closed to salmon fishing beginning July 29 to protect schooling chum salmon.

2006 SEASON SUMMARY

The 2006 forecast for the total harvest of Chignik-bound sockeye salmon was 855,000 sockeye salmon for the early run (Black Lake) and 32,000 salmon for the late run (Chignik Lake) (Eggers 2006). The forecast indicated that a fishery could occur in the SEDM since a harvest of at least 600,000 sockeye salmon was expected in the CMA.

The Chignik early run materialized later than expected and commercial fishing was not allowed in the CMA until June 14 (Stichert *In prep*). Commercial fishing was then suspended in the CMA from June 18 through June 24, to allow for additional escapement. Due to the late timing of the Chignik early run and the lower than expected Chignik harvest, the SEDM did not open to commercial salmon fishing in June.

The SEDM fishery was allowed 36 hours of fishing time from June 1 through July 25, with a total sockeye salmon harvest of 77,513 fish. No sockeye salmon were harvested in the NWSS during this period (Appendices C18 and C25). Based on the allocation criteria, 15,503 sockeye salmon were considered local and 62,010 sockeye salmon were considered Chignik-bound (Appendix C26). The 2006 estimated Chignik-bound component of the SEDM harvest was 7.3% (allocation 6.0%; Appendix C4 and C26).

In 2006, the total estimated Orzinski Lake sockeye salmon escapement was 18,000 fish (Appendices C22 and C23). This was the third lowest escapement on record since the weir was installed in 1990. However, it was above the lower end of the escapement goal range of 15,000 to 20,000 adult sockeye salmon (Nelson et al. 2006). Due to the late timing of the Chignik early

run, and low Orzinski escapement, fishing was not permitted in the Northwest Stepovak Section between June 1 and July 25 (Appendix C25). Furthermore, no additional fishing was permitted in Orzinski Bay during July 1-25.

The 2006 SEDM salmon harvest, from June 1 through July 25, was 29 Chinook, 77,513 sockeye, 2,805 coho, 77,685 pink, and 13,259 chum salmon (Appendices C27 and C28). Purse seine fishers harvested 25 Chinook, 37,664 sockeye, 2,466 coho, 69,775 pink, and 8,558 chum salmon (Appendix C29). Set gillnet fishers harvested four Chinook, 39,849 sockeye, 339 coho, 7,910 pink, and 4,701 chum salmon (Appendix C30). Purse seine fishers accounted for 48.6%, while set gillnet fishers accounted for 51.4% of the SEDM sockeye salmon harvest through July 25 (Appendix C16).

SOUTH ALASKA PENINSULA POST-JUNE FISHERIES

The South Peninsula Post-June salmon fishery takes place in the Southeastern (excluding the Southeastern District Mainland through July 25), South Central, Southwestern, and Unimak districts from July 1 through the end of the season (Appendix D1; 5 AAC 09.366).

Until 1974, the South Peninsula Post-June salmon fishery was generally opened five days per week, with a season closure on August 10 to allow for adequate escapement into local streams and maintain product quality (McCullough 1995). During 1974 and 1975, the fisheries were severely restricted to rebuild pink salmon runs. From 1976-1991, the salmon fisheries were managed by emergency order based on local stock run strength. From July 6 to about July 18 fishing periods were based on chum salmon run strength, while from July 18 through about August 20, fishing periods were based primarily on pink salmon run strength. Fishing continued into late August in years of strong pink salmon runs. Migratory salmon were also harvested during these openings and, in some years, are believed to have contributed substantially to the total Post-June harvest. Beginning September 1, fishing periods were based on local coho salmon run strength, and sometimes on chum salmon run strength in certain locations (e.g., Volcano Bay).

In 1991, the BOF established the Post-June Salmon Management Plan for the South Alaska Peninsula (5 AAC 09.366; McCullough 1995). Under this plan, commercial salmon fishing from July 6 to 19 was restricted to terminal fishing areas, and was based on local stock run strength determined by harvests and escapements. The balance of the South Peninsula, which during previous seasons had been open to fishing, remained closed. The BOF decided that local pink and chum salmon could be caught in terminal areas early in the season, without sacrificing product quality, while still allowing migratory salmon to pass through South Peninsula waters. The terminal areas included Zachary Bay, the northern portion of Pavlof Bay, and the Cold Bay, Thin Point, Canoe Bay, and Morzhovoi Bay sections (Appendix D2). The BOF concluded that after July 19, South Peninsula fishermen needed to harvest pink salmon in their traditional cape fishing areas to maintain product quality. From July 20 until the close of the season, the entire South Peninsula could be opened to commercial salmon fishing by emergency order based on local run strength (except in the Southeastern District Mainland fishery through July 25; 5 AAC 09.360).

The Stepovak-Shumagin Setnet Association sued the BOF in early 1992, to stop the implementation of the Post-June Salmon Management Plan for the South Alaska Peninsula. On July 10, 1992 an injunction was granted staying the enforcement of the new management plan. On July 13, management of the Post-June fisheries reverted back to pre-1992 regulations (Shaul et al. 1993).

In March 1993, the Alaska State Superior Court reconsidered the 1992 injunction staying the enforcement of the Post-June Salmon Management Plan. After reconsideration, the court reinstated the Post-June Salmon Management Plan. That version of the Post-June Salmon Management Plan was fully implemented during the 1993-1997 commercial fishing seasons (Shaul and Campbell 1997).

In January 1998, the BOF made significant changes to the Post-June Salmon Management Plan (see 2006 Management Plan below), which were in effect through 2006. The BOF made only minor changes to the Post-June Salmon Management Plan for the South Alaska Peninsula in 2001. The BOF clarified the definition of immature salmon during the department's July test fishery. For the purposes of the test fishery, immature salmon were defined as those Chinook, sockeye, coho, and chum salmon that were gilled in the seine web during the test fishery. The BOF also changed the southern boundary of the Suzy Creek terminal harvest area. It was modified to be consistent with the southern boundary of the NWSS at 57° 37.33' N. lat. (Appendix C1). In February 2004, the BOF repealed the 60,000 coho salmon harvest cap from non-terminal areas for the July 22-31 period.

For the Post-June section of this report, non-conventional time periods are used to average harvest figures. The authors feel that these time periods better represent the historical nature of the South Peninsula Post-June fisheries due to BOF actions that significantly changed the plan and harvests. The 1978-1992, 1993-1997, and 1998-2005 periods are used for most historical average harvests, and are compared to the 2006 harvests. The 1978-1992 average harvests represent catches after Alaska salmon populations had recovered from low runs during the 1960s and early 1970s. The 1993-1997 averages are used because during those years only a few terminal harvest areas were open in Post-June fisheries from July 1 to 19. The current management plan, with a few minor modifications, went into effect in 1998. Tables for time periods or areas unaffected by the BOF management plan changes (such as the fisheries during August and September) summarize the data with 10 and 20-year averages.

2006 MANAGEMENT PLAN

The Post-June Salmon Management Plan (5 AAC 09.366) has two major components:

1. For the period from July 6 to 21: six 24-hour fishing periods could be permitted, with each fishing period followed by a closure of at least 48 hours in non-terminal locations outside of the Southeastern District Mainland (Appendix D2). The terminal areas for July 6-21 included the northern portion of Pavlof Bay (north of the latitude of Black Point; Appendix A4), the southern portion of Zachary Bay (statistical area 282-35), and the Cold Bay, Morzhovoi Bay, Thin Point, and Canoe Bay sections.
2. For the period from July 22 to 31: fishing time was limited in non-terminal areas, outside of the Southeastern District Mainland (prior to July 26), to three periods not to exceed 36 hours in duration and interspersed by closures of at least 48 hours. The amount of fishing area considered "terminal" was increased during the July 22-31 time period to include the northern portion of Pavlof Bay (north of the latitude of Black Point), the southern portion of Zachary Bay (282-35), the Cold Bay, Morzhovoi Bay, Thin Point, Canoe Bay, Deer Island, Belkofski Bay, and Mino Creek-Little Coal Bay sections, the Stepovak Flats Section from July 26 to 28, and the area near Suzy Creek (281-65) after July 25 (Appendix D3). Fishing in non-terminal areas could not begin before NOON on July 23.

IMMATURE SALMON CONCERNS

The 1991 BOF decision to allow commercial salmon fishing only in limited areas within South Peninsula waters was made partially due to concerns for immature Chinook, sockeye, and chum salmon that are inadvertently gilled during purse seine gear fishing operations (McCullough and Shaul 1992).

ADF&G first became aware of immature salmon catches in 1963. The presence of immature salmon in South Peninsula waters has warranted restrictions to commercial fishing in some years. These restrictions were applied to all gear types in affected areas from late June into July in 1963, 1968, 1969, 1974, 1979, and for purse seine fishing only during the 1989-1992, 1999, 2001, and 2003 seasons (Burkey et al. 2005).

High incidence of immature salmon has been most prevalent in the Shumagin Islands Section where the concern for catching immature salmon is restricted to purse seine gear. Under current regulations, seine mesh size may not exceed 3 1/2 inches except for the first 25 meshes above the lead line, which may not exceed 7 inches (5 AAC 09.332). Set gillnet gear has larger mesh size (minimum of 5 1/4 inches; 5 AAC 09.331) which allows immature salmon to pass through the gear. After 1979, management actions were taken to curtail purse seine fishing in affected areas (McCullough 1995). Immature salmon usually migrate out of the area by July 23, although in 1992 closures were necessary until July 29.

In 1990, an ADF&G test fishing program was instituted in the Shumagin Islands to determine the presence and abundance of immature salmon in South Peninsula waters prior to July commercial fishing periods. In the Shumagin Islands Section, most purse seine fishing effort has occurred in the near shore waters of Popof Island from Popof Head to Red Bluff, thus test fishing sites were established in those areas (Appendix D4).

In 1998, the BOF adopted a regulation requiring ADF&G to conduct an immature salmon test fishery in July and defined immature salmon (5 AAC 09.366(i)). The BOF also changed the earliest general opening date of the Post-June fishery in non-terminal areas from July 20 to July 6. Before 1998, ADF&G conducted a test fishing program in mid-July to assess the presence of immature salmon in the Shumagin Islands. Since 1998, the test fish program has been conducted in early July.

2006 SEASON SUMMARY

Prior to the South Peninsula Post-June fishery, the ADF&G conducted a test fishery to determine immature salmon abundance in the Shumagin Islands. The test fishery was conducted on three days, July 2, 3, and 5. Test fishery results on July 5 indicated that the number of immature salmon was below the regulatory threshold (100 per set) at 70 immatures per set (Appendix D5). The South Peninsula, including the Shumagin Islands Section was opened to seine and gillnet gear on July 6 for 21 hours from 12:01 am until 9:00 pm (Appendix A16). There were five subsequent 24-hour fishing periods in non-terminal areas through July 21, each starting at 9:00 pm. Inseason monitoring of the seine fishery after July 8 showed that the harvest of immature salmon remained below the threshold for the remainder of the fishery.

The July 6-21 commercial salmon harvest from South Peninsula non-terminal areas was composed of 393 Chinook, 318,226 sockeye, 48,945 coho, 193,255 pink, and 269,173 chum salmon (Appendix D6). The 2006 South Peninsula July 6-21 salmon harvest from terminal areas was

composed of 20 Chinook, 33,536 sockeye, 449 coho, 8,958 pink, and 50,182 chum salmon (Appendix D6).

From July 22-31, commercial salmon fishing in the South Peninsula, in non-terminal areas and outside the SEDM from July 22-25, was allowed for the maximum of three 36-hour fishing periods interspersed by 48-hour closures (5 AAC 09.366).

The July 22-31 commercial salmon harvest from South Peninsula non-terminal areas was composed of 144 Chinook, 173,910 sockeye, 38,658 coho, 709,714 pink, and 116,241 chum salmon (Appendix D7). The 2006 South Peninsula July 22-31 salmon harvest from terminal areas included 7 Chinook, 23,548 sockeye, 199 coho, 97,202 pink, and 32,792 chum salmon (Appendix D7).

During August 2006, pink and chum salmon escapements in the South Peninsula were generally adequate and there was modest harvest effort on these stocks. The total commercial salmon harvest during August included 295 Chinook, 241,385 sockeye, 56,763 coho, 1,841,595 pink, and 398,842 chum salmon (Appendix D8).

The South Peninsula fall fishery opened September 1 and commercial salmon fishing periods were primarily based on local coho salmon catch per unit effort (CPUE) and in some areas, on late chum salmon run strength. In 2006, the salmon harvest for September in the South Peninsula included 15 Chinook, 34,809 sockeye, 14,514 coho, 502 pink, and 22,205 chum salmon (Appendix D9) with the last delivery of the season occurring on September 26 (Appendix A13).

The 2006 South Peninsula (minus the SEDM July 1-25 harvest) Post-June (July 1-September 26) total commercial salmon harvest totaled 874 Chinook, 825,414 sockeye, 159,528 coho, 2,851,226 pink, and 862,757 chum salmon (Appendix D10).

COMMERCIAL SALMON FISHERY EFFORT LEVELS AND HARVESTS, JULY 1-OCTOBER 31

South Peninsula Post-June fishing periods are primarily based on local pink and chum salmon run strengths. However, fishing time in the SEDM (after July 25), Thin Point Cove, Morzhovoi Bay, and during the fall fisheries is also determined by the strength of local sockeye and coho salmon runs.

The number of CFEC permits fished in South Peninsula waters (including the SEDM) during the period from July 1-October 31 more than doubled between 1978 (123 permits) and 1989 (274 permits; Appendix D11). However, the number of active permit holders declined from 274 in 1989 to 106 in 2003. Since then there has been a slightly increasing trend in effort. In 2006, a total of 115 permit holders fished in the South Peninsula Post-June fishery.

The South Peninsula Post-June, including the SEDM, average harvests of sockeye salmon have increased from 521,634 fish during the 1978-1992 period to 605,449 fish from 1993-1997, and 800,663 fish from 1998-2005, while the Chinook, coho, and chum salmon average harvests have generally decreased (Appendix D11). The average pink salmon harvest was highest during the 1993-1997 period with 7.2 million fish being harvested and has since declined to 5.4 million fish during the 1998- 2005 time period (Appendix D11). The South Peninsula Post-June total salmon harvest declined dramatically in 1996 after a record harvest in 1995. The 2006 South Peninsula Post-June (July 1-end of season; including SEDM July 1-25) total harvest was 4,871,090 salmon and was composed of 903 Chinook, 902,927 sockeye, 162,333 coho, 2,928,911 pink, and 876,016 chum salmon (Appendix D11).

Chinook Salmon

The 2006 South Peninsula Post-June Chinook salmon harvest of 903 fish was far less than the 1978-1992, 1993-1997, and 1998-2005 average harvests of 4,004, 2,314, and 2,094 salmon, respectively (Appendix D12). The largest Chinook salmon harvest of 12,833 fish occurred in 1983 (Appendix D11).

Sockeye Salmon

The 2006 South Peninsula Post-June sockeye salmon harvest of 902,927 fish was well above the 1978-1992 average harvest of 521,634 fish, the 1993-1997 average harvest of 605,413 fish, and the 1998-2005 average harvest of 800,663 fish (Appendix D13). The 2006 harvest was the fifth largest sockeye salmon harvest on record.

Coho Salmon

The 2006 South Peninsula Post-June coho salmon harvest of 162,333 fish was below the 1978-1992 average harvests of 277,093 fish, the 1993-1997 average harvest of 219,104 fish, and the 1998-2005 average harvest of 190,529 fish (Appendix D14). The largest coho salmon catch of 505,278 fish occurred in 1988 (Appendix D14).

Pink Salmon

Pink salmon are the most abundant salmon species in South Peninsula streams (McCullough 1995; Murphy 1992). The 2006 South Peninsula Post-June pink salmon harvest of 2,928,911 fish was below the 1978-1992, 1993-97, and 1998-2005 average harvests (Appendix D15). The largest pink salmon harvest of 16,123,733 fish occurred in 1995 (Appendix D15).

Chum Salmon

Chum salmon are the second most abundant salmon species in South Peninsula streams (McCullough 1995; Murphy 1992). The 2006 South Peninsula Post-June chum salmon harvest of 876,016 fish was slightly below the 1978-1992 average harvest of 919,953 salmon, and above the 1993-1997 and 1998-2005 average harvests of 794,965 and 516,122 salmon (Appendix D16). The largest chum salmon harvest of 1,593,590 fish occurred in 1994, and is attributed to an exceptionally large return of late-run chum salmon in the Volcano Bay Section of the Southwestern District.

SHUMAGIN ISLANDS SECTION 2006 POST-JUNE HARVEST SUMMARY

From the mid-1970s through 1989, effort levels and the number of landings increased for all gear types in the Shumagin Islands Section Post-June fishery but have generally declined since 1989 (Appendix D17). In 2006, 68 permit holders fished in the Shumagin Islands.

The 2006 Shumagin Islands Section Post-June (July 1-September 30) salmon harvest of 2,379,242 fish was composed of 526 Chinook, 368,843 sockeye, 111,424 coho, 1,504,436 pink, and 394,013 chum salmon (Appendix D17). The 2006 Shumagin Islands Post-June Chinook, coho, and pink salmon harvests were below the 1993-1997 and the 1998-2005 average harvests. Sockeye and chum salmon catches were above the 1993-1997 and 1998-2005 average harvests (Appendix D17).

SOUTHEASTERN DISTRICT 2006 POST-JUNE HARVEST SUMMARY

The 2006 Southeastern District (minus the SEDM July 1-25) Post-June salmon harvest was 3,574,470 salmon and was composed of 2,159 Chinook, 352,603 sockeye, 208,332 coho, 2,811,550 pink, and 199,826 chum salmon (Appendix D18).

The Southeastern District (minus the SEDM July 1-25) Post-June harvests from 1998-2005 harvests averaged 1,848 Chinook, 446,056 sockeye, 155,774 coho, 2,293,689 pink, and 210,287 chum salmon (Appendix D18).

The 2006 Southeastern District fall fishery (September 1-30) harvest was composed of 15 Chinook, 34,692 sockeye, 8,942 coho, 502 pink, and 883 chum salmon. Harvests of all species, except Chinook, were below their most recent 10-year (1996-2005) averages (Appendix D19).

SOUTH CENTRAL, SOUTHWESTERN, AND UNIMAK DISTRICTS 2006 POST-JUNE HARVEST SUMMARY

The 2006 South Central, Southwestern, and Unimak districts combined Post-June harvest of 1,653,095 salmon was composed of 89 Chinook, 261,624 sockeye, 16,825 coho, 956,956 pink, and 417,601 chum salmon (Appendix D20). The 2006 harvests of coho, and pink salmon were below their most recent 10-year (1996-2005) averages. The last delivery of the Post-June season in the South Central, Southwestern, and Unimak districts was on August 23. Fall fishing began on September 1 in the South Central, Southwestern, and Unimak districts, but there was limited participation due to the lack of a market (Appendix D21).

SALMON ESCAPEMENTS

There are approximately 224 salmon spawning systems in the South Peninsula area, with sockeye salmon found in 37, pink salmon in at least 204, chum salmon in 136, and coho salmon in 81 streams (McCullough 2001). In 2006, most salmon escapements were monitored by aerial observations using small fixed-wing aircraft. Coho salmon escapement counts were incomplete because budget restrictions and adverse weather conditions limited late-season aerial survey opportunities. The Orzinski Lake system was monitored with a salmon weir operated by ADF&G employees. The United States Fish and Wildlife Service (USFWS) operated a weir on the Mortensen's Lagoon system (Appendix E1). Foot surveys were also conducted in limited areas by ADF&G personnel. Pink and chum salmon escapements were estimated using an indexed total escapement method (Appendix E2), and sockeye salmon systems were estimated using peak escapements.

Alaska salmon production was low during the 1960s and early 1970s. The Alaska salmon runs began to rebuild in the mid-1970s and most Alaska Peninsula salmon stocks recovered by 1977. The 1962-1976 and 1977-2005 time periods will be used in this report for comparison of 2006 escapements to better represent average historical escapements. From 1962-1976, the South Peninsula total indexed salmon escapement averaged 1,280,100 fish composed of 27,813 sockeye, 957,887 pink, and 294,400 chum salmon (Appendix E3). From 1977-2005, the South Peninsula total indexed salmon escapement averaged 4,029,276 salmon composed of 93,681 sockeye, 3,364,950 pink, and 567,628 chum salmon (Appendix E3). There are no Chinook salmon spawning streams along the South Peninsula waters and coho salmon escapement data are not collected annually from many locations.

It is beyond the scope of this report to publish detailed escapement goals for each species by location and the methodologies used in their development. Additional information on escapement goals and escapements by stream or district used in the following discussion can be found in McCullough (2001) and Nelson et al. (2006).

ESCAPEMENT BY SPECIES

Sockeye Salmon

The 2006 sockeye salmon escapement of 39,848 fish for four South Peninsula streams with established escapement goals was below the combined escapement goal range of 48,200 to 86,400 fish (Nelson et al. 2006). The estimated total South Peninsula sockeye salmon escapement was 88,148 fish, above the lower escapement objective of 62,250 fish (Appendices E3 through E5).

The USFWS installed and operated a weir at Mortensen's Lagoon in 2006 (Dion *In press*). The Mortensen's Lagoon weir was operated from June 18 to September 16 and a total of 14,788 sockeye salmon and 5,003 coho salmon were counted (Appendices E6). The 2006 sockeye salmon escapement exceeded the 3,200 - 6,400 fish escapement goal range.

Coho Salmon

The 2006 South Peninsula total indexed coho salmon escapement could not be calculated due to limited survey data. A total of 164,145 coho salmon were counted in 24 streams on the South Peninsula in 2006. However, many streams were not surveyed, only surveyed once, or were not surveyed during times of peak abundance.

Pink Salmon

The 2006 South Peninsula total indexed pink salmon escapement of 2,862,250 fish (Appendices E3, E4, and E7) was within the even-year escapement goal range of 1,864,600 to 3,729,300 fish (Nelson et al. 2006). In the last 20 years, the pink salmon indexed escapement ranged from 1,540,500 in 1987 to 8,311,410 in 2004 (Appendix E3). From 1996-2005, the South Peninsula total pink salmon indexed escapement averaged 4,808,308 fish (Appendix E3).

Chum Salmon

The 2006 South Peninsula total indexed chum salmon escapement of 764,750 fish was well above the escapement objective range of 330,400 to 660,800 fish (Appendices E3, E4, and E8; Nelson et al. 2006). From 1987-2006, the chum salmon indexed escapement has ranged from 310,500 fish in 1989 to 970,310 fish in 2005 (Appendix E3).

Escapement by District

The 2006 Southeastern District total indexed escapement was 1,571,445 salmon, composed of 20,000 sockeye (18,000 from Orzinski Lake (Appendix E9) and 2,000 from other systems), 1,146,145 pink, and 405,300 chum salmon (Appendix E4). The 2006 sockeye escapement was within the escapement objective range (16,250 to 23,200 fish) for the Southeastern District (McCullough 2001). The pink salmon total indexed escapement was above the management objective range of 562,600 to 1,125,300 fish and the chum salmon total indexed escapement was above the escapement goal range of 106,400 to 212,800 fish for Southeastern District streams (Nelson et al. 2006).

The 2006 South Central District total indexed escapement was 8,200 sockeye, 502,220 pink, and 119,600 chum salmon (Appendix E4). The 2006 sockeye escapement was above the objective range (3,600 to 7,200 fish) for the South Central District (McCullough 2001). Pink salmon escapement was below the even year escapement objective range of 687,200 to 1,374,400 pink salmon. Chum salmon escapement was within the escapement goal range of 89,800 to 179,600 fish (Nelson et al. 2006).

The 2006 Southwestern District total indexed escapement was 33,848 sockeye, 1,163,390 pink, and 231,935 chum salmon (Appendix E4). The sockeye salmon escapement was within the escapement objective range of 33,200 to 66,400 fish (McCullough 2001). The pink salmon escapement exceeded the even-year management objective of 1,127,200 fish and the chum salmon escapement was within the escapement goal range of 133,440 to 266,800 fish (Nelson et al. 2006).

The 2006 Unimak District total indexed escapement of sockeye salmon was 26,100 fish, well above the management objective of 9,600 fish (McCullough 2001; Appendix E4). The indexed pink salmon escapement was 50,495 fish, which was below the even-year escapement objective range of 51,200 to 102,400 fish; and the indexed chum salmon escapement of 7,915 fish was above the escapement goal range of 800 to 1,600 fish (Nelson et al. 2006).

A separate report summarizes the Alaska Peninsula Management Area escapement and catch-sampling program, which annually samples salmon catch and escapement for biological characteristics (Tschersich et al. 2007).

ACKNOWLEDGMENTS

The authors thank all the Alaska Department of Fish and Game seasonal employees who worked on the South Alaska Peninsula during 2006, our pilots Paul Horn and Steve Hakala for their aerial logistics and survey support, and the employees of the Department of Public Safety (including the crews of the P/V Woldstad, P/V Cham'i and P/V Stimson) who provided enforcement and logistical support. The crew of the R/V Resolution provided logistics support. We would like to thank the U.S. Fish and Wildlife Service personnel responsible for the operation of the Mortensen's Lagoon weir for their support. Thanks to Lucinda Neel, Ric Shepard, Doug Dorner, and Darrin Asuncion for their technical support. Mark Stichert, Heather Finkle, Lynn Mattes, Dave Sterritt, Steve Honnold, and Jim McCullough provided editorial comments.


REFERENCES CITED

- ADF&G (Alaska Department of Fish and Game). 2004. 2004-2007 Bristol Bay, Alaska Peninsula, Atka-Amlia, and Aleutian Islands Areas Commercial Fishing Regulations, 2004 edition. Alaska Department of Fish and Game, Division of Commercial Fisheries, Juneau.
- Bouwens K. A. 2005. Chignik Management Area commercial salmon fishery harvest strategy, 2005. Alaska Department of Fish and Game, Division of Commercial Fisheries, Fishery Management Report No. 05-43, Anchorage.
- Burkey, C. E., J. J. Dinnocenzo, S. Duesterloh and A. R. Shaul. 2005. South Peninsula annual salmon management report, 2004. Alaska Department of Fish and Game, Division of Commercial Fisheries, Fishery Management Report No. 54-28, Kodiak.
- Dion, C. *In press*. 2006 Mortensen's Lagoon weir report. USFWS
- Eggers, D. 2005. Run forecasts and harvest projections for 2005 Alaska salmon fisheries and review of the 2004 season. Alaska Department of Fish and Game, Special Publication No. 05-01, Anchorage.
- Eggers, D. 2006. Run forecasts and harvest projections for 2006 Alaska salmon fisheries and review of the 2005 season. Alaska Department of Fish and Game, Special Publication No. 06-07, Anchorage.


REFERENCES CITED (Continued)

- McCullough, J. N. 2001. Alaska Peninsula Management Area salmon systems: Managers manual. Alaska Department of Fish and Game, Division of Commercial Fisheries, Regional Information Report 4K01-1, Kodiak.
- McCullough, J. N. 1995. South Alaska Peninsula Post-June and Aleutian Islands Management Area salmon fisheries and stock status. Alaska Department of Fish and Game, Commercial Fisheries Management and Development Division, Regional Information Report 4K95-51, Kodiak.
- McCullough, J. N. and A. R. Shaul. 1992. The incidence of immature salmon in South Peninsula purse seine fisheries, 1963-91. Alaska Department of Fish and Game, Division of Commercial Fisheries, Regional Information Report 4K92-17, Kodiak.
- Murphy, R. L. 1992. Number of salmon systems and distribution of escapements in the Alaska Peninsula and Aleutian Islands Management areas, 1986-91. Alaska Department of Fish and Game, Division of Commercial Fisheries, Regional Information Report 4K92-15, Kodiak.
- Murphy, R. L., P. Tschersich, and A. R. Shaul. 2005. North Alaska Peninsula commercial salmon annual management report, 2004. Alaska Department of Fish and Game, Division of Commercial Fisheries, Fishery Management Report No. 05-12, Anchorage.
- Nelson P. A., J. A. Hasbrouck, M. J. Witteveen, K. A. Bouwens, and I. Vining. 2006. Review of escapement goals in the Alaska Peninsula and Aleutian Islands Management areas report to the Alaska Board of Fisheries, 2004. Department of Fish and Game, Fisheries Manuscript No. 06-03, Anchorage.
- Shaul, A. R. 2003. South Unimak and Shumagin Islands June salmon fishery. Report to the Alaska Board of Fisheries, 2004. Alaska Department of Fish and Game, Division of Commercial Fisheries, Regional Information Report 4K03-65, Kodiak.
- Shaul, A. R., and J. J. Dinnocenzo. 2005. Aleutian Islands and Atka-Amlia Islands areas salmon management plan, 2005. Alaska Department of Fish and Game, Division of Commercial Fisheries, Fishery Management Report No. 05-04, Anchorage.
- Shaul, A. R. and R. D. Campbell. 1997. Post-June salmon management plan for the South Alaska Peninsula, 1998. Alaska Department of Fish and Game, Commercial Fisheries Management and Development Division, Regional Information Report 4K97-19, Kodiak.
- Shaul, A. R., J. N. McCullough, R. L. Murphy, P. B. Holmes, R. S. Berceci, and M. E. Stopha. 1993. Alaska Peninsula and Aleutian Islands management areas annual salmon management report, 1992. Alaska Department of Fish and Game, Division of Commercial Fisheries, Regional Information Report 4K93-30, Kodiak.
- Stichert, M. A. *In prep.* 2006 Chignik Management Area annual management report. Alaska Department of Fish and Game, Fishery Management Report, Anchorage.
- Tschersich, P. *In prep.* Annual summary of the commercial and subsistence salmon fisheries for the Alaska Peninsula, Aleutian Islands and Atka-Amlia Islands management areas, 2005. Alaska Department of Fish and Game, Division of Commercial Fisheries, Fishery Management Report, Anchorage.
- Tschersich, P., M. B. Foster, and R. L. Murphy. 2007. Alaska Peninsula and Aleutian Islands management areas salmon escapement and catch sampling results, 2006. Alaska Department of Fish and Game, Fishery Management Report No. 07-24, Anchorage.

APPENDIX A. AREA WIDE INFORMATION




Appendix A1.-Map of the Alaska Peninsula Management Area with the North and South Peninsula defined.




Appendix A2.-Map of the Alaska Peninsula Management Area from Kupreanof Point to Scotch Cap with the South Peninsula salmon fishing districts defined.




Appendix A3.-Map of the Alaska Peninsula Area from Kupreanof Point to McGinty Point (Southeastern District) with the statistical salmon fishing areas shown.




Appendix A4.-Map of the Alaska Peninsula Area from McGinty Point to Arch Point (South Central District) with the statistical salmon fishing areas shown.



Appendix A5.-Map of the Alaska Peninsula Area from Arch Point to Cape Pankof Light (Southwestern District) with the statistical salmon fishing areas shown.



Appendix A6.-Map of the Alaska Peninsula Area from Cape Pankof Light to Scotch Cap (Unimak District) with the statistical salmon fishing areas shown.



Appendix A7.-Map of the Alaska Peninsula Management Area from Kupreanof Point to Scotch Cap with the legal gear types by district shown.

Appendix A8.-Number of actively fished limited entry (CFEC) permits in the South Alaska Peninsula, 1970-2006.

| Year | Purse Seine | Drift Gillnet | Set Gillnet | Total |
|-----------|----------------|------------------|----------------|-------|
| 1970 | 108 | 157 | 30 | 295 |
| 1971 | 113 | 122 | 24 | 259 |
| 1972 | 90 | 151 | 25 | 266 |
| 1973 | 55 | 121 | 26 | 202 |
| 1974 | 46 | 46 | 42 | 134 |
| 1975 | 52 | 81 | 12 | 145 |
| 1976 | 89 | 108 | 24 | 221 |
| 1977 | 84 | 101 | 26 | 211 |
| 1978 | 101 | 120 | 30 | 251 |
| 1979 | 123 | 137 | 46 | 306 |
| 1980 | 114 | 129 | 45 | 288 |
| 1981 | 116 | 135 | 53 | 304 |
| 1982 | 115 | 138 | 52 | 305 |
| 1983 | 118 | 147 | 59 | 324 |
| 1984 | 121 | 147 | 66 | 334 |
| 1985 | 122 | 150 | 64 | 336 |
| 1986 | 119 | 156 | 60 | 335 |
| 1987 | 113 | 145 | 69 | 327 |
| 1988 | 112 | 148 | 70 | 330 |
| 1989 | 117 | 147 | 76 | 340 |
| 1990 | 118 | 154 | 81 | 353 |
| 1991 | 119 | 157 | 78 | 354 |
| 1992 | 119 | 142 | 79 | 340 |
| 1993 | 123 | 144 | 86 | 353 |
| 1994 | 118 | 145 | 79 | 342 |
| 1995 | 118 | 151 | 82 | 351 |
| 1996 | 102 | 147 | 82 | 331 |
| 1997 | 82 | 142 | 82 | 306 |
| 1998 | 79 | 145 | 86 | 310 |
| 1999 | 74 | 153 | 82 | 309 |
| 2000 | 76 | 149 | 84 | 309 |
| 2001 | 64 | 99 | 78 | 241 |
| 2002 | 42 | 86 | 70 | 198 |
| 2003 | 46 | 84 | 64 | 194 |
| 2004 | 42 | 95 | 65 | 202 |
| 2005 | 45 | 94 | 69 | 208 |
| 2006 | 43 | 85 | 74 | 202 |
| 1996-2005 | | | | |
| Average | 65 | 119 | 76 | 261 |

Appendix A9.-South Alaska Peninsula salmon harvest (number of fish), all gear combined, by species and year, 1908-2006.

| Year ^{a,b} | Permits | Landings | Chinook | Sockeye | Coho | Pink | Chum | Total |
|---------------------|---------|----------|---------|-----------|---------|-----------|-----------|------------|
| 1908 | | | 0 | 69,400 | 0 | 0 | 0 | 69,400 |
| 1909 | | | 0 | 108,400 | 7,200 | 0 | 0 | 115,600 |
| 1910 | | | 0 | 46,300 | 5,500 | 0 | 0 | 51,800 |
| 1911 | | | 0 | 240,800 | 12,400 | 25,200 | 83,000 | 361,400 |
| 1912 | | | 0 | 334,400 | 27,000 | 40,400 | 195,000 | 596,800 |
| 1913 | | | 1,800 | 299,700 | 0 | 0 | 7,000 | 308,500 |
| 1914 | | | 600 | 628,900 | 0 | 311,000 | 221,100 | 1,161,600 |
| 1915 | | | 4,800 | 367,900 | 16,200 | 120,100 | 333,100 | 842,100 |
| 1916 | | | 6,800 | 730,900 | 34,100 | 576,100 | 508,900 | 1,856,800 |
| 1917 | | | 6,400 | 1,486,100 | 4,600 | 72,100 | 415,500 | 1,984,700 |
| 1918 | | | 8,700 | 1,014,100 | 16,300 | 2,150,000 | 1,501,000 | 4,690,100 |
| 1919 | | | 9,600 | 619,100 | 56,100 | 80,200 | 921,400 | 1,686,400 |
| 1920 | | | 7,800 | 1,142,300 | 47,700 | 2,109,800 | 934,000 | 4,241,600 |
| 1921 | | | 700 | 830,700 | 1,500 | 47,300 | 84,600 | 964,800 |
| 1922 | | | 6,900 | 3,376,800 | 2,200 | 756,700 | 349,300 | 4,491,900 |
| 1923 | | | 4,100 | 1,827,200 | 75,300 | 143,600 | 538,900 | 2,589,100 |
| 1924 | | | 3,900 | 1,352,000 | 127,300 | 3,931,300 | 1,330,700 | 6,745,200 |
| 1925 | | | 10,700 | 820,500 | 127,100 | 382,100 | 1,116,800 | 2,457,200 |
| 1926 | | | 9,500 | 3,071,500 | 193,800 | 3,719,700 | 1,179,800 | 8,174,300 |
| 1927 | | | 9,600 | 714,700 | 125,300 | 1,455,500 | 1,299,700 | 3,604,800 |
| 1928 | | | 7,700 | 971,500 | 96,600 | 900,900 | 2,416,300 | 4,393,000 |
| 1929 | | | 10,500 | 935,800 | 84,500 | 1,793,500 | 2,429,000 | 5,253,300 |
| 1930 | | | 10,900 | 935,200 | 161,100 | 6,094,800 | 1,278,100 | 8,480,100 |
| 1931 | | | 11,000 | 1,863,200 | 128,700 | 997,900 | 1,216,000 | 4,216,800 |
| 1932 | | | 17,400 | 2,977,300 | 112,300 | 3,604,800 | 817,300 | 7,529,100 |
| 1933 | | | 12,600 | 1,996,700 | 190,000 | 3,109,200 | 1,173,900 | 6,482,400 |
| 1934 | | | 17,600 | 1,372,400 | 247,100 | 6,538,500 | 1,940,300 | 10,115,900 |
| 1935 | | | 13,900 | 978,400 | 117,200 | 5,386,200 | 2,003,100 | 8,498,800 |
| 1936 | | | 14,400 | 3,662,600 | 284,600 | 9,471,000 | 2,310,900 | 15,743,500 |
| 1937 | | | 9,300 | 1,558,000 | 73,900 | 9,302,000 | 1,506,700 | 12,449,900 |
| 1938 | | | 6,400 | 772,100 | 220,700 | 7,169,100 | 1,476,600 | 9,644,900 |
| 1939 | | | 16,500 | 1,881,700 | 98,900 | 6,005,300 | 1,440,600 | 9,443,000 |
| 1940 | | | 9,100 | 1,040,300 | 184,200 | 7,182,800 | 2,326,300 | 10,742,700 |
| 1941 | | | 13,000 | 1,072,000 | 183,000 | 5,347,000 | 1,542,000 | 8,157,000 |
| 1942 | | | 4,800 | 810,100 | 123,000 | 6,762,600 | 1,321,100 | 9,021,600 |
| 1943 | | | 21,700 | 2,397,700 | 90,600 | 4,360,200 | 924,500 | 7,794,700 |
| 1944 | | | 9,900 | 538,600 | 238,700 | 2,653,800 | 985,600 | 4,426,600 |
| 1945 | | | 21,400 | 813,400 | 116,100 | 3,639,600 | 948,900 | 5,539,400 |
| 1946 | | | 6,100 | 752,300 | 151,400 | 1,964,000 | 1,219,900 | 4,093,700 |
| 1947 | | | 3,400 | 1,137,100 | 55,800 | 2,319,600 | 1,219,200 | 4,735,100 |
| 1948 | | | 1,200 | 285,900 | 39,200 | 1,683,700 | 1,139,600 | 3,149,600 |
| 1949 | | | 3,800 | 637,500 | 19,500 | 1,544,000 | 560,900 | 2,765,700 |
| 1950 | | | 4,000 | 1,745,300 | 70,700 | 1,613,700 | 562,500 | 3,996,200 |

-continued-

Appendix A9.-Page 2 of 3.

| Year ^{a,b} | Permits | Landings | Chinook | Sockeye | Coho | Pink | Chum | Total |
|---------------------|---------|----------|---------|-----------|---------|------------|-----------|------------|
| 1951 | | | 1,500 | 264,200 | 55,700 | 2,844,800 | 683,100 | 3,849,300 |
| 1952 | | | 9,200 | 894,500 | 39,200 | 908,500 | 1,040,800 | 2,892,200 |
| 1953 | | | 7,200 | 1,039,200 | 47,900 | 2,743,900 | 1,464,600 | 5,302,800 |
| 1954 | | | 4,200 | 636,300 | 49,400 | 2,033,300 | 1,413,400 | 4,136,600 |
| 1955 | | | 5,400 | 550,100 | 44,800 | 2,529,200 | 688,200 | 3,817,700 |
| 1956 | | | 4,800 | 641,400 | 61,900 | 2,740,700 | 1,618,700 | 5,067,500 |
| 1957 | | | 5,800 | 341,900 | 49,900 | 913,100 | 1,281,400 | 2,592,100 |
| 1958 | | | 800 | 186,100 | 70,600 | 1,385,200 | 841,000 | 2,483,700 |
| 1959 | | | 900 | 217,500 | 8,500 | 915,600 | 711,700 | 1,854,200 |
| 1960 | | | 1,700 | 379,000 | 1,800 | 1,197,500 | 904,400 | 2,484,400 |
| 1961 | | | 900 | 456,800 | 10,400 | 1,727,800 | 748,600 | 2,944,500 |
| 1962 | | | 3,300 | 420,000 | 12,500 | 1,965,500 | 824,800 | 3,226,100 |
| 1963 | | | 1,900 | 204,400 | 16,500 | 2,367,700 | 461,300 | 3,051,800 |
| 1964 | | | 2,000 | 370,800 | 13,600 | 2,740,400 | 751,000 | 3,877,800 |
| 1965 | | | 2,100 | 915,700 | 34,200 | 2,884,100 | 556,400 | 4,392,500 |
| 1966 | | | 1,400 | 606,200 | 6,300 | 302,300 | 494,400 | 1,410,600 |
| 1967 | | | 1,600 | 294,100 | 2,900 | 77,800 | 245,200 | 621,600 |
| 1968 | | | 1,400 | 699,800 | 31,100 | 1,287,100 | 325,300 | 2,344,700 |
| 1969 | | | 1,900 | 912,800 | 10,900 | 1,219,400 | 389,200 | 2,534,200 |
| 1970 | 295 | 4,679 | 1,806 | 1,779,525 | 32,571 | 1,737,985 | 993,349 | 4,545,236 |
| 1971 | 259 | 4,444 | 2,174 | 716,087 | 16,907 | 1,445,031 | 1,365,957 | 3,546,156 |
| 1972 | 266 | 3,124 | 1,332 | 557,422 | 8,021 | 78,221 | 731,814 | 1,376,810 |
| 1973 | 202 | 1,795 | 415 | 330,091 | 6,599 | 58,051 | 292,943 | 688,099 |
| 1974 | 134 | 853 | 581 | 197,153 | 9,366 | 100,601 | 71,826 | 379,527 |
| 1975 | 145 | 600 | 117 | 243,548 | 67 | 60,642 | 130,750 | 435,124 |
| 1976 | 221 | 2,705 | 2,196 | 375,027 | 216 | 2,366,833 | 532,503 | 3,276,775 |
| 1977 | 211 | 2,168 | 559 | 311,722 | 2,108 | 1,448,648 | 243,167 | 2,006,204 |
| 1978 | 251 | 3,860 | 773 | 579,411 | 60,774 | 5,590,145 | 546,182 | 6,777,285 |
| 1979 | 306 | 4,476 | 2,141 | 1,149,927 | 356,867 | 6,564,914 | 482,930 | 8,556,779 |
| 1980 | 288 | 5,107 | 4,794 | 3,613,025 | 274,181 | 7,861,470 | 1,353,112 | 13,106,582 |
| 1981 | 304 | 5,617 | 11,182 | 2,241,513 | 162,223 | 5,033,028 | 1,768,475 | 9,216,421 |
| 1982 | 305 | 6,286 | 9,845 | 2,345,981 | 256,046 | 6,734,905 | 2,272,495 | 11,619,272 |
| 1983 | 324 | 5,241 | 26,571 | 2,556,557 | 127,657 | 2,827,622 | 1,704,072 | 7,242,479 |
| 1984 | 334 | 6,378 | 9,198 | 2,318,028 | 310,950 | 11,589,258 | 1,654,622 | 15,882,056 |
| 1985 | 336 | 5,322 | 6,642 | 2,144,416 | 172,514 | 4,431,016 | 1,348,726 | 8,103,314 |
| 1986 | 335 | 5,132 | 5,589 | 1,223,089 | 235,854 | 4,031,487 | 1,749,651 | 7,245,670 |
| 1987 | 327 | 5,256 | 9,174 | 1,449,753 | 225,120 | 1,208,556 | 1,376,887 | 4,269,490 |
| 1988 | 330 | 6,478 | 11,075 | 1,473,651 | 505,533 | 7,044,824 | 1,908,507 | 10,943,590 |
| 1989 | 340 | 5,597 | 7,009 | 2,659,101 | 441,397 | 7,289,130 | 993,492 | 11,390,129 |
| 1990 | 353 | 6,403 | 16,497 | 2,385,560 | 305,510 | 2,861,283 | 1,234,679 | 6,803,529 |
| 1991 | 354 | 6,439 | 7,510 | 2,304,531 | 313,223 | 10,596,596 | 1,573,773 | 14,795,633 |
| 1992 | 340 | 6,512 | 7,933 | 3,438,875 | 414,948 | 9,759,657 | 1,310,337 | 14,931,750 |
| 1993 | 353 | 6,204 | 14,083 | 3,682,604 | 215,256 | 9,925,123 | 1,046,407 | 14,883,473 |
| 1994 | 342 | 6,750 | 9,474 | 2,091,009 | 251,686 | 9,143,703 | 2,178,910 | 13,674,782 |
| 1995 | 351 | 8,193 | 17,078 | 2,996,353 | 260,686 | 16,302,593 | 1,715,067 | 21,291,777 |
| 1996 | 331 | 5,875 | 5,071 | 1,528,587 | 278,191 | 2,187,239 | 775,057 | 4,774,145 |
| 1997 | 306 | 5,803 | 7,163 | 2,258,189 | 112,432 | 2,303,926 | 606,254 | 5,287,964 |

-continued-

Appendix A9.-Page 3 of 3.

| Year ^{a,b} | Permits | Landings | Chinook | Sockeye | Coho | Pink | Chum | Total |
|------------------------|---------|----------|---------|-----------|---------|-----------|-----------|------------|
| 1998 | 310 | 8,014 | 4,796 | 2,170,803 | 154,170 | 8,040,681 | 711,526 | 11,081,976 |
| 1999 | 309 | 7,021 | 4,815 | 2,948,267 | 192,485 | 8,443,343 | 816,966 | 12,405,876 |
| 2000 | 309 | 7,110 | 5,104 | 1,984,576 | 257,146 | 3,549,545 | 1,055,316 | 6,851,687 |
| 2001 | 241 | 3,277 | 2,302 | 607,756 | 210,899 | 4,012,057 | 921,986 | 5,755,000 |
| 2002 | 198 | 3,883 | 6,399 | 1,035,232 | 202,717 | 2,170,376 | 819,030 | 4,233,754 |
| 2003 | 194 | 3,909 | 2,712 | 1,054,208 | 131,097 | 4,258,274 | 637,305 | 6,083,596 |
| 2004 | 202 | 4,670 | 7,050 | 2,199,944 | 235,600 | 6,665,831 | 790,108 | 9,898,533 |
| 2005 | 208 | 4,948 | 4,487 | 2,337,097 | 143,617 | 9,416,197 | 739,460 | 12,640,858 |
| 2006 | 202 | 4,848 | 5,400 | 1,835,218 | 164,962 | 4,261,230 | 1,175,843 | 7,442,653 |
| Averages | | | | | | | | |
| 1918-1929 ^c | | | 7,475 | 1,389,683 | 79,475 | 1,455,883 | 1,175,125 | 4,107,642 |
| 1930-1946 ^c | | | 12,706 | 1,495,412 | 160,088 | 5,269,929 | 1,437,165 | 8,375,300 |
| 1947-1977 ^c | 217 | 2,546 | 2,567 | 591,844 | 26,747 | 1,523,900 | 751,226 | 2,896,285 |
| 1978-2000 ^c | 323 | 6,047 | 8,849 | 2,241,035 | 255,863 | 6,666,089 | 1,312,324 | 10,484,159 |
| 1996-2005 | 261 | 5,451 | 4,990 | 1,812,466 | 191,835 | 5,104,747 | 787,301 | 7,901,339 |

^a From 1928 through 1950 commercial salmon catches in the Aleutian Islands and the South Peninsula were combined. The Aleutian Islands catches are generally much smaller than South Peninsula harvests. The South Peninsula harvests were generally dominated by pink salmon. The 1978-99 Aleutian Islands average salmon harvest was 510,317 fish, while the 1978-99 average harvest for the South Peninsula was 10,671,164 salmon.

^b Since 1989, salmon numbers include test fish harvests.

^c These historical averages are intended to illustrate how salmon productivity has fluctuated in the South Peninsula.

Note: Permit and landing numbers are only available from 1970 through present.

Appendix A10.-South Alaska Peninsula pink salmon catch and escapement by year, 1962-2006.

| Year | | Non-Migrants | | | June Migrants | | |
|------|------------|--|--|---|-----------------|---------------------|--|
| | | Southeastern ^a and South Central Districts | Southwestern and Unimak Districts | South ^b Peninsula Totals | South Unimak | Shumagin Islands | Total ^b June Migrants |
| 1962 | Catch | 922,100 | 977,300 | 1,899,400 | 42,000 | 24,000 | 66,000 |
| | Escapement | 826,100 | 772,700 | 1,598,800 | | | |
| | Total | 1,748,200 | 1,750,000 | 3,498,200 | | | |
| 1963 | Catch | 1,733,900 | 590,800 | 2,324,700 | 14,000 | 29,000 | 43,000 |
| | Escapement | 886,500 | 431,400 | 1,317,900 | | | |
| | Total | 2,620,400 | 1,022,200 | 3,642,600 | | | |
| 1964 | Catch | 1,514,600 | 1,190,700 | 2,705,300 | 18,000 | 17,000 | 35,000 |
| | Escapement | 902,400 | 534,000 | 1,436,400 | | | |
| | Total | 2,417,000 | 1,724,700 | 4,141,700 | | | |
| 1965 | Catch | 2,331,400 | 474,700 | 2,806,100 | 43,000 | 35,000 | 78,000 |
| | Escapement | 789,900 | 245,500 | 1,035,400 | | | |
| | Total | 3,121,300 | 720,200 | 3,841,500 | | | |
| 1966 | Catch | 220,300 | 68,500 | 288,800 | 15,000 | 2,000 | 17,000 |
| | Escapement | 627,400 | 92,000 | 719,400 | | | |
| | Total | 847,700 | 160,500 | 1,008,200 | | | |
| 1967 | Catch | 53,100 | 4,200 | 57,300 | 11,000 | 10,000 | 21,000 |
| | Escapement | 327,300 | 118,200 | 445,500 | | | |
| | Total | 380,400 | 122,400 | 502,800 | | | |
| 1968 | Catch | 863,300 | 277,800 | 1,141,100 | 34,000 | 112,000 | 146,000 |
| | Escapement | 528,100 | 295,200 | 823,300 | | | |
| | Total | 1,391,400 | 573,000 | 1,964,400 | | | |
| 1969 | Catch | 862,800 | 265,300 | 1,128,100 | 68,000 | 23,000 | 91,000 |
| | Escapement | 1,906,200 | 568,700 | 2,474,900 | | | |
| | Total | 2,769,000 | 834,000 | 3,603,000 | | | |
| 1970 | Catch | 1,378,510 | 252,030 | 1,630,540 | 83,325 | 19,728 | 103,053 |
| | Escapement | 1,007,900 | 291,000 | 1,298,900 | | | |
| | Total | 2,386,410 | 543,030 | 2,929,440 | | | |
| 1971 | Catch | 1,211,982 | 213,809 | 1,425,791 | 11,608 | 7,632 | 19,240 |
| | Escapement | 488,000 | 214,700 | 702,700 | | | |
| | Total | 1,699,982 | 428,509 | 2,128,491 | | | |
| 1972 | Catch | 53,339 | 6,958 | 60,297 | 11,906 | 6,018 | 17,924 |
| | Escapement | 81,800 | 29,600 | 111,400 | | | |
| | Total | 135,139 | 36,558 | 171,697 | | | |
| 1973 | Catch | 36,548 | 2,073 | 38,621 | 11,152 | 8,278 | 19,430 |
| | Escapement | 85,700 | 25,100 | 110,800 | | | |
| | Total | 122,248 | 27,173 | 149,421 | | | |

-continued-

Appendix A10.-Page 2 of 4.

| Year | | Non-Migrants | | | June Migrants | | |
|------|------------|--|--|---|-----------------|---------------------|--|
| | | Southeastern ^a and South Central Districts | Southwestern and Unimak Districts | South ^b Peninsula Totals | South Unimak | Shumagin Islands | Total ^b June Migrants |
| 1974 | Catch | 95,951 | 4,650 | 100,601 | 0 | 0 | 0 |
| | Escapement | 238,600 | 45,800 | 284,400 | | | |
| | Total | 334,551 | 50,450 | 385,001 | | | |
| 1975 | Catch | 30,052 | 25,343 | 55,395 | 3,205 | 2,042 | 5,247 |
| | Escapement | 357,800 | 194,300 | 552,100 | | | |
| | Total | 387,852 | 219,643 | 607,495 | | | |
| 1976 | Catch | 2,036,223 | 306,786 | 2,343,009 | 18,181 | 5,643 | 23,824 |
| | Escapement | 1,084,000 | 372,400 | 1,456,400 | | | |
| | Total | 3,120,223 | 679,186 | 3,799,409 | | | |
| 1977 | Catch | 1,163,505 | 279,745 | 1,443,250 | 3,397 | 2,001 | 5,398 |
| | Escapement | 2,168,500 | 509,300 | 2,677,800 | | | |
| | Total | 3,332,005 | 789,045 | 4,121,050 | | | |
| 1978 | Catch | 4,167,878 | 1,332,325 | 5,500,203 | 47,380 | 42,562 | 89,942 |
| | Escapement | 1,966,300 | 892,400 | 2,858,700 | | | |
| | Total | 6,134,178 | 2,224,725 | 8,358,903 | | | |
| 1979 | Catch | 4,839,548 | 1,570,553 | 6,410,101 | 49,000 | 105,813 | 154,813 |
| | Escapement | 2,125,100 | 504,400 | 2,629,500 | | | |
| | Total | 6,964,648 | 2,074,953 | 9,039,601 | | | |
| 1980 | Catch | 2,519,576 | 3,815,588 | 6,335,164 | 1,140,611 | 385,695 | 1,526,306 |
| | Escapement | 1,410,400 | 1,231,200 | 2,641,600 | | | |
| | Total | 3,929,976 | 5,046,788 | 8,976,764 | | | |
| 1981 | Catch | 4,196,419 | 385,359 | 4,581,778 | 325,002 | 126,248 | 451,250 |
| | Escapement | 1,875,000 | 431,800 | 2,306,800 | | | |
| | Total | 6,071,419 | 817,159 | 6,888,578 | | | |
| 1982 | Catch | 4,104,949 | 911,131 | 5,016,080 | 1,032,154 | 686,671 | 1,718,825 |
| | Escapement | 1,533,200 | 759,800 | 2,293,000 | | | |
| | Total | 5,638,149 | 1,670,931 | 7,309,080 | | | |
| 1983 | Catch | 2,245,432 | 526,315 | 2,771,747 | 40,441 | 15,434 | 489,629 |
| | Escapement | 639,200 | 212,000 | 851,200 | | | |
| | Total | 2,884,632 | 738,315 | 3,622,947 | | | |
| 1984 | Catch | 6,533,147 | 4,136,235 | 10,669,382 | 470,688 | 449,188 | 919,876 |
| | Escapement | 2,526,700 | 1,824,900 | 4,351,600 | | | |
| | Total | 9,059,847 | 5,961,135 | 15,020,982 | | | |

-continued-

Appendix A10.-Page 3 of 4.

| Year | | Non-Migrants | | | June Migrants | | |
|------|------------|--|--|---|-----------------|---------------------|--|
| | | Southeastern ^a and South Central Districts | Southwestern and Unimak Districts | South ^b Peninsula Totals | South Unimak | Shumagin Islands | Total ^b June Migrants |
| 1985 | Catch | 3,324,051 | 1,000,350 | 4,324,401 | 69,811 | 36,804 | 106,615 |
| | Escapement | 1,229,300 | 384,500 | 1,613,800 | | | |
| | Total | 4,553,351 | 1,384,850 | 5,938,201 | | | |
| 1986 | Catch | 3,066,631 | 672,867 | 3,739,498 | 150,674 | 141,315 | 3,890,172 |
| | Escapement | 1,185,500 | 531,200 | 1,716,700 | | | |
| | Total | 4,252,131 | 1,204,067 | 5,456,198 | | | |
| 1987 | Catch | 1,143,436 | 48,138 | 1,191,574 | 11,342 | 5,640 | 16,982 |
| | Escapement | 1,304,400 | 236,100 | 1,540,500 | | | |
| | Total | 2,447,836 | 284,238 | 2,732,074 | | | |
| 1988 | Catch | 4,700,486 | 2,164,114 | 6,864,600 | 86,678 | 93,546 | 180,224 |
| | Escapement | 1,636,500 | 1,203,100 | 2,839,600 | | | |
| | Total | 6,336,986 | 3,367,214 | 9,704,200 | | | |
| 1989 | Catch | 5,578,746 | 1,511,149 | 7,089,895 | 154,168 | 45,067 | 199,235 |
| | Escapement | 1,179,300 | 691,600 | 1,870,900 | | | |
| | Total | 6,758,046 | 2,202,749 | 8,960,795 | | | |
| 1990 | Catch | 1,734,227 | 611,816 | 2,346,043 | 444,249 | 70,798 | 515,047 |
| | Escapement | 1,018,200 | 580,200 | 1,598,400 | | | |
| | Total | 2,752,427 | 1,192,016 | 3,944,443 | | | |
| 1991 | Catch | 7,530,700 | 2,446,759 | 9,977,459 | 500,922 | 118,215 | 619,137 |
| | Escapement | 2,268,400 | 678,400 | 2,946,800 | | | |
| | Total | 9,799,100 | 3,125,159 | 12,924,259 | | | |
| 1992 | Catch | 4,851,245 | 4,266,322 | 9,117,567 | 501,127 | 140,963 | 642,090 |
| | Escapement | 1,781,000 | 1,053,400 | 2,834,400 | | | |
| | Total | 6,632,245 | 5,319,722 | 11,951,967 | | | |
| 1993 | Catch | 7,490,553 | 2,353,434 | 9,843,987 | 37,735 | 43,401 | 81,136 |
| | Escapement | 2,232,200 | 757,900 | 2,990,100 | | | |
| | Total | 9,722,753 | 3,111,334 | 12,834,087 | | | |
| 1994 | Catch | 3,143,952 | 3,507,237 | 6,651,189 | 1,731,741 | 760,773 | 2,492,514 |
| | Escapement | 1,700,525 | 1,371,200 | 3,071,725 | | | |
| | Total | 4,844,477 | 4,878,437 | 9,722,914 | | | |
| 1995 | Catch | 11,362,914 | 4,761,044 | 16,123,958 | 119,094 | 59,541 | 178,635 |
| | Escapement | 4,404,450 | 2,001,850 | 6,406,300 | | | |
| | Total | 15,767,364 | 6,762,894 | 22,530,258 | | | |
| 1996 | Catch | 1,512,680 | 296,875 | 1,809,555 | 146,799 | 230,885 | 377,684 |
| | Escapement | 2,668,950 | 978,600 | 3,647,550 | | | |
| | Total | 4,181,630 | 1,275,475 | 5,457,105 | | | |

-continued-

Appendix A10.-Page 4 of 4.

| Year | | Non-Migrants | | | June Migrants | | |
|------|------------|--|--|---|-----------------|---------------------|--|
| | | Southeastern ^a and South Central Districts | Southwestern and Unimak Districts | South ^b Peninsula Totals | South Unimak | Shumagin Islands | Total ^b June Migrants |
| 1997 | Catch | 828,392 | 869,597 | 1,697,989 | 332,262 | 273,675 | 605,937 |
| | Escapement | 4,021,375 | 1,221,900 | 5,243,275 | | | |
| | Total | 4,849,767 | 2,091,497 | 6,941,264 | | | |
| 1998 | Catch | 5,565,639 | 2,000,702 | 7,566,341 | 125,906 | 348,434 | 474,340 |
| | Escapement | 2,856,255 | 1,811,810 | 4,668,065 | | | |
| | Total | 8,421,894 | 3,812,512 | 12,234,406 | | | |
| 1999 | Catch | 6,902,382 | 1,510,422 | 8,412,804 | 20,302 | 10,237 | 30,539 |
| | Escapement | 3,363,080 | 1,652,230 | 5,015,310 | | | |
| | Total | 10,265,462 | 3,162,652 | 13,428,114 | | | |
| 2000 | Catch | 2,344,546 | 844,970 | 3,189,516 | 210,521 | 149,508 | 360,029 |
| | Escapement | 1,688,785 | 1,104,200 | 2,792,985 | | | |
| | Total | 4,033,331 | 1,949,170 | 5,982,501 | | | |
| 2001 | Catch | 2,745,508 | 1,227,298 | 3,972,806 | 31,812 | 7,439 | 39,251 |
| | Escapement | 2,040,120 | 925,016 | 2,965,136 | | | |
| | Total | 4,785,628 | 2,152,314 | 6,937,942 | | | |
| 2002 | Catch | 1,466,905 | 627,220 | 2,094,125 | 33,789 | 42,462 | 76,251 |
| | Escapement | 2,108,450 | 1,654,350 | 3,762,800 | | | |
| | Total | 3,575,355 | 2,281,570 | 5,856,925 | | | |
| 2003 | Catch | 2,969,134 | 1,071,240 | 4,040,374 | 90,161 | 127,739 | 217,900 |
| | Escapement | 3,674,120 | 1,837,100 | 5,511,220 | | | |
| | Total | 6,643,254 | 2,908,340 | 9,551,594 | | | |
| 2004 | Catch | 5,106,489 | 1,199,426 | 6,305,915 | 78,808 | 281,108 | 359,916 |
| | Escapement | 5,969,710 | 2,341,700 | 8,311,410 | | | |
| | Total | 11,076,199 | 3,541,126 | 14,617,325 | | | |
| 2005 | Catch | 5,642,820 | 2,118,418 | 7,761,238 | 403,815 | 1,251,144 | 1,654,959 |
| | Escapement | 4,271,270 | 1,894,364 | 6,165,634 | | | |
| | Total | 9,914,090 | 4,012,782 | 13,926,872 | | | |
| 2006 | Catch | 2,332,613 | 596,298 | 2,928,911 | 186,096 | 1,146,223 | 1,332,319 |
| | Escapement | 1,648,365 | 1,213,885 | 2,862,250 | | | |
| | Total | 3,980,978 | 1,810,183 | 5,791,161 | | | |

^a Catch includes any salmon (usually very few) caught in Southeastern District Mainland in June which are considered local.

^b Catch numbers do not include test fish and subsistence harvests.

Appendix A11.-South Alaska Peninsula chum salmon catch and escapement by year, 1962-2006.

| Year | | Non-Migrants | | | June Migrants | | |
|------|------------|--|--|---|-----------------|---------------------|--|
| | | Southeastern ^a and South Central Districts | Southwestern and Unimak Districts | South ^b Peninsula Totals | South Unimak | Shumagin Islands | Total ^b June Migrants |
| 1962 | Catch | 409,500 | 155,300 | 564,800 | 199,000 | 61,000 | 260,000 |
| | Escapement | 238,600 | 160,800 | 399,400 | | | |
| | Total | 648,100 | 316,100 | 964,200 | | | |
| 1963 | Catch | 278,000 | 80,300 | 358,300 | 67,000 | 36,000 | 103,000 |
| | Escapement | 263,000 | 183,700 | 446,700 | | | |
| | Total | 541,000 | 264,000 | 805,000 | | | |
| 1964 | Catch | 378,800 | 153,300 | 532,100 | 153,000 | 67,000 | 220,000 |
| | Escapement | 160,800 | 294,000 | 454,800 | | | |
| | Total | 539,600 | 447,300 | 986,900 | | | |
| 1965 | Catch | 221,700 | 150,700 | 372,400 | 139,000 | 45,000 | 184,000 |
| | Escapement | 203,300 | 24,200 | 227,500 | | | |
| | Total | 425,000 | 174,900 | 599,900 | | | |
| 1966 | Catch | 221,400 | 36,000 | 257,400 | 220,000 | 17,000 | 237,000 |
| | Escapement | 354,800 | 67,200 | 422,000 | | | |
| | Total | 576,200 | 103,200 | 679,400 | | | |
| 1967 | Catch | 118,700 | 4,500 | 123,200 | 71,000 | 51,000 | 122,000 |
| | Escapement | 132,800 | 50,100 | 182,900 | | | |
| | Total | 251,500 | 54,600 | 306,100 | | | |
| 1968 | Catch | 121,400 | 47,600 | 169,000 | 105,000 | 51,000 | 156,000 |
| | Escapement | 191,700 | 87,400 | 279,100 | | | |
| | Total | 313,100 | 135,000 | 448,100 | | | |
| 1969 | Catch | 95,100 | 43,300 | 138,400 | 238,000 | 13,000 | 251,000 |
| | Escapement | 96,900 | 37,700 | 134,600 | | | |
| | Total | 192,000 | 81,000 | 273,000 | | | |
| 1970 | Catch | 486,183 | 65,254 | 551,437 | 391,568 | 44,909 | 436,477 |
| | Escapement | 171,700 | 108,800 | 280,500 | | | |
| | Total | 657,883 | 174,054 | 831,937 | | | |
| 1971 | Catch | 647,092 | 209,668 | 856,760 | 405,311 | 103,886 | 509,197 |
| | Escapement | 199,100 | 144,100 | 343,200 | | | |
| | Total | 846,192 | 353,768 | 1,199,960 | | | |
| 1972 | Catch | 151,283 | 61,721 | 213,004 | 411,000 | 107,810 | 518,810 |
| | Escapement | 145,000 | 109,500 | 254,500 | | | |
| | Total | 296,283 | 171,221 | 467,504 | | | |
| 1973 | Catch | 79,872 | 12,441 | 92,313 | 177,720 | 22,910 | 200,630 |
| | Escapement | 130,900 | 81,600 | 212,500 | | | |
| | Total | 210,772 | 94,041 | 304,813 | | | |
| 1974 | Catch | 56,509 | 15,317 | 71,826 | 0 | 0 | 0 |
| | Escapement | 169,800 | 87,500 | 257,300 | | | |
| | Total | 226,309 | 102,817 | 329,126 | | | |

-continued-

Appendix A11.-Page 2 of 4.

| Year | | Non-Migrants | | | June Migrants | | |
|------|------------|--|--|---|-----------------|---------------------|--|
| | | Southeastern ^a and South Central Districts | Southwestern and Unimak Districts | South ^b Peninsula Totals | South Unimak | Shumagin Islands | Total ^b June Migrants |
| 1975 | Catch | 29,419 | 509 | 29,928 | 65,279 | 35,543 | 100,822 |
| | Escapement | 160,200 | 33,100 | 193,300 | | | |
| | Total | 189,619 | 33,609 | 223,228 | | | |
| 1976 | Catch | 107,319 | 14,914 | 122,233 | 336,161 | 74,109 | 410,270 |
| | Escapement | 225,300 | 101,900 | 327,200 | | | |
| | Total | 332,619 | 116,814 | 449,433 | | | |
| 1977 | Catch | 109,541 | 17,630 | 127,171 | 94,097 | 21,899 | 115,996 |
| | Escapement | 500,900 | 274,000 | 774,900 | | | |
| | Total | 610,441 | 291,630 | 902,071 | | | |
| 1978 | Catch | 341,077 | 83,213 | 424,290 | 103,413 | 18,479 | 121,892 |
| | Escapement | 386,200 | 214,300 | 600,500 | | | |
| | Total | 727,277 | 297,513 | 1,024,790 | | | |
| 1979 | Catch | 280,401 | 98,426 | 378,827 | 63,150 | 40,953 | 104,103 |
| | Escapement | 302,700 | 108,400 | 411,100 | | | |
| | Total | 583,101 | 206,826 | 789,927 | | | |
| 1980 | Catch | 675,106 | 169,141 | 844,247 | 458,499 | 50,366 | 508,865 |
| | Escapement | 241,600 | 120,800 | 362,400 | | | |
| | Total | 916,706 | 289,941 | 1,206,647 | | | |
| 1981 | Catch | 964,530 | 239,998 | 1,204,528 | 509,876 | 54,071 | 563,947 |
| | Escapement | 234,500 | 146,800 | 381,300 | | | |
| | Total | 1,199,030 | 386,798 | 1,585,828 | | | |
| 1982 | Catch | 921,790 | 255,661 | 1,177,451 | 933,728 | 161,316 | 1,095,044 |
| | Escapement | 203,000 | 183,900 | 386,900 | | | |
| | Total | 1,124,790 | 439,561 | 1,564,351 | | | |
| 1983 | Catch | 597,295 | 321,145 | 918,440 | 616,354 | 169,277 | 785,631 |
| | Escapement | 328,900 | 117,600 | 446,500 | | | |
| | Total | 926,195 | 438,745 | 1,364,940 | | | |
| 1984 | Catch | 832,872 | 484,630 | 1,317,502 | 227,913 | 109,207 | 337,120 |
| | Escapement | 446,000 | 253,700 | 699,700 | | | |
| | Total | 1,278,872 | 738,330 | 2,017,202 | | | |
| 1985 | Catch | 539,065 | 375,832 | 914,897 | 324,825 | 109,004 | 433,829 |
| | Escapement | 284,700 | 218,800 | 503,500 | | | |
| | Total | 823,765 | 594,632 | 1,418,397 | | | |
| 1986 | Catch | 981,185 | 416,697 | 1,397,882 | 252,721 | 99,048 | 351,769 |
| | Escapement | 239,600 | 305,000 | 544,600 | | | |
| | Total | 1,220,785 | 721,697 | 1,942,482 | | | |

-continued-

Appendix A11.-Page 3 of 4.

| | | Non-Migrants | | | June Migrants | | |
|------|------------|--|--|---|-----------------|---------------------|--|
| | | Southeastern ^a and South Central Districts | Southwestern and Unimak Districts | South ^b Peninsula Totals | South Unimak | Shumagin Islands | Total ^b June Migrants |
| 1987 | Catch | 753,246 | 179,500 | 932,746 | 405,955 | 37,064 | 443,019 |
| | Escapement | 329,200 | 291,500 | 620,700 | | | |
| | Total | 1,082,446 | 471,000 | 1,553,446 | | | |
| 1988 | Catch | 829,518 | 552,278 | 1,381,796 | 464,765 | 61,946 | 526,711 |
| | Escapement | 269,100 | 227,300 | 496,400 | | | |
| | Total | 1,098,618 | 779,578 | 1,878,196 | | | |
| 1989 | Catch | 420,667 | 117,662 | 538,329 | 407,635 | 47,528 | 455,163 |
| | Escapement | 189,200 | 121,300 | 310,500 | | | |
| | Total | 609,867 | 238,962 | 848,829 | | | |
| 1990 | Catch | 560,511 | 155,429 | 715,940 | 455,044 | 63,501 | 518,545 |
| | Escapement | 210,900 | 143,800 | 354,700 | | | |
| | Total | 771,411 | 299,229 | 1,070,640 | | | |
| 1991 | Catch | 563,373 | 237,695 | 801,068 | 670,103 | 102,602 | 772,705 |
| | Escapement | 345,400 | 242,200 | 587,600 | | | |
| | Total | 908,773 | 479,895 | 1,388,668 | | | |
| 1992 | Catch | 592,522 | 291,692 | 884,214 | 323,891 | 102,312 | 426,203 |
| | Escapement | 194,100 | 141,400 | 335,500 | | | |
| | Total | 786,622 | 433,092 | 1,219,714 | | | |
| 1993 | Catch | 330,757 | 183,403 | 514,160 | 381,941 | 150,306 | 532,247 |
| | Escapement | 172,400 | 224,630 | 397,030 | | | |
| | Total | 503,157 | 408,033 | 911,190 | | | |
| 1994 | Catch | 691,164 | 905,581 | 1,596,745 | 374,409 | 207,756 | 582,165 |
| | Escapement | 211,700 | 367,400 | 579,100 | | | |
| | Total | 902,864 | 1,272,981 | 2,175,845 | | | |
| 1995 | Catch | 666,344 | 511,290 | 1,177,634 | 342,307 | 195,126 | 537,433 |
| | Escapement | 324,750 | 401,650 | 726,400 | | | |
| | Total | 991,094 | 912,940 | 1,904,034 | | | |
| 1996 | Catch | 287,111 | 128,126 | 415,237 | 129,889 | 229,931 | 359,820 |
| | Escapement | 307,400 | 302,900 | 610,300 | | | |
| | Total | 594,511 | 431,026 | 1,025,537 | | | |
| 1997 | Catch | 101,370 | 182,559 | 283,929 | 196,016 | 126,309 | 322,325 |
| | Escapement | 542,050 | 267,000 | 809,050 | | | |
| | Total | 643,420 | 449,559 | 1,092,979 | | | |
| 1998 | Catch | 292,862 | 173,045 | 465,907 | 195,454 | 50,165 | 245,619 |
| | Escapement | 390,325 | 351,910 | 742,235 | | | |
| | Total | 683,187 | 524,955 | 1,208,142 | | | |
| 1999 | Catch | 396,431 | 175,229 | 571,660 | 186,886 | 58,420 | 245,306 |
| | Escapement | 336,050 | 389,130 | 725,180 | | | |
| | Total | 732,481 | 564,359 | 1,296,840 | | | |

-continued-

Appendix A11.-Page 4 of 4.

| Year | | Non-Migrants | | | June Migrants | | |
|------|------------|--|--|---|-----------------|---------------------|--|
| | | Southeastern ^a and South Central Districts | Southwestern and Unimak Districts | South ^b Peninsula Totals | South Unimak | Shumagin Islands | Total ^b June Migrants |
| 2000 | Catch | 438,505 | 377,454 | 815,959 | 168,888 | 70,469 | 239,357 |
| | Escapement | 264,050 | 258,025 | 522,075 | | | |
| | Total | 702,555 | 635,479 | 1,338,034 | | | |
| 2001 | Catch | 441,437 | 432,199 | 873,636 | 36,099 | 12,251 | 48,350 |
| | Escapement | 473,800 | 277,421 | 751,221 | | | |
| | Total | 915,237 | 709,620 | 1,624,857 | | | |
| 2002 | Catch | 209,267 | 230,946 | 440,213 | 201,211 | 177,606 | 378,817 |
| | Escapement | 333,550 | 269,200 | 602,750 | | | |
| | Total | 542,817 | 500,146 | 1,042,963 | | | |
| 2003 | Catch | 125,741 | 229,126 | 354,867 | 121,169 | 161,269 | 282,438 |
| | Escapement | 297,810 | 193,230 | 491,040 | | | |
| | Total | 423,551 | 422,356 | 845,907 | | | |
| 2004 | Catch | 245,625 | 62,174 | 307,799 | 130,626 | 351,683 | 482,309 |
| | Escapement | 552,000 | 180,400 | 732,400 | | | |
| | Total | 797,625 | 242,574 | 1,040,199 | | | |
| 2005 | Catch | 226,172 | 85,458 | 311,630 | 143,610 | 284,031 | 427,641 |
| | Escapement | 648,200 | 322,110 | 970,310 | | | |
| | Total | 874,372 | 407,568 | 1,281,940 | | | |
| 2006 | Catch | 565,678 | 310,338 | 876,016 | 96,016 | 203,811 | 299,827 |
| | Escapement | 524,900 | 239,850 | 764,750 | | | |
| | Total | 1,090,578 | 550,188 | 1,640,766 | | | |

^a Catch includes any salmon (usually very few) caught in the Southeastern District Mainland in June which are considered local.

^b Catch numbers do not include test fish or subsistence harvests.

Appendix A12.-South Alaska Peninsula salmon catch and escapement by species and year, 1962-2006.

| Year | | Chinook ^a | Sockeye ^a | Coho ^{a,b} | Pink ^a | Chum ^a |
|------|------------|----------------------|----------------------|---------------------|-------------------|-------------------|
| 1962 | Catch | 3,300 | 420,000 | 12,500 | 1,965,400 | 824,800 |
| | Escapement | 0 | 18,800 | - | 1,598,800 | 399,400 |
| | Total | 3,300 | 438,800 | - | 3,564,200 | 1,224,200 |
| 1963 | Catch | 1,900 | 204,400 | 16,500 | 2,367,700 | 461,300 |
| | Escapement | 0 | 23,000 | - | 1,317,900 | 446,700 |
| | Total | 1,900 | 227,400 | - | 3,685,600 | 908,000 |
| 1964 | Catch | 2,000 | 370,800 | 13,600 | 2,740,300 | 751,000 |
| | Escapement | 0 | 15,700 | - | 1,436,400 | 454,800 |
| | Total | 2,000 | 386,500 | - | 4,176,700 | 1,205,800 |
| 1965 | Catch | 2,100 | 915,700 | 34,200 | 2,884,100 | 556,400 |
| | Escapement | 0 | 12,100 | - | 1,035,400 | 228,000 |
| | Total | 2,100 | 927,800 | - | 3,919,500 | 784,400 |
| 1966 | Catch | 1,400 | 606,200 | 6,300 | 305,800 | 494,400 |
| | Escapement | 0 | 17,000 | - | 719,400 | 422,000 |
| | Total | 1,400 | 623,200 | - | 1,025,200 | 916,400 |
| 1967 | Catch | 1,600 | 294,100 | 2,900 | 78,300 | 245,200 |
| | Escapement | 0 | 16,200 | - | 445,500 | 182,900 |
| | Total | 1,600 | 310,300 | - | 523,800 | 428,100 |
| 1968 | Catch | 1,400 | 699,800 | 31,100 | 1,287,100 | 325,300 |
| | Escapement | 0 | 12,800 | - | 823,300 | 279,100 |
| | Total | 1,400 | 712,600 | - | 2,110,400 | 604,400 |
| 1969 | Catch | 1,900 | 912,800 | 10,900 | 1,219,100 | 389,200 |
| | Escapement | 0 | 29,500 | - | 2,474,900 | 134,600 |
| | Total | 1,900 | 942,300 | - | 3,694,000 | 523,800 |
| 1970 | Catch | 1,806 | 1,799,525 | 32,571 | 1,737,985 | 993,349 |
| | Escapement | 0 | 16,500 | - | 1,298,900 | 280,500 |
| | Total | 1,806 | 1,816,025 | - | 3,036,885 | 1,273,849 |
| 1971 | Catch | 2,174 | 716,087 | 16,907 | 1,445,031 | 1,365,957 |
| | Escapement | 0 | 19,400 | - | 702,700 | 343,200 |
| | Total | 2,174 | 735,487 | - | 2,147,731 | 1,709,157 |
| 1972 | Catch | 1,332 | 557,422 | 8,021 | 78,221 | 731,814 |
| | Escapement | 0 | 11,900 | - | 111,400 | 254,500 |
| | Total | 1,332 | 569,322 | - | 189,621 | 986,314 |
| 1973 | Catch | 415 | 330,091 | 6,599 | 58,051 | 292,943 |
| | Escapement | 0 | 7,300 | - | 110,800 | 212,500 |
| | Total | 415 | 337,391 | - | 168,851 | 505,443 |
| 1974 | Catch | 581 | 197,153 | 9,366 | 100,601 | 71,826 |
| | Escapement | 0 | 95,600 | - | 284,400 | 257,300 |
| | Total | 581 | 292,753 | - | 385,001 | 329,126 |
| 1975 | Catch | 117 | 243,548 | 67 | 60,642 | 130,750 |
| | Escapement | 0 | 51,700 | - | 552,100 | 193,300 |
| | Total | 117 | 295,248 | - | 612,742 | 324,050 |
| 1976 | Catch | 2,196 | 375,027 | 216 | 2,366,833 | 532,503 |
| | Escapement | 0 | 69,700 | - | 1,456,400 | 327,200 |
| | Total | 2,196 | 444,727 | - | 3,823,233 | 859,703 |

-continued-

Appendix A12.-Page 2 of 4.

| Year | | Chinook ^a | Sockeye ^a | Coho ^{a,b} | Pink ^a | Chum ^a |
|------|------------|----------------------|----------------------|---------------------|-------------------|-------------------|
| 1977 | Catch | 559 | 311,722 | 2,108 | 1,448,648 | 243,167 |
| | Escapement | 0 | 64,900 | - | 2,677,800 | 774,900 |
| | Total | 559 | 376,622 | - | 4,126,448 | 1,018,067 |
| 1978 | Catch | 773 | 579,411 | 60,774 | 5,590,145 | 546,182 |
| | Escapement | 0 | 64,800 | - | 2,858,700 | 600,500 |
| | Total | 773 | 644,211 | - | 8,348,845 | 1,146,682 |
| 1979 | Catch | 2,141 | 1,149,927 | 356,867 | 6,564,914 | 482,930 |
| | Escapement | 0 | 53,300 | - | 2,629,500 | 411,100 |
| | Total | 2,141 | 1,203,227 | - | 9,194,414 | 894,030 |
| 1980 | Catch | 4,794 | 3,613,025 | 274,181 | 7,861,470 | 1,353,112 |
| | Escapement | 0 | 45,900 | - | 2,641,600 | 362,400 |
| | Total | 4,794 | 3,658,925 | - | 10,502,070 | 1,713,512 |
| 1981 | Catch | 11,182 | 2,241,513 | 162,223 | 5,033,028 | 1,768,475 |
| | Escapement | 0 | 45,700 | - | 2,307,500 | 381,300 |
| | Total | 11,182 | 2,287,213 | - | 7,340,528 | 2,149,775 |
| 1982 | Catch | 9,845 | 2,345,981 | 256,046 | 6,734,905 | 2,272,495 |
| | Escapement | 0 | 39,200 | - | 2,293,000 | 386,900 |
| | Total | 9,845 | 2,385,181 | - | 9,027,905 | 2,659,395 |
| 1983 | Catch | 26,571 | 2,556,557 | 127,657 | 2,827,622 | 1,704,072 |
| | Escapement | 0 | 59,200 | - | 851,200 | 446,500 |
| | Total | 26,571 | 2,615,757 | - | 3,678,822 | 2,150,572 |
| 1984 | Catch | 9,198 | 2,318,028 | 310,950 | 11,589,258 | 1,654,622 |
| | Escapement | 0 | 54,800 | - | 3,811,600 | 699,700 |
| | Total | 9,198 | 2,372,828 | - | 15,400,858 | 2,354,322 |
| 1985 | Catch | 6,642 | 2,144,416 | 172,514 | 4,431,016 | 1,348,726 |
| | Escapement | 0 | 49,900 | - | 1,614,100 | 503,400 |
| | Total | 6,642 | 2,194,316 | - | 6,045,116 | 1,852,126 |
| 1986 | Catch | 5,589 | 1,223,089 | 235,854 | 4,031,487 | 1,749,651 |
| | Escapement | 0 | 48,000 | - | 1,716,700 | 544,500 |
| | Total | 5,589 | 1,271,089 | - | 5,748,187 | 2,294,226 |
| 1987 | Catch | 9,174 | 1,449,753 | 225,120 | 1,208,556 | 1,376,887 |
| | Escapement | 0 | 44,600 | - | 1,540,500 | 620,700 |
| | Total | 9,174 | 1,494,353 | - | 2,749,056 | 1,997,587 |
| 1988 | Catch | 11,075 | 1,473,651 | 505,533 | 7,044,824 | 1,908,507 |
| | Escapement | 0 | 74,100 | - | 2,839,600 | 496,400 |
| | Total | 11,075 | 1,547,751 | - | 9,884,424 | 2,404,907 |
| 1989 | Catch | 7,065 | 2,660,800 | 443,843 | 7,292,658 | 994,231 |
| | Escapement | 0 | 78,100 | - | 1,870,900 | 310,500 |
| | Total | 7,065 | 2,738,900 | - | 9,163,558 | 1,304,731 |
| 1990 | Catch | 16,522 | 2,386,844 | 307,218 | 2,865,856 | 1,237,826 |
| | Escapement | 0 | 95,300 | - | 1,598,400 | 354,700 |
| | Total | 16,522 | 2,482,144 | - | 4,464,256 | 1,592,526 |
| 1991 | Catch | 7,975 | 2,319,942 | 317,129 | 10,616,756 | 1,588,795 |
| | Escapement | 0 | 124,900 | - | 2,946,800 | 587,600 |
| | Total | 7,975 | 2,444,842 | - | 13,563,556 | 2,176,395 |

-continued-

Appendix A12.-Page 3 of 4.

| Year | | Chinook ^a | Sockeye ^a | Coho ^{a,b} | Pink ^a | Chum ^a |
|------|------------|----------------------|----------------------|---------------------|-------------------|-------------------|
| 1992 | Catch | 8,026 | 3,445,914 | 418,232 | 9,770,386 | 1,316,709 |
| | Escapement | 0 | 97,600 | - | 2,834,400 | 335,500 |
| | Total | 8,026 | 3,543,514 | - | 12,604,786 | 1,652,209 |
| 1993 | Catch | 14,413 | 3,689,074 | 220,148 | 9,928,107 | 1,048,257 |
| | Escapement | 0 | 100,341 | - | 2,990,140 | 397,030 |
| | Total | 14,413 | 3,789,415 | - | 12,918,247 | 1,445,287 |
| 1994 | Catch | 10,002 | 2,107,233 | 255,905 | 9,179,853 | 2,192,079 |
| | Escapement | 0 | 120,255 | - | 3,071,725 | 579,100 |
| | Total | 10,002 | 2,227,488 | - | 12,251,578 | 2,771,179 |
| 1995 | Catch | 17,078 | 2,996,353 | 260,686 | 16,302,593 | 1,715,067 |
| | Escapement | 0 | 129,110 | - | 6,406,300 | 726,400 |
| | Total | 17,078 | 3,125,463 | - | 22,708,893 | 2,441,467 |
| 1996 | Catch | 5,526 | 1,543,691 | 293,374 | 2,205,094 | 793,679 |
| | Escapement | 0 | 72,950 | - | 3,647,550 | 610,300 |
| | Total | 5,526 | 1,616,641 | - | 5,852,644 | 1,403,979 |
| 1997 | Catch | 7,780 | 2,281,566 | 116,136 | 2,321,371 | 627,996 |
| | Escapement | 0 | 104,440 | - | 5,143,275 | 809,050 |
| | Total | 7,780 | 2,386,006 | - | 7,464,646 | 1,437,046 |
| 1998 | Catch | 4,919 | 2,183,195 | 154,194 | 8,047,998 | 721,068 |
| | Escapement | 0 | 85,440 | - | 4,668,065 | 742,235 |
| | Total | 4,919 | 2,268,635 | - | 12,716,063 | 1,463,303 |
| 1999 | Catch | 5,074 | 2,991,819 | 192,503 | 8,456,449 | 840,030 |
| | Escapement | 0 | 96,800 | - | 5,015,310 | 725,180 |
| | Total | 5,074 | 3,088,619 | - | 13,471,759 | 1,565,210 |
| 2000 | Catch | 5,445 | 2,006,487 | 257,245 | 3,562,866 | 1,066,653 |
| | Escapement | 0 | 69,530 | - | 2,792,985 | 522,075 |
| | Total | 5,445 | 2,076,017 | - | 6,355,851 | 1,588,728 |
| 2001 | Catch | 2,620 | 614,080 | 214,252 | 4,021,382 | 933,014 |
| | Escapement | 0 | 161,630 | - | 2,965,136 | 751,221 |
| | Total | 2,620 | 775,710 | - | 6,986,518 | 1,684,235 |
| 2002 | Catch | 6,428 | 1,036,722 | 202,728 | 2,170,809 | 820,257 |
| | Escapement | 0 | 192,749 | - | 3,762,800 | 602,750 |
| | Total | 6,428 | 1,229,471 | - | 5,933,609 | 1,423,007 |
| 2003 | Catch | 2,874 | 1,055,218 | 132,374 | 4,262,920 | 639,772 |
| | Escapement | 0 | 198,192 | - | 5,511,220 | 491,040 |
| | Total | 2,874 | 1,253,410 | - | 9,774,140 | 1,130,812 |

-continued-

Appendix A12.-Page 4 of 4.

| Year | | Chinook ^a | Sockeye ^a | Coho ^{a,b} | Pink ^a | Chum ^a |
|------|------------|----------------------|----------------------|---------------------|-------------------|-------------------|
| 2004 | Catch | 7,123 | 2,206,296 | 236,144 | 6,681,447 | 794,659 |
| | Escapement | 0 | 220,861 | - | 8,311,410 | 732,400 |
| | Total | 7,123 | 2,427,157 | - | 14,992,857 | 1,527,059 |
| 2005 | Catch | 4,554 | 2,338,294 | 145,754 | 9,423,314 | 741,600 |
| | Escapement | 0 | 123,964 | - | 6,165,634 | 970,310 |
| | Total | 4,554 | 2,462,258 | - | 15,588,948 | 1,711,910 |
| 2006 | Catch | 5,400 | 1,835,218 | 164,962 | 4,261,230 | 1,175,843 |
| | Escapement | 0 | 88,148 | - | 2,862,250 | 764,750 |
| | Total | 5,400 | 1,923,366 | - | 7,123,480 | 1,940,593 |

^a Catch numbers include commercial and test fish harvests, but exclude subsistence harvests.

^b Coho salmon escapement is not normally calculated due to the severe weather conditions in the fall, timing of coho in the area, and budgetary limitations.

Appendix A13.-South Alaska Peninsula commercial salmon harvest, all gear combined, by species and day, 2006.

| Date | Permits | Landings | Number of Salmon ^a | | | | | Total |
|--------|--|----------|-------------------------------|---------|--------|---------|---------|---------|
| | | | Chinook | Sockeye | Coho | Pink | Chum | |
| 7-Jun | 95 | 105 | 253 | 28,131 | 1 | 18,552 | 6,278 | 53,215 |
| 8-Jun | 106 | 113 | 223 | 32,887 | 3 | 14,860 | 9,183 | 57,156 |
| 9-Jun | 68 | 80 | 58 | 16,767 | 0 | 16,376 | 3,828 | 37,029 |
| 10-Jun | 78 | 87 | 80 | 28,003 | 0 | 19,955 | 6,430 | 54,468 |
| 12-Jun | 109 | 154 | 430 | 37,201 | 15 | 73,104 | 15,584 | 126,334 |
| 13-Jun | 127 | 172 | 564 | 72,045 | 31 | 133,371 | 31,048 | 237,059 |
| 14-Jun | 125 | 154 | 293 | 53,557 | 5 | 56,890 | 22,064 | 132,809 |
| 15-Jun | 84 | 104 | 139 | 40,226 | 2 | 33,030 | 17,545 | 90,942 |
| 17-Jun | 126 | 143 | 304 | 52,800 | 23 | 100,561 | 30,855 | 184,543 |
| 18-Jun | 133 | 169 | 410 | 82,906 | 33 | 206,507 | 37,766 | 327,622 |
| 19-Jun | 148 | 189 | 572 | 87,199 | 97 | 133,083 | 27,105 | 248,056 |
| 20-Jun | 148 | 187 | 327 | 96,571 | 111 | 155,791 | 35,684 | 288,484 |
| 22-Jun | 126 | 152 | 211 | 51,068 | 102 | 71,939 | 9,348 | 132,668 |
| 23-Jun | 90 | 109 | 218 | 38,286 | 156 | 58,126 | 9,115 | 105,901 |
| 24-Jun | 66 | 98 | 67 | 40,068 | 114 | 32,835 | 5,384 | 78,468 |
| 25-Jun | 72 | 98 | 60 | 42,565 | 126 | 38,732 | 4,610 | 86,093 |
| 27-Jun | 77 | 103 | 175 | 62,065 | 602 | 101,045 | 14,189 | 178,076 |
| 28-Jun | 66 | 93 | 63 | 37,958 | 418 | 41,695 | 6,408 | 86,542 |
| 29-Jun | 69 | 102 | 50 | 31,988 | 790 | 25,867 | 7,403 | 66,098 |
| 6-Jul | 77 | 120 | 116 | 63,396 | 9,326 | 25,165 | 60,537 | 158,540 |
| 8-Jul | Confidentiality rules prohibit the release of this information | | | | | | | |
| 9-Jul | 74 | 109 | 53 | 46,347 | 4,363 | 16,885 | 15,205 | 82,853 |
| 11-Jul | Confidentiality rules prohibit the release of this information | | | | | | | |
| 12-Jul | 84 | 136 | 95 | 69,142 | 11,431 | 41,442 | 41,284 | 163,394 |
| 13-Jul | 4 | 4 | 3 | 2,753 | 2 | 18 | 134 | 2,910 |
| 14-Jul | 8 | 10 | 39 | 3,777 | 75 | 328 | 205 | 4,424 |
| 15-Jul | 79 | 126 | 77 | 70,346 | 19,385 | 58,523 | 129,629 | 277,960 |
| 16-Jul | 5 | 5 | 0 | 2,509 | 0 | 329 | 366 | 3,204 |
| 17-Jul | 8 | 11 | 0 | 8,669 | 128 | 421 | 660 | 9,878 |
| 18-Jul | 47 | 67 | 9 | 50,604 | 1,344 | 27,475 | 9,228 | 88,660 |
| 19-Jul | Confidentiality rules prohibit the release of this information | | | | | | | |
| 20-Jul | 31 | 63 | 10 | 29,938 | 1,912 | 35,502 | 12,147 | 79,509 |
| 21-Jul | 78 | 134 | 38 | 80,814 | 4,205 | 73,750 | 36,312 | 195,119 |
| 22-Jul | 11 | 11 | 0 | 10,107 | 1 | 6,593 | 555 | 17,256 |
| 23-Jul | 63 | 82 | 15 | 34,354 | 7,381 | 150,012 | 32,780 | 224,542 |
| 24-Jul | 68 | 105 | 33 | 44,351 | 9,015 | 137,873 | 30,901 | 222,173 |
| 26-Jul | 37 | 72 | 3 | 14,729 | 84 | 10,018 | 4,473 | 29,307 |
| 27-Jul | 66 | 123 | 56 | 40,995 | 10,711 | 230,677 | 31,305 | 313,744 |
| 28-Jul | 47 | 56 | 24 | 22,919 | 5,822 | 132,523 | 16,684 | 177,972 |
| 30-Jul | 41 | 45 | 14 | 13,475 | 2,704 | 83,209 | 10,161 | 109,563 |
| 31-Jul | 39 | 55 | 6 | 16,528 | 3,139 | 56,011 | 22,174 | 97,858 |

-continued-

Appendix A13.-Page 2 of 2.

| Date | Permits | Landings | Number of Salmon ^a | | | | | Total | | | | | | | | |
|--------|--|----------|-------------------------------|-----------|---------|-----------|-----------|-----------|----|----|---|-------|-------|-----|-----|-------|
| | | | Chinook | Sockeye | Coho | Pink | Chum | | | | | | | | | |
| 1-Aug | 9 | 11 | 0 | 3,847 | 176 | 5,467 | 2,819 | 12,309 | | | | | | | | |
| 2-Aug | 6 | 8 | 1 | 2,102 | 90 | 5,808 | 2,069 | 10,070 | | | | | | | | |
| 3-Aug | 25 | 36 | 10 | 9,019 | 2,912 | 66,671 | 9,194 | 87,806 | | | | | | | | |
| 4-Aug | 28 | 48 | 7 | 23,179 | 4,348 | 139,083 | 15,968 | 182,585 | | | | | | | | |
| 5-Aug | 55 | 98 | 9 | 32,062 | 4,291 | 142,939 | 24,175 | 203,476 | | | | | | | | |
| 6-Aug | 55 | 99 | 190 | 39,499 | 6,959 | 161,097 | 15,973 | 223,718 | | | | | | | | |
| 8-Aug | 32 | 56 | 16 | 15,157 | 3,610 | 125,530 | 11,146 | 155,459 | | | | | | | | |
| 9-Aug | 53 | 85 | 8 | 19,182 | 3,626 | 142,442 | 37,554 | 202,812 | | | | | | | | |
| 10-Aug | 44 | 70 | 20 | 19,358 | 4,794 | 158,348 | 40,663 | 223,183 | | | | | | | | |
| 11-Aug | 38 | 55 | 4 | 12,393 | 2,479 | 88,927 | 29,095 | 132,898 | | | | | | | | |
| 12-Aug | 34 | 45 | 4 | 8,566 | 2,343 | 102,334 | 20,763 | 134,010 | | | | | | | | |
| 13-Aug | 30 | 39 | 2 | 8,136 | 3,167 | 111,309 | 16,159 | 138,773 | | | | | | | | |
| 14-Aug | 23 | 30 | 6 | 5,892 | 1,528 | 69,183 | 23,635 | 100,244 | | | | | | | | |
| 15-Aug | 22 | 34 | 7 | 8,728 | 3,750 | 50,930 | 3,806 | 67,221 | | | | | | | | |
| 16-Aug | 17 | 34 | 3 | 5,723 | 2,479 | 19,981 | 6,344 | 34,530 | | | | | | | | |
| 17-Aug | 27 | 36 | 3 | 5,443 | 3,089 | 73,532 | 7,275 | 89,342 | | | | | | | | |
| 18-Aug | 17 | 23 | 0 | 4,486 | 1,356 | 33,425 | 8,179 | 47,446 | | | | | | | | |
| 19-Aug | 19 | 25 | 1 | 3,644 | 1,149 | 64,166 | 18,517 | 87,477 | | | | | | | | |
| 20-Aug | 14 | 14 | 0 | 3,343 | 1,785 | 44,180 | 10,552 | 59,860 | | | | | | | | |
| 21-Aug | 15 | 17 | 1 | 3,603 | 920 | 75,714 | 5,715 | 85,953 | | | | | | | | |
| 22-Aug | 18 | 22 | 2 | 3,659 | 495 | 66,590 | 8,749 | 79,495 | | | | | | | | |
| 23-Aug | 12 | 15 | 1 | 4,364 | 1,278 | 15,428 | 5,411 | 26,482 | | | | | | | | |
| 24-Aug | Confidentiality rules prohibit the release of this information | | | | | | | | | | | | | | | |
| 25-Aug | | | | | | | | | | | | | | | | |
| 28-Aug | | | | | | | | | | | | | | | | |
| 30-Aug | Confidentiality rules prohibit the release of this information | | | | | | | | | | | | | | | |
| 1-Sep | | | | | | | | | 11 | 11 | 1 | 2,012 | 2,342 | 70 | 94 | 4,519 |
| 2-Sep | | | | | | | | | 17 | 25 | 0 | 6,451 | 2,739 | 134 | 252 | 9,576 |
| 3-Sep | 14 | 20 | 0 | 6,657 | 2,078 | 138 | 177 | 9,050 | | | | | | | | |
| 4-Sep | 18 | 24 | 0 | 6,210 | 2,211 | 129 | 153 | 8,703 | | | | | | | | |
| 5-Sep | 13 | 22 | 0 | 3,581 | 914 | 11 | 64 | 4,570 | | | | | | | | |
| 6-Sep | 12 | 16 | 3 | 2,116 | 592 | 19 | 12,402 | 15,132 | | | | | | | | |
| 7-Sep | Confidentiality rules prohibit the release of this information | | | | | | | | | | | | | | | |
| 11-Sep | 15 | 18 | 6 | 1,568 | 2,100 | 0 | 9,014 | 12,688 | | | | | | | | |
| 12-Sep | 14 | 24 | 0 | 2,200 | 1,160 | 1 | 32 | 3,393 | | | | | | | | |
| 13-Sep | Confidentiality rules prohibit the release of this information | | | | | | | | | | | | | | | |
| 20-Sep | Confidentiality rules prohibit the release of this information | | | | | | | | | | | | | | | |
| 21-Sep | 4 | 5 | 1 | 1,202 | 92 | 0 | 13 | 1,308 | | | | | | | | |
| 22-Sep | Confidentiality rules prohibit the release of this information | | | | | | | | | | | | | | | |
| 26-Sep | Confidentiality rules prohibit the release of this information | | | | | | | | | | | | | | | |
| Total | 202 | 4,848 | 5,400 | 1,835,218 | 164,962 | 4,261,230 | 1,175,843 | 7,442,653 | | | | | | | | |

^a Does not include test fish harvests.

Appendix A14.South Alaska Peninsula commercial salmon harvest by species, statistical area, section, and district, 2006.

| Statistical Area | Section | Number of Salmon ^a | | | | | Total |
|---|-----------------------------------|-------------------------------|-------------------------|-----------------------|-------------------------|-----------------------|-------------------------|
| | | Chinook | Sockeye | Coho | Pink | Chum | |
| <i>SOUTHEASTERN DISTRICT</i> | | | | | | | |
| 281-15 | Kupreanof Point | 183 | 26,963 | 5,751 | 123,001 | 5,690 | 161,588 |
| 281-25 | Island/ Fox Bay | 39 | 139,996 | 18,076 | 126,747 | 23,849 | 308,707 |
| East Stepovak Section Total | | 222 | 166,959 | 23,827 | 249,748 | 29,539 | 470,295 |
| 281-30 | Stepovak Flats Section | 0 | 71 | 7 | 256 | 21 | 355 |
| 281-40 | Grub Gulch/Clark Bay | 1 | 4,051 | 219 | 4,202 | 1,343 | 9,816 |
| 281-50 | Orzinski Bay | 0 | 127 | 13 | 466 | 49 | 655 |
| 281-55 | American Bay | 2 | 253 | 216 | 3,646 | 215 | 4,332 |
| 281-62 | Chichagof Bay | 1 | 2,510 | 546 | 3,100 | 166 | 6,323 |
| 281-65 | Suzy Creek/West Cove | 0 | 1,062 | 443 | 51,104 | 1,222 | 53,831 |
| 281-67 | Dornoi Bay | 0 | 255 | 33 | 2,454 | 128 | 2,870 |
| Northwest Stepovak Section Total | | 4 | 8,258 | 1,470 | 64,972 | 3,123 | 77,827 |
| 281-70 | Southwest Stepovak Section | 33 | 46,755 | 5,861 | 66,278 | 11,592 | 130,519 |
| 281-80 | Balboa Bay Section | 29 | 48,329 | 2,778 | 78,652 | 19,472 | 149,260 |
| 281-90 | Beaver Bay Section | 0 | 2,088 | 141 | 7,613 | 655 | 10,497 |
| 282-10 | Popof Strait/Squaw Harbor | 270 | 34,305 | 1,208 | 47,319 | 23,932 | 107,034 |
| 282-11 | Unga Cape/East Popof | 2,604 | 328,368 | 74,549 | 1,260,319 | 355,271 | 2,021,111 |
| 282-20 | Acheredin Bay | 32 | 61,374 | 5,219 | 179,887 | 20,411 | 266,923 |
| 282-25 | West Unga Island | 116 | 193,058 | 16,981 | 617,532 | 67,492 | 895,179 |
| 282-30 | Bay Point | 10 | 9,242 | 188 | 6,604 | 6,352 | 22,396 |
| 282-32 | Outer Zachary Bay | 1 | 135 | 2 | 8 | 15 | 161 |
| 282-35 | Zachary Bay | 12 | 1,674 | 66 | 6,062 | 33,937 | 41,751 |
| 282-40 | East Head/West Head | 2 | 4,757 | 66 | 1,549 | 1,081 | 7,455 |
| 282-42 | Korovin Island | 316 | 74,501 | 3,512 | 107,671 | 41,005 | 227,005 |
| 282-50 | Koniuju Islands | 0 | 69 | 3 | 0 | 5 | 77 |
| 282-65 | Southeast Nagai Island | 83 | 36,954 | 6,574 | 171,151 | 20,893 | 235,655 |
| 282-70 | Southwest Nagai Island | 63 | 51,713 | 5,088 | 237,945 | 21,420 | 316,229 |
| 282-75 | Cape Horn/Porpoise Rocks | 31 | 8,907 | 165 | 1,696 | 1,439 | 12,238 |
| 282-80 | East Nagai Straits | 11 | 5,024 | 0 | 12,916 | 4,571 | 22,522 |
| Shumagin Islands Section Total | | 3,551 | 810,081 | 113,621 | 2,650,659 | 597,824 | 4,175,736 |
| <i>SOUTHEASTERN DISTRICT TOTAL</i> | | <i>3,839</i> | <i>1,082,541</i> | <i>147,705</i> | <i>3,118,178</i> | <i>662,226</i> | <i>5,014,489</i> |
| <i>Percent of total South Peninsula salmon harvest</i> | | | | | | | <i>67%</i> |

-continued-

Appendix A14.-Page 2 of 3.

| Statistical Area | Section | Number of Salmon ^a | | | | | Total |
|--|-------------------------|-------------------------------|----------------|--------------|----------------|----------------|----------------|
| | | Chinook | Sockeye | Coho | Pink | Chum | |
| <i>SOUTH CENTRAL DISTRICT</i> | | | | | | | |
| 283-15 | Mino Creek | 0 | 0 | 0 | 9,050 | 200 | 9,250 |
| 283-17 | Little Coal Bay | 12 | 18,284 | 214 | 219,655 | 8,757 | 246,922 |
| Mino Cr. - Little Coal B. Section | | 12 | 18,284 | 214 | 228,705 | 8,957 | 256,172 |
| 283-20 | Ukolnoi Island | 0 | 1,329 | 0 | 6 | 125 | 1,460 |
| 283-21 | Northside Cape Tolstoi | 32 | 30,140 | 19 | 1,165 | 1,129 | 32,485 |
| 283-23 | Eastside Pavlof Bay | 17 | 36,538 | 474 | 43,184 | 24,741 | 104,954 |
| East Pavlof Bay Section Total | | 49 | 68,007 | 493 | 44,355 | 25,995 | 138,899 |
| 283-24 Canoe Bay Section | | 0 | 67 | 0 | 18,862 | 11,688 | 30,617 |
| 283-25 | Northwest Pavlof Bay | 1 | 6,238 | 0 | 2,937 | 8,914 | 18,090 |
| 283-26 | Long Beach/Ukolnoi | 123 | 153,028 | 2,689 | 79,190 | 54,562 | 289,592 |
| West Pavlof Bay Section Total | | 124 | 159,266 | 2,689 | 82,127 | 63,476 | 307,682 |
| <i>SOUTH CENTRAL DISTRICT TOTAL</i> | | 185 | 245,624 | 3,396 | 374,049 | 110,116 | 733,370 |
| <i>Percent of total South Peninsula salmon harvest</i> | | | | | | | 10% |
| <i>SOUTHWESTERN DISTRICT</i> | | | | | | | |
| 284-36 | Volcano Bay | 0 | 9,363 | 1,573 | 75,152 | 137,314 | 223,402 |
| 284-37 | Northside Dolgoi Island | 128 | 189,300 | 4,113 | 80,084 | 32,359 | 305,984 |
| 284-38 | South Dolgoi/Moss Cape | 13 | 37,913 | 694 | 21,553 | 2,906 | 63,079 |
| 284-39 | Poperechnoi | 0 | 0 | 0 | 0 | 0 | 0 |
| Volcano Bay Section Total | | 141 | 236,576 | 6,380 | 176,789 | 172,579 | 592,465 |
| 284-42 | Belkofski Bay | 1 | 7,236 | 255 | 165,166 | 27,682 | 200,340 |
| 284-45 | King Cove | 2 | 8,658 | 12 | 50,232 | 2,793 | 61,697 |
| Belkofski Bay Section Total | | 3 | 15,894 | 267 | 215,398 | 30,475 | 262,037 |
| 284-55 Deer Island Section | | 0 | 75 | 9 | 65,252 | 435 | 65,771 |
| 284-62 | Outer Cold Bay | 0 | 190 | 9 | 280 | 5,901 | 6,380 |
| 284-65 | Lenard Harbor | 0 | 15 | 0 | 27,593 | 16,630 | 44,238 |
| 284-67 | Upper Cold Bay | 2 | 4,015 | 373 | 13,164 | 35,809 | 53,363 |
| Cold Bay Section Total | | 2 | 4,220 | 382 | 41,037 | 58,340 | 103,981 |

-continued-

Appendix A14.-Page 3 of 3.

| Statistical Area | Section | Number of Salmon ^a | | | | | Total |
|--|-----------------------|-------------------------------|------------------|----------------|------------------|------------------|------------------|
| | | Chinook | Sockeye | Coho | Pink | Chum | |
| 284-75 | Thin Point Section | 0 | 117 | 4,091 | 0 | 0 | 4,208 |
| 284-80 | Morzhovoi Bay Section | 0 | 2,960 | 0 | 68,993 | 41,534 | 113,487 |
| 284-90 | Ikatan Bay Section | 138 | 37,411 | 2,614 | 158,138 | 22,660 | 220,961 |
| <i>SOUTHWESTERN DISTRICT TOTAL</i> | | 284 | 297,253 | 13,743 | 725,607 | 326,023 | 1,362,910 |
| <i>Percent of total South Peninsula salmon harvest</i> | | | | | | | 18% |
| <i>UNIMAK DISTRICT</i> | | | | | | | |
| 285-10 | Sanak Island Section | 0 | 0 | 0 | 0 | 0 | 0 |
| 285-20 | Bird Island | 257 | 77,340 | 30 | 9,732 | 28,681 | 116,040 |
| 285-30 | Cape Lazaref | 413 | 95,907 | 9 | 24,737 | 32,520 | 153,586 |
| Otter Cove Section Total | | 670 | 173,247 | 39 | 34,469 | 61,201 | 269,626 |
| 285-40 | Cape Lutke Section | 422 | 36,553 | 79 | 8,927 | 16,277 | 62,258 |
| <i>UNIMAK DISTRICT TOTAL</i> | | 1,092 | 209,800 | 118 | 43,396 | 77,478 | 331,884 |
| <i>Percent of total South Peninsula salmon harvest</i> | | | | | | | 5% |
| SOUTH PENINSULA TOTAL | | 5,400 | 1,835,218 | 164,962 | 4,261,230 | 1,175,843 | 7,442,653 |

^a Does not include test fish harvests.

Appendix A15.-South Alaska Peninsula commercial salmon harvest by species, district, and gear, 2006.

| | Number of Salmon ^a | | | | | Total | Percent of Harvest |
|--------------------------------------|-------------------------------|------------------|----------------|------------------|------------------|------------------|--------------------|
| | Chinook | Sockeye | Coho | Pink | Chum | | |
| <i>SOUTHEASTERN DISTRICT</i> | | | | | | | |
| Seine | 3,157 | 614,895 | 115,433 | 2,862,527 | 569,795 | 4,165,807 | 83.1 |
| Set gillnet | 682 | 467,646 | 32,272 | 255,651 | 92,431 | 848,682 | 16.9 |
| Total | 3,839 | 1,082,541 | 147,705 | 3,118,178 | 662,226 | 5,014,489 | 100.0 |
| <i>SOUTH CENTRAL DISTRICT</i> | | | | | | | |
| Seine | 52 | 79,825 | 1,526 | 352,390 | 93,617 | 527,410 | 71.9 |
| Set gillnet | 133 | 165,799 | 1,870 | 21,659 | 16,499 | 205,960 | 28.1 |
| Total | 185 | 245,624 | 3,396 | 374,049 | 110,116 | 733,370 | 100.0 |
| <i>SOUTHWESTERN DISTRICT</i> | | | | | | | |
| Seine | 112 | 137,067 | 4,934 | 671,755 | 303,068 | 1,116,936 | 82.0 |
| Drift gillnet | 85 | 22,953 | 2,559 | 18,530 | 7,835 | 51,962 | 3.8 |
| Set gillnet | 87 | 137,233 | 6,250 | 35,322 | 15,120 | 194,012 | 14.2 |
| Total | 284 | 297,253 | 13,743 | 725,607 | 326,023 | 1,362,910 | 100.0 |
| <i>UNIMAK DISTRICT</i> | | | | | | | |
| Seine | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| Drift gillnet | 1,092 | 208,673 | 118 | 43,272 | 77,478 | 330,633 | 99.6 |
| Set gillnet | 0 | 1,127 | 0 | 124 | 0 | 1,251 | 0.4 |
| Total | 1,092 | 209,800 | 118 | 43,396 | 77,478 | 331,884 | 100.0 |
| <i>SOUTH PENINSULA TOTAL</i> | | | | | | | |
| Seine | 3,321 | 831,787 | 121,893 | 3,886,672 | 966,480 | 5,810,153 | 78.1 |
| Drift gillnet | 1,177 | 231,626 | 2,677 | 61,802 | 85,313 | 382,595 | 5.1 |
| Set gillnet | 902 | 771,805 | 40,392 | 312,756 | 124,050 | 1,249,905 | 16.8 |
| Total | 5,400 | 1,835,218 | 164,962 | 4,261,230 | 1,175,843 | 7,442,653 | 100.0 |

^a Does not include test fish harvests.

Appendix A16.-South Peninsula emergency order summary, 2006.

| E.O.# | Issued | Effective | Action Taken |
|-------|---------------------|--------------------|--|
| SP-01 | 12:00 PM 5/16/06 | 6:00 AM 6/7/06 | <u>Allows</u> four 88-hour and one 64-hour fishing periods for the South Unimak and Shumagin Islands June fisheries. <u>Expands</u> the closed waters near Sanak Island to include all waters south of the latitude of Hague Rock and east of the longitude of Cape Pankof during June. |
| SP-02 | 11:30 AM 7/5/06 | 10:00 PM 7/5/06 | <u>Allows</u> an approximately 21-hour commercial salmon fishing period from 12:01 AM until 9:00 PM Tuesday, July 6 in the Shumagin Islands Section. |
| CB-02 | 12:30 PM 7/5/06 | 12:01 AM 7/6/06 | <u>Allows</u> a 21-hour commercial salmon fishing period from 12:01 AM Thursday, July 6 until 9:00 PM Thursday, July 6 in the South Central District, Southwestern District, Sanak Island Section, and Otter Cove Section of Area M. |
| SP-03 | 11:30 AM 7/7/06 | 9:00 PM 7/7/06 | <u>Allows</u> a 24-hour commercial salmon fishing period from 9:00 PM Thursday, July 8 until 9:00 PM Friday, July 9 in the Shumagin Islands Section. |
| CB-03 | 12:30 AM 7/7/06 | 9:00 PM 7/8/06 | <u>Allows</u> a 24-hour commercial salmon fishing period from 9:00 PM Saturday, July 8 until 9:00 PM Sunday July 9 in the South Central District, Southwestern District, Sanak Island Section, and Otter Cove Section. |
| CB-05 | 2:30 PM 7/10/06 | 9:00 PM 7/11/06 | <u>Allows</u> a 24-hour commercial salmon fishing period from 9:00 PM Tuesday, July 11 until 9:00 PM Wednesday July 12 in the South Central District, Southwestern District, Sanak Island Section, and Otter Cove Section. |
| SP-04 | 3:00 PM 7/10/06 | 9:00 PM 7/11/06 | <u>Allows</u> a 24-hour commercial salmon fishing period from 9:00 PM Tuesday July 11 until 9:00 PM Wednesday July 12 in the Shumagin Islands Section. |
| CB-07 | 12:30 PM 7/11/06 | 9:00 PM 7/12/06 | <u>Allows</u> a 48-hour commercial salmon fishing period from 9:00 PM July 12 until 9:00 PM July 14 in the Canoe Bay Section, that portion of East and West Pavlof Bay north of the latitude of Black Point. |
| SP-05 | 1:00 PM 7/13/06 | 9:00 PM 7/14/06 | <u>Allows</u> a 24-hour commercial salmon fishing period from 9:00 PM Friday July 14 until 9:00 PM Saturday July 15 in the Shumagin Islands Section. |
| CB-08 | 6:30 PM 7/13/06 | 9:00 PM 7/14/06 | <u>Allows</u> a 24-hour commercial salmon fishing period from 9:00 PM Saturday, July 14 until 9:00 PM Sunday July 15 in the South Central District, Southwestern District, Sanak Island Section, and Otter Cove Section. |
| SP-06 | 5:00 PM 7/15/06 | 9:00 PM 7/15/06 | <u>Allows</u> a 48-hour commercial salmon fishing period for from 9:00 PM Saturday, July 15 until 9:00 PM Monday, July 17 in the Canoe Bay Section and the East and West Pavlof Bay Sections. |
| SP-07 | 2:00 PM 7/17/06 | 9:00 PM 7/17/06 | <u>Allows</u> a 24-hour commercial salmon fishing period from 9:00 PM Monday, July 17 until 9:00 PM Tuesday, July 18 in the Shumagin Islands Section. |

-continued-

Appendix A16.-Page 2 of 7.

| E.O.# | Issued | Effective | Action Taken |
|-------|---------------------|---------------------|--|
| CB-10 | 4:00 PM 7/17/06 | 9:00 PM 7/17/06 | <u>Allows</u> a 24-hour commercial salmon fishing period from 9:00 PM Saturday, July 17 until 9:00 PM Sunday, July 18 in the South Central District, Southwestern District, Sanak Island Section, and Otter Cove Section. |
| SP-08 | 10:00 AM 7/18/06 | 12:00 PM 7/20/06 | <u>Allows</u> a 26-hour commercial salmon fishing period from 12:00 PM Thursday, July 20 until 2:00 PM Friday, July 21 in the Balboa Bay, Beaver Bay, Southwest Stepovak, East Stepovak, and Stepovak Flats Sections. |
| CB-11 | 4:30 PM 7/18/06 | 9:00 PM 7/18/06 | <u>Extends</u> the current commercial salmon fishing period for 48 hours from 9:00 PM Sunday, July 18 until 9:00 PM July 20 in the Canoe Bay Section, that portion of East and West Pavlof Bay north of the latitude of Black Point. |
| CB-12 | 5:00 PM 7/19/06 | 9:00 PM 7/20/06 | <u>Allows</u> a 24-hour commercial salmon fishing period from 9:00 PM Thursday, July 20 until 9:00 PM Friday July 21 in the South Central District, Southwestern District, Sanak Island Section, and Otter Cove Section. |
| SP-09 | 9:00 AM 7/20/06 | 9:00 PM 7/20/06 | <u>Allows</u> a 24-hour commercial salmon fishing period from 9:00 PM Thursday, July 20 until 9:00 PM Friday, July 21 in the Shumagin Islands Section. |
| CB-13 | 2:00 PM 7/20/06 | 9:00 PM 7/21/06 | <u>Extends</u> the current commercial salmon fishing period for 36 hours until 12:00 PM July 23 in the Canoe Bay Section, that portion of East and West Pavlof Bay north of the latitude of Black Point. <u>Allows</u> a 36-hour fishing period in the Cold Bay Section from 9:00 PM Friday, July 21 until 12:00 PM Sunday, July 23. <u>Allows</u> a 29-hour commercial salmon fishing period in the Deer Island, Belkofski Bay, East Pavlof Bay, and Mino Creek-Little Coal Bay Sections from 7:00 AM Saturday, July 22 until 12:00 PM Sunday, July 23. |
| SP-10 | 10:20 AM 7/21/06 | 2:00 PM 7/21/06 | <u>Extends</u> the current commercial salmon fishing period in the Balboa Bay, Beaver Bay, Southwest Stepovak, East Stepovak, and Stepovak Flats Sections for 24-hours from 2:00 PM Friday, July 21 until 2:00 PM Saturday, July 22. |
| SP-11 | 4:30 PM 7/20/06 | 4:30 PM 7/21/06 | <u>Reduces</u> the current commercial salmon fishing period in the Balboa Bay, Beaver Bay, Southwest Stepovak, East Stepovak, and Stepovak Flats Sections to 12-hours from 2:00 PM Friday, July 21 until 11:59 PM Friday, July 21. |
| SP-12 | 11:30 AM 7/22/06 | NOON 7/23/06 | <u>Allows</u> an approximately 36-hour commercial salmon fishing period from 12:00 NOON Sunday, July 23 until 11:59 PM Monday July 24 in the Shumagin Islands Section. |
| CB-14 | 2:00 PM 7/22/06 | 12:00 PM 7/23/06 | <u>Allows</u> a 36-hour commercial salmon fishing period from 12:00 PM Sunday, July 23 until 11:59 PM Monday July 24 in the South Central District, Southwestern District, Sanak Island Section, and Otter Cove Section. |
| CB-16 | 8:45 PM 7/24/06 | 7:00 AM 7/25/06 | <u>Allows</u> a 38-hour commercial salmon fishing period from 7:00 AM Tuesday, July 25 until 9:00 PM Wednesday, July 26 in the Deer Island, Cold Bay, and Little Coal Bay – Mino Creek Sections of the South Alaska Peninsula. |

-continued-

Appendix A16.-Page 3 of 7.

| E.O.# | Issued | Effective | Action Taken |
|-------|---------------------|---------------------|--|
| SP-13 | 10:45 PM 7/25/06 | 7:00 AM 7/26/06 | <u>Allows</u> a 53-hour commercial salmon fishing period from 7:00 AM Wednesday, July 26 until 12:00 NOON Friday, July 28 in the Balboa Bay, Beaver Bay, Southwest Stepovak, and East Stepovak Sections. |
| SP-14 | 4:30 AM 7/26/06 | 12:01 AM 7/27/06 | <u>Allows</u> an approximately 36-hours commercial salmon fishing period for seine and set gillnet gear from 12:01 AM Thursday, July 27 until 12:00 NOON Friday, July 28 in the Shumagin Islands Section. |
| CB-18 | 5:00 PM 7/26/06 | 12:00 AM 7/27/06 | <u>Allows</u> a 36-hour commercial salmon fishing period from 12:00 AM Thursday, July 26 until 12:00 PM Friday July 28 in the South Central District, Southwestern District, Sanak Island Section, and Otter Cove Section. |
| CB-19 | 10:00 AM 7/29/06 | 12:00 PM 7/30/06 | <u>Allows</u> a 36-hour commercial salmon fishing period from 12:00 PM Sunday, July 30 until 11:59 PM Monday July 31 in the South Central District, Southwestern District, Sanak Island Section, and Otter Cove Section. |
| SP-15 | 11:00 AM 7/29/06 | NOON 7/30/06 | <u>Allows</u> an approximately 36-hour commercial salmon fishing period from 12:00 NOON Sunday, July 30 until 12:00 MIDNIGHT Monday, July 31 in the Shumagin Islands Section. |
| CB-21 | 1:30 PM 7/31/06 | 8:00 AM 8/01/06 | <u>Allows</u> a 37-hour commercial salmon fishing period from 8:00 AM Tuesday, August 1 until 9:00 PM Wednesday August 2 in the Deer Island Section, the Canoe Bay Section, and that portion of the West Pavlof Bay Section south of the latitude of Black Point to a line of bearing extending 106° from Arch Point and including those waters near Bluff Point and Long Beach. |
| SP-16 | 6:15 PM 8/1/06 | 8:00 AM 8/3/06 | <u>Allows</u> a 37-hour commercial salmon fishing period from 8:00 AM Thursday, August 3 until 9:00 PM Friday, August 4 in the Shumagin Islands Section. |
| SP-17 | 5:15 PM 8/2/06 | 8:00 AM 8/3/06 | <u>Allows</u> a 37-hour commercial salmon fishing period from 8:00 AM Thursday, August 3 until 9:00 PM Friday, August 4 in the Beaver Bay, Mino Creek-Little Coal Bay, and Canoe Bay Sections, and the East and west Pavlof Bay Sections south of Black Point. |
| CB-22 | 7:30 PM 8/02/06 | 8:00 AM 8/03/06 | <u>Allows</u> a 37-hour commercial salmon fishing period from 8:00 AM Thursday, August 3 until 9:00 PM Friday August 4 in the Deer Island Section. |
| SP-18 | 6:00 PM 8/3/06 | 6:00 AM 8/6/06 | <u>Allows</u> a 60-hour commercial salmon fishing period from 6:00 AM Sunday, August 6 until 6:00 PM Tuesday, August 8 in the Aleutian Islands Area. |
| SP-19 | 11:30 AM 8/4/06 | 9:00 PM 8/4/06 | <u>Extends</u> the current commercial salmon fishing period in the Shumagin Islands, Beaver Bay, Mino Creek-Little Coal Bay, and Canoe Bay Sections, and the East and west Pavlof Bay Sections south of Black Point for 48-hours from 9:00 PM Friday, August 4 until 9:00 PM Sunday, August 6. |

-continued-

Appendix A16.-Page 4 of 7.

| E.O.# | Issued | Effective | Action Taken |
|-------|---------------------|--------------------|--|
| CB-24 | 11:30 AM 8/04/06 | 9:00 PM 8/04/06 | <u>Extends</u> the current commercial salmon fishing period for 48 hours from 9:00 PM Friday, August 4, 2006 until 9:00 PM Sunday, August 6 in the Deer Island Section. <u>Allows</u> a 37-hour commercial salmon fishing period from 8:00 AM Saturday, August 5 until 9:00 PM Sunday August 6 in the Otter Cove Section, the Sanak Island Section, the Ikatan Bay Section, and that portion of the Volcano Bay Section southeast of a line between Moss Cape and Arch Point. |
| SP-20 | 5:30 PM 8/4/06 | 8:00 AM 8/5/06 | <u>Allows</u> a 37-hour commercial salmon fishing period from 8:00 AM Saturday, August 5 until 9:00 PM Sunday, August 6 in the Balboa Bay, Southwest Stepovak and East Stepovak Sections. |
| SP-21 | 6:00 PM 8/7/06 | 8:00 AM 8/8/06 | <u>Allows</u> a 61-hour commercial salmon fishing period from 8:00 AM Tuesday, August 8 until 9:00 PM Thursday, August 10 in the Shumagin Islands, Beaver Bay, Balboa Bay, Southwest Stepovak, East Stepovak, Mino Creek-Little Coal Bay, and Canoe Bay Sections and the East and West Pavlof Bay Sections south of Black Point. |
| CB-26 | 11:00 AM 8/08/06 | 8:00 AM 8/09/06 | <u>Allows</u> a 37-hour commercial salmon fishing period from 8:00 AM Wednesday, August 9 until 9:00 PM Thursday August 10 in the Unimak District, the Southwestern District, and the Volcano Bay Section. |
| SP-22 | 12:00 PM 8/8/06 | 6:00 PM 8/8/06 | <u>Extends</u> the current commercial salmon fishing period in the Aleutian Islands Area for 48-hours from 6:00 PM Tuesday, August 8 until 6:00 PM Thursday, August 10. <u>Increases</u> the waters closed to commercial salmon fishing to those waters of Unalaska Bay south of a line from Priest Rock to Cape Cheerful. |
| SP-23 | 10:00 AM 8/10/06 | 9:00 PM 8/10/06 | <u>Allows</u> a 48-hour commercial salmon fishing period from 9:00 PM Thursday, August 10 until 9:00 PM Saturday, August 12 in the Northwest Stepovak Section excluding Orzinski Bay, and the East and West Pavlof Bay Sections north of Black Point. <u>Extends</u> the current commercial fishing period in the Southeastern, South Central, Unimak, and Southwestern districts excluding the Thin Point Section for 48-hours from 9:00 PM Thursday, August 10 until 9:00 PM Saturday, August 12. |
| SP-24 | 3:00 PM 8/10/06 | 6:00 PM 8/10/06 | <u>Extends</u> the current commercial salmon fishing period in the Aleutian Islands Area for 48-hours from 6:00 PM Thursday, August 10 until 6:00 PM Saturday, August 12. |
| SP-25 | 11:00 AM 8/12/06 | 6:00 PM 8/12/06 | <u>Extends</u> the current commercial salmon fishing period in the Aleutian Islands Area for 48-hours from 6:00 PM Saturday, August 12 until 6:00 PM Monday, August 14. <u>Redefines</u> the waters closed to commercial salmon fishing to those waters of Makushin Bay east of a line from Tarasof Point to 53° 45.23' N. lat., 166° 53.63' W. long. and the waters of Nateekin Bay southwest of a line from 53° 53.55' N. lat., 166° 37.24' N. long. to 53° 53.00' N. lat., 166° 35.90' W. long. |

-continued-

Appendix A16.-Page 5 of 7.

| E.O.# | Issued | Effective | Action Taken |
|-------|---------------------|---------------------|--|
| SP-26 | 1:00 PM 8/12/06 | 9:00 PM 8/12/06 | <u>Extends</u> the current commercial salmon fishing period in the Southeastern, South Central, Unimak, and Southwestern districts excluding the Thin Point and Morzhovoi Bay Sections for 48-hours from 9:00 PM Saturday, August 12 until 9:00 PM Monday, August 14. |
| SP-27 | 2:00 PM 8/14/06 | 9:00 PM 8/14/06 | <u>Extends</u> the current commercial salmon fishing period in the Southeastern, South Central, Unimak, and Southwestern districts for 96-hours from 9:00 PM Monday, August 14 until 9:00 PM Friday, August 18. <u>Increases</u> the waters closed to commercial salmon fishing to those waters of Volcano Bay northwest of a line from Moss Cape to Arch Point. |
| SP-28 | 3:00 PM 8/14/06 | 6:00 PM 8/14/06 | <u>Extends</u> the current commercial salmon fishing period in the Aleutian Islands Area for 96-hours from 6:00 PM Monday, August 14 until 6:00 PM Friday, August 18. <u>Reduces</u> the waters closed to commercial salmon fishing to include only those waters of the Pribilof Islands District and Iliuliuk Harbor. |
| CB-28 | 12:00 PM 8/15/06 | 12:00 PM 8/15/06 | <u>Increases</u> the number of salmon that may be taken in Motenesen's Lagoon with a permit by subsistence fishermen from 50 to 100 fish. |
| SP-29 | 8:00 AM 8/18/06 | 6:00 PM 8/18/06 | <u>Extends</u> the current commercial salmon fishing period in the Aleutian Islands Area for 96-hours from 6:00 PM Friday, August 18 until 6:00 PM Tuesday, August 22. |
| SP-30 | 8:00 AM 8/18/06 | 9:00 PM 8/18/06 | <u>Extends</u> the current commercial salmon fishing period in the Southeastern, South Central, Southwestern, and Unimak districts for 96-hours from 9:00 PM Friday, August 18 until 9:00 PM Tuesday, August 22. |
| CB-32 | 11:00 AM 8/22/06 | 9:00 PM 8/22/06 | <u>Extends</u> the current commercial salmon fishing period for 96 hours until 9:00 PM Saturday August 26 in the Unimak District, portions of the Southwestern District, and the South Central District. Excluded portions of the Southwestern District include the Thin Point and Morzhovoi Bay Sections, the waters of Volcano Bay northwest of a line from Moss Cape to Arch Point, and the waters of Lenard Harbor in the Cold Bay Section east of a line between Kelp Point and a point located at 55° 09.41' N. lat., 162° 28.50' W. long. |
| SP-31 | 8:00 AM 8/22/06 | 6:00 PM 8/22/06 | <u>Extends</u> the current commercial salmon fishing period in the Aleutian Islands Area for 48 hours from 6:00 PM Tuesday, August 22 until 6:00 PM Thursday, August 24. |
| SP-32 | 9:00 AM 8/22/06 | 9:00 PM 8/22/06 | <u>Extends</u> the current commercial salmon fishing period in the Southeastern District for 24 hours from 9:00 PM Tuesday, August 22 until 9:00 PM Wednesday, August 23. |

-continued-

Appendix A16.-Page 6 of 7.

| E.O.# | Issued | Effective | Action Taken |
|-------|---------------------|--------------------|---|
| CB-34 | 6:00 PM 8/23/06 | 8:00 AM 8/24/06 | <u>Allows</u> a 61-hour commercial salmon fishing period from 8:00 AM Thursday, August 23 until 9:00 PM Saturday, August 26 in portions of the Southwestern District. Waters excluded from this fishing period include: the waters of the Thin Point Section west of 162° 43.00' W. long., the waters of the Morzhovoi Bay Section south of 55° 03.00' N. lat., and the waters of the Volcano Bay Section northwest of a line from Moss Cape to Arch Point. |
| CB-35 | 4:00 PM 8/26/06 | 9:00 PM 8/26/06 | <u>Extends</u> the current commercial salmon fishing period for 120 hours from 9:00 pm Saturday, August 26 until 9:00 pm Thursday, August 31 in the Unimak District, the South Central District, and portions of the Southwestern District. Southwestern District waters excluded from this fishing period include those waters in Thin Point Cove east of 162° 43.00' W. long., the waters of the Morzhovoi Bay Section north of 55° 03.00' N. lat., and the waters of Lenard Harbor in the Cold Bay Section east of a line between Kelp Point and a point located at 55° 09.41' N. lat., 162° 28.50' W. long. |
| SP-33 | 12:00 PM 8/29/06 | 9:00 AM 9/1/06 | <u>Allows</u> an 83-hour commercial salmon fishing period from 9:00 AM Friday, September 1 until 8:00 PM Monday, September 4 in the Southeastern District with the exception of Orzinski Bay. |
| CB-36 | 9:00 AM 8/31/06 | 9:00 AM 9/01/06 | <u>Allows</u> a 59-hour commercial salmon fishing period from 9:00 AM Friday, September 1 until 8:00 PM Saturday, September 3 in the Unimak District, the South Central District, and the Southwestern District excluding the portion of the Volcano Bay Section northwest of a line between Moss Cape and Arch Point, and the waters of Lenard Harbor in the Cold Bay Section south of 55° 07.47' N. lat. <u>Reduces</u> the closed waters of Thin Point Cove to include Thin Point Lagoon and those waters within 1,000 yards of the Thin Point Lagoon outlet channel terminus and those waters within 500 yards of the other salmon stream emptying into Thin Point Cove, beginning at 9:00 AM September 1. |
| CB-38 | 1:00 PM 9/03/006 | 8:00 PM 9/03/06 | <u>Extends</u> the current commercial salmon fishing period 24 hours until 8:00 PM Monday September 4 in the Unimak District, the South Central District, and the Southwestern District excluding the portion of the Volcano Bay Section northwest of a line between Moss Cape and Arch Point, and the waters of Lenard Harbor in the Cold Bay Section south of 55° 07.47' N. lat. |
| SP-34 | 10:00 AM 9/4/06 | 8:00 PM 9/4/06 | <u>Extends</u> the current commercial salmon fishing period in the Southeastern District for 72 hours from 8:00 PM Monday, September 4 until 8:00 PM Thursday, September 7. |

-continued-

Appendix A16.-Page 7 of 7.

| E.O.# | Issued | Effective | Action Taken |
|-------|---------------------|--------------------|---|
| CB-39 | 5:00 PM 9/05/06 | 8:00 AM 9/06/06 | <u>Allows</u> a 36-hour commercial salmon fishing period from 8:00 AM Wednesday, September 6 until 8:00 PM Thursday, September 7 in the South Central District, and the Southwestern District excluding the waters of Lenard Harbor in the Cold Bay Section east of 162° 28.00' W. long., and the waters of the Thin Point Section north and west of a line from the tip of Thin Point westward to a point on the shore at 54° 57.58' N. lat., 162° 42.40' W. long. |
| SP-35 | 10:00 AM 9/9/06 | 9:00 AM 9/11/06 | <u>Allows</u> a 59-hour commercial salmon fishing period from 9:00 AM Monday, September 11 until 8:00 PM Wednesday, September 13 in the Southeastern District with the exception of Orzinski Bay. |
| CB-42 | 11:00 AM 9/10/06 | 9:00 AM 9/11/06 | <u>Allows</u> a 36-hour commercial salmon fishing period from 8:00 AM Wednesday, September 6 until 8:00 PM Thursday, September 7 in the South Central District, and the Southwestern District excluding the waters of Lenard Harbor in the Cold Bay Section east of 162° 28.00' W. long. |
| SP-36 | 10:00 AM 9/15/06 | 9:00 AM 9/18/06 | <u>Allows</u> a 59-hour commercial salmon fishing period from 9:00 AM Monday, September 18 until 8:00 PM Wednesday, September 20 in the Southeastern District with the exception of Orzinski Bay. |
| SP-37 | 9:30 AM 9/20/06 | 8:00 PM 9/20/06 | <u>Extends</u> the current commercial salmon fishing period in the Southeastern District for 48 hours from 8:00 PM Wednesday, September 20 until 8:00 PM Friday, September 22. |
| SP-38 | 11:00 AM 9/23/06 | 9:00 AM 9/25/06 | <u>Allows</u> a 35-hour commercial salmon fishing period from 9:00 AM Monday, September 25 until 8:00 PM Tuesday, September 26 in the Southeastern District with the exception of Orzinski Bay. |

**APPENDIX B. SOUTH UNIMAK AND SHUMAGIN ISLANDS JUNE
FISHERIES**

Appendix B1.-South Unimak and Shumagin Islands June commercial sockeye and chum salmon harvest, all gear combined, by year, 1911-2006.

| Year | Sockeye ^a | | | Chum ^{ab} | | |
|-----------|----------------------|------------------|-----------|--------------------|------------------|-------|
| | South Unimak | Shumagin Islands | Total | South Unimak | Shumagin Islands | Total |
| 1911 | 58,000 | 3,000 | 61,000 | | | |
| 1912 | 144,000 | 31,000 | 175,000 | | | |
| 1913 | 415,000 | 0 | 415,000 | | | |
| 1914 | 610,000 | 0 | 610,000 | | | |
| 1915 | 251,000 | 0 | 251,000 | | | |
| 1916 | 539,000 | 0 | 539,000 | | | |
| 1917 | 1,322,000 | 34,000 | 1,356,000 | | | |
| 1918 | 733,000 | 44,000 | 777,000 | | | |
| 1919 | 545,000 | 32,000 | 577,000 | | | |
| 1920 | 954,000 | 60,000 | 1,014,000 | | | |
| 1921 | 831,000 | 0 | 831,000 | | | |
| 1922 | 2,775,000 | 550,000 | 3,325,000 | | | |
| 1923 | 1,340,000 | 343,000 | 1,683,000 | | | |
| 1924 | 971,000 | 237,000 | 1,208,000 | | | |
| 1925 | 357,000 | 374,000 | 731,000 | | | |
| 1926 | 1,898,000 | 491,000 | 2,389,000 | | | |
| 1927 | 455,000 | 185,000 | 640,000 | | | |
| 1928-1933 | Unavailable | | | | | |
| 1934 | 516,000 | 1,019,000 | 1,535,000 | | | |
| 1935 | 210,000 | 549,000 | 759,000 | | | |
| 1936 | 1,531,000 | 1,490,000 | 3,021,000 | | | |
| 1937 | 803,000 | 498,000 | 1,301,000 | | | |
| 1938 | 164,000 | 454,000 | 618,000 | | | |
| 1939 | 474,000 | 707,000 | 1,181,000 | | | |
| 1940 | 479,000 | 713,000 | 1,192,000 | | | |
| 1941 | 206,000 | 294,000 | 496,000 | | | |
| 1942 | 152,000 | 412,000 | 564,000 | | | |
| 1943 | 428,000 | 1,356,000 | 1,784,000 | | | |
| 1944 | 188,000 | 264,000 | 452,000 | | | |
| 1945 | 218,000 | 375,000 | 593,000 | | | |
| 1946 | 342,000 | 257,000 | 599,000 | | | |
| 1947 | 782,000 | 229,000 | 1,011,000 | | | |
| 1948 | 276,000 | 126,000 | 402,000 | | | |
| 1949 | 84,000 | 167,000 | 251,000 | | | |
| 1950 | 292,000 | 134,000 | 426,000 | | | |
| 1951 | 82,000 | 35,000 | 117,000 | | | |
| 1952 | 191,000 | 121,000 | 312,000 | | | |
| 1953 | 191,000 | 105,000 | 296,000 | | | |
| 1954 | 325,000 | 49,000 | 374,000 | | | |
| 1955 | 315,000 | 52,000 | 367,000 | | | |
| 1956 | 290,000 | 47,000 | 337,000 | | | |
| 1957 | 50,000 | 44,000 | 94,000 | | | |
| 1958 | 104,000 | 28,000 | 132,000 | | | |
| 1959 | 58,000 | 78,000 | 136,000 | | | |

-continued-

Appendix B1.-Page 2 of 3.

| Year | Sockeye ^a | | | Chum ^a | | |
|------|--|---------------------|-----------|-------------------|---------------------|-----------|
| | South Unimak | Shumagin Islands | Total | South Unimak | Shumagin Islands | Total |
| 1960 | 137,000 | 19,000 | 156,000 | 84,000 | 11,000 | 95,000 |
| 1961 | 199,000 | 55,000 | 254,000 | 157,000 | 36,000 | 193,000 |
| 1962 | 272,000 | 54,000 | 326,000 | 209,000 | 61,000 | 270,000 |
| 1963 | 116,000 | 33,000 | 149,000 | 36,000 | 36,000 | 72,000 |
| 1964 | 159,000 | 85,000 | 244,000 | 161,000 | 67,000 | 228,000 |
| 1965 | 568,000 | 207,000 | 775,000 | 121,000 | 45,000 | 166,000 |
| 1966 | 528,000 | 54,000 | 582,000 | 215,000 | 17,000 | 232,000 |
| 1967 | 186,000 | 69,000 | 255,000 | 73,000 | 51,000 | 124,000 |
| 1968 | 342,000 | 233,000 | 575,000 | 115,000 | 51,000 | 166,000 |
| 1969 | 781,000 | 76,000 | 857,000 | 254,000 | 13,000 | 267,000 |
| 1970 | 1,510,373 | 139,735 | 1,650,108 | 391,568 | 44,909 | 436,477 |
| 1971 | 422,760 | 39,341 | 462,101 | 405,311 | 103,886 | 509,197 |
| 1972 | 426,799 | 74,398 | 501,197 | 411,000 | 107,810 | 518,810 |
| 1973 | 222,124 | 22,964 | 245,088 | 177,720 | 22,910 | 200,630 |
| 1974 | Fishery closed due to anticipated poor sockeye salmon returns to Bristol Bay | | | | | |
| 1975 | 190,774 | 49,325 | 240,099 | 65,279 | 35,543 | 100,822 |
| 1976 | 231,568 | 72,016 | 303,584 | 336,161 | 74,109 | 410,270 |
| 1977 | 194,807 | 45,912 | 240,719 | 94,097 | 21,899 | 115,996 |
| 1978 | 418,935 | 67,876 | 486,811 | 103,413 | 18,479 | 121,892 |
| 1979 | 672,212 | 179,139 | 851,351 | 63,150 | 40,953 | 104,103 |
| 1980 | 2,731,148 | 475,127 | 3,206,275 | 458,499 | 50,366 | 508,865 |
| 1981 | 1,470,393 | 350,572 | 1,820,965 | 509,876 | 54,071 | 563,947 |
| 1982 | 1,668,153 | 450,548 | 2,118,701 | 933,728 | 161,316 | 1,095,044 |
| 1983 | 1,545,075 | 416,494 | 1,961,569 | 616,354 | 169,277 | 785,631 |
| 1984 | 1,131,365 | 256,838 | 1,388,203 | 227,913 | 109,207 | 337,120 |
| 1985 | 1,454,969 | 336,431 | 1,791,400 | 324,825 | 109,004 | 433,829 |
| 1986 | 315,370 | 156,027 | 471,397 | 252,721 | 99,048 | 351,769 |
| 1987 | 652,397 | 140,567 | 792,964 | 405,955 | 37,064 | 443,019 |
| 1988 | 474,457 | 282,230 | 756,687 | 464,765 | 61,946 | 526,711 |
| 1989 | 1,347,547 | 396,958 | 1,744,505 | 407,635 | 47,528 | 455,163 |
| 1990 | 1,088,944 | 255,585 | 1,344,529 | 455,044 | 63,501 | 518,545 |
| 1991 | 1,215,658 | 333,272 | 1,548,930 | 670,103 | 102,602 | 772,705 |
| 1992 | 2,046,022 | 411,834 | 2,457,856 | 323,891 | 102,312 | 426,203 |
| 1993 | 2,366,573 | 607,171 | 2,973,744 | 381,941 | 150,306 | 532,247 |
| 1994 | 1,001,250 | 460,013 | 1,461,263 | 374,409 | 207,756 | 582,165 |
| 1995 | 1,451,490 | 653,831 | 2,105,321 | 342,307 | 195,126 | 537,433 |
| 1996 | 572,495 | 456,475 | 1,028,970 | 129,889 | 229,931 | 359,820 |
| 1997 | 1,179,179 | 449,002 | 1,628,181 | 196,016 | 126,309 | 322,325 |
| 1998 | 974,628 | 314,097 | 1,288,725 | 195,454 | 50,165 | 245,619 |
| 1999 | 1,106,208 | 269,191 | 1,375,399 | 186,886 | 58,420 | 245,306 |
| 2000 | 892,016 | 359,212 | 1,251,228 | 168,888 | 70,469 | 239,357 |
| 2001 | 121,547 | 29,085 | 150,632 | 36,099 | 12,251 | 48,350 |
| 2002 | 356,157 | 234,949 | 591,106 | 201,211 | 177,606 | 378,817 |

-continued-

Appendix B1.-Page 3 of 3.

| Year | Sockeye ^a | | | Chum ^a | | |
|-------------------|----------------------|------------------|-----------|-------------------|------------------|---------|
| | South Unimak | Shumagin Islands | Total | South Unimak | Shumagin Islands | Total |
| 2003 | 335,903 | 117,244 | 453,147 | 121,169 | 161,269 | 282,438 |
| 2004 | 531,955 | 816,118 | 1,348,073 | 130,626 | 351,683 | 482,309 |
| 2005 | 437,443 | 566,952 | 1,004,395 | 143,799 | 284,031 | 427,830 |
| 2006 | 491,053 | 441,238 | 932,291 | 96,016 | 203,811 | 299,827 |
| 1986-2005 Average | 923,362 | 365,491 | 1,288,853 | 279,440 | 129,466 | 408,907 |
| 1996-2005 Average | 650,753 | 361,233 | 1,011,986 | 151,004 | 152,213 | 303,217 |

^a Does not include test fish harvests.

^b Chum salmon harvest data from 1911-1959 are unavailable.

Appendix B2.-History of regulations for the South Unimak and Shumagin Islands June commercial salmon fisheries, 1962-2006.

| Year | South Unimak | Shumagin Islands | | | | | | | | | | | | | | | | | | | | |
|--------------------------|---|--|--------------------------|-----------------|--|--------------|------------------|-------------|----|----|--------------|-----|-----|--------------|-----|-----|--------------|------------|------------|--|------|------|
| 1962-1966 | 5 days per week | 5 days per week | | | | | | | | | | | | | | | | | | | | |
| 1967-1970 | 7 days per week | 7 days per week | | | | | | | | | | | | | | | | | | | | |
| 1971-1972 | 6:00 am Monday - 6:00 am Saturday | 6 days per week | | | | | | | | | | | | | | | | | | | | |
| 1973 | Four 13-hour fishing periods per week ^a | Four 13-hour fishing periods per week ^a | | | | | | | | | | | | | | | | | | | | |
| 1974 | No fishery | No fishery | | | | | | | | | | | | | | | | | | | | |
| 1975-1983 | 6.8% of the predicted Bristol Bay inshore sockeye salmon harvest ^b | 1.5% of the predicted Bristol Bay inshore sockeye salmon harvest ^b | | | | | | | | | | | | | | | | | | | | |
| 1984-1989 | No more than 96 hours per 7-day period and no more than 72 hours of consecutive fishing time in each fishery (windows). | | | | | | | | | | | | | | | | | | | | | |
| 1986 | 6.8% allocation minus the June 26-30 segment ^b Windows No fishing before June 11 | 1.5% allocation minus the June 26-30 segment ^b Windows No fishing before June 11 | | | | | | | | | | | | | | | | | | | | |
| | A 400,000 chum salmon ceiling placed on both fisheries combined. | | | | | | | | | | | | | | | | | | | | | |
| 1987 | Same as during 1984-85 for both fisheries ^b | | | | | | | | | | | | | | | | | | | | | |
| 1988-1989 | 6.8% of the predicted Bristol Bay inshore sockeye salmon harvest ^b | 1.5% of the predicted Bristol Bay inshore sockeye salmon harvest ^b | | | | | | | | | | | | | | | | | | | | |
| | <table border="1"> <thead> <tr> <th rowspan="2">Harvest Windows Dates</th> <th colspan="2">Harvest Windows</th> </tr> <tr> <th>South Unimak</th> <th>Shumagin Islands</th> </tr> </thead> <tbody> <tr> <td>June 1 - 11</td> <td>5%</td> <td>9%</td> </tr> <tr> <td>June 12 - 18</td> <td>29%</td> <td>28%</td> </tr> <tr> <td>June 19 - 25</td> <td>51%</td> <td>41%</td> </tr> <tr> <td>June 26 - 30</td> <td><u>15%</u></td> <td><u>22%</u></td> </tr> <tr> <td></td> <td>100%</td> <td>100%</td> </tr> </tbody> </table> | | Harvest Windows Dates | Harvest Windows | | South Unimak | Shumagin Islands | June 1 - 11 | 5% | 9% | June 12 - 18 | 29% | 28% | June 19 - 25 | 51% | 41% | June 26 - 30 | <u>15%</u> | <u>22%</u> | | 100% | 100% |
| Harvest Windows Dates | Harvest Windows | | | | | | | | | | | | | | | | | | | | | |
| | South Unimak | Shumagin Islands | | | | | | | | | | | | | | | | | | | | |
| June 1 - 11 | 5% | 9% | | | | | | | | | | | | | | | | | | | | |
| June 12 - 18 | 29% | 28% | | | | | | | | | | | | | | | | | | | | |
| June 19 - 25 | 51% | 41% | | | | | | | | | | | | | | | | | | | | |
| June 26 - 30 | <u>15%</u> | <u>22%</u> | | | | | | | | | | | | | | | | | | | | |
| | 100% | 100% | | | | | | | | | | | | | | | | | | | | |
| | A 500,000 chum salmon ceiling placed on both fisheries combined. | | | | | | | | | | | | | | | | | | | | | |
| 1990-1991 | The chum salmon ceiling was increased from 500,000 to 600,000 fish. | | | | | | | | | | | | | | | | | | | | | |
| | The "Window Regulations" implemented in 1984 to limit the amount of fishing time that could be allowed were repealed. | | | | | | | | | | | | | | | | | | | | | |

-continued-

Dates

| | | | | | | | |
|----------------------|---|------------|-----|------------|-----|------------|-----|
| 1990-1991 (cont.) | <p>The season was delayed until June 13 and the time period sockeye allocations for both fisheries were changed as follows:</p> <table><tr><td>June 13-18</td><td>35%</td></tr><tr><td>June 19-25</td><td>45%</td></tr><tr><td>June 26-30</td><td>20%</td></tr></table> <p>The gear depth for seines was limited to 375 meshes of which mesh size may not exceed 3-1/2 inches except for the first 25 meshes above the lead line which may not exceed 7 inches.</p> <p>The gear depth on gillnets along the South Peninsula was limited to no more than 90 meshes.</p> <p>Seine leads may not exceed 150 fathoms for the entire Alaska Peninsula.</p> | June 13-18 | 35% | June 19-25 | 45% | June 26-30 | 20% |
| June 13-18 | 35% | | | | | | |
| June 19-25 | 45% | | | | | | |
| June 26-30 | 20% | | | | | | |
| 1992-1993 | <p>The chum salmon ceiling was increased from 600,000 to 700,000 fish. Fishing time for set gillnet gear could not be less than 16 hours unless a 16 hour period would result in a harvest that exceeded the cap for chum salmon. The other regulations were the same as in effect for 1990 and 1991.</p> | | | | | | |
| 1994 | <p>Sockeye salmon time period allocations eliminated. ADF&G given flexibility to open fishery prior to June 13 if sockeye to chum salmon ratios are favorable.</p> | | | | | | |
| 1995-1997 | <p>The Board of Fisheries stated its intent that limiting chum salmon harvest to 700,000 or less supersedes attempts to reach the sockeye guideline harvest levels.</p> <p>The amount of fishing time allowed for seine and drift gillnet gear after June 24 is limited if the sockeye to chum salmon harvest ratio is two to one or less.</p> <p>The fisheries could not be extended into July regardless of weather during late June.</p> <p>Fishery cannot begin prior to June 11.</p> <p>Removed mesh size requirements for gillnets.</p> | | | | | | |
| 1998-2000 | <p>The chum salmon ceiling was lowered from 700,000 to a GHK (floating cap) that can range between 350,000 and 650,000 based on the prior year's AYK chum salmon harvests.</p> <p>A commercial fishery for all gear types may open on June 10 if sockeye to chum salmon ratios are favorable.</p> <p>In South Unimak District the shoreward end of set gillnet must be within one half mile of shore.</p> <p>All salmon caught must be retained and reported.</p> <p>Use of aircraft to locate salmon prohibited for the entire Alaska Peninsula for the entire season.</p> | | | | | | |


-continued-

Dates

| | |
|-----------|--|
| 2001-2003 | <p>Eliminated the sockeye salmon guideline harvest levels.</p> <p>Eliminated the chum salmon guideline harvest levels.</p> <p>Limited fishing time to no more than 16 hours per day by any gear group.</p> <p>Limited total fishing time by seine and drift gillnet gear to no more than 48 hours in a floating seven day period with no more than two 16-hour periods on consecutive days in any seven day period.</p> <p>From June 10-24 in the South Unimak and/or Shumagin Islands fisheries, set gillnet gear may fish on consecutive days for 16-hour periods if their sockeye to chum salmon harvest ratios are equal to or greater than the recent 10-year average for that fishery. If the set gillnet sockeye to chum salmon harvest ratio falls below the recent 10-year average in either fishery, that fishery will be closed for one period. From June 10-24, daily fishing periods for set gillnet gear will be from 6:00 am until 10:00 pm</p> <p>Purse seine and drift gillnet fishing periods through June 24 will occur at the same time in the South Unimak and Shumagin Islands fisheries.</p> <p>After June 24, in either the South Unimak or Shumagin Islands fishery if the harvest ratio of sockeye to chum salmon by all gear combined is two to one or less on any day, the next fishing period shall be of six hours duration for all gear in that fishery. If the sockeye to chum salmon harvest ratio is two to one or greater, a six-hour fishing period can be extended to a maximum of 16 hours. The South Unimak or Shumagin Islands fishery shall close for all gear groups if the harvest ratio of sockeye to chum salmon is two to one or less for two consecutive fishing periods.</p> |
| 2004-2006 | <p>Fishery to begin at 6:00 am on June 7. Fishing periods are 88 hours in length separated by 32-hour closures. The fishery closes at 10:00 pm on June 29. Last period is 64 hours long. Concurrent fishing time for all gear types.</p> <p>Area open to fishing expanded to include the entire Unimak and Southwestern districts, East and West Pavlof Bay, Bechevin Bay, and Shumagin Islands Sections.</p> <p>Eliminated all sockeye to chum salmon harvest ratio requirements.</p> |

^a Both fisheries were closed by emergency order during June 25-28 due to indications of the Bristol Bay run being below escapement requirements.

^b Each sockeye allocation is divided into time period guideline harvest levels (harvest windows).



Appendix B3.-Map of the South Unimak and Shumagin Islands June fisheries with areas open to fishing defined.

Appendix B4.-South Unimak and Shumagin Islands June fisheries commercial salmon harvest, all gear combined, by species and year, 1970-2006.

| Year | Permits | Landings | Number of Salmon ^a | | | | | Total |
|-------------------|---------|----------|-------------------------------|-----------|--------|-----------|-----------|-----------|
| | | | Chinook | Sockeye | Coho | Pink | Chum | |
| 1970 | 202 | 2,923 | 1,016 | 1,650,108 | 48 | 103,053 | 436,477 | 2,190,702 |
| 1971 | 166 | 1,986 | 828 | 462,101 | 1 | 19,240 | 509,197 | 991,367 |
| 1972 | 184 | 2,098 | 642 | 501,197 | 20 | 17,924 | 518,810 | 1,038,593 |
| 1973 | 141 | 1,042 | 247 | 245,088 | 28 | 19,430 | 200,630 | 465,423 |
| 1974 ^b | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1975 | 108 | 510 | 117 | 240,099 | 1 | 5,247 | 100,822 | 346,286 |
| 1976 | 145 | 1,385 | 2,132 | 303,584 | 3 | 23,824 | 410,270 | 739,813 |
| 1977 | 130 | 817 | 521 | 240,719 | 0 | 5,398 | 115,996 | 362,634 |
| 1978 | 159 | 1,569 | 534 | 486,811 | 3 | 89,942 | 121,892 | 699,182 |
| 1979 | 196 | 1,695 | 1,050 | 851,351 | 290 | 154,813 | 104,103 | 1,111,607 |
| 1980 | 225 | 2,044 | 3,193 | 3,206,275 | 853 | 1,526,306 | 508,865 | 5,245,492 |
| 1981 | 243 | 2,400 | 5,672 | 1,820,965 | 320 | 451,250 | 563,947 | 2,842,154 |
| 1982 | 251 | 2,612 | 7,131 | 2,118,701 | 1,241 | 1,718,825 | 1,095,044 | 4,940,942 |
| 1983 | 281 | 1,721 | 13,456 | 1,961,569 | 4 | 55,875 | 785,631 | 2,816,535 |
| 1984 | 280 | 1,117 | 3,854 | 1,388,203 | 14 | 919,876 | 337,120 | 2,649,067 |
| 1985 | 305 | 2,120 | 5,777 | 1,791,400 | 2,468 | 106,615 | 433,829 | 2,340,089 |
| 1986 | 298 | 1,486 | 1,895 | 471,397 | 2 | 291,989 | 351,769 | 1,117,052 |
| 1987 | 290 | 2,019 | 5,163 | 792,964 | 380 | 16,982 | 443,019 | 1,258,508 |
| 1988 | 301 | 1,777 | 4,064 | 756,687 | 255 | 180,224 | 526,711 | 1,467,941 |
| 1989 | 305 | 1,350 | 2,758 | 1,744,505 | 0 | 199,235 | 455,163 | 2,401,661 |
| 1990 | 320 | 2,718 | 10,332 | 1,344,529 | 1 | 515,047 | 518,545 | 2,388,454 |
| 1991 | 334 | 2,025 | 4,473 | 1,548,930 | 12 | 619,137 | 772,705 | 2,945,257 |
| 1992 | 321 | 1,925 | 3,760 | 2,457,856 | 4 | 642,090 | 426,203 | 3,529,913 |
| 1993 | 327 | 2,262 | 9,466 | 2,973,744 | 1,233 | 81,136 | 532,247 | 3,597,826 |
| 1994 | 324 | 2,751 | 7,590 | 1,461,263 | 1,579 | 2,492,514 | 582,165 | 4,545,111 |
| 1995 | 332 | 3,635 | 14,747 | 2,105,321 | 6,042 | 178,635 | 537,433 | 2,842,178 |
| 1996 | 313 | 2,676 | 2,845 | 1,028,970 | 13,219 | 377,684 | 359,820 | 1,782,538 |
| 1997 | 292 | 3,174 | 5,811 | 1,628,181 | 560 | 605,937 | 322,325 | 2,562,814 |
| 1998 | 283 | 3,657 | 2,696 | 1,288,725 | 476 | 474,340 | 245,619 | 2,011,856 |
| 1999 | 277 | 2,114 | 3,051 | 1,375,399 | 2 | 30,539 | 245,306 | 1,654,297 |
| 2000 | 278 | 3,001 | 2,849 | 1,251,228 | 304 | 360,029 | 239,357 | 1,853,767 |
| 2001 | 128 | 270 | 345 | 150,632 | 2 | 39,251 | 48,350 | 238,580 |
| 2002 | 181 | 1,301 | 2,443 | 591,106 | 4 | 76,251 | 378,817 | 1,048,621 |
| 2003 | 177 | 1,170 | 1,323 | 453,147 | 153 | 217,900 | 282,438 | 954,961 |
| 2004 | 190 | 2,260 | 4,423 | 1,348,073 | 621 | 359,916 | 482,309 | 2,195,342 |
| 2005 | 190 | 2,344 | 3,055 | 1,004,395 | 1,919 | 1,654,959 | 427,830 | 3,092,158 |
| 2006 | 188 | 2,412 | 4,497 | 932,291 | 2,629 | 1,332,319 | 299,827 | 2,571,563 |
| 1986-2005 Average | 273 | 2,196 | 4,654 | 1,288,853 | 1,338 | 470,690 | 408,907 | 2,174,442 |
| 1996-2005 Average | 231 | 2,197 | 2,884 | 1,011,986 | 1,726 | 419,681 | 303,217 | 1,739,493 |

^a Does not include test fish harvests.

^b The South Unimak and Shumagin Islands fisheries were closed in 1974 due to an anticipated weak Bristol Bay run.

Appendix B5.-South Unimak June commercial salmon harvest, all gear combined, by species and year, 1970-2006.

| Year | Permits | Landings | Number of Salmon ^a | | | | | Total |
|-------------------|---------|----------|-------------------------------|-----------|--------|-----------|---------|-----------|
| | | | Chinook | Sockeye | Coho | Pink | Chum | |
| 1970 | 176 | 2,624 | 868 | 1,510,373 | 46 | 83,325 | 391,568 | 1,986,180 |
| 1971 | 147 | 1,685 | 549 | 422,760 | 0 | 11,608 | 405,311 | 840,228 |
| 1972 | 165 | 1,771 | 400 | 426,799 | 4 | 11,906 | 411,000 | 850,109 |
| 1973 | 132 | 922 | 145 | 222,124 | 11 | 11,152 | 177,720 | 411,152 |
| 1974 ^b | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1975 | 98 | 445 | 101 | 190,774 | 1 | 3,205 | 65,279 | 259,360 |
| 1976 | 131 | 1,184 | 1,827 | 231,568 | 3 | 18,181 | 336,161 | 587,740 |
| 1977 | 118 | 740 | 393 | 194,807 | 0 | 3,397 | 94,097 | 292,694 |
| 1978 | 140 | 1,337 | 267 | 418,935 | 3 | 47,380 | 103,413 | 569,998 |
| 1979 | 156 | 1,303 | 575 | 672,212 | 38 | 49,000 | 63,150 | 784,975 |
| 1980 | 188 | 1,666 | 2,927 | 2,731,148 | 853 | 1,140,611 | 458,499 | 4,334,038 |
| 1981 | 225 | 2,096 | 4,455 | 1,470,393 | 83 | 325,002 | 509,876 | 2,309,809 |
| 1982 | 225 | 2,313 | 5,577 | 1,668,153 | 1,241 | 1,032,154 | 933,728 | 3,640,853 |
| 1983 | 253 | 1,410 | 8,179 | 1,545,075 | 1 | 40,441 | 616,354 | 2,210,050 |
| 1984 | 226 | 814 | 2,024 | 1,131,365 | 0 | 470,688 | 227,913 | 1,831,990 |
| 1985 | 255 | 1,596 | 4,101 | 1,454,969 | 2 | 69,811 | 324,825 | 1,853,708 |
| 1986 | 236 | 1,093 | 1,363 | 315,370 | 1 | 150,674 | 252,721 | 720,129 |
| 1987 | 229 | 1,738 | 4,017 | 652,397 | 380 | 11,342 | 405,955 | 1,074,091 |
| 1988 | 211 | 1,144 | 2,125 | 474,457 | 11 | 86,678 | 464,765 | 1,028,036 |
| 1989 | 266 | 1,035 | 2,263 | 1,347,547 | 0 | 154,168 | 407,635 | 1,911,613 |
| 1990 | 266 | 2,133 | 8,464 | 1,088,944 | 1 | 444,249 | 455,044 | 1,996,702 |
| 1991 | 267 | 1,628 | 3,066 | 1,215,658 | 5 | 500,922 | 670,103 | 2,389,754 |
| 1992 | 273 | 1,597 | 2,373 | 2,046,022 | 3 | 501,127 | 323,891 | 2,873,416 |
| 1993 | 245 | 1,681 | 4,587 | 2,366,573 | 506 | 37,735 | 381,941 | 2,791,342 |
| 1994 | 265 | 1,927 | 4,468 | 1,001,250 | 1,271 | 1,731,741 | 374,409 | 3,113,139 |
| 1995 | 241 | 2,575 | 7,850 | 1,451,490 | 5,102 | 119,094 | 342,307 | 1,925,843 |
| 1996 | 230 | 1,797 | 1,228 | 572,495 | 11,730 | 146,799 | 129,889 | 862,141 |
| 1997 | 225 | 2,299 | 3,041 | 1,179,179 | 501 | 332,262 | 196,016 | 1,710,999 |
| 1998 | 196 | 2,432 | 1,259 | 974,628 | 312 | 125,906 | 195,454 | 1,297,559 |
| 1999 | 224 | 1,741 | 2,258 | 1,106,208 | 1 | 20,302 | 186,886 | 1,315,655 |
| 2000 | 242 | 2,587 | 2,064 | 892,016 | 303 | 210,521 | 168,888 | 1,273,792 |
| 2001 | 105 | 243 | 134 | 121,547 | 2 | 31,812 | 36,099 | 189,594 |
| 2002 | 119 | 783 | 433 | 356,157 | 3 | 33,789 | 201,211 | 591,593 |
| 2003 | 116 | 720 | 373 | 335,903 | 14 | 90,161 | 121,169 | 547,620 |
| 2004 ^c | 126 | 1,325 | 670 | 531,955 | 159 | 78,808 | 130,626 | 742,218 |
| 2005 ^c | 123 | 1,190 | 790 | 437,443 | 56 | 403,815 | 143,799 | 985,903 |
| 2006 ^c | 121 | 1,239 | 1,472 | 491,053 | 432 | 186,096 | 96,016 | 775,069 |
| 1986-2005 Average | | | | | | | | |
| | 210 | 1,583 | 2,641 | 923,362 | 1,018 | 260,595 | 279,440 | 1,467,057 |
| 1996-2005 Average | | | | | | | | |
| | 171 | 1,512 | 1,225 | 650,753 | 1,308 | 147,418 | 151,004 | 951,707 |

^a Does not include test fish harvests.

^b The South Unimak and Shumagin Islands fisheries were closed in 1974 due to an anticipated weak Bristol Bay run.

^c In 2004 the fishing area was increased in the South Unimak fishery.

Appendix B6.-Shumagin Islands June commercial salmon harvest, all gear combined, by species and year, 1970-2006.

| Year | Permit | Landings | Number of Salmon ^a | | | | | Total |
|-------------------|--------|----------|-------------------------------|---------|-------|-----------|---------|-----------|
| | | | Chinook | Sockeye | Coho | Pink | Chum | |
| 1970 | 40 | 299 | 148 | 139,735 | 2 | 19,728 | 44,909 | 204,522 |
| 1971 | 31 | 301 | 279 | 39,341 | 1 | 7,632 | 103,886 | 151,139 |
| 1972 | 32 | 327 | 242 | 74,398 | 16 | 6,018 | 107,810 | 188,484 |
| 1973 | 21 | 120 | 102 | 22,964 | 17 | 8,278 | 22,910 | 54,271 |
| 1974 ^b | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1975 | 20 | 65 | 16 | 49,325 | 0 | 2,042 | 35,543 | 86,926 |
| 1976 | 30 | 201 | 305 | 72,016 | 0 | 5,643 | 74,109 | 152,073 |
| 1977 | 25 | 77 | 128 | 45,912 | 0 | 2,001 | 21,899 | 69,940 |
| 1978 | 30 | 232 | 267 | 67,876 | 0 | 42,562 | 18,479 | 129,184 |
| 1979 | 48 | 411 | 475 | 182,816 | 362 | 107,862 | 43,133 | 334,648 |
| 1980 | 54 | 378 | 266 | 475,127 | 0 | 385,695 | 50,366 | 911,454 |
| 1981 | 43 | 304 | 1,217 | 350,572 | 237 | 126,248 | 54,071 | 532,345 |
| 1982 | 48 | 299 | 1,554 | 450,548 | 0 | 686,671 | 161,316 | 1,300,089 |
| 1983 | 69 | 311 | 5,277 | 416,494 | 3 | 15,434 | 169,277 | 606,485 |
| 1984 | 99 | 303 | 1,830 | 256,838 | 14 | 449,188 | 109,207 | 817,077 |
| 1985 | 110 | 524 | 1,676 | 336,431 | 2,466 | 36,804 | 109,004 | 486,381 |
| 1986 | 72 | 393 | 532 | 156,027 | 1 | 141,315 | 99,048 | 396,923 |
| 1987 | 97 | 281 | 1,146 | 140,567 | 0 | 5,640 | 37,064 | 184,417 |
| 1988 | 97 | 633 | 1,939 | 282,230 | 244 | 93,546 | 61,946 | 439,905 |
| 1989 | 104 | 315 | 495 | 396,958 | 0 | 45,067 | 47,528 | 490,048 |
| 1990 | 95 | 585 | 1,868 | 255,585 | 0 | 70,798 | 63,501 | 391,752 |
| 1991 | 101 | 397 | 1,407 | 333,272 | 7 | 118,215 | 102,602 | 555,503 |
| 1992 | 103 | 328 | 1,387 | 411,834 | 1 | 140,963 | 102,312 | 656,497 |
| 1993 | 106 | 581 | 4,879 | 607,171 | 727 | 43,401 | 150,306 | 806,484 |
| 1994 | 106 | 824 | 3,122 | 460,013 | 308 | 760,773 | 207,756 | 1,431,972 |
| 1995 | 102 | 1,060 | 6,897 | 653,831 | 940 | 59,541 | 195,126 | 916,335 |
| 1996 | 111 | 879 | 1,617 | 456,475 | 1,489 | 230,885 | 229,931 | 920,397 |
| 1997 | 99 | 875 | 2,770 | 449,002 | 59 | 273,675 | 126,309 | 851,815 |
| 1998 | 91 | 1,225 | 1,437 | 314,097 | 164 | 348,434 | 50,165 | 714,297 |
| 1999 | 86 | 373 | 793 | 269,191 | 1 | 10,237 | 58,420 | 338,642 |
| 2000 | 86 | 414 | 785 | 359,212 | 1 | 149,508 | 70,469 | 579,975 |
| 2001 | 23 | 27 | 211 | 29,085 | 0 | 7,439 | 12,251 | 48,986 |
| 2002 | 64 | 518 | 2,010 | 234,949 | 1 | 42,462 | 177,606 | 457,028 |
| 2003 | 65 | 450 | 950 | 117,244 | 139 | 127,739 | 161,269 | 407,341 |
| 2004 | 67 | 935 | 3,753 | 816,118 | 462 | 281,108 | 351,683 | 1,453,124 |
| 2005 | 69 | 1,154 | 2,265 | 566,952 | 1,863 | 1,251,144 | 284,031 | 2,106,255 |
| 2006 | 69 | 1,173 | 3,025 | 441,238 | 2,197 | 1,146,223 | 203,811 | 1,796,494 |
| 1986-2005 Average | | | | | | | | |
| | 87 | 612 | 2,013 | 365,491 | 320 | 210,095 | 129,466 | 707,385 |
| 1996-2005 Average | | | | | | | | |
| | 76 | 685 | 1,659 | 361,233 | 418 | 272,263 | 152,213 | 787,786 |

^a Does not include test fish harvests.

^b The South Unimak and Shumagin Islands fisheries were closed in 1974 due to an anticipated weak Bristol Bay run.

Appendix B7.-South Unimak and Shumagin Islands June fisheries, number of fishing days and hours open to commercial fishing by year and gear, 1975-2006.

| Year | South Unimak | | | | Shumagin Islands | | | |
|-------------------|--------------|-------|-----------------|-------|------------------|-------|-------|-------|
| | Set Gillnet | | Drift and Seine | | Set Gillnet | | Seine | |
| | Days | Hours | Days | Hours | Days | Hours | Days | Hours |
| 1975 | 10 | 240 | 10 | 240 | 9 | 207 | 9 | 207 |
| 1976 ^a | 19 | 456 | 19 | 456 | 13 | 312 | 13 | 312 |
| 1977 | 17 | 408 | 17 | 408 | 11 | 264 | 11 | 264 |
| 1978 | 23 | 552 | 23 | 552 | 23 | 552 | 23 | 552 |
| 1979 ^b | 33 | 786 | 33 | 786 | 27 | 642 | 27 | 642 |
| 1980 | 30 | 720 | 30 | 720 | 30 | 720 | 30 | 720 |
| 1981 | 24 | 576 | 24 | 576 | 22 | 528 | 22 | 528 |
| 1982 | 30 | 720 | 30 | 720 | 24 | 576 | 24 | 576 |
| 1983 | 11 | 264 | 11 | 264 | 10 | 228 | 10 | 228 |
| 1984 | 5 | 110 | 5 | 110 | 6 | 134 | 6 | 134 |
| 1985 | 9 | 144 | 9 | 144 | 9 | 140 | 9 | 140 |
| 1986 | 8 | 148 | 8 | 148 | 8 | 160 | 8 | 160 |
| 1987 | 12 | 224 | 12 | 224 | 6 | 92 | 6 | 92 |
| 1988 | 8 | 112 | 8 | 112 | 9 | 153 | 9 | 153 |
| 1989 | 5 | 84 | 5 | 84 | 4 | 72 | 4 | 72 |
| 1990 | 13 | 281 | 13 | 281 | 9 | 200 | 9 | 200 |
| 1991 | 8 | 161 | 8 | 161 | 5 | 88 | 5 | 88 |
| 1992 | 8 | 139 | 8 | 139 | 5 | 42.5 | 5 | 42.5 |
| 1993 | 10 | 176 | 10 | 176 | 7 | 131 | 7 | 131 |
| 1994 | 14 | 281 | 14 | 262 | 13 | 262 | 13 | 249 |
| 1995 | 18 | 378 | 18 | 370 | 17 | 347 | 17 | 341 |
| 1996 | 16 | 378 | 16 | 372 | 13 | 306 | 13 | 276 |
| 1997 | 18 | 418 | 18 | 418 | 14 | 281 | 14 | 235 |
| 1998 | 18 | 424 | 18 | 424 | 18 | 418 | 16 | 344 |
| 1999 | 11 | 234 | 10 | 217 | 6 | 127 | 6 | 127 |
| 2000 | 18 | 426 | 18 | 426 | 8 | 176 | 8 | 176 |
| 2001 ^c | 17 | 272 | 14 | 224 | 17 | 272 | 14 | 224 |
| 2002 | 11 | 176 | 9 | 144 | 10 | 150 | 9 | 134 |
| 2003 | 12 | 192 | 9 | 144 | 10 | 150 | 9 | 134 |
| 2004 | 19 | 416 | 19 | 416 | 19 | 416 | 19 | 416 |
| 2005 | 19 | 416 | 19 | 416 | 19 | 416 | 19 | 416 |
| 2006 | 19 | 416 | 19 | 416 | 19 | 416 | 19 | 416 |
| Average 1986-2005 | | | | | | | | |
| | 13 | 267 | 13 | 258 | 11 | 213 | 11 | 201 |
| Average 1996-2005 | | | | | | | | |
| | 16 | 335 | 15 | 320 | 13 | 271 | 13 | 248 |

^a In 1976, the South Unimak fishery was extended through July 1 to compensate for fishing time lost at the end of June due to adverse weather conditions.

^b In 1979, the South Unimak fishery was extended through July 3 to compensate for fishing time lost at the end of June due to adverse weather conditions.

^c Due to lengthy price negotiations and changes in the management plan in 2001, there was no fishing effort during many of the open fishing periods. This makes comparisons of fishing time with other years, in this format, invalid. In the South Unimak fishery, purse seine gear was fished during 4 periods (64 hours), drift and set gillnet gear was fished during 5 periods (80 hours). In the Shumagin Islands fishery, purse seine gear was fished during 3 periods (48 hours) and set gillnet gear was fished during 1 period (16 hours).

Appendix B8.-South Unimak and Shumagin Islands commercial sockeye and chum salmon harvests, all gear combined, by day, 2006.

| Date | South Unimak | | | Shumagin Islands | | | Combined | |
|--------------|----------------|---------------|--------------|------------------|----------------|--------------|----------------|----------------|
| | Sockeye | Chum | S/C Ratio | Sockeye | Chum | S/C Ratio | Sockeye | Chum |
| 7-Jun | 10,462 | 2,214 | 4.7 | 17,669 | 4,064 | 4.3 | 28,131 | 6,278 |
| 8-Jun | 15,890 | 2,415 | 6.6 | 16,997 | 6,768 | 2.5 | 32,887 | 9,183 |
| 9-Jun | 10,438 | 1,803 | 5.8 | 6,329 | 2,025 | 3.1 | 16,767 | 3,828 |
| 10-Jun | 21,365 | 3,318 | 6.4 | 6,638 | 3,112 | 2.1 | 28,003 | 6,430 |
| 11-Jun | ^a | ^a | ^a | ^a | ^a | ^a | ^a | ^a |
| 12-Jun | 15,913 | 3,966 | 4.0 | 21,288 | 11,618 | 1.8 | 37,201 | 15,584 |
| 13-Jun | 35,610 | 10,118 | 3.5 | 36,435 | 20,930 | 1.7 | 72,045 | 31,048 |
| 14-Jun | 33,744 | 9,492 | 3.6 | 19,813 | 12,572 | 1.6 | 53,557 | 22,064 |
| 15-Jun | 27,789 | 9,342 | 3.0 | 12,437 | 8,203 | 1.5 | 40,226 | 17,545 |
| 16-Jun | ^a | ^a | ^a | ^a | ^a | ^a | ^a | ^a |
| 17-Jun | 27,195 | 9,209 | 3.0 | 25,605 | 21,646 | 1.2 | 52,800 | 30,855 |
| 18-Jun | 38,035 | 7,558 | 5.0 | 44,871 | 30,208 | 1.5 | 82,906 | 37,766 |
| 19-Jun | 52,842 | 9,833 | 5.4 | 34,357 | 17,272 | 2.0 | 87,199 | 27,105 |
| 20-Jun | 56,991 | 16,361 | 3.5 | 39,580 | 19,323 | 2.0 | 96,571 | 35,684 |
| 21-Jun | ^a | ^a | ^a | ^a | ^a | ^a | ^a | ^a |
| 22-Jun | 29,164 | 3,372 | 8.6 | 21,904 | 5,976 | 3.7 | 51,068 | 9,348 |
| 23-Jun | 14,397 | 2,296 | 6.3 | 23,889 | 6,819 | 3.5 | 38,286 | 9,115 |
| 24-Jun | 24,937 | 1,581 | 15.8 | 15,131 | 3,803 | 4.0 | 40,068 | 5,384 |
| 25-Jun | 23,655 | 838 | 28.2 | 18,910 | 3,772 | 5.0 | 42,565 | 4,610 |
| 26-Jun | ^a | ^a | ^a | ^a | ^a | ^a | ^a | ^a |
| 27-Jun | 16,830 | 638 | 26.4 | 45,235 | 13,551 | 3.3 | 62,065 | 14,189 |
| 28-Jun | 19,439 | 962 | 20.2 | 18,519 | 5,446 | 3.4 | 37,958 | 6,408 |
| 29-Jun | 16,357 | 700 | 23.4 | 15,631 | 6,703 | 2.3 | 31,988 | 7,403 |
| 30-Jun | ^a | ^a | ^a | ^a | ^a | ^a | ^a | ^a |
| Total | 491,053 | 96,016 | 5.1 | 441,238 | 203,811 | 2.2 | 932,291 | 299,827 |

^a Closed to commercial fishing.

Appendix B9.-South Unimak June commercial salmon harvest, all gear combined, by species and day, 2006.

| Date | Permits | Landings | Number of Salmon | | | | | Total |
|--------------|------------|--------------|------------------|----------------|------------|----------------|---------------|----------------|
| | | | Chinook | Sockeye | Coho | Pink | Chum | |
| 7-Jun | 58 | 60 | 56 | 10,462 | 0 | 4,801 | 2,214 | 17,533 |
| 8-Jun | 72 | 77 | 56 | 15,890 | 1 | 1,622 | 2,415 | 19,984 |
| 9-Jun | 49 | 56 | 22 | 10,438 | 0 | 2,465 | 1,803 | 14,728 |
| 10-Jun | 57 | 62 | 36 | 21,365 | 0 | 8,514 | 3,318 | 33,233 |
| 11-Jun | a | a | a | a | a | a | a | a |
| 12-Jun | 62 | 68 | 127 | 15,913 | 0 | 2,536 | 3,966 | 22,542 |
| 13-Jun | 77 | 84 | 265 | 35,610 | 20 | 7,840 | 10,118 | 53,853 |
| 14-Jun | 75 | 83 | 179 | 33,744 | 0 | 5,001 | 9,492 | 48,416 |
| 15-Jun | 51 | 56 | 51 | 27,789 | 0 | 4,584 | 9,342 | 41,766 |
| 16-Jun | a | a | a | a | a | a | a | a |
| 17-Jun | 84 | 87 | 55 | 27,195 | 0 | 5,425 | 9,209 | 41,884 |
| 18-Jun | 81 | 88 | 79 | 38,035 | 2 | 27,800 | 7,558 | 73,474 |
| 19-Jun | 99 | 109 | 338 | 52,842 | 83 | 29,142 | 9,833 | 92,238 |
| 20-Jun | 101 | 110 | 111 | 56,991 | 96 | 44,016 | 16,361 | 117,575 |
| 21-Jun | a | a | a | a | a | a | a | a |
| 22-Jun | 87 | 92 | 36 | 29,164 | 8 | 7,520 | 3,372 | 40,100 |
| 23-Jun | 42 | 43 | 11 | 14,397 | 15 | 2,644 | 2,296 | 19,363 |
| 24-Jun | 22 | 26 | 8 | 24,937 | 9 | 8,550 | 1,581 | 35,085 |
| 25-Jun | 32 | 32 | 19 | 23,655 | 24 | 9,244 | 838 | 33,780 |
| 26-Jun | a | a | a | a | a | a | a | a |
| 27-Jun | 28 | 31 | 8 | 16,830 | 73 | 3,125 | 638 | 20,674 |
| 28-Jun | 29 | 34 | 9 | 19,439 | 26 | 8,166 | 962 | 28,602 |
| 29-Jun | 29 | 41 | 6 | 16,357 | 75 | 3,101 | 700 | 20,239 |
| 30-Jun | a | a | a | a | a | a | a | a |
| Total | 121 | 1,239 | 1,472 | 491,053 | 432 | 186,096 | 96,016 | 775,069 |

^a Closed to commercial fishing.

Appendix B10.-South Unimak June commercial purse seine salmon harvest by species and day, 2006.

| Date | Permits | Landings | Number of Salmon | | | | | Total |
|--------------|---|------------|------------------|----------------|----------|----------------|--------------|----------------|
| | | | Chinook | Sockeye | Coho | Pink | Chum | |
| 7-Jun | 4 | 4 | 3 | 2,604 | 0 | 2,595 | 132 | 5,334 |
| 8-Jun | 6 | 6 | 2 | 5,169 | 1 | 503 | 161 | 5,836 |
| 9-Jun | Confidentiality rules prohibit the release of this information. | | | | | | | |
| 10-Jun | 6 | 7 | 8 | 8,658 | 0 | 7,970 | 1,031 | 17,667 |
| 11-Jun | a | a | a | a | a | a | a | a |
| 12-Jun | 6 | 6 | 10 | 3,168 | 0 | 330 | 159 | 3,667 |
| 13-Jun | 7 | 7 | 33 | 5,258 | 0 | 3,218 | 362 | 8,871 |
| 14-Jun | 5 | 5 | 6 | 3,650 | 0 | 337 | 416 | 4,409 |
| 15-Jun | Confidentiality rules prohibit the release of this information. | | | | | | | |
| 16-Jun | | | a | a | a | a | a | a |
| 17-Jun | 6 | 6 | 0 | 2,509 | 0 | 3,175 | 147 | 5,831 |
| 18-Jun | 6 | 7 | 0 | 6,856 | 0 | 20,640 | 927 | 28,423 |
| 19-Jun | 6 | 6 | 12 | 12,865 | 0 | 18,884 | 556 | 32,317 |
| 20-Jun | 9 | 9 | 14 | 10,596 | 0 | 32,371 | 680 | 43,661 |
| 21-Jun | a | a | a | a | a | a | a | a |
| 22-Jun | 8 | 8 | 7 | 12,749 | 0 | 4,085 | 622 | 17,463 |
| 23-Jun | 6 | 6 | 0 | 1,605 | 0 | 932 | 61 | 2,598 |
| 24-Jun | 5 | 5 | 0 | 12,674 | 0 | 6,036 | 473 | 19,183 |
| 25-Jun | 11 | 11 | 13 | 9,363 | 0 | 7,795 | 539 | 17,710 |
| 26-Jun | a | a | a | a | a | a | a | a |
| 27-Jun | 9 | 9 | 5 | 5,550 | 0 | 1,268 | 210 | 7,033 |
| 28-Jun | 9 | 9 | 3 | 6,629 | 5 | 7,819 | 634 | 15,090 |
| 29-Jun | 8 | 8 | 3 | 1,739 | 0 | 1,903 | 101 | 3,746 |
| 30-Jun | a | a | a | a | a | a | a | a |
| Total | 12 | 124 | 119 | 114,760 | 6 | 121,553 | 7,479 | 243,917 |

^a Closed to commercial fishing.

Appendix B11.-South Unimak June commercial drift gillnet salmon harvest by species and day, 2006.

| Date | Permits | Landings | Number of Salmon | | | | | Total |
|--------------|---|------------|------------------|----------------|------------|---------------|---------------|----------------|
| | | | Chinook | Sockeye | Coho | Pink | Chum | |
| 7-Jun | 43 | 43 | 44 | 5,383 | 0 | 2,191 | 2,009 | 9,627 |
| 8-Jun | 55 | 55 | 46 | 7,490 | 0 | 1,082 | 2,242 | 10,860 |
| 9-Jun | 41 | 44 | 20 | 7,121 | 0 | 1,179 | 1,641 | 9,961 |
| 10-Jun | 42 | 45 | 26 | 9,981 | 0 | 529 | 2,280 | 12,816 |
| 11-Jun | a | a | a | a | a | a | a | a |
| 12-Jun | 43 | 45 | 95 | 9,139 | 0 | 2,089 | 3,646 | 14,969 |
| 13-Jun | 55 | 57 | 203 | 22,180 | 0 | 4,563 | 9,273 | 36,219 |
| 14-Jun | 57 | 62 | 166 | 23,841 | 0 | 4,663 | 9,063 | 37,733 |
| 15-Jun | 42 | 46 | 48 | 23,805 | 0 | 4,111 | 9,153 | 37,117 |
| 16-Jun | a | a | a | a | a | a | a | a |
| 17-Jun | 67 | 69 | 51 | 19,996 | 0 | 2,179 | 8,970 | 31,196 |
| 18-Jun | 57 | 59 | 68 | 19,975 | 2 | 6,364 | 6,339 | 32,748 |
| 19-Jun | 74 | 80 | 319 | 28,067 | 83 | 9,205 | 8,663 | 46,337 |
| 20-Jun | 73 | 77 | 82 | 32,665 | 93 | 9,354 | 14,983 | 57,177 |
| 21-Jun | a | a | a | a | a | a | a | a |
| 22-Jun | 62 | 65 | 6 | 9,765 | 6 | 2,980 | 2,573 | 15,330 |
| 23-Jun | 20 | 20 | 1 | 4,711 | 10 | 1,232 | 1,899 | 7,853 |
| 24-Jun | Confidentiality rules prohibit the release of this information. | | | | | | | |
| 25-Jun | Confidentiality rules prohibit the release of this information. | | | | | | | |
| 26-Jun | a | a | a | a | a | a | a | a |
| 27-Jun | Confidentiality rules prohibit the release of this information. | | | | | | | |
| 28-Jun | Confidentiality rules prohibit the release of this information. | | | | | | | |
| 29-Jun | Confidentiality rules prohibit the release of this information. | | | | | | | |
| 30-Jun | a | a | a | a | a | a | a | a |
| Total | 85 | 777 | 1,176 | 228,924 | 324 | 56,282 | 83,752 | 370,458 |

^a Closed to commercial fishing.

Appendix B12.-South Unimak June commercial set gillnet salmon harvest by species and day, 2006.

| Date | Permits | Landings | Number of Salmon | | | | | Total |
|--------------|-----------|------------|------------------|----------------|------------|--------------|--------------|----------------|
| | | | Chinook | Sockeye | Coho | Pink | Chum | |
| 7-Jun | 11 | 13 | 9 | 2,475 | 0 | 15 | 73 | 40,741 |
| 8-Jun | 11 | 16 | 8 | 3,231 | 0 | 37 | 12 | 41,461 |
| 9-Jun | 6 | 10 | 2 | 1,218 | 0 | 57 | 51 | 39,491 |
| 10-Jun | 9 | 10 | 2 | 2,726 | 0 | 15 | 7 | 40,917 |
| 11-Jun | a | a | a | a | a | a | a | a |
| 12-Jun | 13 | 17 | 22 | 3,606 | 20 | 117 | 161 | 42,106 |
| 13-Jun | 15 | 20 | 29 | 8,172 | 0 | 59 | 483 | 46,929 |
| 14-Jun | 13 | 16 | 7 | 6,253 | 0 | 1 | 13 | 44,455 |
| 15-Jun | 6 | 7 | 3 | 2,965 | 0 | 10 | 32 | 41,176 |
| 16-Jun | a | a | a | a | a | a | a | a |
| 17-Jun | 11 | 12 | 4 | 4,690 | 0 | 71 | 92 | 43,035 |
| 18-Jun | 18 | 22 | 11 | 11,204 | 0 | 796 | 292 | 50,499 |
| 19-Jun | 19 | 23 | 7 | 11,910 | 0 | 1,053 | 614 | 51,783 |
| 20-Jun | 19 | 24 | 15 | 13,730 | 3 | 2,291 | 698 | 54,938 |
| 21-Jun | a | a | a | a | a | a | a | a |
| 22-Jun | 17 | 19 | 23 | 6,650 | 2 | 455 | 177 | 45,503 |
| 23-Jun | 16 | 17 | 10 | 8,081 | 5 | 480 | 336 | 47,106 |
| 24-Jun | 16 | 19 | 8 | 11,545 | 9 | 1,680 | 675 | 52,114 |
| 25-Jun | 19 | 19 | 6 | 13,967 | 24 | 938 | 249 | 53,385 |
| 26-Jun | a | a | a | a | a | a | a | a |
| 27-Jun | 17 | 20 | 2 | 9,588 | 13 | 78 | 164 | 48,047 |
| 28-Jun | 19 | 24 | 6 | 12,438 | 21 | 38 | 286 | 50,998 |
| 29-Jun | 19 | 30 | 3 | 12,920 | 5 | 70 | 370 | 51,584 |
| 30-Jun | a | a | a | a | a | a | a | a |
| Total | 24 | 338 | 177 | 147,369 | 102 | 8,261 | 4,785 | 886,268 |

^a Closed to commercial fishing.

Appendix B13.-Shumagin Islands Section commercial salmon harvest, all gear combined, by species and day, 2006.

| Date | Permits | Landings | Number of Salmon ^a | | | | | Total |
|--------------|--|----------|-------------------------------|---------|--------|---------|---------|---------|
| | | | Chinook | Sockeye | Coho | Pink | Chum | |
| 7-Jun | 37 | 45 | 197 | 17,669 | 1 | 13,751 | 4,064 | 35,682 |
| 8-Jun | 34 | 36 | 167 | 16,997 | 2 | 13,238 | 6,768 | 37,172 |
| 9-Jun | 19 | 24 | 36 | 6,329 | 0 | 13,911 | 2,025 | 22,301 |
| 10-Jun | 21 | 25 | 44 | 6,638 | 0 | 11,441 | 3,112 | 21,235 |
| 11-Jun | b | b | b | b | b | b | b | b |
| 12-Jun | 47 | 86 | 303 | 21,288 | 15 | 70,568 | 11,618 | 103,792 |
| 13-Jun | 50 | 88 | 299 | 36,435 | 11 | 125,531 | 20,930 | 183,206 |
| 14-Jun | 50 | 71 | 114 | 19,813 | 5 | 51,889 | 12,572 | 84,393 |
| 15-Jun | 33 | 48 | 88 | 12,437 | 2 | 28,446 | 8,203 | 49,176 |
| 16-Jun | b | b | b | b | b | b | b | b |
| 17-Jun | 42 | 56 | 249 | 25,605 | 23 | 95,136 | 21,646 | 142,659 |
| 18-Jun | 52 | 81 | 331 | 44,871 | 31 | 178,707 | 30,208 | 254,148 |
| 19-Jun | 49 | 80 | 234 | 34,357 | 14 | 103,941 | 17,272 | 155,818 |
| 20-Jun | 47 | 77 | 216 | 39,580 | 15 | 111,775 | 19,323 | 170,909 |
| 21-Jun | b | b | b | b | b | b | b | b |
| 22-Jun | 39 | 60 | 175 | 21,904 | 94 | 64,419 | 5,976 | 92,568 |
| 23-Jun | 48 | 66 | 207 | 23,889 | 141 | 55,482 | 6,819 | 86,538 |
| 24-Jun | 44 | 72 | 59 | 15,131 | 105 | 24,285 | 3,803 | 43,383 |
| 25-Jun | 40 | 66 | 41 | 18,910 | 102 | 29,488 | 3,772 | 52,313 |
| 26-Jun | b | b | b | b | b | b | b | b |
| 27-Jun | 49 | 72 | 167 | 45,235 | 529 | 97,920 | 13,551 | 157,402 |
| 28-Jun | 37 | 59 | 54 | 18,519 | 392 | 33,529 | 5,446 | 57,940 |
| 29-Jun | 40 | 61 | 44 | 15,631 | 715 | 22,766 | 6,703 | 45,859 |
| 30-Jun-5-Jul | b | b | b | b | b | b | b | b |
| 6-Jul | 49 | 73 | 108 | 36,183 | 7,991 | 21,112 | 50,157 | 115,551 |
| 7-Jul | b | b | b | b | b | b | b | b |
| 8-Jul | Confidentiality rules prohibit the release of this information | | | | | | | |
| 9-Jul | 49 | 76 | 46 | 28,290 | 4,141 | 16,140 | 13,626 | 62,243 |
| 10-Jul | b | b | b | b | b | b | b | b |
| 11-Jul | Confidentiality rules prohibit the release of this information | | | | | | | |
| 12-Jul | 52 | 87 | 83 | 48,929 | 11,098 | 40,328 | 38,814 | 139,252 |
| 13-Jul | b | b | b | b | b | b | b | b |
| 14-Jul | 3 | 3 | 35 | 772 | 72 | 276 | 98 | 1,253 |
| 15-Jul | 48 | 79 | 64 | 39,030 | 18,468 | 49,643 | 125,588 | 232,793 |
| 16-Jul | b | b | b | b | b | b | b | b |
| 17-Jul | Confidentiality rules prohibit the release of this information | | | | | | | |
| 18-Jul | 17 | 28 | 4 | 18,961 | 1,318 | 22,046 | 7,022 | 49,351 |
| 19-Jul | b | b | b | b | b | b | b | b |
| 20-Jul | 4 | 4 | 0 | 383 | 666 | 2,965 | 7,530 | 11,544 |
| 21-Jul | 23 | 40 | 18 | 16,571 | 2,185 | 24,267 | 5,354 | 48,395 |
| 22-Jul | b | b | b | b | b | b | b | b |
| 23-Jul | 35 | 50 | 11 | 26,215 | 5,475 | 137,550 | 20,428 | 189,679 |
| 24-Jul | 36 | 61 | 23 | 24,743 | 6,950 | 117,325 | 21,425 | 170,466 |
| 25-Jul | b | b | b | b | b | b | b | b |
| 26-Jul | b | b | b | b | b | b | b | b |
| 27-Jul | 21 | 31 | 50 | 16,619 | 9,727 | 182,590 | 24,305 | 233,291 |
| 28-Jul | 14 | 16 | 21 | 10,191 | 5,488 | 105,877 | 13,295 | 134,872 |
| 29-Jul | b | b | b | b | b | b | b | b |
| 30-Jul | 25 | 28 | 5 | 2,817 | 2,408 | 37,387 | 5,903 | 48,520 |
| 31-Jul | 19 | 32 | 4 | 5,117 | 1,971 | 36,173 | 9,122 | 52,387 |

-continued-

Appendix B13.-Page 2 of 2.

| Date | Permits | Landings | Number of Salmon ^a | | | | | Total |
|-----------|--|----------|-------------------------------|---------|---------|-----------|---------|-----------|
| | | | Chinook | Sockeye | Coho | Pink | Chum | |
| 1-Aug | b | b | b | b | b | b | b | b |
| 2-Aug | b | b | b | b | b | b | b | b |
| 3-Aug | 18 | 29 | 10 | 8,044 | 2,871 | 35,996 | 7,239 | 54,160 |
| 4-Aug | 21 | 35 | 5 | 21,375 | 4,320 | 113,883 | 9,424 | 149,007 |
| 5-Aug | 13 | 16 | 4 | 15,534 | 3,177 | 96,796 | 7,291 | 122,802 |
| 6-Aug | 13 | 17 | 6 | 11,330 | 4,408 | 64,681 | 5,106 | 85,531 |
| 7-Aug | b | b | b | b | b | b | b | 0 |
| 8-Aug | 8 | 10 | 7 | 6,878 | 2,967 | 104,014 | 3,936 | 117,802 |
| 9-Aug | 10 | 15 | 0 | 7,893 | 2,734 | 88,418 | 5,334 | 104,379 |
| 10-Aug | 5 | 5 | 15 | 6,773 | 2,879 | 72,369 | 2,978 | 85,014 |
| 11-Aug | 5 | 5 | 0 | 4,827 | 1,572 | 19,448 | 1,613 | 27,460 |
| 12-Aug | Confidentiality rules prohibit the release of this information | | | | | | | |
| 13-Aug | 6 | 6 | 1 | 3,705 | 1,864 | 36,834 | 2,245 | 44,649 |
| 14-Aug | Confidentiality rules prohibit the release of this information | | | | | | | |
| 15-Aug | 4 | 4 | 2 | 2,088 | 1,701 | 17,712 | 493 | 21,996 |
| 16-Aug | Confidentiality rules prohibit the release of this information | | | | | | | |
| 17-Aug | 4 | 4 | 1 | 659 | 1,382 | 20,540 | 437 | 23,019 |
| 18-Aug | Confidentiality rules prohibit the release of this information | | | | | | | |
| 19-Aug | | | | | | | | |
| 20-Aug | | | | | | | | |
| 21-Aug | | | | | | | | |
| 22-Aug | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 23-Aug | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 24-31 Aug | b | b | b | b | b | b | b | 0 |
| 1-Sep | Confidentiality rules prohibit the release of this information | | | | | | | |
| 2-Sep | Confidentiality rules prohibit the release of this information | | | | | | | |
| 3-Sep | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-Sep | Confidentiality rules prohibit the release of this information | | | | | | | |
| 5-Sep | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-Sep | Confidentiality rules prohibit the release of this information | | | | | | | |
| 7-Sep | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-10 Sep | b | b | b | b | b | b | b | b |
| 11-Sep | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-Sep | Confidentiality rules prohibit the release of this information | | | | | | | |
| 13-Sep | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-17 Sep | b | b | b | b | b | b | b | b |
| 18-Sep | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 19-Sep | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 20-Sep | Confidentiality rules prohibit the release of this information | | | | | | | |
| 21-Sep | Confidentiality rules prohibit the release of this information | | | | | | | |
| 22-Sep | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 23-24 Sep | b | b | b | b | b | b | b | b |
| 25-Sep | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 26-Sep | Confidentiality rules prohibit the release of this information | | | | | | | |
| 27-31 Sep | b | b | b | b | b | b | b | b |
| June | | | | | | | | |
| Subtotal | 69 | 1,173 | 3,025 | 441,238 | 2,197 | 1,146,223 | 203,811 | 1,796,494 |
| Year | | | | | | | | |
| Total | 76 | 1,959 | 3,551 | 810,081 | 113,621 | 2,650,659 | 597,824 | 4,175,736 |

^a Does not include test fish harvests.

^b Closed to commercial fishing.

Appendix B14.-Shumagin Islands Section commercial purse seine salmon harvest by species and day, 2006.

| Date | Permits | Landings | Number of Salmon ^a | | | | | Total |
|--------------|--|----------|-------------------------------|---------|--------|---------|---------|---------|
| | | | Chinook | Sockeye | Coho | Pink | Chum | |
| 7-Jun | 13 | 14 | 189 | 13,990 | 1 | 13,729 | 3,733 | 31,642 |
| 8-Jun | 15 | 15 | 159 | 13,647 | 2 | 13,014 | 6,242 | 33,064 |
| 9-Jun | 5 | 5 | 27 | 3,207 | 0 | 13,910 | 1,827 | 18,971 |
| 10-Jun | 9 | 10 | 30 | 4,146 | 0 | 11,407 | 2,968 | 18,551 |
| 11-Jun | b | b | b | b | b | b | b | b |
| 12-Jun | 11 | 14 | 266 | 10,120 | 10 | 70,097 | 10,630 | 91,123 |
| 13-Jun | 16 | 20 | 246 | 25,450 | 8 | 125,342 | 20,173 | 171,219 |
| 14-Jun | 17 | 17 | 105 | 12,179 | 1 | 51,771 | 11,878 | 75,934 |
| 15-Jun | 12 | 13 | 78 | 6,992 | 0 | 28,355 | 7,250 | 42,675 |
| 16-Jun | b | b | b | b | b | b | b | b |
| 17-Jun | 15 | 16 | 240 | 20,396 | 18 | 94,888 | 20,849 | 136,391 |
| 18-Jun | 18 | 20 | 205 | 36,811 | 20 | 178,111 | 28,662 | 243,809 |
| 19-Jun | 14 | 15 | 186 | 24,604 | 0 | 103,389 | 15,395 | 143,574 |
| 20-Jun | 16 | 17 | 185 | 30,123 | 4 | 111,445 | 17,893 | 159,650 |
| 21-Jun | b | b | b | b | b | b | b | b |
| 22-Jun | 10 | 10 | 148 | 14,989 | 72 | 63,212 | 4,965 | 83,386 |
| 23-Jun | 14 | 14 | 190 | 16,002 | 108 | 54,585 | 5,305 | 76,190 |
| 24-Jun | 11 | 11 | 31 | 7,269 | 87 | 23,451 | 2,382 | 33,220 |
| 25-Jun | 9 | 9 | 15 | 10,076 | 59 | 26,872 | 1,842 | 38,864 |
| 26-Jun | b | b | b | b | b | b | b | b |
| 27-Jun | 18 | 18 | 157 | 33,708 | 481 | 96,988 | 11,560 | 142,894 |
| 28-Jun | 6 | 6 | 40 | 10,426 | 256 | 32,786 | 4,292 | 47,800 |
| 29-Jun | 13 | 13 | 31 | 8,594 | 671 | 22,276 | 5,346 | 36,918 |
| 30-Jun-5-Jul | b | b | b | b | b | b | b | b |
| 6-Jul | 17 | 17 | 82 | 20,807 | 7,184 | 19,878 | 46,999 | 94,950 |
| 7-Jul | b | b | b | b | b | b | b | b |
| 8-Jul | Confidentiality rules prohibit the release of this information | | | | | | | |
| 9-Jul | 18 | 18 | 27 | 13,210 | 3,573 | 14,913 | 12,009 | 43,732 |
| 10-Jul | b | b | b | b | b | b | b | b |
| 11-Jul | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-Jul | 20 | 21 | 51 | 27,680 | 10,171 | 37,767 | 34,978 | 110,647 |
| 13-Jul | b | b | b | b | b | b | b | b |
| 14-Jul | Confidentiality rules prohibit the release of this information | | | | | | | |
| 15-Jul | 19 | 23 | 54 | 26,898 | 17,932 | 45,012 | 122,447 | 212,343 |
| 16-Jul | b | b | b | b | b | b | b | b |
| 17-Jul | Confidentiality rules prohibit the release of this information | | | | | | | |
| 18-Jul | 6 | 7 | 1 | 12,927 | 1,094 | 19,555 | 5,173 | 38,750 |
| 19-Jul | b | b | b | b | b | b | b | b |
| 20-Jul | Confidentiality rules prohibit the release of this information | | | | | | | |
| 21-Jul | 9 | 9 | 12 | 9,706 | 1,967 | 21,427 | 3,859 | 36,971 |
| 22-Jul | b | b | b | b | b | b | b | b |
| 23-Jul | 12 | 12 | 3 | 20,639 | 4,378 | 129,966 | 17,082 | 172,068 |
| 24-Jul | 10 | 11 | 22 | 15,603 | 6,258 | 104,460 | 17,676 | 144,019 |
| 25-Jul | b | b | b | b | b | b | b | b |
| 26-Jul | b | b | b | b | b | b | b | b |
| 27-Jul | 13 | 16 | 50 | 13,659 | 9,663 | 177,363 | 23,201 | 223,936 |
| 28-Jul | 11 | 13 | 21 | 9,335 | 5,482 | 105,190 | 13,168 | 133,196 |
| 29-Jul | b | b | b | b | b | b | b | b |
| 30-Jul | 10 | 10 | 4 | 1,562 | 2,210 | 32,242 | 4,835 | 40,853 |
| 31-Jul | 7 | 8 | 3 | 1,581 | 1,769 | 27,208 | 7,410 | 37,971 |

-continued-

Appendix B14.-Page 2 of 2.

| Date | Number of Salmon ^a | | | | | | | | | | | | | | | |
|-----------|--|----------|---------|---------|---------|-----------|---------|-----------|---|---|---|---|---|---|---|---|
| | Permits | Landings | Chinook | Sockeye | Coho | Pink | Chum | Total | | | | | | | | |
| 1-Aug | b | b | b | b | b | b | b | b | | | | | | | | |
| 2-Aug | b | b | b | b | b | b | b | b | | | | | | | | |
| 3-Aug | 10 | 11 | 9 | 5,322 | 2,581 | 33,101 | 6,107 | 47,120 | | | | | | | | |
| 4-Aug | 11 | 11 | 3 | 17,710 | 3,994 | 106,182 | 7,875 | 135,764 | | | | | | | | |
| 5-Aug | 9 | 9 | 4 | 13,319 | 3,122 | 94,336 | 6,787 | 117,568 | | | | | | | | |
| 6-Aug | 9 | 9 | 6 | 9,240 | 4,328 | 62,478 | 4,277 | 80,329 | | | | | | | | |
| 7-Aug | b | b | b | b | b | b | b | 0 | | | | | | | | |
| 8-Aug | 7 | 7 | 7 | 6,635 | 2,951 | 103,027 | 3,863 | 116,483 | | | | | | | | |
| 9-Aug | 9 | 10 | 0 | 7,382 | 2,707 | 86,949 | 5,079 | 102,117 | | | | | | | | |
| 10-Aug | 4 | 4 | 15 | 6,507 | 2,879 | 71,777 | 2,788 | 83,966 | | | | | | | | |
| 11-Aug | 5 | 5 | 0 | 4,827 | 1,572 | 19,448 | 1,613 | 27,460 | | | | | | | | |
| 12-Aug | Confidentiality rules prohibit the release of this information | | | | | | | | | | | | | | | |
| 13-Aug | 5 | 5 | 1 | 3,327 | 1,780 | 36,350 | 2,050 | 43,508 | | | | | | | | |
| 14-Aug | Confidentiality rules prohibit the release of this information | | | | | | | | | | | | | | | |
| 15-Aug | | | | | | | | | | | | | | | | |
| 16-Aug | | | | | | | | | | | | | | | | |
| 17-Aug | | | | | | | | | | | | | | | | |
| 18-Aug | | | | | | | | | | | | | | | | |
| 19-Aug | Confidentiality rules prohibit the release of this information | | | | | | | | | | | | | | | |
| 20-Aug | | | | | | | | | | | | | | | | |
| 21-Aug | | | | | | | | | | | | | | | | |
| 22-Aug | | | | | | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 23-Aug | | | | | | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 24-31 Aug | b | b | b | b | b | b | b | b | | | | | | | | |
| 1-Sep | Confidentiality rules prohibit the release of this information | | | | | | | | | | | | | | | |
| 2-Sep | Confidentiality rules prohibit the release of this information | | | | | | | | | | | | | | | |
| 3-Sep | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | | | |
| 4-Sep | Confidentiality rules prohibit the release of this information | | | | | | | | | | | | | | | |
| 5-Sep | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | | | |
| 6-Sep | Confidentiality rules prohibit the release of this information | | | | | | | | | | | | | | | |
| 7-Sep | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | | | |
| 8-10 Sep | b | b | b | b | b | b | b | b | | | | | | | | |
| 11-Sep | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | | | |
| 12-Sep | Confidentiality rules prohibit the release of this information | | | | | | | | | | | | | | | |
| 13-Sep | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | | | |
| 14-17 Sep | b | b | b | b | b | b | b | b | | | | | | | | |
| 18-Sep | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | | | |
| 19-Sep | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | | | |
| 20-Sep | Confidentiality rules prohibit the release of this information | | | | | | | | | | | | | | | |
| 21-Sep | Confidentiality rules prohibit the release of this information | | | | | | | | | | | | | | | |
| 22-Sep | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | | | |
| 23-24 Sep | b | b | b | b | b | b | b | b | | | | | | | | |
| 25-Sep | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | | | |
| 26-Sep | Confidentiality rules prohibit the release of this information | | | | | | | | | | | | | | | |
| 27-31 Sep | b | b | b | b | b | b | b | b | | | | | | | | |
| June | Confidentiality rules prohibit the release of this information | | | | | | | | | | | | | | | |
| Subtotal | 25 | 257 | 2,528 | 302,729 | 1,798 | 1,135,628 | 183,192 | 1,625,875 | | | | | | | | |
| Year | Confidentiality rules prohibit the release of this information | | | | | | | | | | | | | | | |
| Total | 27 | 515 | 2,940 | 554,715 | 105,852 | 2,562,549 | 545,550 | 3,771,606 | | | | | | | | |

^a Does not include test fish harvests.

^b Closed to commercial fishing.

Appendix B15.-Shumagin Islands Section commercial set gillnet salmon harvest by species and day, 2006.

| Date | Permits | Landings | Number of Salmon ^a | | | | | Total |
|--------------|--|----------|-------------------------------|---------|-------|--------|-------|--------|
| | | | Chinook | Sockeye | Coho | Pink | Chum | |
| 7-Jun | 24 | 31 | 8 | 3,679 | 0 | 22 | 331 | 4,040 |
| 8-Jun | 19 | 21 | 8 | 3,350 | 0 | 224 | 526 | 4,108 |
| 9-Jun | 14 | 19 | 9 | 3,122 | 0 | 1 | 198 | 3,330 |
| 10-Jun | 12 | 15 | 14 | 2,492 | 0 | 34 | 144 | 2,684 |
| 11-Jun | b | b | b | b | b | b | b | b |
| 12-Jun | 36 | 72 | 37 | 11,168 | 5 | 471 | 988 | 12,669 |
| 13-Jun | 34 | 68 | 53 | 10,985 | 3 | 189 | 757 | 11,987 |
| 14-Jun | 33 | 54 | 9 | 7,634 | 4 | 118 | 694 | 8,459 |
| 15-Jun | 21 | 35 | 10 | 5,445 | 2 | 91 | 953 | 6,501 |
| 16-Jun | b | b | b | b | b | b | b | b |
| 17-Jun | 27 | 40 | 9 | 5,209 | 5 | 248 | 797 | 6,268 |
| 18-Jun | 34 | 61 | 126 | 8,060 | 11 | 596 | 1,546 | 10,339 |
| 19-Jun | 35 | 65 | 48 | 9,753 | 14 | 552 | 1,877 | 12,244 |
| 20-Jun | 31 | 60 | 31 | 9,457 | 11 | 330 | 1,430 | 11,259 |
| 21-Jun | b | b | b | b | b | b | b | b |
| 22-Jun | 29 | 50 | 27 | 6,915 | 22 | 1,207 | 1,011 | 9,182 |
| 23-Jun | 34 | 52 | 17 | 7,887 | 33 | 897 | 1,514 | 10,348 |
| 24-Jun | 33 | 61 | 28 | 7,862 | 18 | 834 | 1,421 | 10,163 |
| 25-Jun | 31 | 57 | 26 | 8,834 | 43 | 2,616 | 1,930 | 13,449 |
| 26-Jun | b | b | b | b | b | b | b | b |
| 27-Jun | 31 | 54 | 10 | 11,527 | 48 | 932 | 1,991 | 14,508 |
| 28-Jun | 31 | 53 | 14 | 8,093 | 136 | 743 | 1,154 | 10,140 |
| 29-Jun | 27 | 48 | 13 | 7,037 | 44 | 490 | 1,357 | 8,941 |
| 30-Jun-5-Jul | b | b | b | b | b | b | b | b |
| 6-Jul | 32 | 56 | 26 | 15,376 | 807 | 1,234 | 3,158 | 20,601 |
| 7-Jul | b | b | b | b | b | b | b | b |
| 8-Jul | Confidentiality rules prohibit the release of this information | | | | | | | |
| 9-Jul | 31 | 58 | 19 | 15,080 | 568 | 1,227 | 1,617 | 18,511 |
| 10-Jul | b | b | b | b | b | b | b | b |
| 11-Jul | Confidentiality rules prohibit the release of this information | | | | | | | |
| 12-Jul | 32 | 66 | 32 | 21,249 | 927 | 2,561 | 3,836 | 28,605 |
| 13-Jul | b | b | b | b | b | b | b | b |
| 14-Jul | Confidentiality rules prohibit the release of this information | | | | | | | |
| 15-Jul | 29 | 56 | 10 | 12,132 | 536 | 4,631 | 3,141 | 20,450 |
| 16-Jul | b | b | b | b | b | b | b | b |
| 17-Jul | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 18-Jul | 11 | 21 | 3 | 6,034 | 224 | 2,491 | 1,849 | 10,601 |
| 19-Jul | b | b | b | b | b | b | b | b |
| 20-Jul | Confidentiality rules prohibit the release of this information | | | | | | | |
| 21-Jul | 14 | 31 | 6 | 6,865 | 218 | 2,840 | 1,495 | 11,424 |
| 22-Jul | b | b | b | b | b | b | b | b |
| 23-Jul | 23 | 38 | 8 | 5,576 | 1,097 | 7,584 | 3,346 | 17,611 |
| 24-Jul | 26 | 50 | 1 | 9,140 | 692 | 12,865 | 3,749 | 26,447 |
| 25-Jul | b | b | b | b | b | b | b | b |
| 26-Jul | b | b | b | b | b | b | b | b |
| 27-Jul | 8 | 15 | 0 | 2,960 | 64 | 5,227 | 1,104 | 9,355 |
| 28-Jul | Confidentiality rules prohibit the release of this information | | | | | | | |
| 29-Jul | b | b | b | b | b | b | b | b |
| 30-Jul | 15 | 18 | 1 | 1,255 | 198 | 5,145 | 1,068 | 7,667 |
| 31-Jul | 12 | 24 | 1 | 3,536 | 202 | 8,965 | 1,712 | 14,416 |

-continued-

Appendix B15.-Page 2 of 2.

| Date | Permits | Landings | Number of Salmon ^a | | | | | Total |
|-----------|--|----------|-------------------------------|---------|-------|--------|--------|---------|
| | | | Chinook | Sockeye | Coho | Pink | Chum | |
| 1-Aug | b | b | b | b | b | b | b | b |
| 2-Aug | b | b | b | b | b | b | b | b |
| 3-Aug | 8 | 18 | 1 | 2,722 | 290 | 2,895 | 1,132 | 7,040 |
| 4-Aug | 10 | 24 | 2 | 3,665 | 326 | 7,701 | 1,549 | 13,243 |
| 5-Aug | 4 | 7 | 0 | 2,215 | 55 | 2,460 | 504 | 5,234 |
| 6-Aug | 4 | 8 | 0 | 2,090 | 80 | 2,203 | 829 | 5,202 |
| 7-Aug | b | b | b | b | b | b | b | 0 |
| 8-Aug | Confidentiality rules prohibit the release of this information | | | | | | | |
| 9-Aug | Confidentiality rules prohibit the release of this information | | | | | | | |
| 10-Aug | Confidentiality rules prohibit the release of this information | | | | | | | |
| 11-Aug | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-Aug | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-Aug | Confidentiality rules prohibit the release of this information | | | | | | | |
| 14-Aug | Confidentiality rules prohibit the release of this information | | | | | | | |
| 15-Aug | Confidentiality rules prohibit the release of this information | | | | | | | |
| 16-Aug | Confidentiality rules prohibit the release of this information | | | | | | | |
| 17-Aug | Confidentiality rules prohibit the release of this information | | | | | | | |
| 18-Aug | Confidentiality rules prohibit the release of this information | | | | | | | |
| 19-Aug | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 20-Aug | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 21-Aug | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 22-Aug | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 23-Aug | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 24-31 Aug | b | b | b | b | b | b | b | b |
| 1-Sep | Confidentiality rules prohibit the release of this information | | | | | | | |
| 2-Sep | Confidentiality rules prohibit the release of this information | | | | | | | |
| 3-Sep | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-Sep | Confidentiality rules prohibit the release of this information | | | | | | | |
| 5-Sep | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-Sep | Confidentiality rules prohibit the release of this information | | | | | | | |
| 7-Sep | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-10 Sep | b | b | b | b | b | b | b | b |
| 11-Sep | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-Sep | Confidentiality rules prohibit the release of this information | | | | | | | |
| 13-Sep | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-17 Sep | b | b | b | b | b | b | b | b |
| 18-Sep | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 19-Sep | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 20-Sep | Confidentiality rules prohibit the release of this information | | | | | | | |
| 21-Sep | Confidentiality rules prohibit the release of this information | | | | | | | |
| 22-Sep | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 23-24 Sep | b | b | b | b | b | b | b | b |
| 25-Sep | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 26-Sep | Confidentiality rules prohibit the release of this information | | | | | | | |
| 27-31 Sep | b | b | b | b | b | b | b | b |
| June | | | | | | | | |
| Subtotal | 44 | 916 | 497 | 138,509 | 399 | 10,595 | 20,619 | 170,619 |
| Year | | | | | | | | |
| Total | 49 | 1,444 | 611 | 255,366 | 7,769 | 88,110 | 52,274 | 404,130 |

^a Closed to commercial fishing.

Appendix B16.-South Unimak and Shumagin Islands June fisheries commercial sockeye and chum salmon harvests in percent by gear type and year, 1970-2006.

| Year | South Unimak | | | | | | Shumagin Islands | | | |
|-------------------|--------------|---------|---------|-------|---------|---------|------------------|---------|-------|---------|
| | Sockeye | | | Chum | | | Sockeye | | Chum | |
| | Purse | Drift | Set | Purse | Drift | Set | Purse | Set | Purse | Set |
| | Seine | Gillnet | Gillnet | Seine | Gillnet | Gillnet | Seine | Gillnet | Seine | Gillnet |
| 1970 | 47.5 | 52.0 | 0.5 | 31.0 | 68.8 | 0.2 | 91.9 | 8.1 | 94.0 | 6.0 |
| 1971 | 25.3 | 74.7 | 0.0 | 19.5 | 80.5 | 0.0 | 89.4 | 10.6 | 96.8 | 3.2 |
| 1972 | 12.5 | 87.5 | 0.0 | 9.3 | 90.7 | 0.0 | 96.9 | 3.1 | 98.5 | 1.5 |
| 1973 | 9.6 | 90.2 | 0.2 | 6.6 | 93.3 | 0.1 | 87.3 | 12.7 | 94.3 | 5.7 |
| 1974 ^a | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 1975 | 22.9 | 77.0 | 0.1 | 28.9 | 71.1 | 0.0 | 97.4 | 2.6 | 97.4 | 2.6 |
| 1976 | 17.4 | 82.2 | 0.4 | 14.2 | 85.8 | 0.1 | 95.5 | 4.5 | 97.1 | 2.9 |
| 1977 | 15.2 | 84.3 | 0.5 | 10.5 | 89.3 | 0.2 | 94.9 | 5.1 | 99.0 | 1.0 |
| 1978 | 18.4 | 81.0 | 0.6 | 9.9 | 90.0 | 0.1 | 97.0 | 3.0 | 96.3 | 3.7 |
| 1979 | 70.6 | 29.2 | 0.2 | 30.1 | 69.8 | 0.1 | 92.4 | 7.6 | 95.7 | 4.3 |
| 1980 | 76.4 | 23.1 | 0.5 | 79.2 | 20.7 | 0.1 | 96.4 | 3.6 | 97.3 | 2.7 |
| 1981 | 50.7 | 47.1 | 2.1 | 63.5 | 36.2 | 0.3 | 94.8 | 5.2 | 98.7 | 1.3 |
| 1982 | 54.1 | 44.7 | 1.2 | 46.1 | 53.7 | 0.2 | 97.3 | 2.7 | 98.9 | 1.1 |
| 1983 | 60.5 | 38.8 | 0.7 | 65.9 | 34.0 | 0.1 | 97.4 | 2.6 | 99.6 | 0.4 |
| 1984 | 63.3 | 35.7 | 1.0 | 60.2 | 39.7 | 0.1 | 94.7 | 5.3 | 99.3 | 0.7 |
| 1985 | 61.3 | 38.0 | 0.7 | 38.7 | 61.1 | 0.2 | 94.8 | 5.2 | 96.0 | 4.0 |
| 1986 | 46.7 | 51.7 | 1.6 | 43.8 | 55.9 | 0.3 | 85.0 | 15.0 | 95.0 | 5.0 |
| 1987 | 36.5 | 61.5 | 2.0 | 38.3 | 61.1 | 0.6 | 76.0 | 24.0 | 93.4 | 6.6 |
| 1988 | 29.8 | 67.0 | 3.2 | 33.5 | 65.8 | 0.6 | 72.1 | 27.9 | 82.6 | 17.4 |
| 1989 | 59.4 | 38.0 | 2.5 | 52.1 | 47.3 | 0.7 | 90.9 | 9.1 | 93.6 | 6.4 |
| 1990 ^b | 56.9 | 41.6 | 1.6 | 57.9 | 41.8 | 0.3 | 85.3 | 14.7 | 93.1 | 6.9 |
| 1991 | 53.5 | 44.4 | 2.1 | 61.2 | 38.2 | 0.6 | 80.6 | 19.4 | 93.3 | 6.7 |
| 1992 | 58.3 | 37.4 | 4.3 | 63.2 | 35.6 | 1.2 | 90.9 | 9.1 | 96.3 | 3.7 |
| 1993 | 59.1 | 38.1 | 2.8 | 66.2 | 31.6 | 2.2 | 87.5 | 12.5 | 97.9 | 2.1 |
| 1994 | 57.3 | 37.1 | 5.7 | 63.9 | 34.6 | 1.5 | 75.4 | 24.6 | 96.5 | 3.5 |
| 1995 | 42.1 | 54.6 | 3.2 | 47.1 | 50.5 | 2.5 | 81.5 | 18.5 | 93.7 | 6.3 |
| 1996 | 22.2 | 73.7 | 4.1 | 32.0 | 66.3 | 1.7 | 75.0 | 25.0 | 95.9 | 4.1 |
| 1997 | 14.8 | 76.0 | 9.2 | 30.1 | 65.1 | 4.8 | 75.5 | 24.5 | 93.8 | 6.2 |
| 1998 | 7.2 | 87.9 | 4.9 | 13.7 | 83.2 | 3.1 | 49.4 | 50.6 | 78.7 | 21.3 |
| 1999 | 21.0 | 75.7 | 3.3 | 28.0 | 68.9 | 3.1 | 74.3 | 25.7 | 93.2 | 6.8 |
| 2000 | 12.9 | 81.0 | 6.1 | 27.7 | 68.0 | 4.4 | 77.4 | 22.6 | 94.5 | 5.5 |
| 2001 | 14.1 | 78.6 | 7.3 | 15.8 | 79.4 | 4.8 | 84.9 | 15.1 | 93.1 | 6.9 |
| 2002 | 20.4 | 71.5 | 8.1 | 22.9 | 72.1 | 5.0 | 76.7 | 23.3 | 94.8 | 5.2 |
| 2003 | 17.5 | 73.1 | 9.4 | 19.3 | 76.5 | 4.1 | 70.5 | 29.5 | 95.8 | 4.2 |
| 2004 | 17.0 | 69.4 | 13.6 | 13.9 | 83.6 | 2.5 | 74.6 | 25.4 | 95.8 | 4.2 |
| 2005 | 20.5 | 51.9 | 27.6 | 18.3 | 78.0 | 3.8 | 61.2 | 38.8 | 92.0 | 8.0 |
| 2006 | 23.4 | 46.6 | 30.0 | 7.8 | 87.2 | 5.0 | 68.6 | 31.4 | 89.9 | 10.1 |
| 1971-1980 Average | 26.8 | 62.9 | 0.2 | 20.8 | 69.1 | 0.1 | 84.7 | 5.3 | 87.2 | 2.8 |
| 1981-1990 Average | 51.9 | 46.4 | 1.7 | 50.0 | 49.7 | 0.3 | 88.8 | 11.2 | 95.0 | 5.0 |
| 1996-2005 Average | 16.8 | 74.2 | 6.9 | 25.0 | 71.4 | 3.6 | 74.0 | 26.0 | 92.9 | 7.1 |

^a No fishery due to anticipated poor sockeye salmon runs to Bristol Bay.

^b Gear depth limitations in effect beginning in 1990.

Appendix B17.-South Unimak June fishery commercial sockeye salmon harvests in number of fish and percent by gear type and year, 1970-2006.

| Year | Purse Seine ^a | | Drift Gillnet ^a | | Set Gillnet ^a | | Total |
|-------------------|--------------------------|---------|----------------------------|---------|--------------------------|---------|-----------|
| | Number | Percent | Number | Percent | Number | Percent | |
| 1970 | 717,189 | 47.5 | 784,956 | 52.0 | 8,228 | 0.5 | 1,510,373 |
| 1971 | 107,075 | 25.3 | 315,685 | 74.7 | 0 | 0.0 | 422,760 |
| 1972 | 53,173 | 12.5 | 373,618 | 87.5 | 8 | 0.0 | 426,799 |
| 1973 | 21,364 | 9.6 | 200,258 | 90.2 | 502 | 0.2 | 222,124 |
| 1974 ^b | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 |
| 1975 | 43,703 | 22.9 | 146,918 | 77.0 | 153 | 0.1 | 190,774 |
| 1976 | 40,334 | 17.4 | 190,256 | 82.2 | 978 | 0.4 | 231,568 |
| 1977 | 29,698 | 15.2 | 164,165 | 84.3 | 944 | 0.5 | 194,807 |
| 1978 | 77,221 | 18.4 | 339,295 | 81.0 | 2,419 | 0.6 | 418,935 |
| 1979 | 474,381 | 70.6 | 196,482 | 29.2 | 1,349 | 0.2 | 672,212 |
| 1980 | 2,086,038 | 76.4 | 631,975 | 23.1 | 13,135 | 0.5 | 2,731,148 |
| 1981 | 745,747 | 50.7 | 693,166 | 47.1 | 31,480 | 2.1 | 1,470,393 |
| 1982 | 902,804 | 54.1 | 745,616 | 44.7 | 19,733 | 1.2 | 1,668,153 |
| 1983 | 935,003 | 60.5 | 599,152 | 38.8 | 10,920 | 0.7 | 1,545,075 |
| 1984 | 716,685 | 63.3 | 403,582 | 35.7 | 11,098 | 1.0 | 1,131,365 |
| 1985 | 891,775 | 61.3 | 553,558 | 38.0 | 9,636 | 0.7 | 1,454,969 |
| 1986 | 147,380 | 46.7 | 162,950 | 51.7 | 5,040 | 1.6 | 315,370 |
| 1987 | 238,193 | 36.5 | 401,215 | 61.5 | 12,989 | 2.0 | 652,397 |
| 1988 | 141,410 | 29.8 | 317,818 | 67.0 | 15,229 | 3.2 | 474,457 |
| 1989 | 800,949 | 59.4 | 512,522 | 38.0 | 34,076 | 2.5 | 1,347,547 |
| 1990 ^c | 619,391 | 56.9 | 452,484 | 41.6 | 17,069 | 1.6 | 1,088,944 |
| 1991 | 650,461 | 53.5 | 539,490 | 44.4 | 25,707 | 2.1 | 1,215,658 |
| 1992 | 1,192,202 | 58.3 | 765,752 | 37.4 | 88,068 | 4.3 | 2,046,022 |
| 1993 | 1,397,481 | 59.1 | 902,788 | 38.1 | 66,304 | 2.8 | 2,366,573 |
| 1994 | 573,247 | 57.3 | 371,103 | 37.1 | 56,900 | 5.7 | 1,001,250 |
| 1995 | 611,453 | 42.1 | 792,940 | 54.6 | 47,097 | 3.2 | 1,451,490 |
| 1996 | 127,366 | 22.2 | 421,882 | 73.7 | 23,247 | 4.1 | 572,495 |
| 1997 | 174,536 | 14.8 | 896,638 | 76.0 | 108,005 | 9.2 | 1,179,179 |
| 1998 | 70,263 | 7.2 | 856,265 | 87.9 | 48,100 | 4.9 | 974,628 |
| 1999 | 232,779 | 21.0 | 836,876 | 75.7 | 36,553 | 3.3 | 1,106,208 |
| 2000 | 114,831 | 12.9 | 722,855 | 81.0 | 54,330 | 6.1 | 892,016 |
| 2001 | 17,159 | 14.1 | 95,547 | 78.6 | 8,841 | 7.3 | 121,547 |
| 2002 | 72,569 | 20.4 | 254,657 | 71.5 | 28,931 | 8.1 | 356,157 |
| 2003 | 58,813 | 17.5 | 245,657 | 73.1 | 31,433 | 9.4 | 335,903 |
| 2004 | 90,465 | 17.0 | 369,011 | 69.4 | 72,479 | 13.6 | 531,955 |
| 2005 | 89,607 | 20.5 | 227,206 | 51.9 | 120,630 | 27.6 | 437,443 |
| 2006 | 114,760 | 23.4 | 228,924 | 46.6 | 147,369 | 30.0 | 491,053 |
| 1986-2005 Average | | | | | | | |
| | 371,028 | 33.4 | 507,283 | 60.5 | 45,051 | 6.1 | 923,362 |
| 1996-2005 Average | | | | | | | |
| | 104,839 | 16.8 | 492,659 | 73.9 | 53,255 | 9.4 | 650,753 |

^a Does not include test fish harvests.

^b No fishery due to anticipated poor sockeye salmon runs to Bristol Bay.

^c Gear depth limitations in effect beginning in 1990.

Appendix B18.-South Unimak June fishery commercial chum salmon harvests in number of fish and percent by gear type and year, 1970-2006.

| Year | Purse Seine ^a | | Drift Gillnet ^a | | Set Gillnet ^a | | Total |
|-------------------|--------------------------|---------|----------------------------|---------|--------------------------|---------|---------|
| | Number | Percent | Number | Percent | Number | Percent | |
| 1970 | 121,214 | 31.0 | 269,476 | 68.8 | 878 | 0.2 | 391,568 |
| 1971 | 79,044 | 19.5 | 326,267 | 80.5 | 0 | 0.0 | 405,311 |
| 1972 | 38,365 | 9.3 | 372,635 | 90.7 | 0 | 0.0 | 411,000 |
| 1973 | 11,746 | 6.6 | 165,753 | 93.3 | 221 | 0.1 | 177,720 |
| 1974 ^b | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 |
| 1975 | 18,833 | 28.9 | 46,446 | 71.1 | 0 | 0.0 | 65,279 |
| 1976 | 47,623 | 14.2 | 288,300 | 85.8 | 238 | 0.1 | 336,161 |
| 1977 | 9,852 | 10.5 | 84,052 | 89.3 | 193 | 0.2 | 94,097 |
| 1978 | 10,210 | 9.9 | 93,115 | 90.0 | 88 | 0.1 | 103,413 |
| 1979 | 19,007 | 30.1 | 44,051 | 69.8 | 92 | 0.1 | 63,150 |
| 1980 | 363,360 | 79.2 | 94,900 | 20.7 | 239 | 0.1 | 458,499 |
| 1981 | 323,817 | 63.5 | 184,586 | 36.2 | 1,473 | 0.3 | 509,876 |
| 1982 | 430,661 | 46.1 | 501,282 | 53.7 | 1,785 | 0.2 | 933,728 |
| 1983 | 405,903 | 65.9 | 209,600 | 34.0 | 851 | 0.1 | 616,354 |
| 1984 | 137,110 | 60.2 | 90,498 | 39.7 | 305 | 0.1 | 227,913 |
| 1985 | 125,813 | 38.7 | 198,361 | 61.1 | 651 | 0.2 | 324,825 |
| 1986 | 110,666 | 43.8 | 141,299 | 55.9 | 756 | 0.3 | 252,721 |
| 1987 | 155,447 | 38.3 | 247,934 | 61.1 | 2,574 | 0.6 | 405,955 |
| 1988 | 155,895 | 33.5 | 305,967 | 65.8 | 2,903 | 0.6 | 464,765 |
| 1989 | 212,310 | 52.1 | 192,650 | 47.3 | 2,675 | 0.7 | 407,635 |
| 1990 ^c | 263,532 | 57.9 | 190,002 | 41.8 | 1,510 | 0.3 | 455,044 |
| 1991 | 410,034 | 61.2 | 256,132 | 38.2 | 3,937 | 0.6 | 670,103 |
| 1992 | 204,717 | 63.2 | 115,401 | 35.6 | 3,773 | 1.2 | 323,891 |
| 1993 | 252,798 | 66.2 | 120,820 | 31.6 | 8,323 | 2.2 | 381,941 |
| 1994 | 239,286 | 63.9 | 129,530 | 34.6 | 5,593 | 1.5 | 374,409 |
| 1995 | 161,199 | 47.1 | 172,715 | 50.5 | 8,393 | 2.5 | 342,307 |
| 1996 | 41,516 | 32.0 | 86,103 | 66.3 | 2,270 | 1.7 | 129,889 |
| 1997 | 58,999 | 30.1 | 127,646 | 65.1 | 9,371 | 4.8 | 196,016 |
| 1998 | 26,777 | 13.7 | 162,566 | 83.2 | 6,111 | 3.1 | 195,454 |
| 1999 | 52,314 | 28.0 | 128,723 | 68.9 | 5,849 | 3.1 | 186,886 |
| 2000 | 46,728 | 27.7 | 114,812 | 68.0 | 7,348 | 4.4 | 168,888 |
| 2001 | 5,701 | 15.8 | 28,651 | 79.4 | 1,747 | 4.8 | 36,099 |
| 2002 | 46,036 | 22.9 | 145,079 | 72.1 | 10,096 | 5.0 | 201,211 |
| 2003 | 23,435 | 19.3 | 92,730 | 76.5 | 5,004 | 4.1 | 121,169 |
| 2004 | 18,142 | 13.9 | 109,227 | 83.6 | 3,257 | 2.5 | 130,626 |
| 2005 | 26,253 | 18.3 | 112,144 | 78.0 | 5,402 | 3.8 | 143,799 |
| 2006 | 7,479 | 7.8 | 83,752 | 87.2 | 4,785 | 5.0 | 96,016 |
| <hr/> | | | | | | | |
| 1986-2005 Average | 125,589 | 37.4 | 149,007 | 60.2 | 4,845 | 2.4 | 279,440 |
| 1996-2005 Average | 34,590 | 22.2 | 110,768 | 74.1 | 5,646 | 3.7 | 151,004 |

^a Does not include test fish harvests.

^b No fishery due to anticipated poor sockeye salmon runs to Bristol Bay.

^c Gear depth limitations in effect beginning in 1990.

Appendix B19.-Shumagin Islands June fishery commercial sockeye salmon harvests in number of fish and percent by gear type and year, 1970-2006.

| Year | Purse Seine ^a | | Set Gillnet ^a | | Total |
|-------------------|--------------------------|---------|--------------------------|---------|---------|
| | Number | Percent | Number | Percent | |
| 1970 | 128,408 | 91.9 | 11,327 | 8.1 | 139,735 |
| 1971 | 35,176 | 89.4 | 4,165 | 10.6 | 39,341 |
| 1972 | 72,069 | 96.9 | 2,329 | 3.1 | 74,398 |
| 1973 | 20,047 | 87.3 | 2,917 | 12.7 | 22,964 |
| 1974 ^b | 0 | 0.0 | 0 | 0.0 | 0 |
| 1975 | 48,065 | 97.4 | 1,260 | 2.6 | 49,325 |
| 1976 | 68,755 | 95.5 | 3,261 | 4.5 | 72,016 |
| 1977 | 43,579 | 94.9 | 2,333 | 5.1 | 45,912 |
| 1978 | 65,826 | 97.0 | 2,050 | 3.0 | 67,876 |
| 1979 | 165,605 | 92.4 | 13,534 | 7.6 | 179,139 |
| 1980 | 458,069 | 96.4 | 17,058 | 3.6 | 475,127 |
| 1981 | 332,300 | 94.8 | 18,272 | 5.2 | 350,572 |
| 1982 | 438,420 | 97.3 | 12,128 | 2.7 | 450,548 |
| 1983 | 405,757 | 97.4 | 10,737 | 2.6 | 416,494 |
| 1984 | 243,136 | 94.7 | 13,702 | 5.3 | 256,838 |
| 1985 | 318,878 | 94.8 | 17,553 | 5.2 | 336,431 |
| 1986 | 132,580 | 85.0 | 23,447 | 15.0 | 156,027 |
| 1987 | 106,799 | 76.0 | 33,768 | 24.0 | 140,567 |
| 1988 | 203,391 | 72.1 | 78,839 | 27.9 | 282,230 |
| 1989 | 360,860 | 90.9 | 36,098 | 9.1 | 396,958 |
| 1990 ^c | 217,968 | 85.3 | 37,617 | 14.7 | 255,585 |
| 1991 | 268,539 | 80.6 | 64,733 | 19.4 | 333,272 |
| 1992 | 374,258 | 90.9 | 37,576 | 9.1 | 411,834 |
| 1993 | 531,258 | 87.5 | 75,913 | 12.5 | 607,171 |
| 1994 | 346,923 | 75.4 | 113,090 | 24.6 | 460,013 |
| 1995 | 532,952 | 81.5 | 120,879 | 18.5 | 653,831 |
| 1996 | 342,317 | 75.0 | 114,158 | 25.0 | 456,475 |
| 1997 | 338,803 | 75.5 | 110,199 | 24.5 | 449,002 |
| 1998 | 155,216 | 49.4 | 158,881 | 50.6 | 314,097 |
| 1999 | 200,108 | 74.3 | 69,083 | 25.7 | 269,191 |
| 2000 | 277,974 | 77.4 | 81,238 | 22.6 | 359,212 |
| 2001 | 24,705 | 84.9 | 4,380 | 15.1 | 29,085 |
| 2002 | 180,135 | 76.7 | 54,814 | 23.3 | 234,949 |
| 2003 | 82,608 | 70.5 | 34,636 | 29.5 | 117,244 |
| 2004 | 608,775 | 74.6 | 207,343 | 25.4 | 816,118 |
| 2005 | 347,114 | 61.2 | 219,838 | 38.8 | 566,952 |
| 2006 | 302,729 | 68.6 | 138,509 | 31.4 | 441,238 |
| 1986-2005 Average | | | | | |
| | 281,664 | 77.2 | 83,827 | 22.8 | 365,491 |
| 1996-2005 Average | | | | | |
| | 255,776 | 71.9 | 105,457 | 28.1 | 361,233 |

^a Does not include test fish harvests.

^b No fishery due to anticipated poor sockeye salmon runs to Bristol Bay.

^c Gear depth limitations in effect beginning in 1990.

Appendix B20.-Shumagin Islands June fishery commercial chum salmon harvests in number of fish and percent by gear type and year, 1970-2006.

| Year | Purse Seine ^a | | Set Gillnet ^a | | Total |
|-------------------|--------------------------|---------|--------------------------|---------|---------|
| | Number | Percent | Number | Percent | |
| 1970 | 42,226 | 94.0 | 2,683 | 6.0 | 44,909 |
| 1971 | 100,544 | 96.8 | 3,342 | 3.2 | 103,886 |
| 1972 | 106,239 | 98.5 | 1,571 | 1.5 | 107,810 |
| 1973 | 21,605 | 94.3 | 1,305 | 5.7 | 22,910 |
| 1974 ^b | 0 | 0.0 | 0 | 0.0 | 0 |
| 1975 | 34,614 | 97.4 | 929 | 2.6 | 35,543 |
| 1976 | 71,946 | 97.1 | 2,163 | 2.9 | 74,109 |
| 1977 | 21,678 | 99.0 | 221 | 1.0 | 21,899 |
| 1978 | 17,793 | 96.3 | 686 | 3.7 | 18,479 |
| 1979 | 39,196 | 95.7 | 1,757 | 4.3 | 40,953 |
| 1980 | 48,990 | 97.3 | 1,376 | 2.7 | 50,366 |
| 1981 | 53,351 | 98.7 | 720 | 1.3 | 54,071 |
| 1982 | 159,518 | 98.9 | 1,798 | 1.1 | 161,316 |
| 1983 | 168,618 | 99.6 | 659 | 0.4 | 169,277 |
| 1984 | 108,495 | 99.3 | 712 | 0.7 | 109,207 |
| 1985 | 104,619 | 96.0 | 4,385 | 4.0 | 109,004 |
| 1986 | 94,080 | 95.0 | 4,968 | 5.0 | 99,048 |
| 1987 | 34,617 | 93.4 | 2,447 | 6.6 | 37,064 |
| 1988 | 51,154 | 82.6 | 10,792 | 17.4 | 61,946 |
| 1989 | 44,498 | 93.6 | 3,030 | 6.4 | 47,528 |
| 1990 ^c | 59,111 | 93.1 | 4,390 | 6.9 | 63,501 |
| 1991 | 95,756 | 93.3 | 6,846 | 6.7 | 102,602 |
| 1992 | 98,509 | 96.3 | 3,803 | 3.7 | 102,312 |
| 1993 | 147,160 | 97.9 | 3,146 | 2.1 | 150,306 |
| 1994 | 200,577 | 96.5 | 7,179 | 3.5 | 207,756 |
| 1995 | 182,894 | 93.7 | 12,232 | 6.3 | 195,126 |
| 1996 | 220,449 | 95.9 | 9,482 | 4.1 | 229,931 |
| 1997 | 118,418 | 93.8 | 7,891 | 6.2 | 126,309 |
| 1998 | 39,464 | 78.7 | 10,701 | 21.3 | 50,165 |
| 1999 | 54,439 | 93.2 | 3,981 | 6.8 | 58,420 |
| 2000 | 66,580 | 94.5 | 3,889 | 5.5 | 70,469 |
| 2001 | 11,402 | 93.1 | 849 | 6.9 | 12,251 |
| 2002 | 168,405 | 94.8 | 9,201 | 5.2 | 177,606 |
| 2003 | 154,445 | 95.8 | 6,824 | 4.2 | 161,269 |
| 2004 | 336,753 | 95.8 | 14,930 | 4.2 | 351,683 |
| 2005 | 261,261 | 92.0 | 22,770 | 8.0 | 284,031 |
| 2006 | 183,192 | 89.9 | 20,619 | 10.1 | 203,811 |
| 1986-2005 Average | | | | | |
| | 121,999 | 93.1 | 7,468 | 6.9 | 129,466 |
| 1996-2005 Average | | | | | |
| | 143,162 | 92.7 | 9,052 | 7.3 | 152,213 |

^a Does not include test fish harvests.

^b No fishery due to anticipated poor sockeye salmon runs to Bristol Bay.

^c Gear depth limitations in effect beginning in 1990.

Appendix B21.-South Unimak and Shumagin Islands June commercial fisheries sockeye to chum salmon ratios, all gear combined, by location and year, 1960-2006.

| Year | South Unimak ^a | | | Shumagin Islands ^a | | | Total ^a | | |
|-------------------|---------------------------|---------|-------|-------------------------------|---------|-------|--------------------|-----------|-------|
| | Sockeye | Chum | Ratio | Sockeye | Chum | Ratio | Sockeye | Chum | Ratio |
| 1960 | 137,000 | 84,000 | 1.6 | 19,000 | 11,000 | 1.7 | 156,000 | 95,000 | 1.6 |
| 1961 | 199,000 | 157,000 | 1.3 | 55,000 | 36,000 | 1.5 | 254,000 | 193,000 | 1.3 |
| 1962 | 272,000 | 209,000 | 1.3 | 54,000 | 61,000 | 0.9 | 326,000 | 270,000 | 1.2 |
| 1963 | 116,000 | 36,000 | 3.2 | 33,000 | 36,000 | 0.9 | 149,000 | 72,000 | 2.1 |
| 1964 | 159,000 | 161,000 | 1.0 | 85,000 | 67,000 | 1.3 | 244,000 | 228,000 | 1.1 |
| 1965 | 568,000 | 121,000 | 4.7 | 207,000 | 45,000 | 4.6 | 775,000 | 166,000 | 4.7 |
| 1966 | 528,000 | 215,000 | 2.5 | 54,000 | 17,000 | 3.2 | 582,000 | 232,000 | 2.5 |
| 1967 | 186,000 | 73,000 | 2.5 | 69,000 | 51,000 | 1.4 | 255,000 | 124,000 | 2.1 |
| 1968 | 342,000 | 115,000 | 3.0 | 233,000 | 51,000 | 4.6 | 575,000 | 166,000 | 3.5 |
| 1969 | 781,000 | 254,000 | 3.1 | 76,000 | 13,000 | 5.8 | 857,000 | 267,000 | 3.2 |
| 1970 | 1,510,373 | 391,568 | 3.9 | 139,735 | 44,909 | 3.1 | 1,650,108 | 436,477 | 3.8 |
| 1971 | 422,760 | 405,311 | 1.0 | 39,341 | 103,886 | 0.4 | 462,101 | 509,197 | 0.9 |
| 1972 | 426,799 | 411,000 | 1.0 | 74,398 | 107,810 | 0.7 | 501,197 | 518,810 | 1.0 |
| 1973 | 222,124 | 177,720 | 1.2 | 22,964 | 22,910 | 1.0 | 245,088 | 200,630 | 1.2 |
| 1974 ^b | 0 | 0 | 0.0 | 0 | 0 | 0.0 | 0 | 0 | 0.0 |
| 1975 | 190,774 | 65,279 | 2.9 | 49,325 | 35,543 | 1.4 | 240,099 | 100,822 | 2.4 |
| 1976 | 231,568 | 336,161 | 0.7 | 72,016 | 74,109 | 1.0 | 303,584 | 410,270 | 0.7 |
| 1977 | 194,807 | 94,097 | 2.1 | 45,912 | 21,899 | 2.1 | 240,719 | 115,996 | 2.1 |
| 1978 | 418,935 | 103,413 | 4.1 | 67,876 | 18,479 | 3.7 | 486,811 | 121,892 | 4.0 |
| 1979 | 672,212 | 63,150 | 10.6 | 179,139 | 40,953 | 4.4 | 851,351 | 104,103 | 8.2 |
| 1980 | 2,731,148 | 458,499 | 6.0 | 475,127 | 50,366 | 9.4 | 3,206,275 | 508,865 | 6.3 |
| 1981 | 1,470,393 | 509,876 | 2.9 | 350,572 | 54,071 | 6.5 | 1,820,965 | 563,947 | 3.2 |
| 1982 | 1,668,153 | 933,728 | 1.8 | 450,548 | 161,316 | 2.8 | 2,118,701 | 1,095,044 | 1.9 |
| 1983 | 1,545,075 | 616,354 | 2.5 | 416,494 | 169,277 | 2.5 | 1,961,569 | 785,631 | 2.5 |
| 1984 | 1,131,365 | 227,913 | 5.0 | 256,838 | 109,207 | 2.4 | 1,388,203 | 337,120 | 4.1 |
| 1985 | 1,454,969 | 324,825 | 4.5 | 336,431 | 109,004 | 3.1 | 1,791,400 | 433,829 | 4.1 |
| 1986 | 315,370 | 252,721 | 1.2 | 156,027 | 99,048 | 1.6 | 471,397 | 351,769 | 1.3 |
| 1987 | 652,397 | 405,955 | 1.6 | 140,567 | 37,064 | 3.8 | 792,964 | 443,019 | 1.8 |
| 1988 | 474,457 | 464,765 | 1.0 | 282,230 | 61,946 | 4.6 | 756,687 | 526,711 | 1.4 |
| 1989 | 1,347,547 | 407,635 | 3.3 | 396,958 | 47,528 | 8.4 | 1,744,505 | 455,163 | 3.8 |
| 1990 ^c | 1,088,944 | 455,044 | 2.4 | 255,585 | 63,501 | 4.0 | 1,344,529 | 518,545 | 2.6 |
| 1991 | 1,215,658 | 670,103 | 1.8 | 333,272 | 102,602 | 3.2 | 1,548,930 | 772,705 | 2.0 |
| 1992 | 2,046,022 | 323,891 | 6.3 | 411,834 | 102,312 | 4.0 | 2,457,856 | 426,203 | 5.8 |
| 1993 | 2,366,573 | 381,941 | 6.2 | 607,171 | 150,306 | 4.0 | 2,973,744 | 532,247 | 5.6 |
| 1994 | 1,001,250 | 374,409 | 2.7 | 460,013 | 207,756 | 2.2 | 1,461,263 | 582,165 | 2.5 |
| 1995 | 1,451,490 | 342,307 | 4.2 | 653,831 | 195,126 | 3.4 | 2,105,321 | 537,433 | 3.9 |
| 1996 | 572,495 | 129,889 | 4.4 | 456,475 | 229,931 | 2.0 | 1,028,970 | 359,820 | 2.9 |
| 1997 | 1,179,179 | 196,016 | 6.0 | 449,002 | 126,309 | 3.6 | 1,628,181 | 322,325 | 5.1 |
| 1998 | 974,628 | 195,454 | 5.0 | 314,097 | 50,165 | 6.3 | 1,288,725 | 245,619 | 5.2 |
| 1999 | 1,106,208 | 186,886 | 5.9 | 269,191 | 58,420 | 4.6 | 1,375,399 | 245,306 | 5.6 |
| 2000 | 892,016 | 168,888 | 5.3 | 359,212 | 70,469 | 5.1 | 1,251,228 | 239,357 | 5.2 |
| 2001 | 121,547 | 36,099 | 3.4 | 29,085 | 12,251 | 2.4 | 150,632 | 48,350 | 3.1 |
| 2002 | 356,157 | 201,211 | 1.8 | 234,949 | 177,606 | 1.3 | 591,106 | 378,817 | 1.6 |
| 2003 | 335,903 | 121,169 | 2.8 | 117,244 | 161,269 | 0.7 | 453,147 | 282,438 | 1.6 |
| 2004 | 531,955 | 130,626 | 4.1 | 816,118 | 351,683 | 2.3 | 1,348,073 | 482,309 | 2.8 |
| 2005 | 437,443 | 143,799 | 3.0 | 566,952 | 284,031 | 2.0 | 1,004,395 | 427,830 | 2.3 |
| 2006 | 491,053 | 96,016 | 5.1 | 441,238 | 203,811 | 2.2 | 932,291 | 299,827 | 3.1 |
| 1986-2005 Average | | | | | | | | | |
| | 923,362 | 279,440 | 3.6 | 365,491 | 129,466 | 3.5 | 1,288,853 | 408,907 | 3.3 |
| 1996-2005 Average | | | | | | | | | |
| | 650,753 | 151,004 | 4.2 | 361,233 | 152,213 | 3.0 | 1,011,986 | 303,217 | 3.5 |

^a Does not include test fish harvests.

^b No fishery due to anticipated poor sockeye salmon runs to Bristol Bay.

^c Gear depth limitations in effect beginning in 1990.

Appendix B22.-South Unimak and Shumagin Islands June commercial fisheries sockeye to chum salmon ratios by location, gear type, and year, 1970-2006.

| Year | South Unimak | | | | Shumagin Islands | | |
|-------------------|--------------|---------------|-------------|-------|------------------|-------------|-------|
| | Purse Seine | Drift Gillnet | Set Gillnet | Total | Purse Seine | Set Gillnet | Total |
| 1970 | 5.9 | 2.9 | 9.4 | 3.9 | 3.0 | 4.2 | 3.1 |
| 1971 | 1.4 | 1.0 | -- | 1.0 | 0.3 | 1.2 | 0.4 |
| 1972 | 1.4 | 1.0 | -- | 1.0 | 0.7 | 1.5 | 0.7 |
| 1973 | 1.8 | 1.2 | 2.3 | 1.2 | 0.9 | 2.2 | 1.0 |
| 1974 ^a | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 1975 | 2.3 | 3.2 | -- | 2.9 | 1.4 | 1.4 | 1.4 |
| 1976 | 0.8 | 0.7 | 4.1 | 0.7 | 1.0 | 1.5 | 1.0 |
| 1977 | 3.0 | 2.0 | 4.9 | 2.1 | 2.0 | 10.6 | 2.1 |
| 1978 | 7.6 | 3.6 | 27.5 | 4.1 | 3.7 | 3.0 | 3.7 |
| 1979 | 25.0 | 4.5 | 14.7 | 10.6 | 4.2 | 7.7 | 4.4 |
| 1980 | 5.7 | 6.7 | 55.0 | 6.0 | 9.4 | 12.4 | 9.4 |
| 1981 | 2.3 | 3.8 | 21.4 | 2.9 | 6.2 | 25.4 | 6.5 |
| 1982 | 2.1 | 1.5 | 11.1 | 1.8 | 2.7 | 6.7 | 2.8 |
| 1983 | 2.3 | 2.9 | 12.8 | 2.5 | 2.4 | 16.3 | 2.5 |
| 1984 | 5.2 | 4.5 | 36.4 | 5.0 | 2.2 | 19.2 | 2.4 |
| 1985 | 7.1 | 2.8 | 14.8 | 4.5 | 3.0 | 4.0 | 3.1 |
| 1986 | 1.3 | 1.2 | 6.7 | 1.2 | 1.4 | 4.7 | 1.6 |
| 1987 | 1.5 | 1.6 | 5.0 | 1.6 | 3.1 | 13.8 | 3.8 |
| 1988 | 0.9 | 1.0 | 5.2 | 1.0 | 4.0 | 7.3 | 4.6 |
| 1989 | 3.8 | 2.7 | 12.7 | 3.3 | 8.1 | 11.9 | 8.4 |
| 1990 ^b | 2.4 | 2.4 | 11.3 | 2.4 | 3.7 | 8.6 | 4.0 |
| 1991 | 1.6 | 2.1 | 6.5 | 1.8 | 2.8 | 9.5 | 3.2 |
| 1992 | 5.8 | 6.6 | 23.3 | 6.3 | 3.8 | 9.9 | 4.0 |
| 1993 | 5.5 | 7.5 | 8.0 | 6.2 | 3.6 | 24.1 | 4.0 |
| 1994 | 2.4 | 2.9 | 10.2 | 2.7 | 1.7 | 15.8 | 2.2 |
| 1995 | 3.8 | 4.6 | 5.6 | 4.2 | 2.9 | 9.9 | 3.4 |
| 1996 | 3.1 | 4.9 | 10.2 | 4.4 | 1.6 | 12.0 | 2.0 |
| 1997 | 3.0 | 7.0 | 11.5 | 6.0 | 2.9 | 14.0 | 3.6 |
| 1998 | 2.6 | 5.3 | 7.9 | 5.0 | 3.9 | 14.8 | 6.3 |
| 1999 | 4.4 | 6.5 | 6.2 | 5.9 | 3.7 | 17.4 | 4.6 |
| 2000 | 2.5 | 6.3 | 7.4 | 5.3 | 4.2 | 20.9 | 5.1 |
| 2001 | 3.0 | 3.3 | 5.1 | 3.4 | 2.2 | 5.2 | 2.4 |
| 2002 | 1.6 | 1.8 | 2.9 | 1.8 | 1.1 | 6.0 | 1.3 |
| 2003 | 2.5 | 2.6 | 6.3 | 2.8 | 0.5 | 5.1 | 0.7 |
| 2004 | 5.0 | 3.4 | 22.3 | 4.1 | 1.8 | 13.9 | 2.3 |
| 2005 | 3.4 | 2.0 | 22.3 | 3.0 | 1.3 | 9.7 | 2.0 |
| 2006 | 15.3 | 2.7 | 30.8 | 5.1 | 1.7 | 6.7 | 2.2 |
| 1986-2005 Average | | | | | | | |
| | 3.0 | 3.8 | 9.8 | 3.6 | 2.9 | 11.7 | 3.5 |
| 1996-2005 Average | | | | | | | |
| | 3.1 | 4.3 | 10.2 | 4.2 | 2.3 | 11.9 | 3.0 |

^a No fishery due to anticipated poor sockeye salmon runs to Bristol Bay.


^b Gear depth limitations in effect beginning in 1990.

Appendix B23.-Number and type of commercial salmon permits fished in the South Unimak and Shumagin Islands Section waters combined during June, by year, 1970-2006.


| Year | Permits | | | Total |
|-------------------|-------------|---------------|-------------|-------|
| | Purse Seine | Drift Gillnet | Set Gillnet | |
| 1970 | 38 | 156 | 16 | 210 |
| 1971 | 37 | 122 | 8 | 167 |
| 1972 | 32 | 150 | 6 | 188 |
| 1973 | 16 | 121 | 6 | 143 |
| 1974 ^d | 0 | 0 | 0 | 0 |
| 1975 | 20 | 81 | 8 | 109 |
| 1976 | 25 | 108 | 14 | 147 |
| 1977 | 17 | 101 | 12 | 130 |
| 1978 | 23 | 120 | 16 | 159 |
| 1979 | 40 | 132 | 26 | 198 |
| 1980 | 68 | 129 | 29 | 226 |
| 1981 | 83 | 135 | 25 | 243 |
| 1982 | 90 | 138 | 23 | 251 |
| 1983 | 101 | 146 | 34 | 281 |
| 1984 | 101 | 147 | 32 | 280 |
| 1985 | 107 | 150 | 48 | 305 |
| 1986 | 99 | 156 | 43 | 298 |
| 1987 | 86 | 144 | 60 | 290 |
| 1988 | 90 | 148 | 63 | 301 |
| 1989 | 99 | 145 | 61 | 305 |
| 1990 | 109 | 153 | 58 | 320 |
| 1991 | 112 | 157 | 65 | 334 |
| 1992 | 112 | 141 | 68 | 321 |
| 1993 | 116 | 140 | 72 | 328 |
| 1994 | 114 | 145 | 65 | 324 |
| 1995 | 112 | 151 | 69 | 332 |
| 1996 | 99 | 147 | 67 | 313 |
| 1997 | 81 | 142 | 69 | 292 |
| 1998 | 64 | 145 | 74 | 283 |
| 1999 | 61 | 152 | 64 | 277 |
| 2000 | 70 | 149 | 59 | 278 |
| 2001 | 25 | 85 | 18 | 128 |
| 2002 | 36 | 86 | 59 | 181 |
| 2003 | 40 | 84 | 53 | 177 |
| 2004 | 38 | 95 | 57 | 190 |
| 2005 | 40 | 94 | 56 | 190 |
| 2006 | 36 | 85 | 67 | 188 |
| 1986-2005 Average | 80 | 133 | 60 | 273 |
| 1996-2005 Average | 55 | 118 | 58 | 231 |

^a No fishery due to anticipated poor sockeye salmon runs to Bristol Bay.


APPENDIX C. SOUTHEASTERN DISTRICT MAINLAND FISHERY



Appendix C1.-Map of the South Alaska Peninsula Management Area from Kupreanof Point to Scotch Cap with the Southeastern District Mainland highlighted.



Appendix C2.-Map of the Southeastern District Mainland (SEDM) fishery from Kupreanof Point to McGinty Point with the salmon fishing sections defined.



Appendix C3.-Map of the Total Chignik-bound sockeye salmon calculation, depicting the Southeastern District Mainland section, the Chignik Management Area, and the Cape Igvak section of the Kodiak Management Area.

Appendix C4.-Harvest of sockeye salmon, in number of fish and percent, considered to be Chignik-bound by regulation in the Chignik, Cape Igvak, and Southeastern District Mainland Areas from 1964-2006.

| Year | Southeastern District | | | | | | Total |
|--|---------------------------|---------|-------------------------|---------|----------------------------|---------|-----------|
| | Chignik Area ^a | | Cape Igvak ^a | | Mainland Area ^a | | |
| | Harvest | Percent | Harvest | Percent | Harvest | Percent | |
| 1964 ^b | 556,890 | 90.6 | 14,980 | 2.4 | 43,021 | 7.0 | 614,891 |
| 1965 | 599,553 | 89.9 | 11,021 | 1.7 | 56,020 | 8.4 | 666,594 |
| 1966 | 219,794 | 88.0 | 18,003 | 7.2 | 12,011 | 4.8 | 249,808 |
| 1967 | 462,000 | 91.5 | 23,014 | 4.6 | 20,021 | 4.0 | 505,035 |
| 1968 | 977,382 | 82.5 | 135,951 | 11.5 | 70,959 | 6.0 | 1,184,292 |
| 1969 | 394,135 | 79.0 | 97,982 | 19.6 | 7,013 | 1.4 | 499,130 |
| 1970 ^c | 1,325,734 | 72.5 | 434,394 | 23.8 | 68,181 | 3.7 | 1,828,309 |
| 1971 | 1,016,136 | 80.3 | 197,614 | 15.6 | 51,272 | 4.1 | 1,265,022 |
| 1972 | 378,218 | 88.0 | 33,865 | 7.9 | 17,752 | 4.1 | 429,835 |
| 1964-72 catch and percentage figures are total for the entire season. Catch figures and percentages after 1972 are only through July 25. | | | | | | | |
| 1973 ^d | 769,258 | 89.0 | 57,348 | 6.6 | 37,983 | 4.4 | 864,589 |
| 1974 | 530,278 | 73.6 | 122,071 | 16.9 | 68,029 | 9.4 | 720,378 |
| 1975 | 115,984 | 81.8 | 23,635 | 16.7 | 2,205 | 1.6 | 141,824 |
| 1976 | 792,024 | 83.0 | 117,926 | 12.4 | 44,730 | 4.7 | 954,680 |
| 1977 | 1,547,285 | 90.4 | 128,852 | 7.5 | 35,502 | 2.1 | 1,711,639 |
| 1978 ^{e,f} | 1,454,389 | 85.4 | 227,014 | 13.3 | 22,064 | 1.3 | 1,703,467 |
| 1979 ^g | 794,504 | 91.8 | 13,950 | 1.6 | 56,878 | 6.6 | 865,332 |
| 1980 | 670,001 | 91.3 | 32 | 0.0 | 63,724 | 8.7 | 733,757 |
| 1981 | 1,606,300 | 79.9 | 282,727 | 14.1 | 122,533 | 6.1 | 2,011,560 |
| 1982 | 1,250,768 | 84.5 | 167,401 | 11.3 | 62,767 | 4.2 | 1,480,936 |
| 1983 | 1,450,832 | 72.7 | 318,048 | 15.9 | 227,392 | 11.4 | 1,996,272 |
| 1984 | 2,474,405 | 73.9 | 449,372 | 13.4 | 423,068 | 12.6 | 3,346,845 |
| 1985 ^h | 696,169 | 79.9 | 123,627 | 14.2 | 51,421 | 5.9 | 871,217 |
| 1986 | 1,456,729 | 82.6 | 188,017 | 10.7 | 118,006 | 6.7 | 1,762,752 |
| 1987 | 1,659,615 | 78.0 | 321,506 | 15.1 | 146,886 | 6.9 | 2,128,007 |
| 1988 | 675,487 | 95.7 | 11,218 | 1.6 | 19,320 | 2.7 | 706,025 |
| 1989 | 496,044 | 99.1 | 0 | 0.0 | 4,485 | 0.9 | 500,529 |
| 1990 | 1,205,575 | 83.6 | 107,706 | 7.5 | 128,599 | 8.9 | 1,441,880 |
| 1991 ⁱ | 1,958,954 | 80.4 | 324,329 | 13.3 | 152,714 | 6.3 | 2,435,997 |
| 1992 ^j | 1,054,309 | 81.1 | 152,358 | 11.7 | 93,845 | 7.2 | 1,300,512 |
| 1993 | 1,495,098 | 77.7 | 300,055 | 15.6 | 128,536 | 6.7 | 1,923,689 |
| 1994 ^k | 1,632,435 | 80.6 | 250,230 | 12.4 | 142,350 | 7.0 | 2,025,015 |
| 1995 | 1,024,785 | 79.9 | 169,530 | 13.2 | 88,302 | 6.9 | 1,282,617 |
| 1996 ^l | 1,710,249 | 79.7 | 308,327 | 14.4 | 127,201 | 5.9 | 2,145,777 |
| 1997 | 443,892 | 100.0 | 0 | 0.0 | 0 | - | 443,892 |
| 1998 ^{m,n} | 786,466 | 91.2 | 8,813 | 1.0 | 66,893 | 7.8 | 862,172 |
| 1999 | 2,326,811 | 78.7 | 456,147 | 15.4 | 173,621 | 5.9 | 2,956,579 |
| 2000 | 1,509,652 | 80.1 | 272,808 | 14.5 | 103,419 | 5.5 | 1,885,879 |
| 2001 ^o | 1,145,840 | 79.6 | 215,214 | 14.9 | 79,037 | 5.5 | 1,440,091 |
| 2002 ^p | 851,030 | 81.1 | 135,818 | 12.9 | 63,026 | 6.0 | 1,049,874 |

-continued-

Appendix C4.-Page 2 of 3.


| Year | Southeastern District | | | | | | Total |
|-----------|---------------------------|---------|-------------------------|---------|----------------------------|---------|-----------|
| | Chignik Area ^a | | Cape Igvak ^a | | Mainland Area ^a | | |
| | Harvest | Percent | Harvest | Percent | Harvest | Percent | |
| 2003 | 855,179 | 81.7 | 121,887 | 11.6 | 70,044 | 6.7 | 1,047,110 |
| 2004 | 681,139 | 75.9 | 160,665 | 17.9 | 55,355 | 6.2 | 897,160 |
| 2005 | 1,097,045 | 70.8 | 274,328 | 17.7 | 177,906 | 11.5 | 1,549,279 |
| 2006 | 741,887 | 87.7 | 41,834 | 4.9 | 62,010 | 7.3 | 845,731 |
| Averages | | | | | | | |
| 1979-1984 | 1,374,468 | 82.3 | 205,255 | 9.4 | 159,394 | 8.3 | 1,739,117 |
| 1985-1991 | 1,164,082 | 85.6 | 153,772 | 8.9 | 88,776 | 5.5 | 1,406,630 |
| 1992-1996 | 1,383,375 | 79.8 | 236,100 | 13.5 | 116,047 | 6.7 | 1,735,522 |
| 1997-2005 | 1,043,894 | 82.1 | 168,751 | 11.8 | 85,131 | 6.1 | 1,297,777 |

- ^a Before 2002, the Cape Igvak and Southeastern District Mainland (SEDM) figures represent 80% of the total sockeye salmon catches for those areas based on the premise that 80% of the sockeye salmon caught in the Cape Igvak Section and the SEDM (excluding sockeye salmon caught in Northwest Stepovak Section from 1964-1991 and 1996-2005 and in Orzinski Bay only from 1992-1995) are bound for the Chignik Management Area (CMA).
- ^b The data from 1964-1972 are based on total yearly catches. Prior to 1974, Cape Igvak and Southeastern District Mainland fisheries were set by regulation to weekly fishing periods, usually five days per week. Time modifications were implemented when poor escapements occurred at Chignik.
- ^c Catches since 1970 were updated using historical electronic fish ticket databases.
- ^d During 1974-1977 all three fisheries were managed on a day by day basis.
- ^e Beginning in 1978, the Alaska Board of Fisheries (BOF) allocated 15 percent of the total sockeye salmon catch destined for Chignik to the Cape Igvak fishery.
- ^f Beginning in 1978, seining prior to July 11 was disallowed in the SEDM. Set gillnet fishers were allowed to fish three days per week through July 10, after which the fishery was managed on the basis of local stocks.
- ^g During 1979-1984 and prior to July 11, fishing was allowed five days per week in the Southeastern District Mainland Area with a maximum harvest of an estimated 60,000 sockeye destined for Chignik. If the Chignik Area sockeye catch was 1,000,000 or more before July 11, the 60,000 maximum harvest was to be dropped.
- ^h Beginning in 1985, the SEDM was placed on an allocation of 6.2 percent of the total estimated Chignik sockeye catch through July 25. After July 25, the SEDM is managed on a local stock basis. The allocation changed to 6.0 percent beginning in 1988. Seining is still not allowed prior to July 11.
- ⁱ CMA harvest includes over escapement of 278,305 sockeye counted past the weir during the Chignik Area seiners' price dispute (June 23-July 4, 1991).
- ^j Review of Orzinski Lake historical and current escapement records led the BOF to redefine the SEDM Management Plan. Beginning in 1992, the SEDM fishery (excluding Orzinski Bay) was placed on an allocation of 7.0 percent of the total estimated Chignik sockeye salmon catch through July 25.
- ^k CMA harvest includes over escapement of 208,921 sockeye counted past the weir during the Chignik Area seiners' strike (June 22-June 25, 1994).
- ^l In 1996, the area to be managed for local Orzinski Lake sockeye salmon was increased from only Orzinski Bay to the entire Northwest Stepovak Section. Prior to July 1, the entire Northwest Stepovak Section will be managed on an allocation based on the strength of the Chignik sockeye salmon runs. Beginning July 1, the Northwest Stepovak Section will be managed entirely on local stocks. The BOF also decreased the percentage of sockeye salmon allocated to the SEDM fishery from 7% to 6% to attempt to maintain traditional harvest levels of Chignik-bound sockeye salmon harvest in the SEDM fishery.
- ^m In 1998, the area managed entirely for local Orzinski Lake sockeye salmon was reduced from the entire Northwest Stepovak Section to only Orzinski Bay. All sockeye salmon caught in the Northwest Stepovak Section beginning July 1 would still be considered 100% local fish and not counted toward the 6% allocation. The remainder of SEDM sockeye salmon harvest allocated as 80% Chignik-bound fish. Assures minimum harvest of 600,000 sockeye salmon in Chignik through July 25.


-continued-

Appendix C4.-Page 3 of 3.


- ⁿ CMA harvest includes 7,714 sockeye salmon caught by the Chignik Seiners Association (CSA), and an over escapement of 52,131 sockeye salmon counted past the weir during the CSA boycott (June 16-29, 1998).
 - ^o CMA harvest includes a foregone harvest of 398,887 sockeye salmon which escaped past the weir as a result of the fishermen's strike (in the CMA). SEDM harvest includes a forgone harvest of 27,896 sockeye salmon which escaped past the weir as a result of the fishermen's strike (In the SEDM).
 - ^p Beginning in 2002, the percent of sockeye salmon harvested in the Cape Igvak Section considered to be Chignik-bound was increased from 80% to 90%.
-




Appendix C5.-Harvest comparison of Chignik-bound sockeye salmon June 1 through July 25, 1973-2006.




Appendix C6.-Southeastern District Mainland percent Chignik-bound sockeye salmon harvest, by year, 1970-2006.



Appendix C7.-SEDM average sockeye salmon harvest and cumulative percent of harvest by date, 1985-2006.




Appendix C8.-SEDM average sockeye salmon harvest and cumulative percent harvest by date, 1997-2006.




Appendix C9.-SEDM average sockeye salmon harvest and cumulative harvest by date, 2002-2006.

Appendix C10.-SEDM fishery regulatory history, 1970-2006.


| Year | Management Plan |
|------------|--|
| Pre – 1974 | Set weekly fishing periods, usually 5 days per week |
| 1974-1978 | Day for day fishing with Chignik |
| 1978 | 3 days per week, seine gear prohibited before July 10 |
| 1979-1984 | Assures minimum harvest in Chignik of 600,000, restricts fishing in SEDM during overlap period (6/26-7/9), allows 6% (6.2% -1985-1987) allocation if total Chignik sockeye salmon harvest through 7/25, permits opening in Stepovak Flats and Northwest Stepovak Sections based on local run |
| 1992-1995 | Area managed on local sockeye salmon runs reduced to include only Orzinski Bay (Stepovak Flats Section not affected), increased allocation of Chignik sockeye salmon harvest from 6% to 7% |
| 1996-1997 | Area managed on local sockeye salmon runs increased to include Northwest Stepovak beginning July 1, reduced allocation of Chignik sockeye salmon harvest from 7% to 6% |
| 1998-2006 | Beginning July 1, only Orzinski Bay was managed entirely on its local sockeye salmon run. However, all sockeye salmon caught in the Northwest Stepovak Section beginning July 1 were considered 100% local fish and were not counted toward the 6% allocation. The remainder of the SEDM sockeye salmon harvest was allocated as 80% Chignik-bound sockeye salmon. Assures a minimum Chignik Management Area harvest of 300,000 sockeye salmon by July 8 and 600,000 by July 25. The maximum allowable fishing time in the Northwest Stepovak Section (excluding Orzinski Bay) during July 1-25 is four days within a seven day period with no more than two consecutive fishing days. |




Appendix C11.-Graph of the Orzinski Lake interim sockeye salmon escapement goals by date.



Appendix C12.-Map of Kupreanof Point vicinity with closed waters defined.



Appendix C13.-Map of Orzinski Bay showing the area that may be open to fishing with seine gear (west of 160° 04.25' W long.) beginning July 1.



Appendix C14.-Set gillnet effort and sockeye salmon harvests in the Southeastern District Mainland fishery, June 1 through July 25, 1970-2006.

**Appendix C15.-Southeastern District Mainland salmon harvest by species, set gillnet gear,
June 1-July 25, 1970-2006.**

| Year | Permits | Landings | Number of Salmon | | | | | Total |
|-----------|---------|----------|------------------|---------|-------|--------|--------|---------|
| | | | Chinook | Sockeye | Coho | Pink | Chum | |
| 1970 | 18 | 258 | 22 | 80,692 | 156 | 6,112 | 12,447 | 99,429 |
| 1971 | 15 | 255 | 74 | 60,767 | 56 | 1,000 | 8,442 | 70,339 |
| 1972 | 15 | 160 | 28 | 19,491 | 81 | 2,001 | 5,456 | 27,057 |
| 1973 | 16 | 162 | 10 | 46,603 | 94 | 1,850 | 3,938 | 52,495 |
| 1974 | 32 | 278 | 32 | 70,433 | 144 | 8,147 | 3,675 | 82,431 |
| 1975 | 7 | 14 | 0 | 1,807 | 29 | 960 | 592 | 3,388 |
| 1976 | 19 | 167 | 51 | 54,120 | 0 | 5,147 | 2,154 | 61,472 |
| 1977 | 22 | 158 | 20 | 33,943 | 0 | 5,791 | 5,041 | 44,795 |
| 1978 | 23 | 189 | 28 | 29,070 | 33 | 1,785 | 5,733 | 36,649 |
| 1979 | 29 | 318 | 100 | 79,432 | 3,036 | 11,245 | 5,881 | 99,694 |
| 1980 | 24 | 384 | 75 | 89,769 | 597 | 5,972 | 28,894 | 125,307 |
| 1981 | 32 | 604 | 1,203 | 182,527 | 333 | 4,339 | 22,121 | 210,523 |
| 1982 | 37 | 753 | 273 | 79,442 | 947 | 19,204 | 32,729 | 132,595 |
| 1983 | 36 | 707 | 365 | 215,280 | 1,030 | 1,840 | 14,718 | 233,233 |
| 1984 | 54 | 1,657 | 708 | 567,043 | 1,481 | 45,542 | 32,007 | 646,781 |
| 1985 | 49 | 367 | 157 | 78,347 | 184 | 8,075 | 9,579 | 96,342 |
| 1986 | 42 | 616 | 177 | 196,545 | 449 | 9,540 | 20,350 | 227,061 |
| 1987 | 53 | 528 | 111 | 244,413 | 102 | 1,555 | 12,944 | 259,125 |
| 1988 | 41 | 300 | 84 | 77,204 | 731 | 16,595 | 11,532 | 106,146 |
| 1989 | 42 | 194 | 87 | 46,977 | 105 | 11,100 | 1,449 | 59,718 |
| 1990 | 46 | 277 | 191 | 85,368 | 829 | 1,465 | 9,064 | 96,917 |
| 1991 | 59 | 747 | 439 | 275,768 | 857 | 6,128 | 7,733 | 290,925 |
| 1992 | 59 | 650 | 166 | 214,638 | 115 | 11,129 | 5,797 | 231,845 |
| 1993 | 64 | 763 | 557 | 186,656 | 664 | 14,757 | 3,416 | 206,050 |
| 1994 | 56 | 678 | 242 | 221,657 | 1,041 | 11,158 | 5,651 | 239,749 |
| 1995 | 58 | 688 | 268 | 139,515 | 182 | 13,097 | 8,184 | 161,246 |
| 1996 | 64 | 1,164 | 252 | 276,212 | 2,869 | 52,785 | 31,859 | 363,977 |
| 1997 | 57 | 1,171 | 102 | 293,514 | 889 | 12,288 | 5,874 | 312,667 |
| 1998 | 45 | 340 | 97 | 74,069 | 1,439 | 33,880 | 3,413 | 112,898 |
| 1999 | 63 | 649 | 164 | 205,706 | 351 | 8,495 | 6,772 | 221,488 |
| 2000 | 64 | 1,163 | 160 | 199,605 | 5,612 | 42,700 | 24,572 | 272,649 |
| 2001 | 51 | 551 | 113 | 102,213 | 1,146 | 27,790 | 43,962 | 175,224 |
| 2002 | 53 | 1,001 | 476 | 145,656 | 1,127 | 82,515 | 14,660 | 244,434 |
| 2003 | 48 | 1,035 | 268 | 211,069 | 1,574 | 76,530 | 10,570 | 300,011 |
| 2004 | 42 | 763 | 389 | 206,316 | 4,397 | 55,202 | 5,827 | 272,131 |
| 2005 | 43 | 474 | 58 | 152,978 | 1,003 | 30,855 | 4,440 | 189,334 |
| 2006 | 24 | 102 | 4 | 39,849 | 339 | 7,910 | 4,701 | 52,803 |
| Averages | | | | | | | | |
| 1997-2006 | 49 | 725 | 183 | 163,098 | 1,788 | 37,817 | 12,479 | 215,364 |
| 2002-2006 | 42 | 675 | 239 | 151,174 | 1,688 | 50,602 | 8,040 | 211,743 |

Appendix C16.-Southeastern District Mainland commercial sockeye salmon harvest and percent by gear, June 1 through July 25, 1970-2006.

| Year | Harvest by Gear | | | | Total Harvest |
|-------------------|-----------------|---------|-------------|---------|---------------|
| | Set Gillnet | | Purse Seine | | |
| | Number | Percent | Number | Percent | |
| 1970 | 80,692 | 95.4 | 3,904 | 4.6 | 84,596 |
| 1971 | 60,767 | 95.9 | 2,587 | 4.1 | 63,354 |
| 1972 | 19,491 | 92.4 | 1,614 | 7.6 | 21,105 |
| 1973 | 46,141 | 97.9 | 976 | 2.1 | 47,117 |
| 1974 | 66,101 | 74.9 | 22,129 | 25.1 | 88,230 |
| 1975 | 1,807 | 57.3 | 1,349 | 42.7 | 3,156 |
| 1976 | 52,414 | 90.2 | 5,712 | 9.8 | 58,126 |
| 1977 | 30,658 | 70.5 | 12,827 | 29.5 | 43,485 |
| 1978 ^a | 28,930 | 92.7 | 2,267 | 7.3 | 31,197 |
| 1979 | 77,604 | 87.5 | 11,136 | 12.5 | 88,740 |
| 1980 | 89,743 | 93.0 | 6,729 | 7.0 | 96,472 |
| 1981 | 181,698 | 90.1 | 20,013 | 9.9 | 201,711 |
| 1982 | 79,442 | 91.5 | 7,351 | 8.5 | 86,793 |
| 1983 | 213,051 | 71.0 | 87,107 | 29.0 | 300,158 |
| 1984 | 567,043 | 95.3 | 28,000 | 4.7 | 595,043 |
| 1985 | 78,347 | 96.8 | 2,610 | 3.2 | 80,957 |
| 1986 | 196,545 | 95.2 | 9,987 | 4.8 | 206,532 |
| 1987 | 244,413 | 99.8 | 482 | 0.2 | 244,895 |
| 1988 | 77,204 | 95.1 | 3,956 | 4.9 | 81,160 |
| 1989 | 46,977 | 52.7 | 42,247 | 47.3 | 89,224 |
| 1990 | 85,368 | 52.0 | 78,660 | 48.0 | 164,028 |
| 1991 | 275,768 | 95.2 | 13,959 | 4.8 | 289,727 |
| 1992 | 214,638 | 99.6 | 806 | 0.4 | 215,444 |
| 1993 | 186,656 | 88.5 | 24,271 | 11.5 | 210,927 |
| 1994 | 221,657 | 100.0 | 0 | 0.0 | 221,657 |
| 1995 | 139,515 | 87.5 | 19,866 | 12.5 | 159,381 |
| 1996 | 276,212 | 97.2 | 7,864 | 2.8 | 284,076 |
| 1997 | 293,750 | 96.4 | 11,115 | 3.6 | 304,865 |
| 1998 | 74,069 | 63.2 | 43,062 | 36.8 | 117,131 |
| 1999 | 205,706 | 94.8 | 11,320 | 5.2 | 217,026 |
| 2000 | 199,605 | 98.6 | 2,830 | 1.4 | 202,435 |
| 2001 | 102,213 | 95.9 | 4,394 | 4.1 | 106,607 |
| 2002 | 145,656 | 94.9 | 7,813 | 5.1 | 153,469 |
| 2003 | 211,069 | 94.8 | 11,582 | 5.2 | 222,651 |
| 2004 | 206,316 | 98.0 | 4,229 | 2.0 | 210,545 |
| 2005 ^b | 152,978 | 62.4 | 92,175 | 37.6 | 245,153 |
| 2006 ^b | 39,849 | 51.4 | 37,664 | 48.6 | 77,513 |
| Average 1986-2005 | 174,084 | 89.8 | 15,053 | 10.2 | 189,137 |
| Average 1996-2005 | 185,411 | 92.1 | 12,408 | 7.9 | 197,819 |

^a Set gillnet gear only prior to July 11 since 1978.

^b Beginning in 2005, seine gear may be used inside Orzinski Bay by emergency order after July 1.

Appendix C17.-Harvest of sockeye salmon considered to be Chignik-bound by regulation in the Southeastern District Mainland, in number of fish and percent by gear, through July 25, 1970-2005.

| Year | Harvest by Gear | | | | Total Harvest |
|-------------------|-----------------|---------|-------------|---------|---------------|
| | Set Net | | Purse Seine | | |
| | Number | Percent | Number | Percent | |
| 1970 ^a | 63,688 | 94.2 | 3,894 | 5.8 | 67,582 |
| 1971 ^a | 48,575 | 95.9 | 2,066 | 4.1 | 50,641 |
| 1972 ^a | 15,593 | 92.4 | 1,291 | 7.6 | 16,884 |
| 1973 ^a | 37,240 | 98.0 | 743 | 2.0 | 37,983 |
| 1974 ^a | 56,263 | 82.7 | 11,766 | 17.3 | 68,029 |
| 1975 ^a | 1,126 | 51.1 | 1,079 | 48.9 | 2,205 |
| 1976 ^a | 41,764 | 93.4 | 2,966 | 6.6 | 44,730 |
| 1977 ^a | 26,473 | 74.6 | 9,029 | 25.4 | 35,502 |
| 1978 ^a | 20,286 | 91.9 | 1,778 | 8.1 | 22,064 |
| 1979 ^a | 52,065 | 91.5 | 4,813 | 8.5 | 56,878 |
| 1980 ^a | 58,210 | 91.3 | 5,514 | 8.7 | 63,724 |
| 1981 ^a | 107,474 | 87.7 | 15,059 | 12.3 | 122,533 |
| 1982 ^a | 57,646 | 91.8 | 5,121 | 8.2 | 62,767 |
| 1983 ^a | 157,831 | 69.4 | 69,561 | 30.6 | 227,392 |
| 1984 ^a | 404,738 | 95.7 | 18,330 | 4.3 | 423,068 |
| 1985 ^a | 49,523 | 96.3 | 1,898 | 3.7 | 51,421 |
| 1986 ^a | 110,572 | 93.7 | 7,434 | 6.3 | 118,006 |
| 1987 ^a | 146,636 | 99.8 | 250 | 0.2 | 146,886 |
| 1988 ^a | 16,465 | 85.2 | 2,855 | 14.8 | 19,320 |
| 1989 ^a | 4,371 | 97.5 | 114 | 2.5 | 4,485 |
| 1990 ^a | 65,671 | 51.1 | 62,928 | 48.9 | 128,599 |
| 1991 ^a | 152,454 | 99.8 | 260 | 0.2 | 152,714 |
| 1992 ^b | 93,564 | 99.7 | 281 | 0.3 | 93,845 |
| 1993 ^b | 109,119 | 84.9 | 19,417 | 15.1 | 128,536 |
| 1994 ^b | 142,350 | 100.0 | 0 | 0.0 | 142,350 |
| 1995 ^b | 73,864 | 83.6 | 14,438 | 16.4 | 88,302 |
| 1996 ^c | 123,625 | 97.2 | 3,576 | 2.8 | 127,201 |
| 1997 | 0 | 0.0 | 0 | 0.0 | 0 |
| 1998 ^d | 32,455 | 48.5 | 34,438 | 51.5 | 66,893 |
| 1999 | 164,565 | 94.8 | 9,056 | 5.2 | 173,621 |
| 2000 | 101,433 | 98.1 | 1,986 | 1.9 | 103,419 |
| 2001 ^e | 47,626 | 93.1 | 3,515 | 6.9 | 51,141 |
| 2002 | 57,929 | 91.9 | 5,097 | 8.1 | 63,026 |
| 2003 | 62,211 | 88.8 | 7,833 | 11.2 | 70,044 |

-continued-

Appendix C17.-Page 2 of 2.

| Year | Harvest by Gear | | | | Total Harvest |
|----------------------|-----------------|---------|-------------|---------|---------------|
| | Set Net | | Purse Seine | | |
| | Number | Percent | Number | Percent | |
| 2004 | 55,355 | 100.0 | 0 | 0.0 | 55,355 |
| 2005 | 105,908 | 59.5 | 71,998 | 40.5 | 177,906 |
| 2006 | 31,879 | 51.4 | 30,131 | 48.6 | 62,010 |
| Average 1986-2005 | 80,489 | 85.0 | 8,769 | 10.0 | 89,258 |
| 1996-2005 | 71,906 | 79.6 | 7,994 | 10.4 | 79,900 |


- ^a From 1970-91, the Chignik contribution was 80% of the sockeye salmon harvested in Beaver Bay, Balboa Bay, Southwest Stepovak, Stepovak Flats, and East Stepovak Sections.
- ^b From 1992-95, the Chignik contribution was 80% of the sockeye salmon harvested in the Southeastern District Mainland (SEDM) fishery except Orzinski Bay where 100% of the sockeye salmon were considered local production.
- ^c In 1996, the area to be managed for local Orzinski Lake sockeye salmon was increased from only Orzinski Bay to the entire Northwest Stepovak Section. Prior to July 1, the entire Northwest Stepovak Section will be managed on an allocation based on the strength of the Chignik sockeye salmon runs. Beginning July 1, the Northwest Stepovak Section would be managed entirely on local stocks. The BOF also decreased the percentage of sockeye salmon allocated to the SEDM fishery from 7% to 6% to attempt to maintain traditional harvest levels of Chignik-bound sockeye in the SEDM fishery.
- ^d In 1998, the area managed entirely for local Orzinski Lake sockeye salmon was reduced from the entire Northwest Stepovak Section to only Orzinski Bay. All sockeye salmon caught in the Northwest Stepovak Section beginning July 1 would still be considered 100% local fish and not counted toward the 6% allocation. The remainder of SEDM sockeye salmon harvest was allocated as 80% Chignik bound fish. Assures minimum harvest of 600,000 sockeye salmon in Chignik through July 25.
- ^e Actual harvest only. Does not include harvest foregone during the strike.

Appendix C18.-Southeastern District Mainland commercial fishing effort and assignment of sockeye salmon harvests (number of fish) June 1-July 25, 1985-2006.


| Year | Effort | | | | Northwest Stepovak | | | SEDM minus Northwest Stepovak | | SEDM | | Total Catch |
|-------------------|---------|----------|---------|----------|--------------------|---------|-------------|-------------------------------|-------------|---------|-------------|-------------|
| | Gillnet | | Seine | | Total | "Local" | "Non-local" | "Local" | "Non-local" | "Local" | "Non-local" | |
| | Permits | Landings | Permits | Landings | | | | | | | | |
| 1985 ^a | 49 | 367 | 23 | 51 | 16,681 | 16,681 | 0 | 12,855 | 51,421 | 29,536 | 51,421 | 80,957 |
| 1986 ^a | 42 | 616 | 18 | 29 | 59,025 | 59,025 | 0 | 29,501 | 118,006 | 88,526 | 118,006 | 206,532 |
| 1987 ^a | 53 | 528 | 6 | 9 | 61,287 | 61,287 | 0 | 36,722 | 146,886 | 98,009 | 146,886 | 244,895 |
| 1988 ^a | 41 | 300 | 16 | 45 | 57,010 | 57,010 | 0 | 4,830 | 19,320 | 61,840 | 19,320 | 81,160 |
| 1989 ^a | 42 | 248 | 25 | 54 | 83,618 | 83,618 | 0 | 1,121 | 4,485 | 84,739 | 4,485 | 89,224 |
| 1990 ^a | 46 | 277 | 69 | 131 | 3,279 | 3,279 | 0 | 32,609 | 128,599 | 35,888 | 128,599 | 164,487 |
| 1991 ^a | 59 | 747 | 39 | 71 | 98,834 | 98,834 | 0 | 38,179 | 152,714 | 137,013 | 152,714 | 289,727 |
| 1992 ^b | 59 | 650 | 6 | 14 | 113,428 | 101,198 | 12,232 | 20,403 | 81,613 | 121,599 | 93,845 | 215,444 |
| 1993 ^b | 64 | 763 | 53 | 82 | 73,747 | 54,955 | 18,792 | 27,436 | 109,744 | 82,391 | 128,536 | 210,927 |
| 1994 ^b | 56 | 678 | 0 | 0 | 89,522 | 52,880 | 36,642 | 26,427 | 105,708 | 79,307 | 142,350 | 221,657 |
| 1995 ^b | 58 | 718 | 27 | 30 | 62,598 | 51,723 | 10,875 | 19,357 | 77,426 | 71,079 | 88,301 | 160,362 |
| 1996 ^c | 64 | 1,164 | 25 | 46 | 137,925 | 127,645 | 10,280 | 29,230 | 116,921 | 156,875 | 127,201 | 284,076 |
| 1997 ^c | 57 | 1,173 | 12 | 23 | 304,865 | 304,865 | 0 | 0 | 0 | 304,865 | 0 | 304,865 |
| 1998 ^c | 45 | 340 | 20 | 23 | 33,515 | 33,515 | 0 | 16,723 | 66,893 | 50,238 | 66,893 | 117,131 |
| 1999 ^c | 63 | 649 | 27 | 30 | 32,884 | 6,577 | 26,307 | 36,828 | 147,313 | 43,405 | 173,621 | 217,026 |
| 2000 ^c | 64 | 1,163 | 26 | 31 | 89,857 | 76,500 | 13,357 | 22,516 | 90,062 | 99,016 | 103,419 | 202,435 |
| 2001 ^c | 51 | 551 | 16 | 20 | 42,681 | 42,681 | 0 | 12,785 | 51,141 | 55,466 | 51,141 | 106,607 |
| 2002 ^c | 53 | 1,001 | 12 | 25 | 85,086 | 76,767 | 8,319 | 13,677 | 54,706 | 90,444 | 63,026 | 153,469 |
| 2003 ^c | 48 | 1,035 | 11 | 20 | 142,620 | 136,601 | 6,019 | 16,006 | 64,025 | 152,607 | 70,044 | 222,651 |
| 2004 ^c | 42 | 764 | 2 | 10 | 150,399 | 141,351 | 7,238 | 12,029 | 48,117 | 155,190 | 55,355 | 210,545 |
| 2005 ^c | 43 | 474 | 21 | 36 | 58,243 | 22,771 | 28,378 | 37,382 | 149,528 | 67,247 | 177,906 | 245,153 |
| 2006 ^c | 24 | 102 | 13 | 15 | 0 | 0 | 0 | 15,503 | 62,010 | 15,503 | 62,010 | 77,513 |
| Average: | | | | | | | | | | | | |
| 1985-1991 | 47 | 440 | 28 | 56 | 54,248 | 54,248 | 0 | 22,260 | 88,776 | 76,507 | 88,776 | 165,283 |
| 1992-1995 | 59 | 702 | 22 | 32 | 84,824 | 65,189 | 19,635 | 23,406 | 93,623 | 88,594 | 113,258 | 202,098 |
| 1996-2006 | 50 | 765 | 17 | 25 | 98,007 | 88,116 | 9,082 | 19,334 | 77,338 | 108,260 | 82,342 | 194,679 |

-continued-

- ^a From 1970 through 1991, the Chignik contribution was 80% of the sockeye salmon harvested in the Beaver Bay, Balboa Bay, Southwest Stepovak, Stepovak Flats, and East Stepovak Sections.
 - ^b From 1992 through 1995, the Chignik contribution was 80% of the sockeye salmon harvested in the Southeastern District Mainland (SEDM) fishery, except Orzinski Bay where 100% of the sockeye salmon were considered local production.
 - ^c Since 1996, the Chignik contribution is 80% of the sockeye salmon harvested in the SEDM fishery, except beginning July 1, in the Northwest Stepovak Section where 100% of the sockeye salmon are considered local production.
-



Appendix C19.-Southeastern District Mainland CFEC permits fished by gear type, June 1 through July 25, 1970-2006.



Appendix C20.-Purse seine effort and sockeye salmon harvests in the Southeastern District Mainland, by year, 1970-2006.

Appendix C21.-Southeastern District Mainland salmon harvest by species, purse seine gear, June 1- July 25, 1970-2006.

| Year | Permits | Landings | Number of Salmon | | | | | Total |
|-----------|---------|----------|------------------|---------|--------|---------|---------|---------|
| | | | Chinook | Sockeye | Coho | Pink | Chum | |
| 1970 | 13 | 29 | 10 | 3,911 | 27 | 13,679 | 3,730 | 21,357 |
| 1971 | 24 | 39 | 20 | 2,599 | 36 | 17,741 | 9,764 | 30,160 |
| 1972 | 12 | 21 | 6 | 1,614 | 4 | 3,761 | 4,279 | 9,664 |
| 1973 | 5 | 9 | 7 | 976 | 137 | 2,653 | 1,298 | 5,071 |
| 1974 | 18 | 85 | 18 | 22,129 | 72 | 21,622 | 4,108 | 47,949 |
| 1975 | 6 | 11 | 0 | 1,349 | 34 | 2,060 | 178 | 3,621 |
| 1976 | 22 | 54 | 7 | 5,724 | 37 | 14,912 | 4,605 | 25,285 |
| 1977 | 30 | 108 | 13 | 14,646 | 940 | 37,510 | 6,413 | 59,522 |
| 1978 | 19 | 24 | 11 | 2,267 | 321 | 31,355 | 10,371 | 44,325 |
| 1979 | 12 | 23 | 19 | 11,159 | 2,821 | 34,331 | 1,676 | 50,006 |
| 1980 | 12 | 36 | 4 | 6,896 | 1,011 | 34,807 | 30,547 | 73,265 |
| 1981 | 35 | 112 | 117 | 19,883 | 2,725 | 12,984 | 149,523 | 185,232 |
| 1982 | 30 | 140 | 128 | 7,351 | 973 | 190,694 | 101,744 | 300,890 |
| 1983 | 42 | 145 | 1,022 | 87,107 | 2,192 | 9,455 | 87,155 | 186,931 |
| 1984 | 33 | 79 | 346 | 28,001 | 2,933 | 154,448 | 109,445 | 295,173 |
| 1985 | 23 | 51 | 20 | 2,610 | 725 | 66,517 | 77,537 | 147,409 |
| 1986 | 18 | 29 | 42 | 9,987 | 321 | 31,231 | 30,653 | 72,234 |
| 1987 | 6 | 9 | 19 | 482 | 95 | 808 | 8,388 | 9,792 |
| 1988 | 16 | 45 | 130 | 3,956 | 1,587 | 80,939 | 63,211 | 149,823 |
| 1989 | 25 | 54 | 58 | 42,247 | 1,121 | 198,917 | 5,121 | 247,464 |
| 1990 | 69 | 131 | 503 | 80,954 | 15,980 | 47,534 | 34,415 | 179,386 |
| 1991 | 39 | 71 | 175 | 13,959 | 529 | 18,660 | 4,380 | 37,703 |
| 1992 | 6 | 14 | 4 | 806 | 20 | 4,810 | 14,832 | 20,472 |
| 1993 | 53 | 82 | 536 | 24,271 | 3,543 | 63,521 | 5,850 | 97,721 |
| 1994 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1995 | 26 | 30 | 53 | 19,866 | 2,104 | 39,677 | 13,625 | 75,325 |
| 1996 | 25 | 46 | 73 | 7,864 | 977 | 19,071 | 4,619 | 32,604 |
| 1997 | 12 | 23 | 44 | 11,115 | 491 | 4,325 | 494 | 16,469 |
| 1998 | 20 | 25 | 210 | 43,062 | 1,520 | 91,150 | 6,516 | 142,458 |
| 1999 | 27 | 30 | 20 | 11,320 | 547 | 34,410 | 1,618 | 47,915 |
| 2000 | 26 | 31 | 14 | 2,830 | 1,356 | 14,476 | 2,689 | 21,365 |
| 2001 | 16 | 20 | 64 | 4,394 | 168 | 14,430 | 6,249 | 25,305 |
| 2002 | 12 | 25 | 69 | 7,813 | 4,263 | 60,850 | 4,092 | 77,087 |
| 2003 | 11 | 20 | 41 | 11,582 | 660 | 52,928 | 1,702 | 66,913 |
| 2004 | 2 | 10 | 0 | 4,229 | 139 | 2,415 | 0 | 6,783 |
| 2005 | 21 | 36 | 39 | 92,175 | 5,027 | 281,352 | 5,193 | 383,786 |
| 2006 | 13 | 15 | 25 | 37,664 | 2,466 | 69,775 | 8,558 | 118,488 |
| Averages | | | | | | | | |
| 1997-2006 | 16 | 24 | 53 | 22,618 | 1,664 | 62,611 | 3,711 | 90,657 |
| 2002-2006 | 12 | 21 | 35 | 30,693 | 2,511 | 93,464 | 3,909 | 130,611 |


Appendix C22.-Orzinski Lake sockeye salmon daily escapement by year, 1990-2006.

| Date | Year | | | | | | | | | | | | | | | | | Average | Average |
|--------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|-------|-----------|-----------|
| | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 1990-2006 | 2002-2006 |
| 8-Jun | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-Jun | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-Jun | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-Jun | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 1 |
| 12-Jun | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 4 | 2 | 13 | 0 | 0 | 1 | 4 |
| 13-Jun | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| 14-Jun | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| 15-Jun | 0 | 0 | 0 | 0 | 0 | 0 | 8 | 0 | 0 | 0 | 1 | 18 | 0 | 0 | 18 | 0 | 0 | 3 | 4 |
| 16-Jun | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 12 | 0 | 2 | 4 | 18 | 0 | 2 | 14 | 0 | 0 | 3 | 3 |
| 17-Jun | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 17 | 0 | 0 | 44 | 22 | 0 | 0 | 1 | 5 | 0 | 5 | 1 |
| 18-Jun | 0 | 0 | 0 | 1 | 8 | 3 | 0 | 0 | 11 | 3 | 44 | 53 | 2 | 27 | 86 | 15 | 0 | 15 | 26 |
| 19-Jun | 0 | 1 | 0 | 0 | 4 | 11 | 0 | 8 | 0 | 2 | 22 | 22 | 1 | 0 | 373 | 0 | 0 | 26 | 75 |
| 20-Jun | 0 | 1 | 0 | 0 | 0 | 28 | 2 | 0 | 14 | 5 | 40 | 66 | 225 | 359 | 22 | 0 | 0 | 45 | 121 |
| 21-Jun | 0 | 2 | 0 | 0 | 18 | 28 | 3 | 20 | 8 | 10 | 30 | 5 | 286 | 41 | 172 | 1 | 3 | 37 | 101 |
| 22-Jun | 0 | 1 | 0 | 0 | 0 | 111 | 0 | 17 | 0 | 10 | 3 | 892 | 49 | 4 | 34 | 0 | 34 | 68 | 24 |
| 23-Jun | 0 | 14 | 0 | 366 | 34 | 63 | 20 | 128 | 14 | 5 | 2 | 202 | 95 | 9 | 96 | 0 | 4 | 62 | 41 |
| 24-Jun | 0 | 0 | 0 | 5 | 11 | 17 | 0 | 8 | 43 | 9 | 229 | 0 | 1,283 | 10 | 145 | 2 | 1 | 104 | 288 |
| 25-Jun | 0 | 2 | 205 | 35 | 247 | 5 | 131 | 0 | 0 | 36 | 445 | 0 | 1,797 | 79 | 1,202 | 14 | 0 | 247 | 618 |
| 26-Jun | 0 | 16 | 1 | 474 | 31 | 9 | 593 | 8 | 105 | 34 | 5 | 0 | 790 | 300 | 2,649 | 1 | 0 | 295 | 748 |
| 27-Jun | 0 | 348 | 295 | 474 | 146 | 32 | 581 | 16 | 820 | 86 | 69 | 1,190 | 0 | 7 | 392 | 0 | 0 | 262 | 80 |
| 28-Jun | 0 | 3 | 1,255 | 184 | 10 | 595 | 218 | 877 | 235 | 21 | 1,150 | 225 | 2,765 | 10 | 4,001 | 0 | 8 | 680 | 1,357 |
| 29-Jun | 0 | 1,839 | 9 | 216 | 7 | 65 | 178 | 70 | 22 | 43 | 801 | 0 | 84 | 0 | 919 | 5 | 4 | 251 | 202 |
| 30-Jun | 1 | 638 | 56 | 0 | 0 | 32 | 628 | 86 | 177 | 1 | 10 | 4,175 | 1,823 | 2 | 8,014 | 43 | 0 | 923 | 1,976 |
| 1-Jul | 3 | 1,067 | 241 | 2,909 | 269 | 24 | 2,985 | 33 | 586 | 276 | 6,488 | 691 | 2,711 | 13,451 | 6,942 | 1 | 1 | 2,275 | 4,621 |
| 2-Jul | 40 | 367 | 685 | 1,380 | 26 | 30 | 1,020 | 59 | 2,381 | 4 | 963 | 722 | 329 | 8,131 | 1,071 | 70 | 85 | 1,021 | 1,937 |
| 3-Jul | 0 | 1,080 | 0 | 1,394 | 53 | 1 | 3,249 | 1,738 | 264 | 65 | 191 | 1,612 | 1,469 | 5,778 | 1,189 | 46 | 3 | 1,067 | 1,697 |
| 4-Jul | 0 | 9,852 | 2,152 | 686 | 17 | 1,214 | 3,165 | 3,050 | 58 | 194 | 161 | 46 | 618 | 3,002 | 2,112 | 987 | 2 | 1,607 | 1,344 |
| 5-Jul | 286 | 2,828 | 5,285 | 0 | 7 | 110 | 282 | 10 | 79 | 252 | 402 | 0 | 2,136 | 535 | 1,167 | 674 | 30 | 828 | 908 |
| 6-Jul | 240 | 1,845 | 475 | 0 | 108 | 4,789 | 425 | 5,208 | 62 | 34 | 475 | 409 | 1,265 | 1,203 | 808 | 7 | 18 | 1,022 | 660 |
| 7-Jul | 59 | 948 | 201 | 95 | 217 | 128 | 205 | 2,504 | 191 | 112 | 592 | 461 | 82 | 4,176 | 1,860 | 2 | 36 | 698 | 1,231 |
| 8-Jul | 10 | 380 | 489 | 0 | 331 | 32 | 256 | 246 | 0 | 23 | 660 | 1,384 | 419 | 2,057 | 3,033 | 260 | 619 | 600 | 1,278 |
| 9-Jul | 0 | 1,275 | 274 | 438 | 6,203 | 5,282 | 617 | 378 | 1,135 | 1,289 | 384 | 2,463 | 703 | 1,172 | 2,745 | 4 | 1,054 | 1,495 | 1,136 |
| 10-Jul | 123 | 1,359 | 227 | 0 | 2,482 | 1,436 | 637 | 305 | 1,092 | 89 | 95 | 221 | 1,339 | 1,867 | 1,281 | 1 | 21 | 740 | 902 |
| 11-Jul | 208 | 1,511 | 162 | 503 | 3,225 | 1,692 | 1,167 | 57 | 7 | 1,110 | 118 | 252 | 0 | 932 | 796 | 60 | 9 | 695 | 359 |
| 12-Jul | 860 | 2,811 | 476 | 5 | 330 | 2,942 | 194 | 99 | 2,402 | 846 | 20 | 434 | 3,614 | 3,058 | 993 | 1,946 | 0 | 1,237 | 1,922 |


-continued-

Appendix C22.-Page 2 of 2.

| Date | Year | | | | | | | | | | | | | | | | | Average | Average |
|----------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-----------|-----------|
| | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 1990-2006 | 2002-2006 |
| 13-Jul | 0 | 2,075 | 393 | 1,834 | 494 | 513 | 215 | 135 | 435 | 1,289 | 154 | 105 | 1,379 | 448 | 1,102 | 1 | 7 | 622 | 587 |
| 14-Jul | 3 | 461 | 486 | 286 | 903 | 101 | 333 | 36 | 1,246 | 840 | 105 | 892 | 633 | 993 | 652 | 0 | 23 | 470 | 460 |
| 15-Jul | 50 | 786 | 821 | 198 | 2,415 | 612 | 131 | 1,208 | 457 | 556 | 698 | 1,749 | 1,110 | 889 | 1,438 | 79 | 42 | 779 | 712 |
| 16-Jul | 553 | 458 | 113 | 125 | 2,795 | 644 | 343 | 964 | 676 | 334 | 492 | 816 | 791 | 1,067 | 1,531 | 1,534 | 1,617 | 874 | 1,308 |
| 17-Jul | 142 | 1,185 | 330 | 276 | 2,333 | 1,208 | 860 | 348 | 97 | 367 | 6 | 595 | 553 | 813 | 2,148 | 273 | 0 | 678 | 757 |
| 18-Jul | 4,573 | 1,128 | 906 | 2,358 | 1,028 | 4 | 720 | 1,449 | 5 | 814 | 698 | 1,264 | 927 | 1,897 | 1,473 | 350 | 20 | 1,154 | 933 |
| 19-Jul | 65 | 938 | 312 | 1,224 | 1,911 | 265 | 689 | 1,251 | 946 | 29 | 210 | 332 | 1,069 | 1,289 | 1,367 | 1,575 | 58 | 796 | 1,072 |
| 20-Jul | 999 | | 648 | 833 | 1,679 | 225 | 1,837 | 1,052 | 482 | 175 | 34 | 105 | 396 | 519 | 875 | 3,046 | 497 | 838 | 1,067 |
| 21-Jul | 888 | | 905 | 1,027 | 1,498 | 193 | 511 | 1,741 | 237 | 123 | 3 | 114 | 1,733 | 2,662 | 616 | 1,429 | 25 | 857 | 1,293 |
| 22-Jul | 228 | | 441 | 316 | 552 | 353 | 95 | 1,275 | 759 | 166 | 301 | 316 | 84 | 344 | 677 | 2,016 | 421 | 522 | 708 |
| 23-Jul | 282 | | 562 | 98 | 1,312 | 839 | 77 | 332 | 902 | 247 | 642 | 291 | 271 | 925 | 1,169 | 8,974 | 10 | 1,058 | 2,270 |
| 24-Jul | 749 | | 464 | 806 | 1,051 | 184 | 312 | 9 | 1,167 | 571 | 148 | 76 | 826 | 295 | 2,832 | 9,200 | 42 | 1,171 | 2,639 |
| 25-Jul | 58 | | 326 | 1,231 | 0 | 84 | 305 | 44 | 719 | 446 | 87 | 510 | 835 | 853 | 2,037 | 780 | 0 | 520 | 901 |
| 26-Jul | 29 | | 321 | 0 | 1,846 | | 24 | 140 | 544 | 443 | 59 | 526 | 472 | 475 | 1,674 | 1,456 | 10 | 535 | 817 |
| 27-Jul | 8 | | 221 | 53 | 426 | | 211 | | 500 | 656 | 1,001 | 1,716 | 254 | 493 | 786 | 1,716 | 10 | 575 | 652 |
| 28-Jul | 150 | | 147 | 271 | 513 | | 513 | | 670 | 102 | 46 | 932 | 330 | 239 | 947 | 453 | 0 | 380 | 394 |
| 29-Jul | 399 | | 358 | 733 | | | | | 1,232 | 484 | 45 | 224 | 312 | 727 | 1,332 | 731 | 18 | 550 | 624 |
| 30-Jul | 486 | | 300 | 143 | | | | | 392 | 376 | 83 | 313 | 1,370 | 583 | 692 | 347 | 21 | 426 | 603 |
| 31-Jul | 669 | | | 271 | | | | | 22 | | 299 | 522 | 45 | 302 | 899 | 1,317 | 204 | 455 | 553 |
| 1-Aug | 0 | | | 593 | | | | | | 684 | 113 | | 176 | | | | 185 | 292 | 181 |
| 2-Aug | 47 | | | 446 | | | | | | 122 | | | | | | | 1,582 | 549 | 1,582 |
| 3-Aug | 334 | | | | | | | | | 87 | | | | | | | 0 | 140 | 0 |
| 4-Aug | 230 | | | | | | | | | | | | | | | | 23 | 127 | 23 |
| 5-Aug | 526 | | | | | | | | | | | | | | | | 0 | 263 | 0 |
| 6-Aug | 169 | | | | | | | | | | | | | | | | | 169 | |
| Total weir escapement | 13,467 | 35,219 | 20,542 | 22,287 | 34,540 | 23,907 | 23,744 | 24,938 | 21,194 | 12,579 | 19,452 | 27,095 | 37,279 | 62,207 | 66,396 | 39,421 | 6,747 | 28,883 | 42,410 |
| Post weir estimate | 1,533 | 4,781 | 4,458 | 2,430 | 3,460 | 6,093 | 6,256 | 10,062 | 3,806 | 2,421 | 2,048 | 4,105 | 5,570 | 8,483 | 9,054 | 5,376 | 11,253 | 5,364 | 7,947 |
| Total estimated escapement | 15,000 | 40,000 | 25,000 | 24,717 | 38,000 | 30,000 | 30,000 | 35,000 | 25,000 | 15,000 | 21,500 | 31,200 | 42,849 | 70,690 | 75,450 | 44,797 | 18,000 | 34,247 | 50,357 |




Appendix C23.-Orzinski Lake sockeye salmon escapement 1990-2006.



Appendix C24.-Orzinski Lake weir average cumulative sockeye salmon escapement timing by date, 1990-2006.

Appendix C25.-Northwest Stepovak Section commercial salmon harvest, all gear combined, by species and day, 2006.

| Date | Permits | Landings | Number of salmon | | | | | Total | | |
|--------------------------------------|--|----------|------------------|---------|-------|--------|--------|--------|--------|--------|
| | | | Chinook | Sockeye | Coho | Pink | Chum | | | |
| 10-Aug | Confidentiality rules prohibit release of this information | | | | | | | | | |
| 11-Aug | 3 | 4 | 0 | 127 | 13 | 31,197 | 626 | 31,963 | | |
| 12-Aug | Confidentiality rules prohibit release of this information | | | | | | | | | |
| 13-Aug | | | | | | | | | | |
| 14-Aug | | | | | | | | | | |
| 15-Aug | | | | | | | | | | |
| 16-Aug | | | | | | | | | | |
| 17-Aug | 3 | 5 | 0 | 894 | 214 | 1,453 | 346 | 2,907 | | |
| 18-Aug | Confidentiality rules prohibit release of this information | | | | | | | | | |
| 19-Aug | | | | | | | | | | |
| 20-Aug | | | | | | | | | | |
| 21-Aug | | | | | | | | | | |
| 22-Aug | | | | | | | | | | |
| 23-Aug | | | | | | | | | | |
| 1-Sep | | | | | | | | | | |
| 2-Sep | | | | | | | | | | |
| 3-Sep | | | | | | | | | | |
| 4-Sep | | | | | | | | | | |
| 5-Sep | | | | | | | | | | |
| 6-Sep | | | | | | | | | | |
| 11-Sep | | | | | | | | | | |
| 12-Sep | | | | | | | | | | |
| Subtotal through June 1 - July 25 | | | 0 | 0 | 0 | 0 | 0 | 0 | | |
| Subtotal from July 1-25 | | | 0 | 0 | 0 | 0 | 0 | 0 | | |
| Subtotal from July 26 - August 31 | | | 32 | 3 | 5,680 | 924 | 64,845 | 2,957 | 74,409 | |
| Subtotal from September 1- October 1 | | | 19 | 1 | 2,578 | 546 | 127 | 166 | 3,418 | |
| Season Total | | | 9 | 51 | 4 | 8,258 | 1,470 | 64,972 | 3,123 | 77,827 |



Appendix C26.-Harvest of sockeye salmon considered to be both Chignik-bound and local stocks in the Southeastern District Mainland fishery, June 1 through July 25, 1985-2006.

Appendix C27.-Southeastern District Mainland salmon harvest by species, all gear combined, June 1-July 25, 1970-2006.

| Year | Permits | Landings | Number of Salmon | | | | | Total |
|-----------|---------|----------|------------------|---------|--------|---------|---------|---------|
| | | | Chinook | Sockeye | Coho | Pink | Chum | |
| 1970 | 27 | 288 | 32 | 84,603 | 183 | 21,836 | 16,244 | 122,898 |
| 1971 | 33 | 294 | 94 | 63,366 | 92 | 18,741 | 18,206 | 100,499 |
| 1972 | 23 | 180 | 34 | 21,105 | 85 | 5,762 | 9,735 | 36,721 |
| 1973 | 18 | 171 | 17 | 47,579 | 231 | 4,503 | 5,236 | 57,566 |
| 1974 | 42 | 363 | 50 | 92,562 | 216 | 29,769 | 7,783 | 130,380 |
| 1975 | 13 | 25 | 0 | 3,156 | 63 | 3,020 | 770 | 7,009 |
| 1976 | 41 | 221 | 58 | 59,844 | 37 | 20,059 | 6,759 | 86,757 |
| 1977 | 51 | 266 | 33 | 48,589 | 940 | 43,301 | 11,454 | 104,317 |
| 1978 | 42 | 213 | 39 | 31,197 | 354 | 33,140 | 16,104 | 80,834 |
| 1979 | 42 | 344 | 119 | 90,658 | 5,857 | 45,582 | 7,561 | 149,777 |
| 1980 | 36 | 420 | 79 | 96,665 | 1,608 | 40,779 | 59,441 | 198,572 |
| 1981 | 69 | 718 | 1,320 | 202,540 | 3,058 | 17,347 | 172,340 | 396,605 |
| 1982 | 67 | 893 | 401 | 86,793 | 1,920 | 209,898 | 134,473 | 433,485 |
| 1983 | 78 | 852 | 1,387 | 302,387 | 3,222 | 11,295 | 101,873 | 420,164 |
| 1984 | 87 | 1,736 | 1,054 | 595,044 | 4,414 | 199,990 | 141,452 | 941,954 |
| 1985 | 72 | 418 | 177 | 80,957 | 909 | 74,592 | 87,116 | 243,751 |
| 1986 | 60 | 645 | 219 | 206,532 | 770 | 40,771 | 51,003 | 299,295 |
| 1987 | 59 | 537 | 130 | 244,895 | 197 | 2,363 | 21,332 | 268,917 |
| 1988 | 57 | 345 | 214 | 81,160 | 2,318 | 97,534 | 74,743 | 255,969 |
| 1989 | 67 | 248 | 145 | 89,224 | 1,226 | 210,017 | 6,570 | 307,182 |
| 1990 | 115 | 408 | 694 | 166,322 | 16,809 | 48,999 | 43,479 | 276,303 |
| 1991 | 98 | 818 | 614 | 289,727 | 1,386 | 24,788 | 12,113 | 328,628 |
| 1992 | 65 | 664 | 170 | 215,444 | 135 | 15,939 | 20,629 | 252,317 |
| 1993 | 117 | 845 | 1,093 | 210,927 | 4,207 | 78,278 | 9,266 | 303,771 |
| 1994 | 56 | 678 | 242 | 221,657 | 1,041 | 11,158 | 5,651 | 239,749 |
| 1995 | 84 | 718 | 321 | 159,381 | 2,286 | 52,772 | 21,809 | 236,569 |
| 1996 | 89 | 1,210 | 325 | 284,076 | 3,846 | 71,856 | 36,478 | 396,581 |
| 1997 | 69 | 1,194 | 146 | 304,629 | 1,380 | 16,613 | 6,368 | 329,136 |
| 1998 | 65 | 365 | 307 | 117,131 | 2,959 | 125,030 | 9,929 | 255,356 |
| 1999 | 90 | 679 | 184 | 217,026 | 898 | 42,905 | 8,390 | 269,403 |
| 2000 | 90 | 1,194 | 174 | 202,435 | 6,968 | 57,176 | 27,261 | 294,014 |
| 2001 | 67 | 571 | 177 | 106,607 | 1,314 | 42,220 | 50,211 | 200,529 |
| 2002 | 65 | 1,026 | 545 | 153,469 | 5,390 | 143,365 | 18,752 | 321,521 |
| 2003 | 59 | 1,055 | 309 | 222,651 | 2,234 | 129,458 | 12,272 | 366,924 |
| 2004 | 44 | 773 | 389 | 210,545 | 4,536 | 57,617 | 5,827 | 278,914 |
| 2005 | 64 | 510 | 97 | 245,153 | 6,030 | 312,207 | 9,633 | 573,120 |
| 2006 | 37 | 117 | 29 | 77,513 | 2,805 | 77,685 | 13,259 | 171,291 |
| Averages | | | | | | | | |
| 1997-2006 | 65 | 748 | 236 | 185,716 | 3,451 | 100,428 | 16,190 | 306,021 |
| 2002-2006 | 54 | 696 | 274 | 181,866 | 4,199 | 144,066 | 11,949 | 342,354 |

Appendix C28.-Southeastern District Mainland commercial salmon harvest, all gear combined, by species and day, 2006.

| Date | Permits | Landings | Number of Salmon | | | | | Total |
|--------|---|----------|------------------|---------|-------|--------|-------|---------|
| | | | Chinook | Sockeye | Coho | Pink | Chum | |
| 20-Jul | 26 | 51 | 10 | 28,175 | 1,246 | 32,501 | 4,553 | 66,485 |
| 21-Jul | 32 | 66 | 19 | 49,338 | 1,559 | 45,184 | 8,706 | 104,806 |
| 26-Jul | 37 | 72 | 3 | 14,729 | 84 | 10,018 | 4,473 | 29,307 |
| 27-Jul | 28 | 63 | 4 | 15,191 | 582 | 24,710 | 4,604 | 45,091 |
| 28-Jul | 19 | 25 | 2 | 6,074 | 23 | 4,796 | 1,256 | 12,151 |
| 3-Aug | Confidentiality rules prohibit release of this information. | | | | | | | |
| 4-Aug | | | | | | | | |
| 5-Aug | 26 | 57 | 4 | 13,563 | 892 | 18,688 | 5,857 | 39,004 |
| 6-Aug | 27 | 61 | 184 | 23,993 | 2,453 | 49,726 | 4,881 | 81,237 |
| 8-Aug | 23 | 45 | 9 | 8,238 | 617 | 14,151 | 2,487 | 25,502 |
| 9-Aug | 26 | 52 | 8 | 10,081 | 788 | 19,165 | 3,186 | 33,228 |
| 10-Aug | 25 | 46 | 4 | 8,728 | 1,743 | 43,943 | 4,654 | 59,072 |
| 11-Aug | 22 | 39 | 4 | 6,423 | 813 | 45,803 | 2,993 | 56,036 |
| 12-Aug | 23 | 33 | 4 | 7,595 | 2,341 | 34,848 | 2,252 | 47,040 |
| 13-Aug | 16 | 23 | 1 | 3,988 | 1,287 | 19,124 | 1,543 | 25,943 |
| 14-Aug | 11 | 18 | 6 | 5,601 | 1,471 | 32,343 | 1,566 | 40,987 |
| 15-Aug | 12 | 23 | 5 | 6,209 | 1,907 | 16,701 | 1,890 | 26,712 |
| 16-Aug | 12 | 28 | 3 | 4,075 | 804 | 4,524 | 1,117 | 10,523 |
| 17-Aug | 16 | 25 | 2 | 4,502 | 1,572 | 12,672 | 1,384 | 20,132 |
| 18-Aug | 14 | 20 | 0 | 4,475 | 1,175 | 8,426 | 1,686 | 15,762 |
| 19-Aug | 11 | 16 | 0 | 3,619 | 945 | 6,513 | 1,137 | 12,214 |
| 20-Aug | 8 | 8 | 0 | 2,987 | 890 | 2,569 | 539 | 6,985 |
| 21-Aug | 10 | 10 | 1 | 3,603 | 920 | 8,159 | 690 | 13,373 |
| 22-Aug | 10 | 11 | 2 | 3,636 | 482 | 8,605 | 804 | 13,529 |
| 23-Aug | 9 | 12 | 1 | 4,364 | 1,278 | 2,683 | 952 | 9,278 |
| 1-Sep | 7 | 7 | 1 | 1,705 | 584 | 59 | 88 | 2,437 |
| 2-Sep | 12 | 19 | 0 | 5,943 | 1,398 | 134 | 194 | 7,669 |
| 3-Sep | 14 | 20 | 0 | 6,657 | 2,078 | 138 | 177 | 9,050 |
| 4-Sep | 14 | 20 | 0 | 5,815 | 969 | 129 | 153 | 7,066 |
| 5-Sep | 13 | 22 | 0 | 3,581 | 914 | 11 | 64 | 4,570 |
| 6-Sep | Confidentiality rules prohibit release of this information. | | | | | | | |
| 7-Sep | | | | | | | | |
| 11-Sep | 13 | 16 | 6 | 1,568 | 619 | 0 | 34 | 2,227 |
| 12-Sep | 13 | 23 | 0 | 1,998 | 754 | 0 | 20 | 2,772 |
| 13-Sep | Confidentiality rules prohibit release of this information. | | | | | | | |
| 20-Sep | | | | | | | | |
| 21-Sep | | | | | | | | |
| 22-Sep | | | | | | | | |
| 26-Sep | | | | | | | | |

-continued-

Appendix C28.-Page 2 of 2.

| Date | Permits | Landings | Number of Salmon | | | | | Total |
|------------------------|---------|----------|------------------|---------|--------|---------|--------|---------|
| | | | Chinook | Sockeye | Coho | Pink | Chum | |
| Subtotal | | | | | | | | |
| June 1 - July 25 | | 117 | 29 | 77,513 | 2,805 | 77,685 | 13,259 | 171,291 |
| Subtotal | | | | | | | | |
| July 26 - August 31 | | 691 | 247 | 162,665 | 23,067 | 389,344 | 50,341 | 625,664 |
| Subtotal | | | | | | | | |
| September 1- October 1 | | 154 | 12 | 32,282 | 8,212 | 490 | 802 | 41,798 |
| Season Total | | | | | | | | |
| | 62 | 962 | 288 | 272,460 | 34,084 | 467,519 | 64,402 | 838,753 |

Appendix C29.-Southeastern District Mainland commercial purse seine salmon harvest (number of fish), by species and day, 2006.

| Date | Permits | Landings | Number of Salmon | | | | | Total |
|---|--|----------|------------------|---------|-------|---------|--------|---------|
| | | | Chinook | Sockeye | Coho | Pink | Chum | |
| 20-Jul | 4 | 4 | 7 | 12,318 | 1,166 | 29,684 | 2,892 | 46,067 |
| 21-Jul | 11 | 11 | 18 | 25,346 | 1,300 | 40,091 | 5,666 | 72,421 |
| 26-Jul | Confidentiality rules prohibit release of this information | | | | | | | |
| 27-Jul | 4 | 4 | 1 | 2,597 | 434 | 14,506 | 2,167 | 19,705 |
| 28-Jul | Confidentiality rules prohibit release of this information | | | | | | | |
| 5-Aug | | | | | | | | |
| 6-Aug | | | | | | | | |
| 8-Aug | | | | | | | | |
| 9-Aug | 2 | 4 | 0 | 477 | 50 | 5,130 | 627 | 6,284 |
| 10-Aug | 4 | 6 | 2 | 1,420 | 1,183 | 32,365 | 2,403 | 37,373 |
| 11-Aug | 3 | 4 | 0 | 24 | 1 | 35,628 | 937 | 36,590 |
| 12-Aug | 4 | 4 | 4 | 3,018 | 1,331 | 23,149 | 449 | 27,951 |
| 13-Aug | Confidentiality rules prohibit release of this information | | | | | | | |
| 14-Aug | | | | | | | | |
| 15-Aug | | | | | | | | |
| 17-Aug | | | | | | | | |
| 18-Aug | | | | | | | | |
| 19-Aug | | | | | | | | |
| 21-Aug | | | | | | | | |
| 22-Aug | | | | | | | | |
| Subtotal through June 1 - July 25 | | 15 | 25 | 37,664 | 2,466 | 69,775 | 8,558 | 118,488 |
| Subtotal from July 26 - August 31 | | 45 | 192 | 22,516 | 7,115 | 230,203 | 15,687 | 275,713 |
| Subtotal from September 1- October 1 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Season Total | 20 | 60 | 217 | 60,180 | 9,581 | 299,978 | 24,245 | 394,201 |

Appendix C30.-Southeastern District Mainland commercial set gillnet salmon harvest (number of fish), by species and day, 2006.


| Date | Permits | Landings | Number of Salmon | | | | | Total |
|--------|---|----------|------------------|---------|-------|--------|-------|--------|
| | | | Chinook | Sockeye | Coho | Pink | Chum | |
| 20-Jul | 22 | 47 | 3 | 15,857 | 80 | 2,817 | 1,661 | 20,418 |
| 21-Jul | 21 | 55 | 1 | 23,992 | 259 | 5,093 | 3,040 | 32,385 |
| 26-Jul | 35 | 70 | 3 | 14,673 | 74 | 8,313 | 2,748 | 25,811 |
| 27-Jul | 24 | 59 | 3 | 12,594 | 148 | 10,204 | 2,437 | 25,386 |
| 28-Jul | 18 | 24 | 2 | 5,989 | 21 | 4,347 | 1,227 | 11,586 |
| 3-Aug | Confidentiality rules prohibit release of this information. | | | | | | | |
| 4-Aug | | | | | | | | |
| 5-Aug | 23 | 54 | 4 | 12,747 | 701 | 9,843 | 2,741 | 26,036 |
| 6-Aug | 24 | 58 | 7 | 13,953 | 1,345 | 11,917 | 3,060 | 30,282 |
| 8-Aug | 21 | 42 | 9 | 7,847 | 544 | 11,922 | 2,248 | 22,570 |
| 9-Aug | 24 | 48 | 8 | 9,604 | 738 | 14,035 | 2,559 | 26,944 |
| 10-Aug | 21 | 40 | 2 | 7,308 | 560 | 11,578 | 2,251 | 21,699 |
| 11-Aug | 19 | 35 | 4 | 6,399 | 812 | 10,175 | 2,056 | 19,446 |
| 12-Aug | 19 | 29 | 0 | 4,577 | 1,010 | 11,699 | 1,803 | 19,089 |
| 13-Aug | 14 | 21 | 1 | 3,845 | 1,171 | 11,195 | 1,394 | 17,606 |
| 14-Aug | 8 | 15 | 0 | 3,742 | 543 | 3,768 | 962 | 9,015 |
| 15-Aug | 11 | 22 | 4 | 4,739 | 609 | 5,791 | 1,460 | 12,603 |
| 16-Aug | 12 | 28 | 3 | 4,075 | 804 | 4,524 | 1,117 | 10,523 |
| 17-Aug | 15 | 24 | 1 | 4,382 | 1,182 | 8,577 | 1,314 | 15,456 |
| 18-Aug | 13 | 19 | 0 | 4,475 | 1,175 | 5,608 | 1,138 | 12,396 |
| 19-Aug | 10 | 15 | 0 | 3,619 | 945 | 3,973 | 881 | 9,418 |
| 20-Aug | 8 | 8 | 0 | 2,987 | 890 | 2,569 | 539 | 6,985 |
| 21-Aug | 9 | 9 | 1 | 3,603 | 920 | 2,770 | 690 | 7,984 |
| 22-Aug | 9 | 10 | 2 | 3,636 | 482 | 2,473 | 687 | 7,280 |
| 23-Aug | 9 | 12 | 1 | 4,364 | 1,278 | 2,683 | 952 | 9,278 |
| 1-Sep | 7 | 7 | 1 | 1,705 | 584 | 59 | 88 | 2,437 |
| 2-Sep | 12 | 19 | 0 | 5,943 | 1,398 | 134 | 194 | 7,669 |
| 3-Sep | 14 | 20 | 0 | 6,657 | 2,078 | 138 | 177 | 9,050 |
| 4-Sep | 14 | 20 | 0 | 5,815 | 969 | 129 | 153 | 7,066 |
| 5-Sep | 13 | 22 | 0 | 3,581 | 914 | 11 | 64 | 4,570 |
| 6-Sep | 10 | 14 | 3 | 2,097 | 575 | 19 | 60 | 2,754 |
| 7-Sep | Confidentiality rules prohibit release of this information. | | | | | | | |
| 11-Sep | 13 | 16 | 6 | 1,568 | 619 | 0 | 34 | 2,227 |
| 12-Sep | 13 | 23 | 0 | 1,998 | 754 | 0 | 20 | 2,772 |
| 13-Sep | Confidentiality rules prohibit release of this information. | | | | | | | |
| 20-Sep | | | | | | | | |
| 21-Sep | | | | | | | | |
| 22-Sep | | | | | | | | |
| 26-Sep | | | | | | | | |

-continued-

Appendix C30.-Page 2 of 2.

| Date | Permits | Landings | Number of Salmon | | | | | Total |
|------------------------|---------|----------|------------------|---------|--------|---------|--------|---------|
| | | | Chinook | Sockeye | Coho | Pink | Chum | |
| Subtotal through | | | | | | | | |
| June 1 - July 25 | | 102 | 4 | 39,849 | 339 | 7,910 | 4,701 | 52,803 |
| Subtotal from | | | | | | | | |
| July 26 - August 31 | | 646 | 55 | 140,149 | 15,952 | 159,141 | 34,654 | 349,951 |
| Subtotal from | | | | | | | | |
| September 1- October 1 | | 154 | 12 | 32,282 | 8,212 | 490 | 802 | 41,798 |
| Season Total | | | | | | | | |
| | 62 | 902 | 71 | 212,280 | 24,503 | 167,541 | 40,157 | 444,552 |

**APPENDIX D. SOUTH ALASKA PENINSULA POST-JUNE
FISHERIES**




Appendix D1.-Map of the South Peninsula from Kupreanof Point to Scotch Cap, with the general Post-June fishing area and the Southeastern District Mainland area shown.

July 6-21

BERING SEA


- Terminal Areas where additional fishing time beyond the 24-hour periods may be allowed.
- ▨ Non-Terminal Areas
- ▩ Southeastern District Mainland Management Plan (Not affected by Post-June plan until July 26)




All South Peninsula non-terminal areas may be opened for six 24-hour periods, interspersed with 48-hour closures from July 6-21

PACIFIC OCEAN

Appendix D2.-Map of the South Peninsula Post-June fishery with those areas defined where additional fishing time may be allowed during July 6-21.



Appendix D3.-Map of the South Peninsula Post-June fishery with those areas defined where additional fishing time may be allowed during July 22-31.



Appendix D4.-Map of Popof Island with test fishing sites defined.

Appendix D5.-Summary of the Shumagin Islands Section July salmon test fishery, 2006.

| Date | Number of Sets ^a | Number of Adult Salmon | | | | | | Immature Salmon | | | | | | | |
|--------------|--------------------------------|------------------------|--------------|------------|--------------|--------------|---------------|-----------------|------------|----------|-----------|------------|-----------|-----------|--|
| | | Chinook | Sockeye | Coho | Pink | Chum | Total | Number | | | | | Percent | | |
| | | | | | | | | Chinook | Sockeye | Coho | Chum | Total | Sockeye | Chum | |
| 2-Jul | 5 | 10 | 216 | 59 | 762 | 212 | 1,259 | 6 | 58 | 0 | 2 | 66 | 88 | 3 | |
| | Avg/Set | 2 | 43 | 12 | 152 | 42 | 252 | 1 | 12 | 0 | 0 | 13 | 18 | 1 | |
| 3-Jul | 5 | 8 | 193 | 139 | 606 | 455 | 1,401 | 31 | 45 | 0 | 1 | 77 | 58 | 1 | |
| | Avg/Set | 2 | 39 | 28 | 121 | 91 | 280 | 6 | 9 | 0 | 0 | 15 | 12 | 0 | |
| 5-Jul | 5 | 3 | 802 | 242 | 886 | 7,188 | 9,121 | 32 | 253 | 0 | 63 | 348 | 73 | 18 | |
| | Avg/Set | 1 | 160 | 48 | 177 | 1,438 | 1,824 | 6 | 51 | 0 | 13 | 70 | 15 | 4 | |
| Total | 15 | 21 | 1,211 | 440 | 2,254 | 7,855 | 11,781 | 69 | 356 | 0 | 66 | 491 | 73 | 13 | |

^a Test fishing is standardized to purse seine gear, conducting 20-minute sets at Popof Head, Middle Set, and Red Bluff located on Popof Island.

Appendix D6.-South Peninsula Post-June commercial salmon harvest, all gear combined, by species, July 6-21, 2006.

| Date | Number of Salmona | | | | | Total |
|--|-------------------|----------------|---------------|----------------|----------------|----------------|
| | Chinook | Sockeye | Coho | Pink | Chum | |
| <i>Non-terminal areas, all gear combined, by day</i> | | | | | | |
| 6-Jul | 113 | 63,060 | 9,326 | 25,162 | 60,513 | 158,174 |
| 8-Jul | 2 | 188 | 9 | 28 | 71 | 298 |
| 9-Jul | 50 | 41,956 | 4,361 | 16,722 | 15,028 | 78,117 |
| 11-Jul | 0 | 344 | 19 | 22 | 112 | 497 |
| 12-Jul | 91 | 66,991 | 11,242 | 40,812 | 41,080 | 160,216 |
| 13-Jul | 3 | 2,753 | 2 | 18 | 134 | 2,910 |
| 14-Jul | 35 | 772 | 72 | 276 | 98 | 1,253 |
| 15-Jul | 72 | 59,286 | 19,136 | 51,257 | 127,227 | 256,978 |
| 16-Jul | 0 | 1,256 | 0 | 314 | 247 | 1,817 |
| 17-Jul | 0 | 2,932 | 128 | 191 | 303 | 3,554 |
| 18-Jul | 8 | 47,612 | 1,338 | 27,105 | 8,871 | 84,934 |
| 19-Jul | 0 | 183 | 0 | 0 | 0 | 183 |
| 20-Jul | 0 | 621 | 666 | 2,965 | 7,530 | 11,782 |
| 21-Jul | 19 | 30,272 | 2,646 | 28,383 | 7,959 | 69,279 |
| Total | 393 | 318,226 | 48,945 | 193,255 | 269,173 | 829,992 |
| <i>Non-terminal areas, all gear combined, by location</i> | | | | | | |
| Shumagin Islands | 358 | 189,593 | 46,095 | 176,903 | 248,382 | 661,331 |
| Unimak District & Ikatan Bay Section | 0 | 1,580 | 346 | 474 | 191 | 2,591 |
| Balance of South Peninsula | 35 | 127,053 | 2,504 | 15,878 | 20,600 | 166,070 |
| Total | 393 | 318,226 | 48,945 | 193,255 | 269,173 | 829,992 |
| <i>Terminal areas, all gear combined, by day</i> | | | | | | |
| 6-Jul | 3 | 336 | 0 | 3 | 5,430 | 5,772 |
| 7-Jul | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-Jul | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-Jul | 3 | 4,391 | 2 | 163 | 4,051 | 8,610 |
| 10-Jul | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-Jul | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-Jul | 4 | 2,151 | 189 | 630 | 10,739 | 13,713 |
| 13-Jul | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-Jul | 4 | 3,005 | 3 | 52 | 107 | 3,171 |
| 15-Jul | 5 | 11,060 | 249 | 7,266 | 9,265 | 27,845 |
| 16-Jul | 0 | 1,253 | 0 | 15 | 119 | 1,387 |
| 17-Jul | 0 | 5,737 | 0 | 230 | 357 | 6,324 |
| 18-Jul | 1 | 2,992 | 6 | 370 | 357 | 3,726 |
| 19-Jul | 0 | 265 | 0 | 10 | 46 | 321 |
| 20-Jul | 0 | 1,142 | 0 | 36 | 64 | 1,242 |
| 21-Jul | 0 | 1,204 | 0 | 183 | 19,647 | 21,034 |
| Total | 20 | 33,536 | 449 | 8,958 | 50,182 | 93,145 |

^a Does not include test fish harvests.

Appendix D7.-South Peninsula Post-June commercial salmon harvest, all gear combined, by species, July 22-31, 2006.

| Date | Number of Salmona | | | | | Total |
|--|-------------------|----------------|---------------|----------------|----------------|------------------|
| | Chinook | Sockeye | Coho | Pink | Chum | |
| <i>Non-terminal areas (including SEDM after July 25), all gear combined, by day</i> | | | | | | |
| 23-Jul | 14 | 31,908 | 7,381 | 139,409 | 19,377 | 198,075 |
| 24-Jul | 29 | 39,348 | 8,914 | 125,563 | 24,145 | 197,970 |
| 26-Jul | 3 | 14,729 | 84 | 10,018 | 4,473 | 29,304 |
| 27-Jul | 56 | 39,462 | 10,703 | 211,705 | 26,425 | 288,295 |
| 28-Jul | 24 | 20,356 | 5,822 | 119,167 | 16,432 | 161,777 |
| 30-Jul | 12 | 12,127 | 2,693 | 51,126 | 9,782 | 75,728 |
| 31-Jul | 6 | 15,980 | 3,061 | 52,726 | 15,607 | 87,374 |
| Total | 144 | 173,910 | 38,658 | 709,714 | 116,241 | 1,038,667 |
| <i>Non-terminal areas, all gear combined, by location</i> | | | | | | |
| Shumagin Islands | 109 | 70,769 | 31,820 | 543,342 | 85,536 | 731,576 |
| Unimak District & Ikatan Bay Section | 1 | 1,498 | 1,868 | 2,081 | 981 | 6,429 |
| SEDM July 26-31 | 9 | 35,994 | 689 | 39,524 | 10,333 | 86,549 |
| Balance of South Peninsula | 25 | 65,649 | 4,281 | 124,767 | 19,391 | 214,113 |
| Total | 144 | 173,910 | 38,658 | 709,714 | 116,241 | 1,038,667 |
| <i>Terminal areas (including SEDM terminal areas after July 25), all gear combined, by day</i> | | | | | | |
| 22-Jul | 0 | 10,107 | 1 | 6,593 | 555 | 17,256 |
| 23-Jul | 1 | 2,446 | 0 | 10,603 | 13,403 | 26,453 |
| 24-Jul | 4 | 5,003 | 101 | 12,310 | 6,756 | 24,174 |
| 25-Jul | 0 | 0 | 0 | 0 | 0 | 0 |
| 26-Jul | 0 | 0 | 0 | 0 | 0 | 0 |
| 27-Jul | 0 | 1,533 | 8 | 18,972 | 4,880 | 25,393 |
| 28-Jul | 0 | 2,563 | 0 | 13,356 | 252 | 16,171 |
| 29-Jul | 0 | 0 | 0 | 0 | 0 | 0 |
| 30-Jul | 2 | 1,348 | 11 | 32,083 | 379 | 33,823 |
| 31-Jul | 0 | 548 | 78 | 3,285 | 6,567 | 10,478 |
| Total | 7 | 23,548 | 199 | 97,202 | 32,792 | 153,748 |

^a Does not include test fish harvests.

Appendix D8.-South Peninsula Post-June commercial salmon harvest, all gear combined, by species, August 1-31, 2006.

| Date | Number of Salmon ^a | | | | | |
|--------------------------------|-------------------------------|----------------|---------------|------------------|----------------|------------------|
| | Chinook | Sockeye | Coho | Pink | Chum | Total |
| 1-Aug | 0 | 3,847 | 176 | 5,467 | 2,819 | 12,309 |
| 2-Aug | 1 | 2,102 | 90 | 5,808 | 2,069 | 10,070 |
| 3-Aug | 20 | 9,019 | 2,912 | 66,671 | 9,194 | 87,816 |
| 4-Aug | 9 | 23,179 | 4,348 | 139,083 | 15,968 | 182,587 |
| 5-Aug | 190 | 32,062 | 4,291 | 142,939 | 24,175 | 203,657 |
| 6-Aug | 0 | 39,499 | 6,959 | 161,097 | 15,973 | 223,528 |
| 7-Aug | 16 | 0 | 0 | 0 | 0 | 16 |
| 8-Aug | 8 | 15,157 | 3,610 | 125,530 | 11,146 | 155,451 |
| 9-Aug | 20 | 19,182 | 3,626 | 142,442 | 37,554 | 202,824 |
| 10-Aug | 4 | 19,358 | 4,794 | 158,348 | 40,663 | 223,167 |
| 11-Aug | 4 | 12,393 | 2,479 | 88,927 | 29,095 | 132,898 |
| 12-Aug | 2 | 8,566 | 2,343 | 102,334 | 20,763 | 134,008 |
| 13-Aug | 6 | 8,136 | 3,167 | 111,309 | 16,159 | 138,777 |
| 14-Aug | 7 | 5,892 | 1,528 | 69,183 | 23,635 | 100,245 |
| 15-Aug | 3 | 8,728 | 3,750 | 50,930 | 3,806 | 67,217 |
| 16-Aug | 0 | 5,723 | 2,479 | 19,981 | 6,344 | 34,527 |
| 17-Aug | 1 | 5,443 | 3,089 | 73,532 | 7,275 | 89,340 |
| 18-Aug | 0 | 4,486 | 1,356 | 33,425 | 8,179 | 47,446 |
| 19-Aug | 1 | 3,644 | 1,149 | 64,166 | 18,517 | 87,477 |
| 20-Aug | 2 | 3,343 | 1,785 | 44,180 | 10,552 | 59,862 |
| 21-Aug | 1 | 3,603 | 920 | 75,714 | 5,715 | 85,953 |
| 22-Aug | 0 | 3,659 | 495 | 66,590 | 8,749 | 79,493 |
| 23-Aug | 0 | 4,364 | 1,278 | 15,428 | 5,411 | 26,481 |
| 24-Aug | 0 | 0 | 0 | 25,387 | 13,031 | 38,418 |
| 25-Aug | 0 | 0 | 121 | 52,997 | 15,443 | 68,561 |
| 26-Aug | 0 | 0 | 0 | 0 | 0 | 0 |
| 27-Aug | 0 | 0 | 0 | 0 | 0 | 0 |
| 28-Aug | 0 | 0 | 0 | 0 | 25,106 | 25,106 |
| 29-Aug | 0 | 0 | 0 | 0 | 0 | 0 |
| 30-Aug | 0 | 0 | 18 | 127 | 21,501 | 21,646 |
| 31-Aug | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | 295 | 241,385 | 56,763 | 1,841,595 | 398,842 | 2,538,880 |
| Southeastern District | Chinook | Sockeye | Coho | Pink | Chum | Total |
| Shumagin Islands | 51 | 91,138 | 32,580 | 710,619 | 51,072 | 885,460 |
| Southeastern District Mainland | 238 | 126,671 | 22,378 | 349,820 | 40,008 | 539,115 |
| Subtotal | 289 | 217,809 | 54,958 | 1,060,439 | 91,080 | 1,424,575 |
| South Central District | 4 | 9,542 | 659 | 244,746 | 65,383 | 320,334 |
| Southwestern District | 2 | 14,034 | 1,146 | 536,410 | 242,379 | 793,971 |
| Unimak District | 0 | 0 | 0 | 0 | 0 | 0 |
| South Alaska Peninsula Total | 295 | 241,385 | 56,763 | 1,841,595 | 398,842 | 2,538,880 |

^a Does not include test fish harvest.

Appendix D9.-South Peninsula fall fishery (September 1-October 31) commercial salmon harvest, all gear combined, by species and year, 1970-2006.

| Year | Number of Salmon ^a | | | | | | | |
|-------------------|---|----------|---------|---------|--------|--------|---------|---------|
| | Permits | Landings | Chinook | Sockeye | Coho | Pink | Chum | Total |
| 1970 | Confidentiality rules prohibit the release of this information. | | | | | | | |
| 1971 | | | | | | | | |
| 1972 | | | | | | | | |
| 1973 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1974 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1975 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1976 | 4 | 15 | 0 | 1,776 | 160 | 85 | 0 | 2,021 |
| 1977 | 9 | 23 | 0 | 2,465 | 635 | 0 | 528 | 3,628 |
| 1978 | 21 | 51 | 0 | 808 | 4,651 | 0 | 5,726 | 11,185 |
| 1979 | 25 | 60 | 0 | 2,375 | 17,468 | 54 | 5,307 | 25,204 |
| 1980 | 29 | 139 | 0 | 6,513 | 30,390 | 154 | 4,166 | 41,223 |
| 1981 | 31 | 115 | 0 | 10,004 | 21,016 | 0 | 220 | 31,240 |
| 1982 | 29 | 213 | 2 | 24,471 | 10,742 | 0 | 3,407 | 38,622 |
| 1983 | 48 | 334 | 35 | 25,493 | 14,945 | 1,254 | 2,958 | 44,685 |
| 1984 | 52 | 269 | 10 | 13,351 | 10,526 | 458 | 1,789 | 26,134 |
| 1985 | 55 | 182 | 5 | 4,002 | 14,725 | 290 | 6,960 | 25,982 |
| 1986 | 46 | 146 | 2 | 3,459 | 6,318 | 518 | 2,519 | 12,816 |
| 1987 | 65 | 323 | 12 | 23,332 | 22,040 | 1,499 | 52,079 | 98,962 |
| 1988 | 68 | 328 | 4 | 24,635 | 26,497 | 62,290 | 19,345 | 132,771 |
| 1989 | 60 | 363 | 12 | 34,932 | 15,724 | 281 | 10,058 | 61,007 |
| 1990 | 66 | 426 | 7 | 67,142 | 23,318 | 584 | 73,195 | 164,246 |
| 1991 | 52 | 273 | 2 | 20,056 | 20,337 | 0 | 16,183 | 56,578 |
| 1992 | 53 | 333 | 58 | 13,115 | 35,323 | 1,525 | 3,486 | 53,507 |
| 1993 | 50 | 248 | 31 | 16,386 | 16,965 | 515 | 2,918 | 36,815 |
| 1994 | 75 | 373 | 18 | 25,481 | 36,563 | 294 | 214,174 | 276,530 |
| 1995 | 55 | 473 | 3 | 110,657 | 26,083 | 1,710 | 9,860 | 148,313 |
| 1996 | 57 | 364 | 5 | 26,301 | 26,525 | 136 | 2,910 | 55,877 |
| 1997 | 51 | 513 | 30 | 76,965 | 36,447 | 3,568 | 6,199 | 123,209 |
| 1998 | 67 | 430 | 25 | 44,775 | 20,838 | 1,818 | 10,382 | 77,838 |
| 1999 | 58 | 503 | 12 | 118,064 | 17,622 | 12,353 | 3,668 | 151,719 |
| 2000 | 71 | 444 | 11 | 47,160 | 25,039 | 3,963 | 83,701 | 159,874 |
| 2001 | 34 | 382 | 16 | 97,717 | 17,317 | 1,824 | 2,894 | 119,768 |
| 2002 | 26 | 244 | 0 | 19,341 | 8,034 | 217 | 7,776 | 35,368 |
| 2003 | 23 | 257 | 8 | 57,641 | 27,891 | 0 | 559 | 86,099 |
| 2004 | 22 | 169 | 8 | 13,763 | 12,126 | 496 | 1,794 | 28,187 |
| 2005 | 13 | 58 | 0 | 5,581 | 9,580 | 0 | 306 | 15,467 |
| 2006 | 27 | 177 | 15 | 34,809 | 14,514 | 502 | 22,205 | 72,045 |
| Average 1986-2005 | 51 | 333 | 13 | 42,325 | 21,529 | 4,680 | 26,200 | 94,748 |
| Average 1996-2005 | 42 | 336 | 12 | 50,731 | 20,142 | 2,438 | 12,019 | 85,341 |

^a Does not include test fish harvests.

Appendix D10.-South Peninsula (minus the Southeastern District Mainland fishery July 1-25 salmon harvest) Post-June (July 1-October 31) commercial salmon harvest, all gear combined, by species and year, 1970-2006.

| Year | Permits ^b | Landings | Number of Salmon ^a | | | | | Total |
|-------------------|----------------------|----------|-------------------------------|-----------|---------|------------|-----------|------------|
| | | | Chinook | Sockeye | Coho | Pink | Chum | |
| 1970 | 127 | 1,467 | 758 | 44,795 | 32,340 | 1,610,724 | 535,625 | 2,224,242 |
| 1971 | 175 | 2,166 | 1,252 | 190,632 | 16,814 | 1,411,230 | 838,978 | 2,458,906 |
| 1972 | 140 | 848 | 656 | 35,120 | 7,916 | 55,802 | 204,113 | 303,607 |
| 1973 | 115 | 582 | 151 | 37,424 | 6,340 | 34,118 | 87,077 | 165,110 |
| 1974 | 95 | 509 | 532 | 108,923 | 9,152 | 71,459 | 64,455 | 254,521 |
| 1975 | 46 | 65 | 0 | 293 | 3 | 52,375 | 29,158 | 81,829 |
| 1976 | 125 | 1,102 | 6 | 11,674 | 176 | 2,324,547 | 116,355 | 2,452,758 |
| 1977 | 103 | 1,131 | 7 | 26,545 | 1,168 | 1,425,107 | 119,646 | 1,572,473 |
| 1978 | 123 | 2,081 | 203 | 61,379 | 60,417 | 5,467,134 | 408,544 | 5,997,677 |
| 1979 | 165 | 2,446 | 972 | 209,755 | 350,770 | 6,365,911 | 371,358 | 7,298,766 |
| 1980 | 152 | 2,646 | 1,522 | 310,278 | 271,738 | 6,295,345 | 785,026 | 7,663,909 |
| 1981 | 168 | 2,502 | 4,190 | 218,667 | 158,846 | 4,564,926 | 1,033,055 | 5,979,684 |
| 1982 | 183 | 2,781 | 2,313 | 140,487 | 252,885 | 4,806,182 | 1,042,978 | 6,244,845 |
| 1983 | 201 | 2,667 | 11,726 | 292,536 | 124,431 | 2,760,452 | 816,567 | 4,005,712 |
| 1984 | 217 | 3,525 | 4,290 | 334,781 | 306,522 | 10,469,392 | 1,176,050 | 12,291,035 |
| 1985 | 213 | 2,787 | 688 | 272,059 | 169,137 | 4,249,809 | 827,781 | 5,519,474 |
| 1986 | 202 | 3,001 | 3,475 | 545,160 | 235,082 | 3,698,727 | 1,346,879 | 5,829,323 |
| 1987 | 233 | 2,692 | 3,881 | 410,755 | 224,543 | 1,189,211 | 911,414 | 2,739,804 |
| 1988 | 243 | 4,356 | 6,797 | 635,804 | 502,960 | 6,767,066 | 1,307,053 | 9,219,680 |
| 1989 | 274 | 3,993 | 4,106 | 825,372 | 440,171 | 6,879,878 | 531,759 | 8,681,286 |
| 1990 | 261 | 3,257 | 5,480 | 875,237 | 288,728 | 2,299,161 | 672,937 | 4,141,543 |
| 1991 | 234 | 3,573 | 2,423 | 465,874 | 311,825 | 9,952,671 | 788,955 | 11,521,748 |
| 1992 | 233 | 3,907 | 4,003 | 765,575 | 414,809 | 9,101,628 | 863,505 | 11,149,520 |
| 1993 | 221 | 3,086 | 3,524 | 497,933 | 209,816 | 9,765,709 | 504,894 | 10,981,876 |
| 1994 | 213 | 3,302 | 1,642 | 408,089 | 249,066 | 6,640,031 | 1,591,094 | 8,889,922 |
| 1995 | 207 | 3,824 | 2,010 | 731,651 | 252,358 | 16,071,184 | 1,155,825 | 18,213,028 |
| 1996 | 180 | 1,966 | 1,914 | 215,721 | 263,654 | 1,738,973 | 379,578 | 2,599,840 |
| 1997 | 168 | 1,399 | 1,206 | 325,261 | 110,488 | 1,681,374 | 277,559 | 2,395,888 |
| 1998 | 209 | 3,975 | 1,793 | 764,947 | 150,735 | 7,441,311 | 455,978 | 8,814,764 |
| 1999 | 185 | 4,205 | 1,580 | 1,355,842 | 191,585 | 8,369,899 | 563,270 | 10,482,176 |
| 2000 | 179 | 2,894 | 2,081 | 530,913 | 249,874 | 3,132,340 | 788,698 | 4,703,906 |
| 2001 | 177 | 2,426 | 1,780 | 350,517 | 209,583 | 3,930,586 | 823,425 | 5,315,891 |
| 2002 | 116 | 1,553 | 3,411 | 290,657 | 197,323 | 1,950,760 | 421,461 | 2,863,612 |
| 2003 | 106 | 1,675 | 1,079 | 378,410 | 128,710 | 3,910,916 | 342,595 | 4,761,710 |
| 2004 | 108 | 1,629 | 2,238 | 641,326 | 230,443 | 6,248,298 | 301,972 | 7,424,277 |
| 2005 | 111 | 2,090 | 1,335 | 1,087,549 | 135,668 | 7,449,031 | 301,997 | 8,975,580 |
| 2006 | 115 | 2,319 | 874 | 825,414 | 159,528 | 2,851,226 | 862,757 | 4,699,799 |
| Average 1978-1992 | | | | | | | | |
| | 207 | 3,081 | 3,738 | 424,248 | 274,191 | 5,657,833 | 858,924 | 7,218,934 |
| Average 1993-1997 | | | | | | | | |
| | 198 | 2,715 | 2,059 | 435,731 | 217,076 | 7,179,454 | 781,790 | 8,616,111 |
| Average 1998-2005 | | | | | | | | |
| | 149 | 2,556 | 1,912 | 675,020 | 186,740 | 5,304,143 | 499,925 | 6,667,740 |

^a Does not include test fish harvests.

^b Permits used equals total South Peninsula Post-June permits.

Appendix D11.-South Peninsula Post-June commercial salmon harvest, (including the Southeastern District Mainland fishery) all gear combined, by species and year, July 1-October 31, 1970-2006.

| Year | Permits | Landings | Number of Salmon ^a | | | | | Total |
|-------------------|---------|----------|-------------------------------|-----------|---------|------------|-----------|------------|
| | | | Chinook | Sockeye | Coho | Pink | Chum | |
| 1970 | 127 | 1,612 | 777 | 63,569 | 32,519 | 1,630,404 | 550,698 | 2,277,967 |
| 1971 | 175 | 2,325 | 1,305 | 225,162 | 16,906 | 1,423,528 | 855,916 | 2,522,817 |
| 1972 | 140 | 940 | 673 | 45,174 | 7,999 | 60,270 | 212,505 | 326,621 |
| 1973 | 115 | 710 | 159 | 58,207 | 6,571 | 38,500 | 91,810 | 195,247 |
| 1974 | 95 | 744 | 557 | 171,700 | 9,362 | 100,179 | 71,430 | 353,228 |
| 1975 | 46 | 90 | 0 | 3,449 | 66 | 55,395 | 29,928 | 88,838 |
| 1976 | 125 | 1,181 | 14 | 20,707 | 213 | 2,342,600 | 121,282 | 2,484,816 |
| 1977 | 103 | 1,315 | 35 | 60,669 | 2,108 | 1,443,245 | 126,762 | 1,632,819 |
| 1978 | 123 | 2,187 | 222 | 74,839 | 60,771 | 5,500,177 | 423,532 | 6,059,541 |
| 1979 | 165 | 2,699 | 1,049 | 283,352 | 356,562 | 6,409,584 | 378,712 | 7,429,259 |
| 1980 | 152 | 2,948 | 1,569 | 371,638 | 273,328 | 6,335,159 | 843,988 | 7,825,682 |
| 1981 | 168 | 2,940 | 4,415 | 316,945 | 161,899 | 4,581,643 | 1,201,454 | 6,266,356 |
| 1982 | 183 | 3,361 | 2,566 | 177,160 | 254,798 | 5,016,065 | 1,171,508 | 6,622,097 |
| 1983 | 210 | 3,210 | 12,833 | 522,913 | 127,157 | 2,771,744 | 917,198 | 4,351,845 |
| 1984 | 217 | 4,251 | 4,913 | 525,275 | 310,910 | 10,668,889 | 1,312,347 | 12,822,334 |
| 1985 | 213 | 2,970 | 724 | 294,782 | 170,046 | 4,323,885 | 912,580 | 5,702,017 |
| 1986 | 202 | 3,444 | 3,586 | 687,525 | 235,852 | 3,739,423 | 1,394,332 | 6,060,718 |
| 1987 | 233 | 2,926 | 3,935 | 463,090 | 224,740 | 1,191,512 | 929,782 | 2,813,059 |
| 1988 | 243 | 4,701 | 7,011 | 716,964 | 505,278 | 6,864,600 | 1,381,796 | 9,475,649 |
| 1989 | 274 | 4,185 | 4,225 | 909,393 | 441,397 | 7,089,895 | 538,177 | 8,983,087 |
| 1990 | 261 | 3,663 | 6,164 | 1,039,265 | 305,509 | 2,346,043 | 715,940 | 4,412,921 |
| 1991 | 234 | 3,889 | 2,807 | 570,688 | 313,210 | 9,977,423 | 797,890 | 11,662,018 |
| 1992 | 233 | 4,317 | 4,040 | 870,687 | 414,933 | 9,117,479 | 880,066 | 11,287,205 |
| 1993 | 221 | 3,683 | 4,301 | 639,412 | 214,020 | 9,843,962 | 513,579 | 11,215,274 |
| 1994 | 213 | 3,738 | 1,726 | 541,108 | 250,079 | 6,648,470 | 1,593,590 | 9,034,973 |
| 1995 | 207 | 4,228 | 2,079 | 824,679 | 254,581 | 16,123,733 | 1,172,964 | 18,378,036 |
| 1996 | 180 | 2,825 | 2,124 | 392,038 | 267,494 | 1,810,624 | 411,581 | 2,883,861 |
| 1997 | 168 | 2,594 | 1,352 | 630,008 | 111,872 | 1,697,989 | 283,929 | 2,725,150 |
| 1998 | 209 | 4,340 | 2,100 | 882,078 | 153,694 | 7,566,341 | 465,907 | 9,070,120 |
| 1999 | 185 | 4,351 | 1,619 | 1,403,036 | 192,480 | 8,412,751 | 567,929 | 10,577,815 |
| 2000 | 179 | 3,802 | 2,176 | 654,532 | 256,841 | 3,189,515 | 813,977 | 4,917,041 |
| 2001 | 177 | 2,996 | 1,957 | 454,812 | 210,897 | 3,972,806 | 873,565 | 5,514,037 |
| 2002 | 116 | 2,322 | 3,724 | 407,633 | 202,712 | 2,093,251 | 437,533 | 3,144,853 |
| 2003 | 106 | 2,494 | 1,289 | 553,906 | 130,942 | 4,039,946 | 353,704 | 5,079,787 |
| 2004 | 108 | 2,229 | 2,507 | 804,977 | 234,971 | 6,305,840 | 306,812 | 7,655,107 |
| 2005 | 111 | 2,253 | 1,379 | 1,244,326 | 141,692 | 7,754,815 | 309,551 | 9,451,763 |
| 2006 | 115 | 2,436 | 903 | 902,927 | 162,333 | 2,928,911 | 876,016 | 4,871,090 |
| Average 1978-1992 | | | | | | | | |
| | 207 | 3,446 | 4,004 | 521,634 | 277,093 | 5,728,901 | 919,953 | 7,451,586 |
| Average 1993-1997 | | | | | | | | |
| | 198 | 3,414 | 2,316 | 605,449 | 219,609 | 7,224,956 | 795,129 | 8,847,459 |
| Average 1998-2005 | | | | | | | | |
| | 149 | 3,098 | 2,094 | 800,663 | 190,529 | 5,416,908 | 516,122 | 6,926,315 |

^a Does not include test fish harvests.

Appendix D12.-South Peninsula (including Southeastern District Mainland fishery) Post-June commercial Chinook salmon harvest by gear and year, July 1- October 31, 1970-2006.

| Year | Purse Seine | | Drift Gillnet | | Set Gillnet | | Total ^a |
|-------------------|---------------------|---------|---------------------|---------|---------------------|---------|--------------------|
| | Number ^a | Percent | Number ^a | Percent | Number ^a | Percent | |
| 1970 | 750 | 96.5 | 19 | 2.4 | 8 | 1.0 | 777 |
| 1971 | 1,219 | 93.4 | 47 | 3.6 | 39 | 3.0 | 1,305 |
| 1972 | 647 | 96.1 | 8 | 1.2 | 18 | 2.7 | 673 |
| 1973 | 155 | 97.5 | 1 | 0.6 | 3 | 1.9 | 159 |
| 1974 | 509 | 91.4 | 22 | 3.9 | 26 | 4.7 | 557 |
| 1975 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 |
| 1976 | 5 | 35.7 | 1 | 7.1 | 8 | 57.1 | 14 |
| 1977 | 18 | 51.4 | 0 | 0.0 | 17 | 48.6 | 35 |
| 1978 | 204 | 91.9 | 0 | 0.0 | 18 | 8.1 | 222 |
| 1979 | 981 | 93.5 | 2 | 0.2 | 66 | 6.3 | 1,049 |
| 1980 | 1,495 | 95.3 | 0 | 0.0 | 74 | 4.7 | 1,569 |
| 1981 | 4,280 | 96.9 | 0 | 0.0 | 135 | 3.1 | 4,415 |
| 1982 | 2,294 | 89.4 | 90 | 3.5 | 182 | 7.1 | 2,566 |
| 1983 | 12,552 | 97.8 | 78 | 0.6 | 203 | 1.6 | 12,833 |
| 1984 | 4,338 | 88.3 | 161 | 3.3 | 414 | 8.4 | 4,913 |
| 1985 | 625 | 86.3 | 24 | 3.3 | 75 | 10.4 | 724 |
| 1986 | 3,395 | 94.7 | 24 | 0.7 | 167 | 4.7 | 3,586 |
| 1987 | 3,700 | 94.0 | 64 | 1.6 | 171 | 4.3 | 3,935 |
| 1988 | 6,586 | 93.9 | 142 | 2.0 | 283 | 4.0 | 7,011 |
| 1989 | 3,584 | 84.8 | 295 | 7.0 | 346 | 8.2 | 4,225 |
| 1990 | 5,605 | 90.9 | 122 | 2.0 | 437 | 7.1 | 6,164 |
| 1991 | 2,085 | 74.3 | 62 | 2.2 | 660 | 23.5 | 2,807 |
| 1992 | 3,724 | 92.2 | 47 | 1.2 | 269 | 6.7 | 4,040 |
| 1993 | 3,666 | 85.2 | 111 | 2.6 | 524 | 12.2 | 4,301 |
| 1994 | 1,321 | 76.5 | 25 | 1.4 | 380 | 22.0 | 1,726 |
| 1995 | 1,556 | 74.8 | 34 | 1.6 | 489 | 23.5 | 2,079 |
| 1996 | 1,826 | 86.5 | 28 | 1.3 | 257 | 12.2 | 2,111 |
| 1997 | 1,161 | 85.9 | 18 | 1.3 | 173 | 12.8 | 1,352 |
| 1998 | 1,768 | 84.2 | 18 | 0.9 | 314 | 15.0 | 2,100 |
| 1999 | 1,367 | 84.4 | 15 | 0.9 | 237 | 14.6 | 1,619 |
| 2000 | 1,983 | 91.1 | 19 | 0.9 | 174 | 8.0 | 2,176 |
| 2001 | 1,732 | 88.5 | 19 | 1.0 | 206 | 10.5 | 1,957 |
| 2002 | 3,245 | 87.1 | 2 | 0.1 | 477 | 12.8 | 3,724 |
| 2003 | 961 | 74.6 | 7 | 0.5 | 321 | 24.9 | 1,289 |
| 2004 | 2,088 | 83.3 | 1 | 0.0 | 418 | 16.7 | 2,507 |
| 2005 | 1,296 | 94.0 | 2 | 0.1 | 81 | 5.9 | 1,379 |
| 2006 | 674 | 74.6 | 1 | 0.1 | 228 | 25.2 | 903 |
| Average 1986-2005 | | | | | | | |
| | 2,632 | 86 | 53 | 1 | 319 | 12 | 3,004 |
| Average 1996-2005 | | | | | | | |
| | 1,743 | 86 | 13 | 1 | 266 | 13 | 2,021 |
| Average 1978-1992 | | | | | | | |
| | 3,697 | 92.3 | 74 | 1.8 | 233 | 5.8 | 4,004 |
| Average 1993-1997 | | | | | | | |
| | 1,906 | 82.4 | 43 | 1.9 | 365 | 15.8 | 2,314 |
| Average 1998-2005 | | | | | | | |
| | 1,805 | 86 | 10 | 1 | 279 | 14 | 2,094 |

^a Does not include test fish harvests

Appendix D13.-South Peninsula (including Southeastern District Mainland fishery) Post-June commercial sockeye salmon harvest by gear and year, July 1-October 31, 1970-2006.

| Year | Purse Seine | | Drift Gillnet | | Set Gillnet | | Total ^a |
|-------------------|---------------------|---------|---------------------|---------|---------------------|---------|--------------------|
| | Number ^a | Percent | Number ^a | Percent | Number ^a | Percent | |
| 1970 | 28,397 | 44.7 | 15,364 | 24.2 | 19,808 | 31.2 | 63,569 |
| 1971 | 82,826 | 36.8 | 105,274 | 46.8 | 37,062 | 16.5 | 225,162 |
| 1972 | 18,957 | 42.0 | 15,580 | 34.5 | 10,637 | 23.5 | 45,174 |
| 1973 | 15,796 | 27.1 | 16,246 | 27.9 | 26,165 | 45.0 | 58,207 |
| 1974 | 63,511 | 37.0 | 52,481 | 30.6 | 55,708 | 32.4 | 171,700 |
| 1975 | 1,642 | 47.6 | 0 | 0.0 | 1,807 | 52.4 | 3,449 |
| 1976 | 9,630 | 46.5 | 2,649 | 12.8 | 8,428 | 40.7 | 20,707 |
| 1977 | 32,051 | 52.8 | 0 | 0.0 | 28,618 | 47.2 | 60,669 |
| 1978 | 57,448 | 76.8 | 0 | 0.0 | 17,391 | 23.2 | 74,839 |
| 1979 | 193,629 | 68.3 | 1,097 | 0.4 | 88,626 | 31.3 | 283,352 |
| 1980 | 260,433 | 70.1 | 398 | 0.1 | 110,807 | 29.8 | 371,638 |
| 1981 | 171,658 | 54.2 | 1,388 | 0.4 | 143,899 | 45.4 | 316,945 |
| 1982 | 92,784 | 52.4 | 13,472 | 7.6 | 70,904 | 40.0 | 177,160 |
| 1983 | 258,763 | 49.5 | 19,005 | 3.6 | 245,145 | 46.9 | 522,913 |
| 1984 | 240,959 | 45.9 | 26,698 | 5.1 | 257,618 | 49.0 | 525,275 |
| 1985 | 178,953 | 60.7 | 18,441 | 6.3 | 97,388 | 33.0 | 294,782 |
| 1986 | 412,251 | 60.0 | 30,261 | 4.4 | 245,013 | 35.6 | 687,525 |
| 1987 | 238,678 | 51.5 | 39,360 | 8.5 | 185,052 | 40.0 | 463,090 |
| 1988 | 423,852 | 59.1 | 44,657 | 6.2 | 248,455 | 34.7 | 716,964 |
| 1989 | 470,465 | 51.7 | 86,343 | 9.5 | 352,585 | 38.8 | 909,393 |
| 1990 | 524,630 | 50.5 | 132,907 | 12.8 | 381,728 | 36.7 | 1,039,265 |
| 1991 | 232,338 | 40.7 | 21,721 | 3.8 | 316,629 | 55.5 | 570,688 |
| 1992 | 443,201 | 50.9 | 44,935 | 5.2 | 382,551 | 43.9 | 870,687 |
| 1993 | 288,648 | 45.1 | 23,421 | 3.7 | 327,343 | 51.2 | 639,412 |
| 1994 | 147,337 | 27.2 | 18,134 | 3.4 | 375,637 | 69.4 | 541,108 |
| 1995 | 368,688 | 44.7 | 21,505 | 2.6 | 434,486 | 52.7 | 824,679 |
| 1996 | 80,819 | 20.6 | 5,776 | 1.5 | 305,443 | 77.9 | 392,038 |
| 1997 | 123,940 | 19.7 | 24,278 | 3.9 | 481,790 | 76.5 | 630,008 |
| 1998 | 381,734 | 43.3 | 35,569 | 4.0 | 464,775 | 52.7 | 882,078 |
| 1999 | 680,344 | 48.5 | 35,100 | 2.5 | 687,592 | 49.0 | 1,403,036 |
| 2000 | 212,658 | 32.5 | 20,587 | 3.1 | 421,287 | 64.4 | 654,532 |
| 2001 | 96,249 | 21.2 | 28,932 | 6.4 | 329,631 | 72.5 | 454,812 |
| 2002 | 118,441 | 29.1 | 15,783 | 3.9 | 273,409 | 67.1 | 407,633 |
| 2003 | 162,365 | 29.3 | 16,093 | 2.9 | 375,448 | 67.8 | 553,906 |
| 2004 | 400,982 | 49.8 | 21,452 | 2.7 | 382,543 | 47.5 | 804,977 |
| 2005 | 657,543 | 52.8 | 8,492 | 0.7 | 578,291 | 46.5 | 1,244,326 |
| 2006 | 414,298 | 45.9 | 2,702 | 0.3 | 485,927 | 53.8 | 902,927 |
| <hr/> | | | | | | | |
| Average 1986-2005 | 323,258 | 41 | 33,765 | 5 | 377,484 | 54 | 734,508 |
| Average 1996-2005 | 291,508 | 35 | 21,206 | 3 | 430,021 | 62 | 742,735 |
| Average 1978-92 | 280,003 | 53.7 | 32,046 | 6.1 | 209,586 | 40.2 | 521,634 |
| Average 1993-97 | 201,886 | 33.3 | 18,623 | 3.1 | 384,940 | 63.6 | 605,449 |
| Average 1998-2005 | 338,790 | 38 | 22,751 | 3 | 439,122 | 58 | 800,663 |

^a Does not include test fish harvests.

Appendix D14.-South Peninsula (including Southeastern District Mainland fishery) Post-June commercial coho salmon harvest by gear and year, July 1-October 31, 1970-2006.

| Year | Purse Seine | | Drift Gillnet | | Set Gillnet | | Total ^a |
|-------------------|---------------------|---------|---------------------|---------|---------------------|---------|--------------------|
| | Number ^a | Percent | Number ^a | Percent | Number ^a | Percent | |
| 1970 | 31,789 | 97.8 | 56 | 0.2 | 674 | 2.1 | 32,519 |
| 1971 | 16,346 | 96.7 | 356 | 2.1 | 204 | 1.2 | 16,906 |
| 1972 | 7,795 | 97.4 | 59 | 0.7 | 145 | 1.8 | 7,999 |
| 1973 | 6,286 | 95.7 | 43 | 0.7 | 242 | 3.7 | 6,571 |
| 1974 | 8,091 | 86.4 | 1,110 | 11.9 | 161 | 1.7 | 9,362 |
| 1975 | 37 | 56.1 | 0 | 0.0 | 29 | 43.9 | 66 |
| 1976 | 53 | 24.9 | 0 | 0.0 | 160 | 75.1 | 213 |
| 1977 | 1,034 | 49.1 | 0 | 0.0 | 1,074 | 50.9 | 2,108 |
| 1978 | 57,842 | 95.2 | 0 | 0.0 | 2,929 | 4.8 | 60,771 |
| 1979 | 346,021 | 97.0 | 33 | 0.0 | 10,508 | 2.9 | 356,562 |
| 1980 | 249,602 | 91.3 | 0 | 0.0 | 23,726 | 8.7 | 273,328 |
| 1981 | 155,653 | 96.1 | 10 | 0.0 | 6,236 | 3.9 | 161,899 |
| 1982 | 219,462 | 86.1 | 19,202 | 7.5 | 16,134 | 6.3 | 254,798 |
| 1983 | 109,822 | 86.4 | 3,658 | 2.9 | 13,677 | 10.8 | 127,157 |
| 1984 | 247,342 | 79.6 | 37,805 | 12.2 | 25,763 | 8.3 | 310,910 |
| 1985 | 128,931 | 75.8 | 18,033 | 10.6 | 23,082 | 13.6 | 170,046 |
| 1986 | 203,505 | 86.3 | 18,901 | 8.0 | 13,446 | 5.7 | 235,852 |
| 1987 | 169,763 | 75.5 | 30,445 | 13.5 | 24,532 | 10.9 | 224,740 |
| 1988 | 389,723 | 77.1 | 75,445 | 14.9 | 40,110 | 7.9 | 505,278 |
| 1989 | 305,558 | 69.2 | 88,376 | 20.0 | 47,463 | 10.8 | 441,397 |
| 1990 | 224,354 | 73.4 | 42,659 | 14.0 | 38,496 | 12.6 | 305,509 |
| 1991 | 199,104 | 63.6 | 51,215 | 16.4 | 62,891 | 20.1 | 313,210 |
| 1992 | 294,100 | 70.9 | 58,621 | 14.1 | 62,212 | 15.0 | 414,933 |
| 1993 | 148,565 | 69.4 | 26,364 | 12.3 | 39,091 | 18.3 | 214,020 |
| 1994 | 161,903 | 64.7 | 24,980 | 10.0 | 63,196 | 25.3 | 250,079 |
| 1995 | 185,974 | 73.1 | 26,020 | 10.2 | 42,587 | 16.7 | 254,581 |
| 1996 | 195,272 | 73.7 | 22,561 | 8.5 | 47,133 | 17.8 | 264,966 |
| 1997 | 47,254 | 42.2 | 19,855 | 17.7 | 44,763 | 40.0 | 111,872 |
| 1998 | 83,205 | 54.1 | 30,219 | 19.7 | 40,270 | 26.2 | 153,694 |
| 1999 | 143,560 | 74.6 | 11,734 | 6.1 | 37,186 | 19.3 | 192,480 |
| 2000 | 180,030 | 70.1 | 33,632 | 13.1 | 43,179 | 16.8 | 256,841 |
| 2001 | 149,064 | 70.7 | 30,125 | 14.3 | 31,708 | 15.0 | 210,897 |
| 2002 | 165,305 | 81.5 | 11,567 | 5.7 | 25,840 | 12.7 | 202,712 |
| 2003 | 74,947 | 57.2 | 11,253 | 8.6 | 44,742 | 34.2 | 130,942 |
| 2004 | 174,961 | 74.5 | 9,115 | 3.9 | 50,895 | 21.7 | 234,971 |
| 2005 | 105,844 | 74.7 | 3,829 | 2.7 | 32,019 | 22.6 | 141,692 |
| 2006 | 120,089 | 74.0 | 2,353 | 1.4 | 39,891 | 24.6 | 162,333 |
| Average 1986-2005 | | | | | | | |
| | 180,100 | 70 | 31,346 | 12 | 41,588 | 18 | 253,033 |
| Average 1996-2005 | | | | | | | |
| | 131,944 | 67 | 18,389 | 10 | 39,774 | 23 | 190,107 |
| Average 1978-1992 | | | | | | | |
| | 220,052 | 79.4 | 29,627 | 10.7 | 27,414 | 9.9 | 277,093 |
| Average 1993-1997 | | | | | | | |
| | 147,794 | 67.5 | 23,956 | 10.9 | 47,354 | 21.6 | 219,104 |
| Average 1998-2005 | | | | | | | |
| | 134,615 | 70 | 17,684 | 9 | 38,230 | 21 | 190,529 |

^a Does not include test fish harvests.

Appendix D15.-South Peninsula (including Southeastern District Mainland fishery) Post-June commercial pink salmon harvest by gear and year, July 1-October 31, 1970-2006.

| Year | Purse Seine | | Drift Gillnet | | Set Gillnet | | Total ^a |
|-------------------|---------------------|---------|---------------------|---------|---------------------|---------|--------------------|
| | Number ^a | Percent | Number ^a | Percent | Number ^a | Percent | |
| 1970 | 1,551,475 | 95.2 | 62,666 | 3.8 | 16,263 | 1.0 | 1,630,404 |
| 1971 | 1,416,920 | 99.4 | 1,983 | 0.1 | 6,849 | 0.5 | 1,425,752 |
| 1972 | 55,667 | 92.4 | 129 | 0.2 | 4,474 | 7.4 | 60,270 |
| 1973 | 34,463 | 89.5 | 545 | 1.4 | 3,492 | 9.1 | 38,500 |
| 1974 | 88,832 | 88.7 | 1,626 | 1.6 | 9,721 | 9.7 | 100,179 |
| 1975 | 54,435 | 98.3 | 0 | 0.0 | 960 | 1.7 | 55,395 |
| 1976 | 2,337,109 | 99.8 | 65 | 0.0 | 5,426 | 0.2 | 2,342,600 |
| 1977 | 1,427,176 | 98.9 | 0 | 0.0 | 16,069 | 1.1 | 1,443,245 |
| 1978 | 5,470,855 | 99.5 | 0 | 0.0 | 29,322 | 0.5 | 5,500,177 |
| 1979 | 6,306,410 | 98.4 | 16,635 | 0.3 | 86,539 | 1.4 | 6,409,584 |
| 1980 | 6,236,027 | 98.4 | 12 | 0.0 | 99,120 | 1.6 | 6,335,159 |
| 1981 | 4,461,879 | 97.4 | 7,200 | 0.2 | 112,564 | 2.5 | 4,581,643 |
| 1982 | 4,852,553 | 96.7 | 50,748 | 1.0 | 112,764 | 2.2 | 5,016,065 |
| 1983 | 2,688,187 | 97.0 | 5,586 | 0.2 | 77,971 | 2.8 | 2,771,744 |
| 1984 | 10,324,380 | 96.8 | 78,575 | 0.7 | 265,934 | 2.5 | 10,668,889 |
| 1985 | 4,096,285 | 94.7 | 21,803 | 0.5 | 205,797 | 4.8 | 4,323,885 |
| 1986 | 3,602,769 | 96.3 | 27,772 | 0.7 | 108,882 | 2.9 | 3,739,423 |
| 1987 | 1,135,252 | 95.3 | 3,025 | 0.3 | 53,235 | 4.5 | 1,191,512 |
| 1988 | 6,427,823 | 93.6 | 145,106 | 2.1 | 291,671 | 4.2 | 6,864,600 |
| 1989 | 6,641,815 | 93.7 | 85,946 | 1.2 | 362,134 | 5.1 | 7,089,895 |
| 1990 | 2,256,837 | 96.2 | 32,089 | 1.4 | 57,117 | 2.4 | 2,346,043 |
| 1991 | 9,614,533 | 96.4 | 26,740 | 0.3 | 336,150 | 3.4 | 9,977,423 |
| 1992 | 8,616,933 | 94.5 | 91,106 | 1.0 | 409,440 | 4.5 | 9,117,479 |
| 1993 | 9,494,663 | 96.5 | 12,037 | 0.1 | 337,262 | 3.4 | 9,843,962 |
| 1994 | 6,317,708 | 95.0 | 53,701 | 0.8 | 277,061 | 4.2 | 6,648,470 |
| 1995 | 15,404,768 | 95.5 | 41,868 | 0.3 | 677,097 | 4.2 | 16,123,733 |
| 1996 | 1,522,362 | 84.1 | 17,593 | 1.0 | 269,395 | 14.9 | 1,809,350 |
| 1997 | 1,627,495 | 95.8 | 14,435 | 0.9 | 56,059 | 3.3 | 1,697,989 |
| 1998 | 6,803,002 | 89.9 | 192,352 | 2.5 | 570,987 | 7.5 | 7,566,341 |
| 1999 | 8,016,735 | 95.3 | 12,045 | 0.1 | 383,971 | 4.6 | 8,412,751 |
| 2000 | 2,871,880 | 90.0 | 15,979 | 0.5 | 301,656 | 9.5 | 3,189,515 |
| 2001 | 3,629,078 | 91.3 | 20,999 | 0.5 | 322,729 | 8.1 | 3,972,806 |
| 2002 | 1,831,099 | 87.5 | 9,664 | 0.5 | 252,488 | 12.1 | 2,093,251 |
| 2003 | 3,679,093 | 91.1 | 13,377 | 0.3 | 347,476 | 8.6 | 4,039,946 |
| 2004 | 6,051,523 | 96.0 | 24,360 | 0.4 | 229,957 | 3.6 | 6,305,840 |
| 2005 | 7,386,836 | 95.3 | 6,258 | 0.1 | 361,721 | 4.7 | 7,754,815 |
| 2006 | 2,629,491 | 89.8 | 5,520 | 0.2 | 293,900 | 10.0 | 2,928,911 |
| Average 1986-2005 | | | | | | | |
| | 5,646,610 | 93 | 42,323 | 1 | 300,324 | 6 | 5,989,257 |
| Average 1996-2005 | | | | | | | |
| | 4,341,910 | 92 | 32,706 | 1 | 309,644 | 8 | 4,684,260 |
| Average 1978-1992 | | | | | | | |
| | 5,515,503 | 96.3 | 39,490 | 0.7 | 173,909 | 3.0 | 5,728,901 |
| Average 1993-1997 | | | | | | | |
| | 6,873,399 | 95.1 | 27,927 | 0.4 | 323,375 | 4.5 | 7,224,701 |
| Average 1998-2005 | | | | | | | |
| | 5,033,656 | 92 | 36,879 | 1 | 346,373 | 7 | 5,416,908 |

^a Does not include test fish harvests.

Appendix D16.-South Peninsula (including Southeastern District Mainland fishery) Post-June commercial chum salmon harvest by gear and year, July 1-October 31, 1970-2006.

| Year | Purse Seine | | Drift Gillnet | | Set Gillnet | | Total ^a |
|-------------------|---------------------|---------|---------------------|---------|---------------------|---------|--------------------|
| | Number ^a | Percent | Number ^a | Percent | Number ^a | Percent | |
| 1970 | 497,990 | 90.4 | 31,764 | 5.8 | 20,944 | 3.8 | 550,698 |
| 1971 | 715,457 | 83.6 | 124,539 | 14.5 | 16,023 | 1.9 | 856,019 |
| 1972 | 144,992 | 68.2 | 55,615 | 26.2 | 11,898 | 5.6 | 212,505 |
| 1973 | 73,249 | 79.8 | 10,464 | 11.4 | 8,097 | 8.8 | 91,810 |
| 1974 | 51,538 | 72.2 | 13,998 | 19.6 | 5,894 | 8.3 | 71,430 |
| 1975 | 29,336 | 98.0 | 0 | 0.0 | 592 | 2.0 | 29,928 |
| 1976 | 118,482 | 97.7 | 1,390 | 1.1 | 1,410 | 1.2 | 121,282 |
| 1977 | 114,058 | 90.0 | 0 | 0.0 | 12,704 | 10.0 | 126,762 |
| 1978 | 403,352 | 95.2 | 0 | 0.0 | 20,180 | 4.8 | 423,532 |
| 1979 | 346,006 | 91.4 | 2,834 | 0.7 | 29,872 | 7.9 | 378,712 |
| 1980 | 758,344 | 89.9 | 8 | 0.0 | 85,636 | 10.1 | 843,988 |
| 1981 | 1,104,569 | 91.9 | 4,821 | 0.4 | 92,064 | 7.7 | 1,201,454 |
| 1982 | 1,060,812 | 90.6 | 17,406 | 1.5 | 93,290 | 8.0 | 1,171,508 |
| 1983 | 829,281 | 90.4 | 19,913 | 2.2 | 68,004 | 7.4 | 917,198 |
| 1984 | 1,186,753 | 90.4 | 30,941 | 2.4 | 94,653 | 7.2 | 1,312,347 |
| 1985 | 828,645 | 90.8 | 18,521 | 2.0 | 65,414 | 7.2 | 912,580 |
| 1986 | 1,300,638 | 93.3 | 22,294 | 1.6 | 71,400 | 5.1 | 1,394,332 |
| 1987 | 811,464 | 87.3 | 43,115 | 4.6 | 75,203 | 8.1 | 929,782 |
| 1988 | 1,228,987 | 88.9 | 68,066 | 4.9 | 84,743 | 6.1 | 1,381,796 |
| 1989 | 417,978 | 77.7 | 44,605 | 8.3 | 75,594 | 14.0 | 538,177 |
| 1990 | 600,040 | 83.8 | 46,700 | 6.5 | 69,200 | 9.7 | 715,940 |
| 1991 | 635,031 | 79.6 | 25,465 | 3.2 | 137,394 | 17.2 | 797,890 |
| 1992 | 776,939 | 88.3 | 29,252 | 3.3 | 73,875 | 8.4 | 880,066 |
| 1993 | 448,204 | 87.3 | 17,871 | 3.5 | 47,504 | 9.2 | 513,579 |
| 1994 | 1,458,898 | 91.5 | 26,262 | 1.6 | 108,430 | 6.8 | 1,593,590 |
| 1995 | 1,039,506 | 88.6 | 22,517 | 1.9 | 110,941 | 9.5 | 1,172,964 |
| 1996 | 314,538 | 76.6 | 14,306 | 3.5 | 81,918 | 19.9 | 410,762 |
| 1997 | 239,619 | 84.4 | 13,278 | 4.7 | 31,032 | 10.9 | 283,929 |
| 1998 | 333,693 | 71.6 | 35,723 | 7.7 | 96,491 | 20.7 | 465,907 |
| 1999 | 427,414 | 75.3 | 21,247 | 3.7 | 119,268 | 21.0 | 567,929 |
| 2000 | 653,132 | 80.2 | 26,134 | 3.2 | 134,711 | 16.5 | 813,977 |
| 2001 | 696,166 | 79.7 | 25,762 | 2.9 | 151,637 | 17.4 | 873,565 |
| 2002 | 381,423 | 87.2 | 12,325 | 2.8 | 43,785 | 10.0 | 437,533 |
| 2003 | 287,757 | 81.4 | 11,867 | 3.4 | 54,080 | 15.3 | 353,704 |
| 2004 | 254,545 | 83.0 | 6,655 | 2.2 | 45,612 | 14.9 | 306,812 |
| 2005 | 260,703 | 84.2 | 1,818 | 0.6 | 47,030 | 15.2 | 309,551 |
| 2006 | 775,809 | 88.6 | 1,561 | 0.2 | 98,646 | 11.3 | 876,016 |
| Average 1986-2005 | | | | | | | |
| | 628,334 | 83 | 25,763 | 4 | 82,992 | 13 | 737,089 |
| Average 1996-2005 | | | | | | | |
| | 384,899 | 80 | 16,912 | 3 | 80,556 | 16 | 482,367 |
| Average 1978-1992 | | | | | | | |
| | 819,256 | 89.1 | 24,929 | 2.7 | 75,768 | 8.2 | 919,953 |
| Average 1993-1997 | | | | | | | |
| | 700,153 | 88.1 | 18,847 | 2.4 | 75,965 | 9.6 | 794,965 |
| Average 1998-2005 | | | | | | | |
| | 411,854 | 80 | 17,691 | 3 | 86,577 | 16 | 516,122 |

^a Does not include test fish harvests.

Appendix D17.-Shumagin Islands Section Post-June commercial salmon harvest, all gear combined, by species and year, July 1-October 31, 1970-2006.

| Year | Permits | Landings | Number of Salmon ^a | | | | | Total |
|------|--|----------|-------------------------------|---------|---------|-----------|---------|-----------|
| | | | Chinook | Sockeye | Coho | Pink | Chum | |
| 1970 | 50 | 512 | 735 | 22,219 | 30,065 | 486,657 | 116,392 | 656,068 |
| 1971 | 52 | 737 | 1,135 | 45,681 | 16,067 | 471,965 | 300,509 | 835,357 |
| 1972 | 44 | 431 | 619 | 18,070 | 7,686 | 34,047 | 97,606 | 158,028 |
| 1973 | 28 | 259 | 148 | 19,484 | 6,068 | 19,315 | 43,154 | 88,169 |
| 1974 | 37 | 205 | 507 | 43,484 | 8,031 | 35,706 | 37,323 | 125,051 |
| 1975 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1976 | 42 | 127 | 0 | 3 | 3 | 303,422 | 7,968 | 311,396 |
| 1977 | Confidentiality rules prohibit release of this information | | | | | | | |
| 1978 | 69 | 643 | 189 | 51,261 | 40,433 | 1,213,961 | 164,930 | 1,470,774 |
| 1979 | 91 | 956 | 910 | 145,369 | 313,573 | 2,071,045 | 93,527 | 2,624,424 |
| 1980 | 86 | 1,239 | 1,456 | 235,438 | 233,501 | 1,625,784 | 283,432 | 2,379,611 |
| 1981 | 92 | 893 | 4,038 | 118,139 | 126,955 | 1,364,370 | 309,726 | 1,923,228 |
| 1982 | 89 | 964 | 1,969 | 67,269 | 207,273 | 1,638,712 | 295,325 | 2,210,548 |
| 1983 | 92 | 864 | 6,547 | 108,365 | 92,403 | 900,726 | 220,824 | 1,328,865 |
| 1984 | 90 | 858 | 3,222 | 96,149 | 211,648 | 1,786,737 | 259,497 | 2,357,253 |
| 1985 | 109 | 932 | 511 | 107,792 | 113,193 | 1,627,627 | 205,649 | 2,054,772 |
| 1986 | 99 | 1,352 | 3,149 | 341,966 | 201,518 | 1,497,905 | 557,407 | 2,601,945 |
| 1987 | 120 | 1,210 | 3,388 | 248,934 | 157,936 | 542,383 | 310,540 | 1,263,181 |
| 1988 | 120 | 2,041 | 5,955 | 416,917 | 351,118 | 3,396,332 | 415,308 | 4,585,630 |
| 1989 | 140 | 1,565 | 2,446 | 416,425 | 248,760 | 2,023,468 | 238,627 | 2,929,726 |
| 1990 | 138 | 1,439 | 4,916 | 423,253 | 182,128 | 1,102,353 | 344,096 | 2,056,746 |
| 1991 | 135 | 1,318 | 1,396 | 212,091 | 142,846 | 2,140,838 | 211,667 | 2,708,838 |
| 1992 | 128 | 1,424 | 2,657 | 250,306 | 230,425 | 2,287,338 | 233,954 | 3,004,680 |
| 1993 | 110 | 1,007 | 2,334 | 195,451 | 124,423 | 3,326,530 | 121,102 | 3,769,840 |
| 1994 | 115 | 986 | 949 | 152,702 | 147,602 | 1,126,688 | 249,939 | 1,677,880 |
| 1995 | 116 | 1,274 | 1,674 | 295,690 | 161,292 | 5,325,186 | 302,541 | 6,086,383 |
| 1996 | 103 | 852 | 1,578 | 93,161 | 203,004 | 703,409 | 134,780 | 1,135,932 |
| 1997 | 79 | 355 | 974 | 107,752 | 43,854 | 184,751 | 26,079 | 363,410 |
| 1998 | 107 | 1,475 | 1,505 | 353,650 | 83,032 | 1,900,291 | 133,114 | 2,471,592 |
| 1999 | 102 | 1,960 | 1,410 | 724,778 | 143,244 | 3,546,717 | 269,842 | 4,685,991 |
| 2000 | 104 | 1,200 | 1,938 | 288,633 | 176,369 | 900,892 | 234,472 | 1,602,304 |
| 2001 | 85 | 632 | 1,592 | 100,451 | 144,572 | 1,009,398 | 129,975 | 1,385,988 |
| 2002 | 56 | 368 | 3,333 | 69,374 | 149,896 | 318,236 | 109,998 | 650,837 |
| 2003 | 46 | 323 | 895 | 96,926 | 74,976 | 743,245 | 66,559 | 982,601 |
| 2004 | 51 | 454 | 1,560 | 271,078 | 161,804 | 2,401,085 | 165,841 | 3,001,368 |
| 2005 | 66 | 769 | 1,222 | 410,238 | 89,182 | 2,137,246 | 95,418 | 2,733,306 |
| 2006 | 68 | 786 | 526 | 368,843 | 111,424 | 1,504,436 | 394,013 | 2,379,242 |

-continued-

Appendix D17.-Page 2 of 2.

| Year | Permits | Landings | Number of Salmon | | | | | Total |
|-------------------|---------|----------|------------------|---------|---------|-----------|---------|-----------|
| | | | Chinook | Sockeye | Coho | Pink | Chum | |
| Average 1986-2005 | 101 | 1,100 | 2,244 | 273,489 | 160,899 | 1,830,715 | 217,563 | 2,484,909 |
| Average 1996-2005 | 83 | 878 | 1,607 | 255,612 | 130,111 | 1,742,769 | 151,693 | 2,281,792 |
| Average 1978-1992 | 107 | 1,180 | 2,850 | 215,978 | 190,247 | 1,681,305 | 276,301 | 2,366,681 |
| Average 1993-1997 | 105 | 895 | 1,502 | 168,951 | 136,035 | 2,133,313 | 166,888 | 2,606,689 |
| Average 1998-2005 | 77 | 898 | 1,682 | 289,391 | 127,884 | 1,619,639 | 150,652 | 2,189,248 |

^a Does not include test fish harvests.

Appendix D18.-Southeastern District (minus the Southeastern District Mainland fishery July 1-25 salmon harvest) Post-June commercial salmon harvest, all gear combined, by species and year, July 1-October 31, 1970-2006.

| Year | Permits ^b | Landings | Number of Salmon ^a | | | | | Total |
|------|----------------------|----------|-------------------------------|---------|---------|-----------|---------|-----------|
| | | | Chinook | Sockeye | Coho | Pink | Chum | |
| 1970 | 62 | 638 | 736 | 23,040 | 31,195 | 657,415 | 151,122 | 863,508 |
| 1971 | 63 | 1,017 | 1,190 | 55,178 | 16,332 | 818,831 | 439,095 | 1,330,626 |
| 1972 | 58 | 489 | 650 | 22,875 | 7,859 | 44,190 | 115,152 | 190,726 |
| 1973 | 38 | 322 | 149 | 25,110 | 6,272 | 27,143 | 49,900 | 108,574 |
| 1974 | 53 | 339 | 522 | 71,648 | 8,128 | 67,791 | 50,615 | 198,704 |
| 1975 | 13 | 11 | 0 | 213 | 34 | 237 | 274 | 758 |
| 1976 | 64 | 295 | 0 | 3,665 | 201 | 579,646 | 31,103 | 614,615 |
| 1977 | 60 | 252 | 11 | 20,407 | 2,076 | 205,572 | 20,582 | 248,648 |
| 1978 | 77 | 916 | 198 | 58,137 | 47,081 | 1,899,575 | 226,733 | 2,231,724 |
| 1979 | 104 | 1,322 | 951 | 182,949 | 332,572 | 3,257,929 | 167,441 | 3,941,842 |
| 1980 | 103 | 1,679 | 1,515 | 292,025 | 253,680 | 2,024,405 | 443,529 | 3,015,154 |
| 1981 | 107 | 1,522 | 4,086 | 176,792 | 137,342 | 2,476,913 | 554,649 | 3,349,782 |
| 1982 | 109 | 1,588 | 2,116 | 98,555 | 223,931 | 2,371,602 | 549,297 | 3,245,501 |
| 1983 | 114 | 1,780 | 7,566 | 280,995 | 109,633 | 1,073,412 | 388,933 | 1,860,539 |
| 1984 | 123 | 1,962 | 3,759 | 263,720 | 240,108 | 3,124,821 | 423,861 | 4,056,269 |
| 1985 | 119 | 1,677 | 556 | 170,640 | 128,289 | 2,604,099 | 296,027 | 3,199,611 |
| 1986 | 115 | 1,887 | 3,337 | 403,744 | 205,988 | 1,952,743 | 679,646 | 3,245,458 |
| 1987 | 134 | 1,777 | 3,624 | 303,610 | 181,894 | 919,099 | 533,817 | 1,942,044 |
| 1988 | 127 | 2,788 | 6,096 | 500,764 | 390,211 | 4,491,452 | 607,241 | 5,995,764 |
| 1989 | 145 | 2,587 | 3,518 | 609,495 | 321,855 | 4,818,537 | 364,236 | 6,117,641 |
| 1990 | 149 | 2,133 | 5,305 | 615,501 | 222,923 | 1,323,270 | 468,738 | 2,635,737 |
| 1991 | 142 | 2,200 | 1,845 | 319,019 | 191,333 | 4,235,266 | 394,708 | 5,142,171 |
| 1992 | 135 | 2,205 | 3,118 | 362,056 | 285,360 | 3,268,497 | 318,082 | 4,237,113 |
| 1993 | 128 | 1,926 | 3,005 | 315,539 | 157,250 | 5,909,612 | 177,831 | 6,563,237 |
| 1994 | 134 | 1,716 | 1,277 | 261,324 | 201,433 | 1,451,225 | 367,849 | 2,283,108 |
| 1995 | 132 | 2,273 | 1,841 | 534,803 | 207,284 | 7,380,863 | 466,744 | 8,591,535 |
| 1996 | 121 | 1,444 | 1,830 | 170,088 | 218,649 | 903,433 | 180,026 | 1,474,026 |
| 1997 | 105 | 832 | 1,119 | 210,434 | 66,120 | 251,894 | 39,947 | 569,514 |
| 1998 | 117 | 2,484 | 1,675 | 515,309 | 104,035 | 2,724,915 | 192,853 | 3,538,787 |
| 1999 | 115 | 2,900 | 1,493 | 965,317 | 162,616 | 4,361,401 | 318,390 | 5,809,217 |
| 2000 | 112 | 1,856 | 1,993 | 392,190 | 189,401 | 1,255,128 | 292,390 | 2,131,102 |
| 2001 | 102 | 1,542 | 1,749 | 268,342 | 174,037 | 1,947,906 | 268,633 | 2,660,667 |
| 2002 | 70 | 1,017 | 3,394 | 150,325 | 176,707 | 778,538 | 146,232 | 1,255,196 |
| 2003 | 64 | 1,063 | 1,042 | 209,941 | 107,815 | 1,133,937 | 98,093 | 1,550,828 |
| 2004 | 68 | 1,025 | 2,159 | 352,603 | 208,332 | 2,811,550 | 199,826 | 3,574,470 |
| 2005 | 75 | 1,429 | 1,278 | 714,418 | 123,252 | 3,336,133 | 165,882 | 4,340,963 |
| 2006 | 77 | 1,025 | 2,159 | 352,603 | 208,332 | 2,811,550 | 199,826 | 3,574,470 |

-continued-

Appendix D18.-Page 2 of 2.

| Year | Permits ^b | Landings | Number of Salmon ^a | | | | | Total |
|-------------------|----------------------|----------|-------------------------------|---------|---------|-----------|---------|-----------|
| | | | Chinook | Sockeye | Coho | Pink | Chum | |
| Average 1986-2005 | 115 | 1,854 | 2,535 | 408,741 | 194,825 | 2,762,770 | 314,058 | 3,682,929 |
| Average 1996-2005 | 95 | 1,559 | 1,773 | 394,897 | 153,096 | 1,950,484 | 190,227 | 2,690,477 |
| Average 1978-1992 | 120 | 1,868 | 3,173 | 309,200 | 218,147 | 2,656,108 | 427,796 | 3,614,423 |
| Average 1993-1997 | 124 | 1,638 | 1,814 | 298,438 | 170,147 | 3,179,405 | 246,479 | 3,896,284 |
| Average 1998-2005 | 90 | 1,665 | 1,848 | 446,056 | 155,774 | 2,293,689 | 210,287 | 3,107,654 |

^a Does not include test fish harvests.

^b Permits used equals total Southeastern District Post-June permits.

Appendix D19.-Southeastern District fall fishery (September 1-October 31) commercial salmon harvest, all gear combined, by species and year, 1970-2006.

| Year | Permits | Landings | Number of Salmon ^a | | | | | Total |
|---------------------|---|----------|-------------------------------|---------|--------|--------|--------|---------|
| | | | Chinook | Sockeye | Coho | Pink | Chum | |
| 1970 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1971 | Confidentiality rules prohibit the release of this information. | | | | | | | |
| 1972 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1973 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1974 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1975 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1976 | 4 | 15 | 0 | 1,776 | 160 | 85 | 0 | 2,021 |
| 1977 | 7 | 12 | 0 | 1,369 | 304 | 0 | 210 | 1,883 |
| 1978 | 10 | 27 | 0 | 761 | 1,738 | 0 | 2,475 | 4,974 |
| 1979 | 11 | 29 | 0 | 1,535 | 1,803 | 19 | 3,329 | 6,686 |
| 1980 | 10 | 46 | 0 | 3,898 | 5,736 | 2 | 1,438 | 11,074 |
| 1981 | 16 | 58 | 0 | 5,863 | 1,709 | 0 | 0 | 7,572 |
| 1982 | 19 | 144 | 2 | 18,327 | 5,108 | 0 | 708 | 24,145 |
| 1983 | 40 | 235 | 34 | 17,791 | 10,562 | 59 | 2,241 | 30,687 |
| 1984 | 36 | 188 | 6 | 9,374 | 6,160 | 144 | 832 | 16,516 |
| 1985 | 34 | 129 | 5 | 3,260 | 6,653 | 252 | 1,449 | 11,619 |
| 1986 | 26 | 99 | 1 | 2,900 | 3,095 | 376 | 1,854 | 8,226 |
| 1987 | 37 | 194 | 8 | 17,740 | 12,634 | 1,092 | 11,642 | 43,116 |
| 1988 | 48 | 225 | 1 | 18,682 | 11,037 | 61,658 | 1,935 | 93,313 |
| 1989 | 50 | 317 | 12 | 32,187 | 11,389 | 276 | 9,413 | 53,277 |
| 1990 | 47 | 317 | 7 | 53,445 | 9,348 | 571 | 71,357 | 134,728 |
| 1991 | 38 | 244 | 2 | 19,741 | 7,751 | 0 | 2,673 | 30,167 |
| 1992 | 42 | 303 | 58 | 13,046 | 26,700 | 1,525 | 3,292 | 44,621 |
| 1993 | 40 | 217 | 31 | 16,220 | 7,830 | 515 | 2,877 | 27,473 |
| 1994 | 55 | 310 | 18 | 24,882 | 30,082 | 197 | 15,738 | 70,917 |
| 1995 | 50 | 458 | 3 | 109,283 | 22,190 | 1,710 | 9,599 | 142,785 |
| 1996 | 52 | 344 | 5 | 26,038 | 12,924 | 136 | 2,910 | 42,013 |
| 1997 | 45 | 490 | 30 | 76,068 | 23,432 | 3,568 | 6,174 | 109,272 |
| 1998 | 60 | 404 | 25 | 42,568 | 13,999 | 1,818 | 10,382 | 68,792 |
| 1999 | 54 | 495 | 12 | 117,902 | 15,270 | 12,353 | 3,581 | 149,118 |
| 2000 | 58 | 409 | 11 | 46,976 | 14,503 | 1,198 | 4,793 | 67,481 |
| 2001 | 34 | 382 | 16 | 97,717 | 17,317 | 1,824 | 2,894 | 119,768 |
| 2002 | 25 | 243 | 0 | 19,341 | 8,021 | 2 | 276 | 27,640 |
| 2003 | 23 | 257 | 8 | 57,641 | 27,891 | 0 | 559 | 86,099 |
| 2004 | 22 | 169 | 8 | 13,763 | 12,126 | 496 | 1,794 | 28,187 |
| 2005 | 13 | 58 | 0 | 5,581 | 9,580 | 0 | 306 | 15,467 |
| 2006 | 22 | 166 | 15 | 34,692 | 8,942 | 502 | 883 | 45,034 |
| Average 1986 - 2005 | 41 | 297 | 13 | 40,586 | 14,856 | 4,466 | 8,202 | 68,123 |
| Average 1996 - 2005 | 39 | 325 | 12 | 50,360 | 15,506 | 2,140 | 3,367 | 71,384 |

^a Does not include test fish harvests.

Appendix D20.-South Central, Southwestern, and Unimak districts, combined, Post-June commercial salmon harvest, all gear combined, by species and year, July 1-October 31, 1970-2006.

| Year | Permits | Landings | Number of Salmon ^a | | | | | Total |
|-------------------|---------|----------|-------------------------------|---------|---------|-----------|-----------|-----------|
| | | | Chinook | Sockeye | Coho | Pink | Chum | |
| 1970 | 111 | 968 | 29 | 24,990 | 2,170 | 1,095,513 | 413,685 | 1,536,387 |
| 1971 | 162 | 1,469 | 129 | 153,473 | 764 | 900,752 | 538,527 | 1,593,645 |
| 1972 | 109 | 442 | 47 | 20,653 | 240 | 22,785 | 107,895 | 151,620 |
| 1973 | 99 | 365 | 3 | 22,751 | 281 | 14,044 | 44,115 | 81,194 |
| 1974 | 75 | 396 | 39 | 87,134 | 1,216 | 35,090 | 24,098 | 147,577 |
| 1975 | 40 | 76 | 0 | 506 | 37 | 52,612 | 29,432 | 82,587 |
| 1976 | 114 | 957 | 6 | 11,683 | 49 | 1,943,867 | 105,874 | 2,061,479 |
| 1977 | 93 | 1,164 | 16 | 34,980 | 1,346 | 1,403,137 | 117,895 | 1,557,374 |
| 1978 | 109 | 1,403 | 17 | 11,695 | 18,744 | 3,992,186 | 230,071 | 4,252,713 |
| 1979 | 136 | 1,395 | 71 | 68,289 | 31,839 | 3,780,765 | 242,278 | 4,123,242 |
| 1980 | 125 | 1,349 | 66 | 75,635 | 31,669 | 4,489,131 | 395,964 | 4,992,465 |
| 1981 | 137 | 1,459 | 203 | 98,491 | 29,909 | 2,892,995 | 619,794 | 3,641,392 |
| 1982 | 150 | 1,713 | 393 | 67,205 | 39,742 | 2,761,320 | 625,634 | 3,494,294 |
| 1983 | 172 | 1,680 | 5,881 | 207,648 | 25,450 | 1,802,299 | 559,837 | 2,601,115 |
| 1984 | 199 | 2,690 | 1,451 | 286,445 | 90,530 | 8,607,009 | 931,615 | 9,917,050 |
| 1985 | 165 | 1,532 | 175 | 137,607 | 51,147 | 2,325,343 | 590,634 | 3,104,906 |
| 1986 | 155 | 1,505 | 204 | 199,925 | 31,055 | 1,965,955 | 701,215 | 2,898,354 |
| 1987 | 185 | 1,201 | 416 | 133,751 | 49,958 | 511,880 | 415,865 | 1,111,870 |
| 1988 | 198 | 1,966 | 744 | 176,577 | 122,590 | 2,644,442 | 767,034 | 3,711,387 |
| 1989 | 230 | 1,806 | 1,029 | 271,072 | 128,518 | 3,161,629 | 207,146 | 3,769,394 |
| 1990 | 220 | 1,669 | 688 | 440,975 | 72,228 | 1,041,483 | 235,594 | 1,790,968 |
| 1991 | 158 | 1,373 | 578 | 146,855 | 120,492 | 5,717,405 | 394,247 | 6,379,577 |
| 1992 | 176 | 1,702 | 885 | 403,519 | 129,449 | 5,833,131 | 545,423 | 6,912,407 |
| 1993 | 145 | 1,160 | 519 | 182,394 | 52,566 | 3,856,097 | 327,063 | 4,418,639 |
| 1994 | 150 | 1,586 | 365 | 146,765 | 47,633 | 5,188,806 | 1,223,245 | 6,606,814 |
| 1995 | 140 | 1,550 | 159 | 195,867 | 44,805 | 8,686,233 | 688,117 | 9,615,181 |
| 1996 | 74 | 521 | 71 | 45,453 | 42,477 | 834,266 | 198,733 | 1,121,000 |
| 1997 | 88 | 566 | 85 | 114,709 | 44,366 | 1,429,476 | 237,609 | 1,826,245 |
| 1998 | 137 | 1,491 | 118 | 249,638 | 46,700 | 4,716,396 | 263,125 | 5,275,977 |
| 1999 | 118 | 1,305 | 87 | 390,525 | 28,969 | 4,008,498 | 244,880 | 4,672,959 |
| 2000 | 108 | 1,038 | 88 | 138,723 | 60,473 | 1,877,212 | 496,308 | 2,572,804 |
| 2001 | 93 | 884 | 31 | 82,175 | 35,546 | 1,982,680 | 554,792 | 2,655,224 |
| 2002 | 56 | 537 | 17 | 140,332 | 20,616 | 1,172,222 | 275,229 | 1,608,416 |
| 2003 | 51 | 612 | 37 | 168,469 | 20,895 | 2,776,979 | 244,502 | 3,210,882 |
| 2004 | 46 | 604 | 79 | 288,723 | 22,111 | 3,436,748 | 102,146 | 3,849,807 |
| 2005 | 51 | 661 | 57 | 373,131 | 12,416 | 4,112,898 | 136,115 | 4,634,617 |
| 2006 | 74 | 700 | 89 | 261,624 | 16,825 | 956,956 | 417,601 | 1,653,095 |
| Average 1986-2005 | | | | | | | | |
| | 129 | 1,187 | 313 | 214,479 | 56,693 | 3,247,722 | 412,919 | 3,932,126 |
| Average 1996-2005 | | | | | | | | |
| | 82 | 822 | 67 | 199,188 | 33,457 | 2,634,738 | 275,344 | 3,142,793 |

^a Does not include test fish harvests.

Appendix D21.-South Central, Southwestern, and Unimak districts fall (September 1-October 31) commercial salmon harvest, all gear combined, by species and year, 1970-2006.

| Year | Number of Salmon ^a | | | | | | | |
|-------------------|---|----------|---------|---------|--------|-------|---------|---------|
| | Permits | Landings | Chinook | Sockeye | Coho | Pink | Chum | Total |
| 1970 | Confidentiality rules prohibit the release of this information. | | | | | | | |
| 1971 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1972 | Confidentiality rules prohibit the release of this information. | | | | | | | |
| 1973 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1974 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1975 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1976 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1977 | Confidentiality rules prohibit the release of this information. | | | | | | | |
| 1978 | 12 | 24 | 0 | 47 | 2,913 | 0 | 3,251 | 6,211 |
| 1979 | 14 | 31 | 0 | 840 | 15,665 | 35 | 1,978 | 18,518 |
| 1980 | 23 | 93 | 0 | 2,615 | 24,654 | 152 | 2,728 | 30,149 |
| 1981 | 20 | 57 | 0 | 4,141 | 19,307 | 0 | 220 | 23,668 |
| 1982 | 15 | 69 | 0 | 6,144 | 5,634 | 0 | 2,699 | 14,477 |
| 1983 | 17 | 99 | 1 | 7,702 | 4,383 | 1,195 | 717 | 13,998 |
| 1984 | 26 | 81 | 4 | 3,977 | 4,366 | 314 | 957 | 9,618 |
| 1985 | 26 | 53 | 0 | 742 | 8,072 | 38 | 5,511 | 14,363 |
| 1986 | 22 | 47 | 1 | 559 | 3,223 | 142 | 665 | 4,590 |
| 1987 | 37 | 129 | 4 | 5,592 | 9,406 | 407 | 40,437 | 55,846 |
| 1988 | 32 | 103 | 3 | 5,953 | 15,460 | 632 | 17,410 | 39,458 |
| 1989 | 16 | 46 | 0 | 2,745 | 4,335 | 5 | 645 | 7,730 |
| 1990 | 33 | 109 | 0 | 13,697 | 13,970 | 13 | 1,838 | 29,518 |
| 1991 | 14 | 29 | 0 | 315 | 12,586 | 0 | 13,510 | 26,411 |
| 1992 | 11 | 30 | 0 | 69 | 8,623 | 0 | 194 | 8,886 |
| 1993 | 10 | 31 | 0 | 166 | 9,135 | 0 | 41 | 9,342 |
| 1994 | 23 | 63 | 0 | 599 | 6,481 | 97 | 198,436 | 205,613 |
| 1995 | 5 | 15 | 0 | 1,374 | 3,893 | 0 | 261 | 5,528 |
| 1996 | 5 | 20 | 0 | 263 | 13,601 | 0 | 0 | 13,864 |
| 1997 | 6 | 23 | 0 | 897 | 13,015 | 0 | 25 | 13,937 |
| 1998 | 7 | 26 | 0 | 2,207 | 6,839 | 0 | 0 | 9,046 |
| 1999 | 4 | 8 | 0 | 162 | 2,352 | 0 | 87 | 2,601 |
| 2000 | 14 | 35 | 0 | 184 | 10,536 | 2,765 | 78,908 | 92,393 |
| 2001 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2002 | Confidentiality rules prohibit the release of this information. | | | | | | | |
| 2003 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2004 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2005 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2006 | 6 | 12 | 0 | 917 | 5,572 | 0 | 21,322 | 27,811 |
| Average 1986-2005 | 12 | 36 | 0 | 1,739 | 6,673 | 214 | 17,998 | 26,625 |
| Average 1996-2005 | 4 | 11 | 0 | 371 | 4,636 | 298 | 8,652 | 13,957 |

^a Does not include test fish harvests.

APPENDIX E. SALMON ESCAPEMENT DATA

Appendix E1.-Summary of historical sockeye salmon escapement data from Orzinski Lake, Thin Point Lake, Middle Lagoon/Morzhovoi, and Mortensen's Lagoon weirs.

| Year | Orzinski Weir ^a | | | Thin Point Weir | | | Middle Lagoon/Morzhovoi Weir ^b | | | Mortensen's Lagoon | | |
|-------------------|--|--------------|---------|-------------------------|---------|---------|--|---------|---------|--------------------|---------|---------|
| | Dates | | Sockeye | Dates | | Sockeye | Dates | | Sockeye | Dates | | Sockeye |
| | Installed | Removed | | Installed | Removed | | Installed | Removed | | Installed | Removed | |
| 1926 ^a | | | | | | | unknown | unknown | 13,590 | | | |
| 1927 | | | | | | | unknown | unknown | 23,932 | | | |
| 1928 | no records found prior to 1929 for this weir | | | | | | unknown | unknown | 8,904 | | | |
| 1929 | unknown | unknown | 5,740 | | | | unknown | unknown | 15,974 | | | |
| 1930 | unknown | unknown | 1,923 | | | | unknown | unknown | 24,551 | | | |
| 1931 | unknown | unknown | 5,756 | | | | 1-Jul | 7-Sep | 28,588 | | | |
| 1932 | 20-Jun | unknown | 25,706 | | | | 26-Jun | 8-Aug | 40,306 | | | |
| 1933 | not operated this year | | | | | | not operated this year | | | | | |
| 1934 | 23-Jun | "mid-season" | 6,634 | | | | 23-Jun | 8-Sep | 81,748 | | | |
| 1935 | 13-Jun | "mid-Sept." | 28,478 | | | | 10-Jun | 5-Oct | 17,367 | | | |
| 1936 | 16-Jun | 8-Aug | 31,720 | | | | not operated again successfully until 1996 | | | | | |
| 1937 | before 19-Jun | 6-Aug | 15,393 | | | | | | | | | |
| 1938 | 30-May | 7-Aug | 8,675 | | | | | | | | | |
| 1939 | 14-Jun | 3-Aug | 10,414 | | | | | | | | | |
| 1940 | 7-Jun | 5-Aug | 16,414 | | | | | | | | | |
| 1941 | 14-Jun | 8-Aug | 8,241 | | | | | | | | | |
| 1942-1989 | no operated these years | | | | | | | | | | | |
| 1990 | 27-Jun | 7-Aug | 15,000 | | | | | | | | | |
| 1991 | 14-Jun | 20-Jul | 40,000 | | | | | | | | | |
| 1992 | 12-Jun | 31-Jul | 25,000 | | | | | | | | | |
| 1993 | 9-Jun | 3-Aug | 24,717 | | | | | | | | | |
| 1994 | 10-Jun | 29-Jul | 38,000 | 13-Jul | 28-Aug | 19,450 | | | | | | |
| 1995 | 16-Jun | 25-Jul | 30,000 | 14-Jul | 22-Aug | 10,241 | | | | | | |
| 1996 | 7-Jun | 28-Jul | 30,000 | 17-Jul | 17-Aug | 3,101 | 9-Jul | 17-Aug | 10,123 | | | |
| 1997 | 12-Jun | 26-Jul | 35,000 | 7-Aug | 24-Aug | 1,488 | not operated after 1996 | | | | | |
| 1998 | 14-Jun | 1-Aug | 25,000 | 15-Jul | 23-Aug | 1,927 | | | | | | |
| 1999 | 12-Jun | 31-Jul | 15,000 | not operated after 1998 | | | | | | | | |
| 2000 | 10-Jun | 4-Aug | 21,500 | | | | | | | | | |
| 2001 | 5-Jun | 31-Jul | 31,200 | | | | | | | 1-Jul | 26-Oct | 4,268 |
| 2002 | 11-Jun | 31-Jul | 42,849 | | | | | | | 25-Jun | 22-Oct | 5,205 |
| 2003 | 8-Jun | 1-Aug | 70,690 | | | | | | | 4-Jul | 13-Oct | 16,804 |
| 2004 | 11-Jun | 31-Jul | 75,450 | | | | | | | 29-Jun | 5-Oct | 7,215 |
| 2005 | 13-Jun | 1-Aug | 44,797 | | | | | | | 1-Jul | 8-Oct | 21,703 |
| 2006 | 8-Jun | 5-Aug | 18,000 | | | | | | | 21-Jun | 16-Oct | 14,688 |

^a Counts for Orzinski weir after 1989 include estimate of post weir estimates.

^b Data from weirs prior to 1960 compiled from United States Fish and Wildlife Service annual reports series from 1930 to 1959 for the Alaska Peninsula/Aleutians.

Appendix E2.-Method for calculating indexed total escapement.

Aerial surveys have inherently high variability and are influenced by many factors including survey conditions, timing of peak surveys and variability between surveyors. With the high variability of peak survey date, between three to five surveys are conducted per stream, per year. For pink and chum salmon, an approximate 21-day stream life is used to calculate total pink and chum salmon escapements. Due to the high variability, the methods of calculating estimated indexed total escapements without the use of a weir or tower are as follows:

Chinook, Sockeye, Coho Salmon: These species tend to have a much longer stream life than pink and chum salmon. Therefore, the total indexed escapement is the peak escapement count combined with carcass counts. However, it is recognized that there are problems in large systems such as Ilnik and Caribou-David's Rivers. The basic problem on large systems is the length of time, expense, and fuel needed to conduct a thorough survey yet meet more pressing obligations.

The Caribou and David's River complex (including Coastal and other nearby lakes) is so massive a system for the size of its runs that complete surveys are not done.

At Thin Point Lagoon and Lake, estimates of sockeye in the lagoon are added together based on estimated time in lagoon and observations of when sockeye start to move from the lagoon to the lake.

In Morzhovoi (Middle Lagoon), Bluebill, Outer Marker, and Mortensen's Lagoon systems the escapement is calculated by adding estimates of spawning sockeye approximately two weeks apart

Pink and Chum Salmon: Again, due to the high variability of survey conditions, between three and five surveys are conducted per stream per year. From those surveys, the peak number of fish in the stream is added to the total count. If there are any stream counts 21 days prior to the peak count, the number of fish in the stream and the carcasses are added to the total count. Likewise, if there are any counts 21 days after the peak count, those live fish found at both the mouth and in the stream are added to the total count.

EXAMPLE

| Fictional Stream 281-## | | | | | | |
|-------------------------|----------------|-----------------|----------------|----------------|-----------------|----------------|
| Survey Date | Pinks at Mouth | Pinks in Stream | Pink Carcasses | Chums at Mouth | Chums in Stream | Chum Carcasses |
| 10-Jul | 5,000 | 1,000 | 5,000 | 0 | 0 | 0 |
| 17-Jul | 15,000 | 25,000 | 5,000 | 0 | 0 | 0 |
| 1-Aug | 10,000 | 150,000 | 10,000 | 0 | 0 | 0 |
| 15-Aug | 3,000 | 100,000 | 25,000 | 500 | 1,000 | 0 |
| 1-Sep | 12,000 | 50,000 | 55,000 | 2,000 | 5,000 | 500 |
| Sub total | 12,000 | 201,000 | 5,000 | 2,000 | 5,000 | 500 |
| Total | | 218,000 Pink | | | 7,500 Chum | |

The indexed total escapement is calculated by adding the figures in **bold**.

The estimate of 21 days stream life was used because significant numbers of carcasses begin to appear about three weeks after adult pinks and chums first appear in Alaska Peninsula streams. It is recognized that stream life can vary; however, this method is easily duplicated and is comparable from year to year. Variation in stream life is likely a much smaller factor than variation between observers.

With the exception of several small streams, there are no problems with streams being obscured by brush or trees in the Alaska Peninsula and Aleutian Islands Areas. With some exceptions, visibility of spawning grounds is outstanding during periods of normal water flow and clear weather.

Appendix E3.-South Peninsula total indexed salmon escapements by species and year, 1962-2006.

| Year | Number of Salmon | | | | Total |
|------|------------------|---------------------|-----------|---------|-----------|
| | Sockeye | Coho | Pink | Chum | |
| 1962 | 18,800 | | 1,598,800 | 399,400 | 2,017,000 |
| 1963 | 23,000 | | 1,317,900 | 446,700 | 1,787,600 |
| 1964 | 15,700 | | 1,436,400 | 454,800 | 1,906,900 |
| 1965 | 12,100 | | 1,035,400 | 228,000 | 1,275,500 |
| 1966 | 17,000 | | 719,400 | 422,000 | 1,158,400 |
| 1967 | 16,200 | | 445,500 | 182,900 | 644,600 |
| 1968 | 12,800 | | 823,300 | 279,100 | 1,115,200 |
| 1969 | 29,500 | | 2,474,900 | 134,600 | 2,639,000 |
| 1970 | 16,500 | | 1,298,900 | 280,500 | 1,595,900 |
| 1971 | 19,400 | | 702,700 | 343,200 | 1,065,300 |
| 1972 | 11,900 | | 111,400 | 254,500 | 377,800 |
| 1973 | 7,300 | | 110,800 | 212,500 | 330,600 |
| 1974 | 95,600 | | 284,400 | 257,300 | 637,300 |
| 1975 | 51,700 | | 552,100 | 193,300 | 797,100 |
| 1976 | 69,700 | | 1,456,400 | 327,200 | 1,853,300 |
| 1977 | 64,900 | | 2,677,800 | 774,900 | 3,517,600 |
| 1978 | 64,800 | | 2,858,700 | 600,500 | 3,524,000 |
| 1979 | 53,300 | | 2,629,500 | 411,100 | 3,093,900 |
| 1980 | 45,900 | | 2,641,600 | 362,400 | 3,049,900 |
| 1981 | 45,700 | | 2,307,500 | 381,300 | 2,734,500 |
| 1982 | 39,200 | | 2,293,000 | 386,900 | 2,719,100 |
| 1983 | 59,200 | | 851,200 | 446,500 | 1,356,900 |
| 1984 | 54,800 | | 3,811,600 | 699,700 | 4,566,100 |
| 1985 | 49,900 | | 1,614,100 | 503,500 | 2,167,500 |
| 1986 | 48,000 | | 1,716,700 | 544,600 | 2,309,300 |
| 1987 | 44,600 | | 1,540,500 | 620,700 | 2,205,800 |
| 1988 | 74,100 | | 2,839,600 | 496,400 | 3,410,100 |
| 1989 | 78,100 | | 1,870,900 | 310,500 | 2,259,500 |
| 1990 | 95,300 | 87,500 ^a | 1,598,400 | 354,700 | 2,135,900 |
| 1991 | 124,900 | | 2,946,800 | 587,600 | 3,659,300 |
| 1992 | 97,600 | | 2,834,400 | 335,500 | 3,267,500 |
| 1993 | 100,341 | | 2,990,140 | 397,030 | 3,487,511 |
| 1994 | 120,255 | | 3,071,725 | 579,100 | 3,771,080 |
| 1995 | 129,110 | | 6,406,300 | 726,400 | 7,261,810 |
| 1996 | 72,950 | | 3,647,550 | 610,300 | 4,330,800 |
| 1997 | 104,440 | | 5,243,275 | 809,050 | 6,156,765 |
| 1998 | 85,440 | | 4,668,065 | 742,235 | 5,495,740 |
| 1999 | 97,000 | | 5,015,000 | 725,000 | 5,837,000 |
| 2000 | 69,530 | | 2,792,985 | 522,075 | 3,384,590 |

-continued-

Appendix E3.–Page 2 of 2.

| Year | Number of Salmon | | | | |
|----------------------------------|------------------|------|-----------|---------|-----------|
| | Sockeye | Coho | Pink | Chum | Total |
| 2001 | 161,630 | | 2,965,136 | 751,221 | 3,877,987 |
| 2002 | 192,749 | | 3,762,800 | 602,750 | 4,558,299 |
| 2003 | 198,192 | | 5,511,220 | 476,540 | 6,185,952 |
| 2004 | 220,861 | | 8,311,410 | 732,400 | 9,264,671 |
| 2005 | 123,964 | | 6,165,634 | 970,310 | 7,259,908 |
| 2006 | 88,148 | | 2,862,250 | 764,750 | 3,715,148 |
| Average 1962-1976 ^c | | | | | |
| | 27,813 | | 957,887 | 294,400 | 1,280,100 |
| Average 1977-2005 ^{b,c} | | | | | |
| | 93,681 | | 3,364,950 | 567,628 | 4,029,276 |
| Average 1996-2005 | | | | | |
| | 132,676 | | 4,808,308 | 694,188 | 5,635,171 |

^a In 1990, excellent survey conditions and additional funding allowed coho surveys during mid and late September.


^b The 1990 coho numbers are not included in the total escapement.

^c The averages used in this table reflect the transition from years of low production (1962-1976) to the most recent production trends (post 1976).

Appendix E4.-South Peninsula total indexed salmon escapements by species, district, and section, 2006.

| District & Section | Number of Salmon ^a | | | |
|--------------------------------------|-------------------------------|------------------|----------------|------------------|
| | Sockeye | Pink | Chum | Total |
| <u>Southeastern District</u> | | | | |
| East Stepovak | 0 | 20,780 | 0 | 20,780 |
| Stepovak Flats | 0 | 57,450 | 187,900 | 245,350 |
| Northwest Stepovak | 18,000 | 262,325 | 101,200 | 381,525 |
| Southwest Stepovak | 0 | 79,950 | 400 | 80,350 |
| Balboa Bay | 0 | 206,650 | 41,800 | 248,450 |
| Beaver Bay | 0 | 71,000 | 64,000 | 135,000 |
| Shumagin Islands | 2,000 | 447,990 | 10,000 | 459,990 |
| Southeastern District Total | 20,000 | 1,146,145 | 405,300 | 1,571,445 |
| <u>South Central District</u> | | | | |
| Mino Creek-Little Coal Bay | 0 | 356,920 | 0 | 356,920 |
| East Pavlof Bay | 0 | 107,700 | 3,600 | 111,300 |
| Canoe Bay | 6,200 | 36,500 | 108,450 | 151,150 |
| West Pavlof Bay | 2,000 | 1,100 | 7,550 | 10,650 |
| South Central District Total | 8,200 | 502,220 | 119,600 | 630,020 |
| <u>Southwestern District</u> | | | | |
| Volcano Bay | 2,450 | 164,040 | 41,725 | 208,215 |
| Belkofski Bay | 400 | 171,100 | 33,700 | 205,200 |
| Deer Island | 0 | 244,600 | 0 | 244,600 |
| Cold Bay | 16,373 | 46,430 | 29,960 | 92,763 |
| Thin Point | 11,510 | 179,200 | 107,550 | 298,260 |
| Morzhovoi Bay | 1,150 | 116,350 | 18,550 | 136,050 |
| Ikatan Bay | 1,965 | 241,670 | 450 | 244,085 |
| Southwestern District Total | 33,848 | 1,163,390 | 231,935 | 1,429,173 |
| <u>Unimak District</u> | | | | |
| Otter Cove | 0 | 41,095 | 7,915 | 49,010 |
| Sanak Island | 26,100 | 9,400 | 0 | 35,500 |
| Unimak District Total | 26,100 | 50,495 | 7,915 | 84,510 |
| Total South Peninsula | 88,148 | 2,862,250 | 764,750 | 3,715,148 |

^a Complete escapement data are unavailable for coho salmon due to their late run timing. In 2006, 164,145 coho salmon were observed in South Peninsula streams prior to the close of the season.



Appendix E5.-South Peninsula total indexed sockeye salmon escapement by year, 1962-2006.

Appendix E6.-Daily and cumulative salmon escapement counts through the United States Fish and Wildlife Service weir operated at Mortensen's Lagoon, 2006.

| Date | Daily | | | | Cumulative | | | |
|--------|---------|------|------|------|------------|------|------|------|
| | Sockeye | Pink | Chum | Coho | Sockeye | Pink | Chum | Coho |
| 18-Jun | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 19-Jun | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 20-Jun | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 21-Jun | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| 22-Jun | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| 23-Jun | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| 24-Jun | 1 | 0 | 0 | 0 | 2 | 0 | 0 | 0 |
| 25-Jun | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 |
| 26-Jun | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 |
| 27-Jun | 1 | 0 | 0 | 0 | 3 | 0 | 0 | 0 |
| 28-Jun | 1 | 0 | 0 | 0 | 4 | 0 | 0 | 0 |
| 29-Jun | 0 | 0 | 0 | 0 | 4 | 0 | 0 | 0 |
| 30-Jun | 0 | 0 | 0 | 0 | 4 | 0 | 0 | 0 |
| 1-Jul | 0 | 0 | 0 | 0 | 4 | 0 | 0 | 0 |
| 2-Jul | 0 | 0 | 0 | 0 | 4 | 0 | 0 | 0 |
| 3-Jul | 1 | 0 | 0 | 0 | 5 | 0 | 0 | 0 |
| 4-Jul | 2 | 0 | 0 | 0 | 7 | 0 | 0 | 0 |
| 5-Jul | 2 | 0 | 0 | 0 | 9 | 0 | 0 | 0 |
| 6-Jul | 5 | 0 | 0 | 0 | 14 | 0 | 0 | 0 |
| 7-Jul | 0 | 0 | 0 | 0 | 14 | 0 | 0 | 0 |
| 8-Jul | 0 | 0 | 0 | 0 | 14 | 0 | 0 | 0 |
| 9-Jul | 6 | 0 | 0 | 0 | 20 | 0 | 0 | 0 |
| 10-Jul | 10 | 0 | 0 | 0 | 30 | 0 | 0 | 0 |
| 11-Jul | 11 | 0 | 0 | 0 | 41 | 0 | 0 | 0 |
| 12-Jul | 7 | 0 | 0 | 0 | 48 | 0 | 0 | 0 |
| 13-Jul | 21 | 0 | 1 | 0 | 69 | 0 | 1 | 0 |
| 14-Jul | 0 | 0 | 0 | 0 | 69 | 0 | 1 | 0 |
| 15-Jul | 0 | 0 | 0 | 0 | 69 | 0 | 1 | 0 |
| 16-Jul | 126 | 0 | 0 | 0 | 195 | 0 | 1 | 0 |
| 17-Jul | 38 | 0 | 0 | 0 | 233 | 0 | 1 | 0 |
| 18-Jul | 3 | 0 | 0 | 0 | 236 | 0 | 1 | 0 |
| 19-Jul | 16 | 0 | 0 | 0 | 252 | 0 | 1 | 0 |
| 20-Jul | 44 | 0 | 0 | 0 | 296 | 0 | 1 | 0 |
| 21-Jul | 5 | 0 | 0 | 0 | 301 | 0 | 1 | 0 |
| 22-Jul | 24 | 0 | 0 | 0 | 325 | 0 | 1 | 0 |

-continued-


Appendix E6.-Page 2 of 3.

| Date | Daily | | | | Cumulative | | | |
|--------|---------|------|------|------|------------|------|------|------|
| | Sockeye | Pink | Chum | Coho | Sockeye | Pink | Chum | Coho |
| 23-Jul | 104 | 0 | 0 | 0 | 429 | 0 | 1 | 0 |
| 24-Jul | 50 | 0 | 0 | 0 | 479 | 0 | 1 | 0 |
| 25-Jul | 19 | 0 | 0 | 0 | 498 | 0 | 1 | 0 |
| 26-Jul | 134 | 0 | 0 | 0 | 632 | 0 | 1 | 0 |
| 27-Jul | 833 | 1 | 0 | 0 | 1,465 | 1 | 1 | 0 |
| 28-Jul | 239 | 0 | 0 | 0 | 1,704 | 1 | 1 | 0 |
| 29-Jul | 79 | 0 | 0 | 0 | 1,783 | 1 | 1 | 0 |
| 30-Jul | 2 | 0 | 0 | 0 | 1,785 | 1 | 1 | 0 |
| 31-Jul | 194 | 0 | 0 | 0 | 1,979 | 1 | 1 | 0 |
| 1-Aug | 20 | 0 | 0 | 0 | 1,999 | 1 | 1 | 0 |
| 2-Aug | 161 | 0 | 0 | 0 | 2,160 | 1 | 1 | 0 |
| 3-Aug | 171 | 0 | 0 | 0 | 2,331 | 1 | 1 | 0 |
| 4-Aug | 32 | 0 | 0 | 0 | 2,363 | 1 | 1 | 0 |
| 5-Aug | 2 | 0 | 0 | 0 | 2,365 | 1 | 1 | 0 |
| 6-Aug | 341 | 0 | 0 | 0 | 2,706 | 1 | 1 | 0 |
| 7-Aug | 637 | 1 | 3 | 0 | 3,343 | 2 | 4 | 0 |
| 8-Aug | 3,330 | 6 | 2 | 0 | 6,673 | 8 | 6 | 0 |
| 9-Aug | 870 | 1 | 6 | 0 | 7,543 | 9 | 12 | 0 |
| 10-Aug | 2,520 | 7 | 2 | 0 | 10,063 | 16 | 14 | 0 |
| 11-Aug | 197 | 0 | 1 | 0 | 10,260 | 16 | 15 | 0 |
| 12-Aug | 24 | -1 | 0 | 0 | 10,284 | 15 | 15 | 0 |
| 13-Aug | 16 | 0 | 0 | 0 | 10,300 | 15 | 15 | 0 |
| 14-Aug | 871 | 3 | 1 | 0 | 11,171 | 18 | 16 | 0 |
| 15-Aug | 9 | 0 | 0 | 0 | 11,180 | 18 | 16 | 0 |
| 16-Aug | 3 | 0 | 0 | 0 | 11,183 | 18 | 16 | 0 |
| 17-Aug | 0 | 0 | 0 | 0 | 11,183 | 18 | 16 | 0 |
| 18-Aug | 12 | -2 | 0 | 0 | 11,195 | 16 | 16 | 0 |
| 19-Aug | 24 | 0 | 0 | 0 | 11,219 | 16 | 16 | 0 |
| 20-Aug | 600 | 4 | 0 | 0 | 11,819 | 20 | 16 | 0 |
| 21-Aug | 54 | 1 | 1 | 0 | 11,873 | 21 | 17 | 0 |
| 22-Aug | 173 | 2 | 1 | 0 | 12,046 | 23 | 18 | 0 |
| 23-Aug | 89 | 6 | 3 | 3 | 12,135 | 29 | 21 | 3 |
| 24-Aug | 168 | 6 | 0 | 0 | 12,303 | 35 | 21 | 3 |
| 25-Aug | 975 | 22 | 2 | 18 | 13,278 | 57 | 23 | 21 |
| 26-Aug | 25 | -2 | 0 | 2 | 13,303 | 55 | 23 | 23 |
| 27-Aug | 13 | -1 | 0 | 1 | 13,316 | 54 | 23 | 24 |
| 28-Aug | 16 | 0 | 0 | 0 | 13,332 | 54 | 23 | 24 |
| 29-Aug | 82 | 10 | 0 | 13 | 13,414 | 64 | 23 | 37 |


-continued-

Appendix E6.-Page 2 of 3.

| Date | Daily | | | | Cumulative | | | |
|--------|-----------|------|------|-------|------------|------|------|-------|
| | Socketeye | Pink | Chum | Coho | Socketeye | Pink | Chum | Coho |
| 30-Aug | 31 | 4 | 0 | 0 | 13,445 | 68 | 23 | 37 |
| 31-Aug | 54 | 13 | 1 | 4 | 13,499 | 81 | 24 | 41 |
| 1-Sep | 17 | 0 | 0 | 4 | 13,516 | 81 | 24 | 45 |
| 2-Sep | 85 | 0 | 0 | 0 | 13,601 | 81 | 24 | 45 |
| 3-Sep | 118 | 9 | 0 | 2 | 13,719 | 90 | 24 | 47 |
| 4-Sep | 105 | 3 | 0 | 7 | 13,824 | 93 | 24 | 54 |
| 5-Sep | 40 | 3 | 0 | 10 | 13,864 | 96 | 24 | 64 |
| 6-Sep | 81 | 11 | 0 | 147 | 13,945 | 107 | 24 | 211 |
| 7-Sep | 630 | 21 | 0 | 2,092 | 14,575 | 128 | 24 | 2,303 |
| 8-Sep | 85 | 1 | 1 | 660 | 14,660 | 129 | 25 | 2,963 |
| 9-Sep | 41 | 9 | 0 | 714 | 14,701 | 138 | 25 | 3,677 |
| 10-Sep | 35 | -4 | 0 | 285 | 14,736 | 134 | 25 | 3,962 |
| 11-Sep | 8 | -2 | 0 | 131 | 14,744 | 132 | 25 | 4,093 |
| 12-Sep | 4 | -2 | 0 | 78 | 14,748 | 130 | 25 | 4,171 |
| 13-Sep | 22 | 4 | 0 | 551 | 14,770 | 134 | 25 | 4,722 |
| 14-Sep | 13 | 2 | 0 | 190 | 14,783 | 136 | 25 | 4,912 |
| 15-Sep | 4 | 2 | 0 | 55 | 14,787 | 138 | 25 | 4,967 |
| 16-Sep | 1 | 0 | 0 | 36 | 14,788 | 138 | 25 | 5,003 |



Appendix E7.-South Peninsula total indexed pink salmon escapement by year, 1962-2006.



Appendix E8.-South Peninsula total indexed chum salmon escapement by year, 1962-2006.

Appendix E9.-Sockeye salmon daily and cumulative escapement counts through the Orzinski Lake weir, 2006.

| Date | Daily | | | Cumulative | | |
|--------------------|--------|-------|-------|------------|-------|-------|
| | Adults | Jacks | Total | Adults | Jacks | Total |
| 8-Jun ^a | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-Jun | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-Jun | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-Jun | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-Jun | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-Jun | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-Jun | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-Jun | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-Jun | 0 | 0 | 0 | 0 | 0 | 0 |
| 17-Jun | 0 | 0 | 0 | 0 | 0 | 0 |
| 18-Jun | 0 | 0 | 0 | 0 | 0 | 0 |
| 19-Jun | 0 | 0 | 0 | 0 | 0 | 0 |
| 20-Jun | 0 | 0 | 0 | 0 | 0 | 0 |
| 21-Jun | 0 | 0 | 0 | 0 | 0 | 0 |
| 22-Jun | 3 | 0 | 3 | 3 | 0 | 3 |
| 23-Jun | 34 | 0 | 34 | 37 | 0 | 37 |
| 24-Jun | 4 | 0 | 4 | 41 | 0 | 41 |
| 25-Jun | 1 | 0 | 1 | 42 | 0 | 42 |
| 26-Jun | 0 | 0 | 0 | 42 | 0 | 42 |
| 27-Jun | 0 | 0 | 0 | 42 | 0 | 42 |
| 28-Jun | 0 | 0 | 0 | 42 | 0 | 42 |
| 29-Jun | 8 | 0 | 8 | 50 | 0 | 50 |
| 30-Jun | 4 | 0 | 4 | 54 | 0 | 54 |
| 1-Jul | 0 | 0 | 0 | 54 | 0 | 54 |
| 2-Jul | 1 | 0 | 1 | 55 | 0 | 55 |
| 3-Jul | 82 | 3 | 85 | 137 | 3 | 140 |
| 4-Jul | 3 | 0 | 3 | 140 | 3 | 143 |
| 5-Jul | 2 | 0 | 2 | 142 | 3 | 145 |
| 6-Jul | 30 | 0 | 30 | 172 | 3 | 175 |
| 7-Jul | 18 | 0 | 18 | 190 | 3 | 193 |
| 8-Jul | 36 | 0 | 36 | 226 | 3 | 229 |
| 9-Jul | 612 | 7 | 619 | 838 | 10 | 848 |
| 10-Jul | 1,046 | 8 | 1,054 | 1,884 | 18 | 1,902 |
| 11-Jul | 19 | 2 | 21 | 1,903 | 20 | 1,923 |

-continued-

Appendix E9.-Page 2 of 2.

| Date | Daily | | | Cumulative | | |
|--------------|--------------|------------|--------------|------------|-------|-------|
| | Adults | Jacks | Total | Adults | Jacks | Total |
| 12-Jul | 9 | 0 | 9 | 1,912 | 20 | 1,932 |
| 13-Jul | 0 | 0 | 0 | 1,912 | 20 | 1,932 |
| 14-Jul | 6 | 1 | 7 | 1,918 | 21 | 1,939 |
| 15-Jul | 22 | 1 | 23 | 1,940 | 22 | 1,962 |
| 16-Jul | 41 | 1 | 42 | 1,981 | 23 | 2,004 |
| 17-Jul | 1,559 | 58 | 1,617 | 3,540 | 81 | 3,621 |
| 18-Jul | 0 | 0 | 0 | 3,540 | 81 | 3,621 |
| 19-Jul | 20 | 0 | 20 | 3,560 | 81 | 3,641 |
| 20-Jul | 58 | 0 | 58 | 3,618 | 81 | 3,699 |
| 21-Jul | 491 | 6 | 497 | 4,109 | 87 | 4,196 |
| 22-Jul | 24 | 1 | 25 | 4,133 | 88 | 4,221 |
| 23-Jul | 390 | 31 | 421 | 4,523 | 119 | 4,642 |
| 24-Jul | 10 | 0 | 10 | 4,533 | 119 | 4,652 |
| 25-Jul | 38 | 4 | 42 | 4,571 | 123 | 4,694 |
| 26-Jul | 0 | 0 | 0 | 4,571 | 123 | 4,694 |
| 27-Jul | 8 | 2 | 10 | 4,579 | 125 | 4,704 |
| 28-Jul | 8 | 2 | 10 | 4,587 | 127 | 4,714 |
| 29-Jul | 0 | 0 | 0 | 4,587 | 127 | 4,714 |
| 30-Jul | 16 | 2 | 18 | 4,603 | 129 | 4,732 |
| 31-Jul | 20 | 1 | 21 | 4,623 | 130 | 4,753 |
| 1-Aug | 199 | 5 | 204 | 4,822 | 135 | 4,957 |
| 2-Aug | 184 | 1 | 185 | 5,006 | 136 | 5,142 |
| 3-Aug | 1,551 | 31 | 1,582 | 6,557 | 167 | 6,724 |
| 4-Aug | 0 | 0 | 0 | 6,557 | 167 | 6,724 |
| 5-Aug | 23 | 0 | 23 | 6,580 | 167 | 6,747 |
| 6-Aug | weir pulled | | | | | |
| Total | 6,580 | 167 | 6,747 | | | |

Post Weir Sockeye Escapement Estimate^c: 11,253

Estimated Total Sockeye Escapement: 18,000

^a Weir was fish tight at 6:00 pm on 6/13.

^b Includes estimate of fish passage through hole in weir during the night.

^c July 31 was the last day salmon were counted through the weir. Post July 31 escapement was estimated based on the average historical (1991-2004) proportion of escapement through July 31.