

SOUTHEASTERN DISTRICT MAINLAND (ALASKA PENINSULA AREA)
SALMON MANAGEMENT PLAN, 2004



By
Charles Burkey Jr.
and
Switgard Duesterloh

Regional Information Report¹ No. 4K04-9

Alaska Department of Fish and Game
Division of Commercial Fisheries
211 Mission Road
Kodiak, Alaska

March 2004

¹ The Regional Information Report Series was established in 1987 to provide an information access system for all unpublished division reports. These reports frequently serve diverse ad hoc informational purposes or archive basic uninterpreted data. To accommodate timely reporting of recently collected information, reports in this series undergo only limited internal review and may contain preliminary data; this information may be subsequently finalized and published in the formal literature. Consequently, these reports should not be cited without prior approval of the author or the Division of Commercial Fisheries.

TABLE OF CONTENTS

	<u>Page</u>
LIST OF TABLES	i
LIST OF FIGURES	i
LIST OF APPENDICES.....	i
ABSTRACT	1
INTRODUCTION	2
DESCRIPTION OF FISHERY.....	2
Legal Gear Types.....	2
Fishing Periods	2
Harvest Reporting.....	3
Inseason Announcements	3
2004 MANAGEMENT PLAN	3
Harvest Scenarios	4
Chignik Lakes Sockeye Salmon Forecast and SEDM Allocation.....	5
Harvest Goals	6
Local Stocks	6
Northwest Stepovak Section	7
Stepovak Flats Section	7
Aircraft.....	7
LITERATURE CITED	8
TABLES	9
FIGURES.....	12
APPENDIX.....	16

LIST OF TABLES

<u>Table</u>	<u>Page</u>
1. Southeastern District Mainland commercial salmon fishery regulatory history, pre-1974-2004.....	9
2. Southeastern District Mainland commercial fishing effort and assignment of sockeye salmon harvests June 1- July 25, 1985-2003	10
3. Sockeye salmon interim escapement requirements for Orzinski Lake.....	11

LIST OF FIGURES

<u>Figure</u>	<u>Page</u>
1. Map of the Alaska Peninsula Management Area with the Southeastern District Mainland area defined	12
2. Map of the Southeastern District Mainland fishery from Kupreanof Point to McGinty Point with the salmon sections defined	13
3. Map of the Northwest Stepovak Section, with Dorenoi Bay closed waters through July 25, and Suzy Creek post-June terminal harvest area highlighted	14
4. Map of Kupreanof Point area with closed waters defined.....	15

LIST OF APPENDICES

<u>Appendix</u>	<u>Page</u>
A. Southeastern District Mainland Salmon Management Plan	17
B. Chignik Management Area preliminary sockeye salmon forecast.....	19

ABSTRACT

The Southeastern District Mainland commercial salmon fishery takes place on the south side of the Alaska Peninsula in Stepovak, Balboa, and Beaver Bays. Depending primarily on the strength of Chignik sockeye salmon stocks, the fishery could begin in early June and last through July 25. This document describes how the fishery will be managed, the requirements of industry to participate in the fishery, and how to contact and relay information to the department. Historical harvests for the Southeastern District Mainland fishery are presented as well as the 2004 season harvest projections. This document is intended as a guide for commercial salmon harvesters, buyers, and tenders. Information regarding commercial salmon openings should be received from the department prior to fishing.

INTRODUCTION

This document is intended to provide commercial harvesters and processors with a description of how the Alaska Department of Fish and Game (ADF&G) will manage the Southeastern District Mainland (SEDM) commercial salmon fishery. This document also outlines the requirements of industry to participate in the fishery, and how to contact and relay information to the department. Historical harvests for the Southeastern District Mainland fishery are presented as well as the 2004 season harvest projections.

DESCRIPTION OF FISHERY

The SEDM fishery takes place on the south side of the Alaska Peninsula (Figure 1). The SEDM is bordered by the Chignik Management Area (CMA) to the east and the South Central District of the Alaska Peninsula Area to the west. Included in this fishery are the Beaver Bay, Balboa Bay, Southwest Stepovak, Northwest Stepovak, East Stepovak, and Stepovak Flats Sections (Figure 2). The SEDM fishery is conducted according to a management plan originally established by the Alaska Board of Fisheries (BOF) in 1985, updated in 1991 and 1998, and most recently in 2001 (Table 1; Appendix A). Excluding the Northwest Stepovak Section (NWSS) beginning July 1, the fishery is allocated 6.0% of the total Chignik bound sockeye salmon *Oncorhynchus nerka* harvest through July 25¹ while providing for specific biological and allocative requirements in the CMA. After July 25, the SEDM is managed under 5 AAC 09.366. POST JUNE SALMON MANAGEMENT PLAN FOR THE SOUTH PENINSULA.

In February 2004, the BOF adopted a regulation establishing that the global positioning system (GPS) will be used to determine latitude and longitude coordinates throughout all salmon fisheries in Area M.

Legal Gear Types

In the SEDM, set gillnet gear is the only legal gear type allowed through midnight July 10. Beginning July 11, set gillnet, purse seine, and hand purse seine gear types are allowed (5 AAC 09.330 (f)(3)).

Fishing Periods

The SEDM fishery is regulated independently of other fisheries occurring in the Alaska Peninsula Management Area. The ADF&G will attempt to have fishing periods in the Northwest Stepovak

¹ The total Chignik sockeye salmon harvest is calculated by adding 100% of those sockeye salmon caught within the CMA, 90% of the sockeye salmon caught in the Cape Igvak Section of the Kodiak Management Area (KMA) through July 25, and 80% of the sockeye salmon caught in the SEDM fishery through July 25, excluding 100% of the sockeye salmon caught in the NWSS from July 1 through July 25.

and Stepovak Flats Sections concurrent with fishing periods in the remainder of the SEDM area to avoid concentrating fishing gear in any particular area. During July 1-25, as required by the management plan, the fishing schedule for the NWSS, excluding Orzinski Bay, will not exceed four days during a seven-day period with a maximum of two consecutive fishing days. For the purposes of this fishing schedule, a “day” is considered one 24-hour period.

All fishing periods will open by emergency order. A minimum of 24 hours advance notice will be given prior to the first commercial fishing period of the season. At least 12 hours notice will be given prior to the opening of any additional fishing periods, unless the announcement extends a current fishing period.

Harvest Reporting

Buyers must report daily to the ADF&G office in Sand Point, as required by 5 AAC 39.130(a)(3). Salmon harvest reports, including number and pounds of fish by species and number of deliveries by gear type, must be received by 9:00 AM on the day following landings. Earlier reports are appreciated. Buyers may phone, e-mail, or fax their reports to the Sand Point office (phone: 383-2066, fax: 383-2606). Contact may also be made over VHF 6 or 73, or on SSB radio frequency 3.320 MHz.

Fish tickets must be received in the ADF&G office in Sand Point (address below) within seven days of the purchase date, unless other arrangements have been made with ADF&G. Mail fish tickets to: ADF&G, P.O. Box 129, Sand Point, AK, 99661.

Inseason Announcements

Inseason announcements will be broadcast on VHF radio channels 6 and 73, and SSB radio frequency 3.230 MHz and 3.261 MHz. Information may also be obtained over the ADF&G 24-hour message line in Sand Point at 383-2334 (383-ADFG).

2004 MANAGEMENT PLAN

Under the current SEDM Management Plan (5 AAC 09.360; Appendix A):

1. The percentage of sockeye salmon allocated to the SEDM fishery by the BOF is 6.0% of the total number of sockeye salmon considered to be Chignik bound, harvested through July 25. In 1996, the BOF established this percentage in an attempt to maintain traditional harvest levels of Chignik bound sockeye salmon in the SEDM fishery and to compensate for an increased area managed for sockeye salmon bound for Orzinski Lake.

2. Prior to July 1, the entire SEDM will be managed based on the strength of the Chignik sockeye salmon runs and 80% of the sockeye salmon caught in the SEDM will be considered Chignik bound salmon.
3. Beginning July 1, sockeye salmon caught in the NWSS will be considered 100% local fish and not counted toward the Chignik allocation (Figure 3). Fishing time in the NWSS, excluding Orzinski Bay, after June 30 may not be more than four days within a seven-day period with no more than 48 hours continuous fishing during a seven-day period. In 2001, the BOF clarified that “day” in this context referred to a 24-hour period.
4. The Stepovak Flats Section will be managed for chum salmon *O. keta* returning to Stepovak Flats streams for the entire season, however, 80% of the sockeye salmon caught in this section through July 25 will be considered Chignik bound fish (Figure 2).
5. In 1996, the BOF established a closed waters area encompassing Kupreanof Point (Figure 4; 5 AAC 09.350 (37)) from July 6 through August 31. The ADF&G may extend the Kupreanof Point closed waters area through the end of the season by emergency order. The Kupreanof Point closed waters extension will remain in effect until:
 - (A) the ADF&G determines that the coho salmon *O. kisutch* subsistence needs of the residents of Perryville have been satisfied, and
 - (B) the Western and Perryville Districts of the CMA open to commercial salmon fishing after August 31. Please note: in the recent past, these districts have remained closed past August 20 because of concerns for local coho salmon and no change is anticipated for the 2004 season.

Harvest Scenarios

The respective 2004 Chignik early and late run forecasted harvest estimates are 910,000 and 855,000 sockeye salmon. The harvestable surplus in Chignik is expected to exceed 600,000 sockeye salmon through July 25. Therefore, the SEDM fishery could potentially begin when the department determines that the runs are as strong as expected.

If the Chignik early run is determined to be as strong as predicted, the ADF&G will manage the SEDM fishery so that the sockeye salmon harvest (excluding the post June 30 NWSS sockeye harvest) will approach, as near as possible, the 6.0% allocation of the total Chignik bound sockeye salmon catch through July 25.

If the Chignik early run is weak, the SEDM fishery (excluding Orzinski Bay after June 30) will be curtailed in order to allow a minimum harvest in the CMA of 300,000 sockeye salmon through July 8.

From June 26 through July 8, the strength of the late run of Chignik sockeye salmon cannot be evaluated due to mixing of early and late run stocks. During this period the department may close

or restrict commercial salmon fishing in the SEDM, excluding Orzinski Bay beginning July 1, until the strength of the second run can be determined. Beginning July 1, if the Chignik harvest is projected to reach 300,000 sockeye salmon by July 8 and Chignik River escapement is meeting interim escapement objectives, fishing time in the NWSS will be based on local stocks. All of the sockeye salmon caught in the NWSS are considered local stocks.

After July 8, the SEDM fishery, excluding the NWSS, will be managed based on the strength of the Chignik late run and on the catch of Chignik bound sockeye salmon through July 25. If the late-run interim escapement objectives are being met and the total Chignik harvest is at least 300,000 sockeye salmon, the SEDM may open to commercial salmon fishing. The ADF&G will manage the fishery so that the number of sockeye salmon harvested in the CMA from both runs combined will be at least 600,000 fish and the harvest in the SEDM (excluding the post June 30 NWSS sockeye salmon harvest) will approach, as near as possible, 6.0% of the total Chignik bound sockeye salmon harvest through July 25.

Scenario (Chignik early and late runs are forecasted to be strong)

Regulation

Chignik early run comes in as expected

Fishing in SEDM may be allowed during June prior to the overlap period (June 26-July 8) and managed for 6.0% of the total Chignik bound sockeye salmon through July 25. NWSS will be managed on Orzinski stocks after June 30 with no more than four days in any seven-day period and no more than two consecutive fishing days.

Chignik early run is weaker than expected

Fishing in SEDM (excluding Orzinski Bay beginning July 1) will be curtailed to allow a Chignik harvest of at least 300,000 sockeye salmon through July 8. After July 8, if at least 300,000 sockeye salmon have been harvested in the CMA and if Chignik interim escapement objectives are being met, the SEDM will be managed for 6.0% of the total Chignik bound sockeye salmon harvest and to insure that the Chignik sockeye salmon harvest will be at least 600,000 through July 25.

Chignik Lakes Sockeye Salmon Forecast and SEDM Allocation

The June 1 to July 25 SEDM sockeye salmon commercial harvest can be estimated based on:

- 1) the forecasted return of Chignik bound sockeye salmon (Appendix B);

- 2) the percent of the Chignik runs normally harvested during this time period; and
- 3) the regulatory allocation to SEDM fisheries.

The 2004 harvest of Chignik early-run (Black Lake) sockeye salmon is expected to be 910,000 fish and a late run (Chignik Lake) harvest is expected to be 855,000 sockeye salmon (Appendix B). Historically, approximately 100% of the early-run Chignik bound sockeye salmon harvest and approximately 75% of the late-run Chignik bound sockeye salmon harvest has occurred prior to July 26. Therefore, if 100% and 75% of the 2004 Chignik early and late runs' respective harvests occur prior to July 26, the SEDM (excluding the NWSS harvest beginning July 1) 6.0% allocation is projected to be approximately 93,075 sockeye salmon through July 25 that are considered Chignik bound (145,875 total SEDM sockeye salmon harvest through July 25).

The 2004 SEDM projected harvest of 93,075 Chignik bound sockeye salmon (6% of total CMA sockeye salmon harvest forecast) through July 25 is above the 1994-2003 average harvest of 88,600 Chignik bound sockeye salmon (Table 2).

Harvest Goals

The SEDM fishery will be managed according to the regulatory management plan, 5 AAC 09.360 (ADF&G 2001; Appendix A). No attempt will be made to allow equal fishing time with the CMA. The goal is to achieve the 6.0% allocation level through July 25 after the conditions of the management plan have been satisfied.

An interim management goal of 6.0% of the total Chignik bound sockeye salmon harvest as of MIDNIGHT July 10 is desired to achieve historical harvest levels between set gillnet and purse seine permit holders (purse seine gear is legal in the fishery beginning July 11). To meet the interim and final goals, the percentage may fluctuate above or below 6.0% prior to July 11 and July 25.

Because of fishing time restrictions placed upon the SEDM fishery to protect the Chignik runs, it may not be possible to achieve a 6.0% allocation level, even if escapement goals are met and the minimum catch level of 600,000 sockeye salmon at Chignik is exceeded.

Local Stocks

For the purposes of this plan, local runs include only those salmon in the waters:

- (1) in the Northwest Stepovak Section (beginning July 1) described in 5 AAC 09.200(f)(5); and
- (2) in the Stepovak Flats Section as described in 5 AAC 09.200(f)(6).

Northwest Stepovak Section

Beginning July 1, all sockeye salmon caught in the Northwest Stepovak Section are considered to be 100% Orzinski Lake bound.

A weir was used to count salmon escapements into Orzinski Lake between 1935 and 1941, and again from 1990 through the present (Burkey et al. 2003). Based on aerial surveys and weir counts, the ADF&G has developed interim sockeye salmon escapement objectives for Orzinski Lake by time periods (Table 3). The Orzinski Lake sockeye salmon escapement goal range for the entire season is 15,000-20,000 adult salmon. In 2003, the total estimated sockeye salmon escapement was 70,690 adult salmon (Burkey 2004). The ADF&G intends to operate a weir on the Orzinski Lake system in 2004.

In 2003, there was a large buildup of sockeye salmon in Orzinski Bay in late June. This led to very large escapements during the first four days of July and contributed to a total season escapement over three times the upper goal of 20,000 fish. To better control escapement into Orzinski Lake, the department will monitor Orzinski Bay for sockeye salmon buildup in late June. If a large buildup of salmon is present, the department will consider opening Orzinski Bay and/or the NWSS as early as July 1 even if escapement through the Orzinski Lake weir is less than 1,500 fish.

Sockeye salmon usually begin entering Orzinski Lake in mid June and normally 50% of the annual escapement has been achieved by the second week of July. Generally, the Orzinski Lake sockeye salmon escapement is achieved by the first week of August. If the interim sockeye salmon escapement objectives into Orzinski Lake are not being met, the NWSS may be closed until escapement falls within the appropriate escapement objective range, or until management of the area shifts to a directed fishery for local pink salmon stocks in early August.

Stepovak Flats Section

Commercial salmon fishing in the Stepovak Flats Section is managed for chum salmon returning to Stepovak Flats systems. Through July 25, 80% of the sockeye salmon harvested in this section are considered Chignik bound fish and are included in the 6.0% allocation criteria stated in the SEDM management plan. After July 28, the entire Stepovak Flats Section and the northern portion of the East Stepovak Section, as described in 5 AAC 09.350 (36)(B), are closed to commercial salmon fishing to protect schooling chum salmon.

After July 25, the entire SEDM will be managed on the basis of local stocks, as described in 5 AAC 09.360 (h), and 5 AAC 09.366 Post-June Salmon Management Plan for the South Alaska Peninsula (g) (1)-(2) and (h) (ADF&G 2001).

Aircraft

As specified in 5 AAC 09.378, a person may not use or employ an aircraft to locate salmon for the commercial taking of salmon or to direct commercial fishing operations in the Alaska Peninsula Area one hour before, during, and one hour after a commercial salmon fishing period.

LITERATURE CITED

- ADF&G (Alaska Department of Fish and Game). 2001. 2001-2004 Bristol Bay, Alaska Peninsula, Atka-Amlia, and Aleutian Islands Areas commercial fishing regulations, 2001 edition. Alaska Department of Fish and Game, Division of Commercial Fisheries, Juneau.
- Burkey, C.E. 2004. The Southeastern District Mainland salmon fishery of Area M, through July 25, the time period of the SEDM Management Plan. Report to the Alaska Board of Fisheries, 2004. Alaska Department of Fish and Game, Division of Commercial Fisheries, Regional Information Report 4K04-3, Kodiak.
- Burkey, C.E., J.J. Dinnocenzo, M.T. Ford, and A.R. Shaul. 2003. South Peninsula Annual Salmon Management Report, 2002. Alaska Department of Fish and Game, Division of Commercial Fisheries, Regional Information Report 4K03-22, Kodiak.

Table 1. Southeastern District Mainland commercial salmon fishery regulatory history, pre-1974 to 2004.

Year	Management Plan
Pre-1974	Set weekly fishing periods, usually 5 days per week
1974-77	Day for day fishing with Chignik
1978	3 days per week, seine gear prohibited before July 10
1979-84	5 days per week, 60,000 sockeye salmon catch ceiling (until Chignik catches 1 million) After 7/10 entire SEDM managed on local stocks
1985-91	Management plan adopted by the BOF. Assures minimum harvest in Chignik of 600,000, restricts fishing in SEDM during overlap period (6/26-7/8), allows 6% (6.2%-1985-87) allocation of total Chignik sockeye salmon harvest through 7/25, permits openings in Stepovak Flats and Northwest Stepovak Sections based on local runs
1992-95	Area managed on local sockeye salmon runs reduced to include only Orzinski Bay (Stepovak Flats Section not effected), increased allocation of Chignik sockeye salmon harvest from 6% to 7%
1996-present	Area managed on local sockeye runs increased to include the Northwest Stepovak Section beginning July 1, reduced allocation of Chignik sockeye salmon harvest from 7% to 6%
1998-Present	Beginning July 1, Orzinski Bay will be managed entirely on local sockeye salmon stocks. From July 1 through July 25, if fishing is permitted in the Northwest Stepovak Section, openings may not exceed four days during a seven-day period with no more than two consecutive fishing days. (See Appendix A for further details.) Remainder of the SEDM sockeye harvest allocated as 80% Chignik bound fish.

Table 2. Southeastern District Mainland commercial fishing effort and assignment of sockeye salmon harvests June 1-July 25, 1985-2003.

Year	Effort				Northwest Stepovak			SEDM minus Northwest Stepovak		SEDM		Total Catch
	Gillnet		Seine		Total	"Local"	"Non-local"	"Local"	"Non-local"	"Local"	"Non-local"	
	Permits	Landings	Permits	Landings								
1985 ^a	49	367	23	51	16,681	16,681	0	12,855	51,421	29,536	51,421	80,957
1986	42	616	18	29	59,025	59,025	0	29,501	118,006	88,526	118,006	206,532
1987	53	528	6	9	61,287	61,287	0	36,722	146,886	98,009	146,886	244,895
1988	41	300	16	45	57,010	57,010	0	4,830	19,320	61,840	19,320	81,160
1989	42	248	25	54	83,618	83,618	0	1,121	4,485	84,739	4,485	89,224
1990	46	277	69	131	3,279	3,279	0	32,609	128,599	35,888	128,599	164,487
1991	59	747	39	71	98,834	98,834	0	38,179	152,714	137,013	152,714	289,727
1992 ^b	59	650	6	14	113,428	101,198	12,232	20,403	81,613	121,599	93,845	215,444
1993	64	763	53	82	73,747	54,955	18,792	27,436	109,744	82,391	128,536	210,927
1994	56	678	0	0	89,522	52,880	36,642	26,427	105,708	79,307	142,350	221,657
1995	58	718	26	30	62,598	51,723	10,875	19,357	77,426	71,079	88,301	159,381
1996 ^c	64	1,164	25	46	137,925	127,645	10,280	29,230	116,921	156,875	127,201	284,076
1997	57	1,173	12	23	304,865	304,865	0	0	0	304,865	0	304,865
1998	45	340	18	23	33,515	33,515	0	16,723	66,893	50,238	66,893	117,131
1999	63	649	27	30	32,884	6,577	26,307	36,828	147,313	43,405	173,621	217,026
2000	64	1,163	26	31	89,857	76,500	13,357	22,516	90,062	99,016	103,419	202,435
2001	51	551	16	20	42,681	42,681	0	12,785	51,141	55,466	51,141	106,607
2002	53	1,001	12	25	85,086	76,767	8,319	13,677	54,706	90,443	63,026	153,469
2003	48	1,035	11	20	142,620	136,601	6,019	16,006	64,025	152,607	70,044	222,651
Average:												
1985-91	47	440	28	56	54,248	54,248	0	22,260	88,776	76,507	88,776	165,283
1992-95	59	702	21	32	84,824	65,189	19,635	23,406	93,623	88,594	113,258	201,852
1996-97	61	1,169	19	35	221,395	216,255	5,140	14,615	58,461	230,870	63,601	294,471
1998-2001	56	676	22	26	49,734	39,818	9,916	22,213	88,852	62,031	98,769	160,800
1994-2003	56	847	17	25	102,155	90,975	11,180	19,355	77,420	110,330	88,600	198,930

^a From 1985 through 1991, the Chignik contribution was 80% of the sockeye salmon harvested in Beaver Bay, Balboa Bay, Southwest Stepovak, Stepovak Flats, and East Stepovak Sections.

^b From 1992 through 1995, the Chignik contribution was 80% of the sockeye salmon harvested in the Southeastern District Mainland fishery, except Orzinski Bay where 100% of the sockeye salmon are considered local production.

^c Since 1996, the Chignik contribution is 80% of the sockeye harvested in Southeastern District Mainland fishery, except in the Northwest Stepovak Section where beginning July 1, 100% of the sockeye salmon are considered local.

Table 3. Sockeye salmon interim escapement requirements for Orzinski Lake.

Time Period Ending Date	Escapement Objective for Period Ending	Cumulative Escapement Objective
1-Jul	1,500-2,000	1,500-2,000
9-Jul	2,250-3,000	3,750-5,000
16-Jul	3,750-5,000	7,500-10,000
23-Jul	3,750-5,000	11,250-15,000
7-Aug	3,750-5,000	15,000-20,000
Season Total Goal		15,000-20,000




Figure 1. Map of the Alaska Peninsula Management Area with the Southeastern District Mainland area defined.




Figure 2. Map of the Southeastern District Mainland fishery from Kupreanof Point to McGinty Point with the salmon sections defined.




Figure 3. Map of the Northwest Stepovak Section, with Dorenoi Bay closed waters through July 25, and Suzy Creek post-June terminal harvest area highlighted.




Figure 4. Map of Kupreanof Point area with closed waters defined.

APPENDIX

5 AAC 09.360. SOUTHEASTERN DISTRICT MAINLAND SALMON MANAGEMENT PLAN

(a) This plan pertains to the management of the interception of Chignik River sockeye salmon caught in the Southeastern District Mainland fishery: East Stepovak, Stepovak Flats, Northwest Stepovak, Southwest Stepovak, Balboa Bay, and Beaver Bay Sections. Before July 11, only set gillnet gear may be used in these sections. For the purpose of this plan, local runs include only those salmon in the waters:

- 1) beginning July 1, in the Northwest Stepovak Section described 5 AAC 09.200(f)(5):
- 2) the Stepovak Flats Section as described in 5 AAC 09.200(f)(6).

(b) In years when a harvestable surplus for the first (Black Lake) and second (Chignik Lake) runs of Chignik River system sockeye salmon is expected to be less than 600,000, no commercial salmon fishery is allowed in the East Stepovak, Southwest Stepovak, Balboa Bay, and Beaver Bay Sections, and in the Northwest Stepovak Section, as described in 5 AAC 09.200(f)(5) excluding Orzinski Bay of the Northwest Stepovak Section north of a line from Elephant Point at 55°41.92' N lat., 160°03.2' W long., to Waterfall Point at 55°43.18' N lat., 160°01.13' W long., until a harvest of 300,000 sockeye salmon is achieved in the Chignik Area, as described in 5 AAC 15.100. After July 8, if at least 300,000 sockeye salmon have been harvested in the Chignik Area, and if escapement goals are being met, the department shall manage the fishery so that the number of sockeye salmon harvested in the Chignik Area will be at least 600,000 and the number of sockeye salmon harvested in the East Stepovak, Stepovak Flats, Southwest Stepovak, Balboa Bay, and Beaver Bay Sections and before July 1 in the Northwest Stepovak Section, approaches as near as possible six percent of the total Chignik sockeye salmon catch.

(c) In years when a harvestable surplus beyond escapement goals for the first and second runs of Chignik River system sockeye salmon is expected to be more than 600,000 but the first run fails to develop as predicted and it is determined that a total sockeye salmon harvest in the Chignik Area of 600,000 or more may not be achieved, the commercial salmon fishery in the East Stepovak, Stepovak Flats, Southwest Stepovak, Balboa Bay, and Beaver Bay Sections, and in the Northwest Stepovak Section, excluding Orzinski Bay of the Northwest Stepovak Section north of a line from Elephant Point at 55°41.92' N lat., 160°03.20' W long., to Waterfall Point at 55°43.18' N lat., 160°01.13' W long., shall be curtailed in order to allow a harvest in the Chignik Area of 300,000 sockeye salmon through July 8 if that number of fish are determined to be surplus to the escapement goals of the Chignik River system. After July 8, if at least 300,000 sockeye salmon have been harvested in the Chignik Area, and if escapement goals are being met, the department shall manage the fishery so that the number of sockeye salmon harvested in the Chignik Area is at least 600,000 and the number of sockeye salmon harvested in the East Stepovak, Stepovak Flats, Southwest Stepovak, Balboa Bay, and Beaver Bay Sections, and before July 1 in the Northwest Stepovak Section, approaches as near as possible six percent of the total Chignik sockeye salmon catch.

-Continued-

(d) In years when a harvestable surplus beyond the escapement goals for the first and second runs of Chignik River system sockeye salmon is expected to be more than 600,000 and the department determines that the runs are as strong as expected, the department shall manage the fishery so that the number of sockeye salmon taken in the East Stepovak, Stepovak Flats, Southwest Stepovak, Balboa Bay, and Beaver Bay Sections, and before July 1 in the Northwest Stepovak Section, approaches as near as possible six percent of the total Chignik sockeye salmon catch.

(e) Beginning July 1, the fishing schedule in the Northwest Stepovak Section, excluding the waters of Orzinski Bay located north of a line from Elephant Point at 55°41.92' N lat., 160°03.20' W long., to Waterfall Point at 55°43.18' N lat., 160°01.13' W long., may not be more than four 24-hour periods with no more than 48-hours continuous fishing during a seven-day period.

(f) The estimate of sockeye salmon destined for the Chignik River has been determined to be 80 percent of the sockeye salmon harvested in the East Stepovak, Stepovak Flats, Southwest Stepovak, Balboa Bay, and Beaver Bay Sections, and before July 1 in the Northwest Stepovak Section. The sockeye salmon taken in the Northwest Stepovak Section beginning July 1 are considered to be 100% destined for Orzinski Bay.

(g) The total Chignik sockeye salmon catch constitutes those sockeye salmon caught within the Chignik Area, plus 80 percent of the sockeye salmon caught in the East Stepovak, Stepovak Flats, Southwest Stepovak, Balboa Bay, and Beaver Bay Sections, and before July 1 in the Northwest Stepovak Section, as described in 5 AAC 09.200(f), plus 90 percent of the sockeye salmon caught in the Cape Igvak Section of the Kodiak Area. The percentage of Chignik sockeye salmon may be permitted to fluctuate above or below six percent at any time before July 25.

(h) This allocation method is in effect through July 25. The first fishing period of the commercial salmon fishing season in the East Stepovak, Southwest Stepovak, Balboa Bay, and Beaver Bay Sections, and before July 1 in the Northwest Stepovak Section, may not occur before the first fishing period of the commercial salmon fishing season in the Chignik Area. After July 25, commercial salmon fishing in the entire Southeastern District Mainland area may be allowed for local stocks.

(i) During the period from approximately June 26 through July 8, the strength of the second run of the Chignik River system sockeye salmon cannot be evaluated. In order to prevent overharvest of the second run, the department may disallow or severely restrict commercial salmon fishing in the East Stepovak, Stepovak Flats, Southwest Stepovak, Balboa Bay, and Beaver Bay Sections during this period and from June 26 through June 30 in the Northwest Stepovak Section.

(j) The commissioner shall open all commercial salmon fishing periods by emergency order. Before commencement of the first commercial salmon fishing period of the season, the department shall give at least 24 hours notice. For subsequent fishing periods, the department shall give at least 12 hours notice. If an existing fishing period is extended, the department shall give notice of the extension as soon as possible before the end of the existing fishing period.

Appendix B. Chignik Management Area preliminary sockeye salmon forecast.

Forecast Area: Chignik
Species: Sockeye Salmon

Preliminary Forecast of the 2004 Run:		Forecast Estimate (thousands)	Forecast Range (thousands)
<i><u>Total Production:</u></i>			
<i><u>Early Run (Black Lake)</u></i>	Total Run Estimate	1,260	480-2,210
	Escapement Goal	350	350-400
	Harvest Estimate	910	
<i><u>Late Run (Chignik Lake)</u></i>	Total Run Estimate	1,080	498-1,890
	Escapement Goal	225	225-275
	Harvest Estimate	855	
<i><u>Total Chignik System</u></i>	Total Run Estimate	2,340	692-2,910
	Escapement Goal	575	575-675
	Harvest Estimate	1,770	

These figures include harvests of Chignik-bound sockeye salmon by the Southeastern District Mainland and the Cape Igyak fisheries; approximately 1,440 thousand sockeye salmon are projected to be harvested in the Chignik Management Area.

Forecast Methods

The forecasts for the 2004 early and late Chignik sockeye salmon runs were based on simple linear regressions using sibling relationships, escapements and subsequent year-class returns, or median estimators of age class returns from brood years since 1977. In constructing and evaluating each of the regression models, standard regression diagnostic procedures were used. Regression models were only used in cases where the slope of the regression was significantly different from zero ($P < 0.25$). The early-run age 1.3 and 2.3 returns were estimated based on the abundance of their sibling returns (1.2 and 2.2) in 2003. The late-run age 1.3 and 2.3 returns were estimated using regression relationships based on the abundance of spawners in their parent years. Following non-significant regression results, the median brood year return by total age was used to estimate all other age class components (0.2, 1.1, 0.3, 1.2, 2.1, 2.2, 1.4, 3.2, 2.4, and 3.2) of the run. When regression relationships were used, the variance of the estimate was calculated from the error structure of the regression. When the median returns by age class were used, the 10th and 90th percentiles of the data were used to describe the range of the data. The variances associated with individual estimates were summed to estimate 80 percent prediction intervals, which were then added to the percentile estimates to calculate the forecast ranges.

-Continued-

Forecast Discussion

The 2004 sockeye salmon run to the Chignik River is expected to be 2.34 million fish, which is approximately 360 thousand fish greater than the estimated run of 2003 (1.98 million). The early run is expected to be approximately 270 thousand fish greater than the estimated early run in 2003 of 990 thousand fish. The late run is expected to be approximately 94 thousand fish greater than the estimated 2003 late run of 986 thousand. The 2004 sockeye salmon run to Chignik is expected to be approximately 310 thousand fish less than the recent 10-year average run (2.65 million).

The harvest estimate for the early run of 910 thousand is based on achievement of the Black Lake lower escapement goal of 350 thousand fish while the late run harvest estimate of 855 thousand is based on achievement of the Chignik Lake lower escapement goal of 225 thousand fish through September 15. Harvest estimates for both the early and late run include Chignik bound sockeye salmon harvested in the Cape Igvak Section of the Kodiak Management Area and the Southeastern District Mainland of the Alaska Peninsula Management Area.

Approximately 83 percent of the 2004 early run was estimated using sibling relationships. Using similar methods, the 2003 early run was over-estimated by approximately 40 percent. The majority of the 2004 late run (84 percent) was estimated using relationships between parent escapement and returns for the two major age classes (ages 1.3 and 2.3). Using similar methods, the 2003 late run was over-estimated by about 17 percent.

Available smolt data were analyzed and significant regression relationships were found between the total number of emigrating smolt and subsequent 3-ocean (usually about 80 percent of the run) returns. This estimate was then expanded to account for other ocean ages. In 2003, this method under-estimated the total run by about 9 percent. The smolt-based forecast of sockeye salmon returns in 2004 to Chignik is 3.10 million sockeye salmon, which is substantially (about 772 thousand) higher than that predicted from sibling relationships and median estimates.

The disparity between the smolt forecast and the sibling forecast suggest the actual return may fall in the upper half of the forecast range. Given this ancillary data, our confidence in this forecast is fair.

Kenneth A. Bouwens
Finfish Research Biologist
Kodiak

The Alaska Department of Fish and Game administers all programs and activities free from discrimination based on race, color, national origin, age, sex, religion, marital status, pregnancy, parenthood, or disability. The department administers all programs and activities in compliance with Title VI of the Civil Rights Act of 1964, Section 504 of the Rehabilitation Act of 1973, Title II of the Americans with Disabilities Act of 1990, the Age Discrimination Act of 1975, and Title IX of the Education Amendments of 1972.

If you believe you have been discriminated against in any program, activity, or facility, or if you desire further information please write to ADF&G, P.O. Box 25526, Juneau, AK 99802-5526; U.S. Fish and Wildlife Service, 4040 N. Fairfax Drive, Suite 300 Webb, Arlington, VA 22203 or O.E.O., U.S. Department of the Interior, Washington DC 20240.

For information on alternative formats for this and other department publications, please contact the department ADA Coordinator at (voice) 907-465-6077, (TDD) 907-465-3646, or (FAX) 907-465-6078.