



## MEMORANDUM

TO: Distribution

DATE: January 18, 2022

FROM: Nick DeCovich, Northern Cook Inlet Area  
Research Biologist  
Division of Sport Fish, Region II

SUBJECT: Outlook for the 2022  
Deshka River king  
salmon run, and  
accuracy of the 2021  
forecast

---

The point estimate of the preseason forecast for the 2022 Deshka River king salmon total run is 9,332 fish (ages 1.2 – 1.4). The 80% prediction interval, based upon the variability between forecast and actual total runs from 1985 – 2021, is 5,637 to 15,450 fish (Table 1). Inclusion of the five-year average number of age-1.1 fish would add 2,103 fish to this forecast. Some number of fish of age-1.1 are thought to pass between the pickets of the Deshka weir and go uncounted, the fact of which reduces the viability of forecasting this age class. The run is predicted to be within the biological escapement goal of 9,000 – 18,000 fish. The preseason forecast estimate is 36% less than the recent ten-year (2012 – 2021) average run of 14,609 age 1.2 – 1.4 fish, and 69% less than the long-term (1979 – 2021) average of 30,275 fish.

The forecast for 2022 is the sum of individual age class forecasts. We examined estimates from three classes of models: sibling relationships, Ricker spawner-recruit relationships, and recent year moving averages (Table 2). The models chosen were those with statistically significant parameters that have the greatest past reliability (accuracy and precision). The variability among forecasted and actual total returns for each model was assessed by using the mean absolute deviation (MAD) and mean absolute percent error (MAPE) (Table 1). The choice of model used for each age class had minimum values of the 5-year MAD in 2017 – 2021 hindcasts of forecasts, as compared to the actual runs in those years (Tables 1). Choosing age class models with the minimum MAPE would produce a near-identical forecast (Table 1). The hindcasts were produced for each return year as one step ahead predictions using the estimates from all prior years.

For age-1.2 fish, the 5-year moving average model was selected. The sibling model (relationship between age-1.2 and age-1.3 fish) was chosen for age 1.3 fish. And the exponential smoothing model was chosen for age-1.4 fish (Table 1). For a description of each model considered, see Table 2.

Weir counts of age- 1.1 ‘jack’ king salmon are considered a minimum because an unknown number likely pass through the gaps between weir pickets and go uncounted, and in many years zero to only a few hundred fish of this age class are counted through the weir. However, those enumerated do count toward the escapement goal. The recent five-year average of age-1.1 fish is 2,103. In recent years, there has been an increase in the number of jacks counted at the weir, and efforts are underway to evaluate how this phenomenon could impact future production (Table 3).

The preliminary 2021 escapement estimate, including age-1.1 fish, was 18,524 (weir count minus estimated sport harvest above the weir of 150 fish), which is above the 18,000 fish upper bound of the escapement goal. The preliminary estimate of the 2021 Deshka River king salmon total run of fish age-1.2 – 1.4 is 16,530. The forecast estimate of total run for 2021 for these age classes was 11,464, a difference of 44%. For comparison, the average difference between the forecast total run and estimated total run, for years 1999 – 2021 was -12% (Table 4). The estimated 2021 total run was 33% less than the historical average run of 24,812 age 1.2 – 1.4 fish during the same timeframe.

The difference between the forecast and estimated total run in 2021 was driven by the return of 13,321 age-1.3 fish. It was noted in the 2021 forecast memo that the sibling model forecasted a return of 11,244 age-1.3 fish, much larger than the 4,852 fish predicted by the 5-year moving average. The smaller number predicted by the 5-year moving average was chosen in 2021 because it had the lowest MAD (2,762), but the sibling model had a MAD that was close at 3,027. The 2022 forecast for this age class is based on the sibling model which has the lowest MAD.

The 2015 brood year) return was completed with the 2021 run of age-1.4 fish. The 2015 brood year produced a total return of 6,421 king salmon (return per spawner = 0.27). This was less productive than the 2014 brood year, which had a return-per-spawner of 0.67.

There is considerable uncertainty in the total 2022 Deshka River king salmon forecast estimate. The models used for Deshka River king salmon tend to over-forecast the total run (Table 4). Total run was over-forecasted in 15 of 23 years and under-forecasted in 8 of 23 years. The forecast was within 5% of the estimated run in only 2 years (Table 4). The Deshka king salmon forecast has differed by 5% to -50% from the estimated run in the past ten years (-13% average).

The best way to consider this salmon forecast is in terms of 3 broad categories: approximately average run (within 25% of the historical average), below average run, or above average run. The 2022 forecast gives the expectation of a run in the below average run category (Table 4).

Distribution:

Anchorage: Tom Vania, Tim McKinley, Matt Miller, Jason Dye, Jay Baumer, Brittany Blaine-Roth, Bert Lewis, Jack Erickson, Aaron Poetter, Jim Hasbrouck, Sarah Webster, Bill Templin, Andrew Munro

Palmer: Samuel Ivey, Samantha Oslund, Johnathon Campbell, Adam St. Saviour, Dave Rutz

Homer: Mike Booz, Holly Dickson

Soldotna: Colton Lipka, Jenny Gates, Brian Marston, Robert Begich, Alyssa Frothingham, Adam Reimer, Robert DeCino

Juneau: Forrest Bowers, Tom Taube, Sam Rabung

Table 1. – Forecast king salmon abundance of major age classes and total run with 80% prediction interval (PI) for the Deshka River in 2022 using various models, and the relative performance of each model to the previous 5 years of runs as measured by mean absolute deviation (MAD) and mean absolute percent error (MAPE).

Model	Forecast 2022	Model chosen	5-year MAD	5-year MAPE
<b>Age 1.2</b>				
5-year moving average	2,514	*	3,151	1.57
Exponential smoothing	5,753		4,637	2.21
Univariate time series	4,587		3,631	1.71
Sibling	<sup>a</sup>			
Ricker	4,218		3,742	2.16
<b>Age 1.3</b>				
5-year moving average	5,222		4,359	1.38
Exponential smoothing	6,002		4,741	1.27
Univariate time series	12,805		5,810	1.85
Sibling	6,621	*	3,977	0.73
Ricker	9,970		6,087	2.08
<b>Age 1.4</b>				
5-year moving average	266		965	6.24
Exponential smoothing	197	*	502	3.55
Univariate time series	201		517	3.41
Sibling	385		555	3.34
Ricker	<sup>b</sup>			
Total forecast	9,332 (5,637 - 15,450 80% PI)			

<sup>a</sup>The sibling relationship between age 1.1 and 1.2 fish was insignificant.

<sup>b</sup>The Ricker model was insignificant (p-value > 0.05) age 1.4 fish.

Table 2. – Brief description of statistical models used in forecasting the Deshka River king salmon run for 2022.

Model	Description
5-year moving average	A moving average on the natural log of abundance in each age class.
Exponential smoothing	A weighted moving average on the natural log of abundance in each class.
Univariate time series	AutoRegressive Integrated Moving Average analysis on the natural log of abundance in each age class.
Sibling model	Regression between the natural logs of annual abundance in an age class and the most recent return of siblings from the same brood year.
Ricker Model	Ricker-style regression on the natural log of abundance for each age class.

Table 3. – Estimates of Deshka River king salmon by age class for years 1979 – 2021. All values for 2021 are preliminary until Statewide Harvest Survey estimates are available.

Run Year	Number per Age Class					Total Run	Total Run	Escapement
	1.1	1.2	1.3	1.4	1.5	age 1.2 - 1.4	all ages	all ages
1979	0	4,455	38,185	21,002	0	63,642	63,642	60,607
1980	0	3,915	19,967	15,269	0	39,151	39,151	35,096
1981	0	2,626	14,969	8,666	0	26,261	26,261	23,162
1982	0	5,472	18,940	18,098	0	42,510	42,510	37,222
1983	0	10,341	22,620	16,258	0	49,219	49,219	43,871
1984	0	7,681	21,235	16,265	0	45,180	45,180	39,054
1985	0	7,219	20,962	20,337	12	48,518	48,530	41,640
1986	17	18,532	22,480	15,206	46	56,218	56,281	47,657
1987	8	6,877	23,659	12,448	10	42,984	43,002	35,226
1988	494	6,175	12,809	30,545	1,002	49,529	51,025	43,795
1989	510	8,287	8,559	15,311	419	32,157	33,086	23,246
1990	451	8,320	21,394	19,134	155	48,848	49,454	41,671
1991	0	4,753	10,866	15,713	1	31,332	31,333	21,020
1992	3,036	5,733	8,811	10,437	10	24,980	28,026	20,248
1993	3	4,688	10,309	7,294	8	22,292	22,302	16,207
1994	5	1,753	4,620	4,338	102	10,711	10,817	9,832
1995	109	4,070	3,106	3,295	168	10,472	10,749	10,048
1996	11	7,098	5,562	2,007	0	14,667	14,678	14,349
1997	77	6,094	23,652	6,080	0	35,825	35,902	35,587
1998	0	10,682	15,639	10,351	116	36,672	36,788	36,310
1999	0	10,358	14,707	8,560	69	33,625	33,695	29,649
2000	2	4,514	32,807	4,261	0	41,581	41,583	33,965
2001	479	8,038	15,505	9,413	2	32,955	33,436	27,966
2002	534	8,853	18,865	5,272	0	32,991	33,525	28,535
2003	474	16,694	22,575	6,545	0	45,813	46,288	39,257
2004	662	11,916	43,691	9,930	0	65,536	66,198	56,659
2005	541	12,932	25,598	5,247	0	43,778	44,318	36,433
2006	0	8,729	21,153	8,493	0	38,375	38,375	29,922
2007	0	2,166	17,021	4,745	0	23,932	23,932	17,594
2008	0	1,565	3,796	4,635	0	9,996	9,996	7,284
2009	0	8,468	3,052	1,149	0	12,668	12,668	11,641
2010	196	4,573	15,288	1,895	0	21,756	21,952	18,223
2011	508	5,900	14,147	1,523	0	21,569	22,077	18,553
2012	659	8,674	4,117	2,416	0	15,207	15,866	13,952
2013	776	4,229	11,549	3,244	0	19,023	19,799	18,378
2014	1,536	6,996	7,035	2,157	0	16,188	17,724	16,099
2015	2,855	7,089	12,673	3,304	0	23,065	25,920	23,627
2016	4,029	10,858	8,701	1,750	0	21,310	25,339	22,099
2017	1,111	1,564	8,959	1,229	0	11,752	12,863	11,034
2018	3,401	2,180	3,052	87	0	5,319	8,720	8,549
2019	960	1,377	7,260	251	0	8,888	9,848	9,705
2020	2,148	7,053	1,468	286	0	8,807	10,955	10,638
2021	2,898	3,034	13,321	175	0	16,530	19,428	18,524

Table 4. – Accuracy of the Deshka River king salmon outlook for the three major age classes, 1999–2021.

Return year	Forecast run	Forecast category <sup>a</sup>	Estimated run	Forecast difference by major age class (forecast-estimated)					Relative difference
				Estimated run category <sup>a</sup>	Age 1.2	Age 1.3	Age 1.4	Overall effect	
1999	26,810	average	33,625	above	-4,421	-463	-1,931	underforecast	25%
2000	33,337	above	41,581	above	3,648	-17,550	5,657	underforecast	25%
2001	40,753	above	32,955	above	514	-5,693	12,976	overforecast	-19%
2002	43,805	above	32,991	above	983	5,625	4,207	overforecast	-25%
2003	41,041	above	45,813	above	-8,386	-782	4,395	underforecast	12%
2004	60,833	above	65,536	above	-2,383	-369	-1,952	underforecast	8%
2005	48,687	above	43,778	above	-4,587	3,133	6,364	overforecast	-10%
2006	49,071	above	38,375	above	-611	12,098	-791	overforecast	-22%
2007	37,007	above	23,932	average	6,601	4,188	2,286	overforecast	-35%
2008	20,268	average	9,996	below	6,375	1,931	1,967	overforecast	-51%
2009	20,593	average	12,668	below	1,059	4,161	2,704	overforecast	-38%
2010	30,775	average	21,756	average	4,959	3,059	1,001	overforecast	-29%
2011	21,080	average	21,569	average	401	-3,992	3,101	underforecast	2%
2012	21,665	average	15,207	below	-4,046	9,484	1,020	overforecast	-30%
2013	26,791	average	19,023	average	3,183	6,659	-2,073	overforecast	-29%
2014	19,063	average	16,188	below	-499	1,527	1,846	overforecast	-15%
2015	20,418	average	23,065	average	-862	-2,012	226	underforecast	13%
2016	24,638	average	21,310	average	-4,032	4,132	3,229	overforecast	-14%
2017	17,813	below	11,752	below	5,248	-560	1,373	overforecast	-34%
2018	10,595	below	5,319	below	4,725	-1,788	2,339	overforecast	-50%
2019	8,466	below	8,888	below	2,517	-3,736	797	underforecast	5%
2020	10,570	below	8,807	below	-3,970	5,838	-105	overforecast	-17%
2021	11,464	below	16,530	below	3,298	-8,469	105	underforecast	44%
Average relative difference, 1999-2021									-12%

<sup>a</sup>Average category is defined as within +/- 25% of the the 1999-2021 estimated run average of 24,812 age 1.2-1.4 fish.