

# **2008 Southeast Alaska Herring Spawn-On-Kelp Pound Fishery Management Plan**

by

**William Bergmann,**

**Justin Breese,**

**Eric Coonradt,**

**Scott Forbes,**

**Dave Gordon,**

**Dave Harris,**

**Bo Meredith,**

**Kevin Monagle,**

**Troy Thynes,**

**and**

**Scott Walker**

March 2008

---

---

Alaska Department of Fish and Game

Division of Commercial Fisheries



## Symbols and Abbreviations

The following symbols and abbreviations, and others approved for the *Système International d'Unités* (SI), are used without definition in the following reports by the Divisions of Sport Fish and of Commercial Fisheries: Fishery Manuscripts, Fishery Data Series Reports, Fishery Management Reports, Special Publications and the Division of Commercial Fisheries Regional Reports. All others, including deviations from definitions listed below, are noted in the text at first mention, as well as in the titles or footnotes of tables, and in figure or figure captions.

<b>Weights and measures (metric)</b>		<b>General</b>		<b>Measures (fisheries)</b>	
centimeter	cm	Alaska Administrative Code	AAC	fork length	FL
deciliter	dL	all commonly accepted abbreviations	e.g., Mr., Mrs., AM, PM, etc.	mid-eye-to-fork	MEF
gram	g	all commonly accepted professional titles	e.g., Dr., Ph.D., R.N., etc.	mid-eye-to-tail-fork	METF
hectare	ha	at	@	standard length	SL
kilogram	kg	compass directions:		total length	TL
kilometer	km	east	E		
liter	L	north	N	<b>Mathematics, statistics</b>	
meter	m	south	S	<i>all standard mathematical signs, symbols and abbreviations</i>	
milliliter	mL	west	W	alternate hypothesis	H <sub>A</sub>
millimeter	mm	copyright	©	base of natural logarithm	<i>e</i>
		corporate suffixes:		catch per unit effort	CPUE
		Company	Co.	coefficient of variation	CV
<b>Weights and measures (English)</b>		Corporation	Corp.	common test statistics	(F, t, $\chi^2$ , etc.)
cubic feet per second	ft <sup>3</sup> /s	Incorporated	Inc.	confidence interval	CI
foot	ft	Limited	Ltd.	correlation coefficient	
gallon	gal	District of Columbia	D.C.	(multiple)	R
inch	in	et alii (and others)	et al.	correlation coefficient	
mile	mi	et cetera (and so forth)	etc.	(simple)	r
nautical mile	nmi	exempli gratia	e.g.	covariance	cov
ounce	oz	(for example)		degree (angular)	°
pound	lb	Federal Information Code	FIC	degrees of freedom	df
quart	qt	id est (that is)	i.e.	expected value	<i>E</i>
yard	yd	latitude or longitude	lat. or long.	greater than	>
		monetary symbols		greater than or equal to	≥
		(U.S.)	\$, ¢	harvest per unit effort	HPUE
		months (tables and figures): first three letters	Jan, ..., Dec	less than	<
<b>Time and temperature</b>		registered trademark	®	less than or equal to	≤
day	d	trademark	™	logarithm (natural)	ln
degrees Celsius	°C	United States (adjective)	U.S.	logarithm (base 10)	log
degrees Fahrenheit	°F	United States of America (noun)	USA	logarithm (specify base)	log <sub>2</sub> , etc.
degrees kelvin	K	U.S.C.	United States Code	minute (angular)	'
hour	h	U.S. state	use two-letter abbreviations (e.g., AK, WA)	not significant	NS
minute	min			null hypothesis	H <sub>0</sub>
second	s			percent	%
				probability	P
<b>Physics and chemistry</b>				probability of a type I error (rejection of the null hypothesis when true)	$\alpha$
all atomic symbols				probability of a type II error (acceptance of the null hypothesis when false)	$\beta$
alternating current	AC			second (angular)	"
ampere	A			standard deviation	SD
calorie	cal			standard error	SE
direct current	DC			variance	
hertz	Hz			population	Var
horsepower	hp			sample	var
hydrogen ion activity (negative log of)	pH				
parts per million	ppm				
parts per thousand	ppt, ‰				
volts	V				
watts	W				

***REGIONAL INFORMATION REPORT NO. 1J08-08***

**2008 SOUTHEAST ALASKA HERRING  
SPAWN-ON-KELP POUND FISHERY MANAGEMENT PLAN**

by

Dave Gordon and Eric Coonradt

Alaska Department of Fish and Game, Division of Commercial Fisheries, Sitka

Kevin Monagle and Dave Harris

Alaska Department of Fish and Game, Division of Commercial Fisheries, Juneau

William Bergmann and Troy Thynes,

Alaska Department of Fish and Game, Division of Commercial Fisheries, Petersburg

Scott Walker, Justin Breese, and Bo Meredith

Alaska Department of Fish and Game, Division of Commercial Fisheries, Ketchikan

and

Scott Forbes

Alaska Department of Fish and Game, Division of Commercial Fisheries, Wrangell

Alaska Department of Fish and Game  
Division of Commercial Fisheries, Publications Section  
802 3rd, Douglas, Alaska, 99824-0020

March 2008

The Regional Information Report Series was established in 1987 and was redefined in 2007 to meet the Division of Commercial Fisheries regional need for publishing and archiving information such as project operational plans, area management plans, budgetary information, staff comments and opinions to Board of Fisheries proposals, interim or preliminary data and grant agency reports, special meeting or minor workshop results and other regional information not generally reported elsewhere. Reports in this series may contain raw data and preliminary results. Reports in this series receive varying degrees of regional, biometric and editorial review; information in this series may be subsequently finalized and published in a different department reporting series or in the formal literature. Please contact the author or the Division of Commercial Fisheries if in doubt of the level of review or preliminary nature of the data reported. Regional Information Reports are available through the Alaska State Library and on the Internet at: <http://www.sf.adfg.ak.us/statewide/divreprots/html/intersearch.cfm>.

*Dave Gordon and Eric Coonradt,  
Alaska Department of Fish and Game, Division of Commercial Fisheries,  
304 Lake St. Rm. 103  
Sitka, AK 99835 USA*

*Kevin Monagle and Dave Harris,  
Alaska Department of Fish and Game, Division of Commercial Fisheries,  
802 3<sup>rd</sup> St.,  
P.O. Box 110024, Juneau, AK. 99811-0024 USA*

*William Bergmann and Troy Thynes,  
Alaska Department of Fish and Game, Division of Commercial Fisheries,  
16 Sing Lee Alley, PO Box 667  
Petersburg, AK 99833 USA*

*Scott Walker, Justin Breese, and Bo Meredith,  
Alaska Department of Fish and Game, Division of Commercial Fisheries,  
2039 Sea level Drive Suite 205,  
Ketchikan, AK 99901, USA*

*And  
Scott Forbes,  
Alaska Department of Fish and Game, Division of Commercial Fisheries,  
215 Front St. PO Box 200,  
Wrangle, AK 99929, USA*

*This document should be cited as:*

*Gordon, Dave, E. Coonradt, K. Monagle, D. Harris, W. Bergmann, T. Thynes, S. Walker, J. Breese, B. Meredith, S. Forbes. 2008. Southeast Alaska Herring Spawn-On-Kelp Pound Fishery Management Plan. Alaska Department of Fish and Game, Regional Report Series No. 1J08-08, Douglas, Alaska.*

The Alaska Department of Fish and Game (ADF&G) administers all programs and activities free from discrimination based on race, color, national origin, age, sex, religion, marital status, pregnancy, parenthood, or disability. The department administers all programs and activities in compliance with Title VI of the Civil Rights Act of 1964, Section 504 of the Rehabilitation Act of 1973, Title II of the Americans with Disabilities Act (ADA) of 1990, the Age Discrimination Act of 1975, and Title IX of the Education Amendments of 1972.

**If you believe you have been discriminated against in any program, activity, or facility please write:**

ADF&G ADA Coordinator, P.O. Box 115526, Juneau AK 99811-5526

U.S. Fish and Wildlife Service, 4040 N. Fairfax Drive, Suite 300 Webb, Arlington VA 22203

Office of Equal Opportunity, U.S. Department of the Interior, Washington DC 20240

**The department's ADA Coordinator can be reached via phone at the following numbers:**

(VOICE) 907-465-6077, (Statewide Telecommunication Device for the Deaf) 1-800-478-3648, (Juneau TDD) 907-465-3646, or (FAX) 907-465-6078

**For information on alternative formats and questions on this publication, please contact:**

ADF&G, Sport Fish Division, Research and Technical Services, 333 Raspberry Road, Anchorage AK 99518 (907)267-2375.

# TABLE OF CONTENTS

	<b>Page</b>
LIST OF TABLES.....	iii
LIST OF FIGURES.....	iii
ABSTRACT.....	4
INTRODUCTION.....	4
HERRING STOCK STATUS AND HISTORIC FISHERY PERFORMANCE.....	5
Methods Of Forecasting Herring Biomass.....	5
Craig-Klawock (Section 3-B).....	5
Ernest Sound (District 7).....	6
Tenakee Inlet (Section 12-A).....	7
Hoonah Sound (Section 13-C).....	8
CALENDAR OF EVENTS.....	9
REGULATIONS.....	10
General Spawn-On-Kelp Regulations.....	10
Definition Of A Closed Pound.....	10
Herring Pound Marking Requirements.....	10
Placement And Release Of Herring In Pounds.....	10
Connection Of Herring Pounds.....	11
Units Of Gear.....	11
Presence Of Permit Holders Required.....	12
Post Harvest Requirements.....	12
Harvest And Production.....	12
Requirements For Buyers.....	12
Other Regulations.....	12
Section 3-B Regulations.....	13
Open Waters.....	13
Closed Waters.....	13
Kelp Allocation.....	13
District 7 Regulations.....	13
Open Waters.....	13
Kelp Allocation.....	14
Section 12-A Regulations.....	14
Section 13-C Regulations.....	14
Open Waters.....	14
Kelp Allocation.....	14

EXPERIMENTAL GEAR PERMITS .....	15
HARVEST AND ALLOCATION OF KELP FOR 2008.....	15
FISHERY CONDUCT AND MANAGEMENT .....	16
OTHER AGENCY REQUIREMENTS.....	17
Alaska Department Of Natural Resources.....	18
U.S. Forest Service .....	18
U.S. National Marine Fisheries Service.....	18
U.S. Coast Guard.....	18
Private Lands .....	18
LIST OF MANAGEMENT CONTACTS.....	19
TABLES AND FIGURES .....	20

## LIST OF TABLES

<b>Table</b>	<b>Page</b>
Table 1.–Craig/Klawock stock size and winter food and bait harvests, 1987–2007.....	21
Table 2.–Craig/Klawock herring spawn-on-kelp fishery summary, 1992–1999.....	22
Table 3.–Craig/Klawock herring spawn-on-kelp fishery summary, 2000–2007.....	23
Table 4.–A comparison of Craig and Ernest Sound herring spawning dates for years 1992-2007. Black bar indicates dates of active spawning. ....	24
Table 5.–Ernest Sound miles of spawn stock size and harvest, 1969-2007.....	25
Table 6.–Tenakee Inlet herring spawn deposition timing, location, biomass estimates, and food & bait harvests. ....	27
Table 7.–A comparison of Hoonah Sound and Tenakee Inlet herring spawn dates for year 1993-2007. Black bar indicates dates of actual spawn.....	28
Table 8.–Tenakee Inlet herring spawn-on-kelp fishery summary, 2003–2005.....	29
Table 9.–Hoonah Sound herring spawning stock and fishery performance, 1971–2007.....	30
Table 10.–Percent-at-age composition of spawning Hoonah Sound herring, 1991–2007 and forecast age structure for 2008. ....	31
Table 11.–Hoonah Sound herring spawn-on-kelp fishery summary, 1990–2007.....	32

## LIST OF FIGURES

<b>Figure</b>	<b>Page</b>
Figure 1.–Open area for Craig/Klawock pound fishery (Section 3-B). ....	33
Figure 2.–Open area line for the district 7 Earnest Sound pound fishery. ....	34
Figure 3.–Areas open (dark shade) to spawn-on-kelp fishery in Hoonah Sound and Tenakee Inlet. ....	35
Figure 4.–Diagram of a herring pound showing two alternatives methods of marking herring pounds. New regulations require vertical signs with the permit holder’s first and last name and five-digit CFEC permit number (5 AAC 27.185(k)). Letters and numbers must be at least six inches high and at least one-half inch wide and must contrast with the background. ....	36
Figure 5.–Coast Guard Requirements for marking pounds. ....	37
Figure 6.–Private lands in the Craig/Klawock area. ....	38

## ABSTRACT

This plan provides an overview of the management approach and regulations for the 2008 herring spawn-on-kelp pound fisheries in Southeast Alaska. Spawn-on-kelp pound fisheries will occur in Craig-Klawock, Ernest Sound, and Hoonah Sound in 2008. Staff biologists listed at the end of this document are available to answer questions regarding this plan. Pound operators are also advised to review the section of this plan that describes requirements of other agencies.

Key words: herring, herring pound, *Macrocystis* kelp allocation, management plan, spawn on kelp.

## INTRODUCTION

This plan provides an overview of the 2008 management approach, permit requirements, and regulations for the Southeast Alaska spawn-on-kelp fisheries. 5 AAC 27.185 MANAGEMENT PLAN FOR HERRING SPAWN ON KELP IN SOUTHEASTERN ALASKA establishes the regulatory framework for the Southeast Alaska spawn-on-kelp fisheries and provides for fisheries in Sections 3-B (Craig/Klawock), 12-A (Tenakee Inlet), and 13-C (Hoonah Sound), and in District 7 (Ernest Sound).

In 2008, the guideline harvest level (GHL) available to the spawn-on-kelp fishery in Craig/Klawock will be available in early March due to the ongoing winter food and bait fishery which will close on February 29. The GHL for the Craig area is 14,213 tons, 40% or 778 tons is allocated to the spawn-on-kelp fisheries plus any unharvested portion of the winter food and bait quota. It is anticipated that the remaining GHL will be greater than 1,000 tons and the maximum kelp allocation will be allowed. Ernest Sound will have a GHL available to the spawn-on-kelp fishery derived from subtracting the winter food and bait harvest from the total GHL of 1,382 tons. The total GHL was based on a forecast of 9,060 tons. The spawn-on-kelp GHL will be known in early March as the food and bait fishery closes on February 29. It is anticipated that the remaining GHL will be greater than 700 tons and will therefore allow for the maximum kelp allocation per permit holder. Hoonah Sound has a GHL of 2,238 tons based on a forecast of 11,191 tons which will allow for the maximum kelp allocation. There will be no winter food and bait, or spawn on kelp fisheries in Tenakee Inlet in 2008. Although adequate data was collected in 2007 to generate a forecast, this was not done due to constraints on staff time. The determination not to prosecute a fishery was based on the continuous decline in spawn deposition estimates from 2005 to 2007, estimates from the 2006 forecast ASA model run that indicate the Tenakee herring population has been decreasing since 1998, and the fact that the 2006 forecast was below threshold

A *closed-pound-fishery* involves releasing sexually mature herring into a net impoundment in which kelp is suspended. The herring are released from the pound after they spawn on the kelp, and the kelp with eggs is then sold. An *open-pound-fishery* involves suspending kelp from a floating frame structure in an area where herring are spawning. The herring are not impounded by a net but instead are allowed to naturally spawn on the suspended kelp. The kelp blades with eggs are removed from the water then sold.

In the Southeast Alaska herring spawn-on-kelp fisheries, a closed or an open pound may be operated by one or more Commercial Fisheries Entry Commission (CFEC) permit holders. To reduce the amount of gear on the fishing grounds and the associated handling and impoundment of herring, the Alaska Department of Fish and Game (ADF&G) has provided an incentive to

multiple permit pound operators by giving them a larger allocation of *Macrocystis* blades or fronds.

The Alaska Board of Fisheries made a finding that the use of test fish revenues to develop new commercial herring fisheries is consistent with the ADF&G Division of Commercial Fisheries Test Fishery Policy. The department conducted closed pound spawn-on-kelp test fisheries in 2003, 2004 and 2005. In 2006 and 2007 carry-over test fish revenues and budget allocations have provided adequate funding and no test fisheries occurred. In 2008 a test fishery is planned to support both the Hoonah Sound and the Ernest Sound fisheries.

## **HERRING STOCK STATUS AND HISTORIC FISHERY PERFORMANCE**

### **METHODS OF FORECASTING HERRING BIOMASS**

The Biomass Accounting (BA) method of forecasting has been used to determine the 2008 season's GHL in Hoonah Sound and Ernest Sound. The BA method uses the most recent year's spawn deposition estimate of eggs, the age composition of the spawning biomass, and weights-at-age to project the following year's return of mature herring. The Hoonah Sound projection uses the estimated survival and maturity estimates from the age-structured analyses (ASA) for the nearby Sitka Sound herring stock. A median historical level of recruitment of age-3 herring specific to Hoonah Sound is also applied to forecast biomass.

This BA method is unlike the ASA method used for forecasting herring biomass for several of the larger stocks in Southeast Alaska, including Craig/Klawock and Tenakee Inlet. The ASA method also uses the spawn deposition estimate of the eggs and the age composition to project the following year's return of mature herring. However, the ASA model calculates survival and maturation rates specific to the spawning stock. The ASA model utilizes a long time series of spawn deposition and age composition information to provide an estimate of the most recent biomass, from which the forecast biomass for the next year is determined. The department will continue to consider converting to use of the preferred ASA method for forecasting once there is an adequate time series of data to do so.

Once a forecast of the season's biomass is calculated, a sliding harvest rate formula allows for a harvest rate of between 10 and 20% of the forecast of mature spawning biomass. When the spawning biomass forecast for an area equals the threshold, the exploitation rate is 10% of the estimated spawning biomass. For each incremental increase in the spawning biomass equal to the threshold, the exploitation rate increases by 2%.

### **CRAIG-KLAWOCK (SECTION 3-B)**

Winter food and bait herring fisheries have occurred in Section 3-B (in the Meares Passage and Bocas de Finas area) since the 1960s. Seasonal landings from the 1960s through 1985 were small, averaging approximately 210 tons. From the start of the herring spawn-on-kelp fishery in 1992, the Craig/Klawock herring GHLs have averaged 1,281 tons, ranging from a high of 2,684 tons in 1992 to a low of 626 tons in 2000 (Table 1). Fishing effort, harvest, spawning dates, fishery dates, and product values are summarized in Tables 2 and 3.

Annual harvest levels are based on a graduated scale that allows for higher harvest rates as the herring population increases relative to the threshold level. No harvest is allowed if the biomass estimate for the stock is less than the threshold level. The established threshold level for the

Craig/Klawock stock is 5,000 tons. The 2008 forecast for the Craig area is 14,213 tons. The allowable 13.7% harvest rate will allow a combined quota of 1,945 tons for the winter food and bait and the spawn-on-kelp fisheries. The age class structure is anticipated to be predominantly older age herring, including 21% of age 6, 18% of age 7 and 41% of age 8+.

The GHL for the Section 3B stock is allocated between both the winter food and bait fishery and the herring spawn-on-kelp fishery. Initially, the GHL allocation was 85% for the winter food and bait fishery and 15% for the spawn-on-kelp fishery. In 1998 the allocation was modified so that the winter food and bait fishery is allocated 60% of the GHL with the remaining 40% going to the herring spawn-on-kelp fishery. Therefore, for the 2008 season, the GHL for the winter food and bait fishery was 1,167 tons, and the GHL for the spawn-on-kelp fishery will be 778 tons plus the remainder of the winter food and bait fishery GHL. The preliminary winter food and bait harvest is confidential. Since the 2008 herring allocation for the Section 3-B spawn-on-kelp fishery is expected to be more than 1,000 tons, the *Macrocystis* kelp allocation will be at the highest end of the allocation range.

Herring spawning normally occurs in the Craig/Klawock area between mid March and early April. The earliest spawning observed since the mid-1970s was March 9 and the latest date of initial spawning occurred April 9, 2005. Historical spawn timing between Craig and Ernest Sound are summarized in Table 4. Traditionally, herring spawn on Fish Egg, Wadleigh, Clam, and Abbess Islands. However, spawning has also been recorded in the area of Portillo Channel, Port Real Marina, the northern and southern shore of San Fernando Island, San Juan Bautista Island, near Blanquizal Island, and along the Prince of Wales Island shore at San Christoval Channel and Shinaku Inlet. Figure 1. shows the open area for the Craig/Klawock spawn-on-kelp fishery.

### **ERNEST SOUND (DISTRICT 7)**

Winter food and bait herring fisheries have occurred intermittently in District 7 at Deer Island and other locations since 1969. The major fishery in the district was always at Deer Island and it occurred throughout the 1970s with average season landings of around 500 tons. The fishery was then closed until the 1992–93 season. From 1992–93 until 1998–99, the fishery was open five seasons and on average less than 25% of the available GHL was taken annually with an average season landing of 88 tons. The inaugural Ernest Sound spawn-on-kelp fishery occurred in the Spring of 2004 and the 2007–08 season will bring the second Ernest Sound herring spawn-on-kelp fishery. Historical fishing effort, harvest, spawning, and fishery dates, are summarized in Table 5.

In 2004, the spawn-on-kelp GHL was 700 tons which allowed for the maximum kelp allocation. The total harvest of spawn-on-kelp product was 112,286 pounds (56.14 tons) split amongst 64 permit holders. Types of pounds fished included 51 single-closed, 6 double-closed, and one single-open. Spawning activity was concentrated around Vixen Point, as it has been for the last five seasons, and most pounds were set up south of Vixen Point. The fishery opened to seining on April 1 and closed to seining on April 22. Fishing occurred from April 10 to April 14, and harvesting occurred from April 14 to April 17. The average price was \$4.45/pound for a total exvessel value of \$514,912.

The Board of Fisheries created the Ernest Sound spawn-on-kelp pound fishery in January of 2003. The fishery is similar to several other herring fisheries in that it is based upon the portion of the GHL that is remaining after the herring bait fisheries occur. The Board also created a

herring bait pound fishery that is allocated 10% of the GHL. The 2007–2008 winter food and bait fishery guideline harvest level is 1,244 tons and the herring bait pound fishery is 138 tons. Any non-harvested herring in the winter bait fishery and any unallocated herring from the bait pound fishery after March 15 will be allocated to the spawn-on-kelp fishery. At that time the final GHL for the spawn-on-kelp fishery will be announced. It is expected that the winter bait fishery will harvest between 100 and 150 tons. The winter bait fishery closes on February 29, 2008.

The established threshold level for the Ernest Sound stock is 2,500 tons. No harvest is allowed if the biomass estimate for the stock is less than the threshold level. The harvest rate is allowed to increase from 10% at the threshold level to a maximum of 20%. The 2008 forecast for Ernest Sound is 9,060 tons. The allowable 15.2% harvest rate results in a combined quota of 1,382 tons for the bait and spawn-on-kelp fisheries. The strong return of age-4 and age-5 fish contributed greatly to the estimated 2007 spawning population. The expected age structure for 2008 is 1% age-3, 3% age-4, 52% age-5, 29% age-6, 8% age-7, and 7% age-8+.

Herring spawning normally occurs in Ernest Sound in early to mid April. The earliest observed spawn since 1991 was April 5 and the latest date of initial spawning was April 26. Traditionally, herring spawn along the Cleveland Peninsula shoreline between Union Bay and Emerald Bay. However, spawning has also been recorded north of Point Eaton and south to Ship Island. Figure 2 shows the open area for the Ernest Sound spawn-on-kelp fishery.

### **TENAKEE INLET (SECTION 12-A)**

The Tenakee Inlet stock has been utilized for the winter food and bait fishery since the 1978/1979 season. The GHL for the winter food and bait fishery in Tenakee Inlet during years with fisheries has ranged from a low of 200 tons in 1978/1979 to a peak of 1,700 tons in 1985/1986 (Table 6).

ADF&G has been conducting aerial surveys in Tenakee Inlet since the early 1970s to define herring spawn deposition areas and to estimate the total miles of spawn to provide an indication of herring stock size or biomass. Aerial surveys were supplemented with hydroacoustic surveys from 1979 through 1986 to provide a more refined estimate of the biomass of Tenakee Inlet herring. Starting in the spring of 1987, spawn-deposition dive surveys were routinely used, in addition to aerial surveys, as the most reliable and accurate means to assess the spawning biomass.

In the early to mid-1990s, the Tenakee Inlet herring stock was at a depressed level due to a period of low recruitment beginning in 1988. It was not until 1996 that a strong recruitment of three-year-old herring entered into the population boosting the ASA estimated biomass to approximately 6,000 tons, up from 400 tons the previous year. The ASA estimated biomass peaked in 1998 at approximately 13,000 tons and has since declined to less than an estimated 3,000 tons following a number of years of declining recruitment.

Lack of sufficient data prevented the department from generating a meaningful forecast for 2007. Although adequate data were obtained in 2007, an ASA model forecast was not generated for 2008 due to constraints on staff time. The decision not to prosecute herring fisheries in Tenakee Inlet in 2008 was based on the declining spawn deposition estimate from 2005 to 2007 (the 2007 estimate was 65% of the 2006 estimate and 57% of the 2005 estimate), estimates from the 2006 forecast ASA model run that indicate that the Tenakee herring population has been decreasing

since 1998, and the fact that the 2006 forecast was below threshold. After careful deliberation of available data it was decided that conservation of the resource is of primary importance, and there will be no commercial herring fisheries on the Tenakee Inlet stock in the 2007–2008 season.

Spawning in Tenakee Inlet has generally occurred between the last week in April and the first week in May (Tables 6 and 7). During the 1970s through the late 1980s, herring primarily spawned along the south shoreline of Tenakee Inlet between Saltery Bay and Trap Bay. The most frequented spawning grounds were along the east and west shorelines of Kadashan Bay. During the spring of 1989, aerial surveys revealed that herring had spawned in the East Point and Wachusett Cove areas north of Tenakee Inlet. Additional herring spawn was observed south of Tenakee Inlet between South Passage Point and Basket Bay. This was the first time herring had been recorded spawning in areas other than their more traditional spawning grounds inside Tenakee Inlet. The spring of 1996 was the only season that significant spawning was recorded on the north shore of Tenakee Inlet. That spawn occurred between Tenakee Springs and Cannery Point. A total of 18.1 nautical miles of spawn occurred during the spring of 1996.

From 1998 through 2007, spawning has occurred inside Tenakee Inlet along its southern shoreline from Saltery Bay to South Passage Point and on the Chatham Strait shoreline south of South Passage Point. Significant spawning has occurred between South Passage Point and Basket Bay six of the past ten seasons (1998–2007). In 2000 all of the spawn occurred between South Passage Point and Peninsular Point. A total of 4.4 nautical miles of shoreline was mapped as receiving herring spawn in spring 2007. Spawning inside Tenakee Inlet occurred discontinuously from Crab Bay to Corner Bay.

Regulations adopted by the Alaska Board of Fisheries (BOF) in January 2003 provide for a spawn-on-kelp fishery in Tenakee Inlet. That fishery occurred for the first time in April 2003 with 55 participants. The second Tenakee Inlet fishery occurred in 2004 with 85 participants. In 2005, 98 permit holders participated. Because the Tenakee Inlet stock was below threshold in 2007, no commercial herring fisheries occurred. Summary results of the Tenakee Inlet spawn-on-kelp fisheries are presented in Table 8.

### **HOONAH SOUND (SECTION 13-C)**

Since the department first monitored the population in 1971, the Hoonah Sound herring spawning stock has averaged 7.5 nautical miles of spawn and 3,143 tons of spawning biomass. Since 1990, the year the spawn-on-kelp fishery started, the stock has averaged 11.3 nautical miles of spawn and 5,156 tons of spawning biomass (Table 9). The highest recorded spawning biomass occurred in 2007 with an estimated 10,946 tons. The pre-fishery biomass in 2008 is forecast at 11,191 tons. In 2007, approximately 16.5 nautical miles of spawn were observed from April 26 through May 2. Age composition of the 2007 spawning herring was 1% age-3, 12% age-4, 29% age-5, 26% age-6, 12% age-7, and 22% age-8+ (Table 10).

Based on spawning-age structure and biomass in 2008, the BA forecast for Hoonah Sound in 2007 is 11,191 tons. This forecast is well above the threshold or minimum amount of herring spawning biomass of 1,000 tons necessary for a fishery. The GHL for 2008 is 2,238 tons based on a 20.0% harvest rate. The expected age structure for 2008 is 1% age-3, 1% age-4, 18% age-5, 31% age-6, 23% age-7, and 26% ages-8+ (Table 10).

Herring spawning normally occurs in Hoonah Sound during the last two weeks of April. The earliest recorded spawning occurred on April 13, 1990, and the latest recorded spawning was on May 17, 1971. During the 2007 season, spawning occurred from April 26 through May 2. Comparative spawn timing for Hoonah Sound is shown in Table 7. Traditionally, spawning occurs in Hoonah Sound around Vixen and Emmons Islands and the shoreline from Fick Cove to Ushk Point. Spawning has also been observed in Peril Strait along the Chichagof Island shoreline from Finger River to Broad Island, at False Island, and along the Baranof Island shoreline from Nismeni Point to Point Benham. The open fishing area for Hoonah Sound is shown in Figure 3.

In Hoonah Sound during the 2007 season, a total of 91 permit-holders reported landings totaling 318,745 pounds (159.4 tons) of spawn on kelp (Table 11). The average price was \$14.09/pound for a total exvessel value of \$4,491,070.

## CALENDAR OF EVENTS

The following is a calendar of events to be considered by pound operators for the 2008 fishing season.

- |                      |  |
|----------------------|--|
| November 9           | News Release announcing the 2008 Craig and Ernest Sound GHGs and notice is given that Tenakee Inlet is below threshold.  |
| December 13          | News Release announcing the 2008 Hoonah Sound GHG of 2,238 tons.   |
| No Specific Deadline | U.S. Forest Service special-use permit applications (for use of National Forest land above mean high tide) must be submitted to obtain a special-use permit. Special-use permits are required to camp or store gear on National Forest land in conjunction with this fishery. Please contact the USFS directly for applications at (907) 747-4220. |
| February 29          | 2008 spawn-on-kelp Pound Fisheries Management Plan available at all Southeast Alaska area offices.   |
| March 5              | Kelp permits will be available at department area offices; ADF&G will issue a news release announcing the actual harvest of the bait herring fisheries and kelp allocation for Craig/Klawock.  |
| March 17             | The Craig/Klawock fishery will be open to seining of herring for placement in pounds effective 12:00 noon.   |
| April 1              | The Ernest Sound fishery will open to seining of herring for placement in pounds effective 12:00 noon.   |
| April 6              | The Hoonah Sound fishery will open to seining of herring for placement in pounds effective 12:00 noon.   |
| May 31               | Pounds must be completely removed from the waters of the herring pound fishing area in Section 3-B and in District 7. This includes the area covered by extreme high tide.   |
| June 10              | Pounds must be completely removed from the waters of the herring pound fishing area in Section 13-C. This includes the area covered by extreme high tide.  |

# REGULATIONS

## GENERAL SPAWN-ON-KELP REGULATIONS

The regulatory framework for the spawn-on-kelp fishery is found in 5 AAC 27.185. MANAGEMENT PLAN FOR HERRING SPAWN ON KELP IN POUNDS IN SECTIONS 3-B, 12-A, AND 13-C, AND DISTRICT 7. The Alaska Board of Fisheries met in Ketchikan in January 2006 and adopted several regulatory changes to the management plan including changes to the kelp allocation, the definition of a closed pound, pound marking requirements, and requirements for maintaining the egg-covered webbing in its original configuration after the fishery. These regulations will be in effect for the 2008 season.

### Definition Of A Closed Pound

A *closed-pound* is defined as a single, floating, rectangular frame structure with suspended webbing that is used to enclose herring for a period of time in order to produce spawn-on-kelp. The webbing of a closed pound may not have a mesh size of more than one and one-half inches. The opening of the closed pound must be rectangular at the water surface and may not exceed 800 square feet in area. Neither the vertical wall nor the near-vertical wall may exceed a depth below the water surface when the pound contains herring as follows:

<u>Surface square footage</u>	<u>Maximum depth</u>
Less than 400	30 feet
401–500	24 feet
501–600	20 feet
601–700	17 feet
<u>701–800</u>	<u>15 feet</u>

The former requirement to “maintain six feet of surplus webbing gathered at the surface that may be lowered into the water when submerged webbing becomes saturated with eggs” has been removed from regulations.

### Herring Pound Marking Requirements

Permit holders are required to mark the pound with a sign that has on it the permit holder's first and last name and the five-digit CFEC permit number. The sign must be vertical and the markings must be clearly visible and above the surface of the water at all times (Figure 4). The sign must be left on the pound structure or the net support system the entire time any part of the pound system is in the water.

All lines or structures used to suspend kelp must have legible tags affixed above the water surface that state the number of blades or fronds on that line or structure along with the permit holder's first and last name. In a multiple permit pound, each permit holder must keep their kelp on lines or structures separate from lines or structures that support kelp belonging to other permit holders.

### Placement And Release Of Herring In Pounds

Herring may be placed in or added to a pound for four days starting with the initial placement of herring in a pound. After 11:59 p.m. on the fourth day, no additional herring may be added to the

pound (5 AAC 27.185 (q)) and those herring in the pound must be released by 11:59 p.m. on the sixth day after the initial placement of herring in a pound (5 AAC 27.185 (s)). Under 5 AAC 27.185 (s) the “*first day*” is defined as the day herring are first placed into a pound. The “*first day*” under 5 AAC 27.185 (q), though not specifically defined, will be enforced as the day that herring are first put into the pound. Once herring have been released or spawn-on-kelp product has been harvested no additional herring or kelp may be introduced into a pound (5 AAC 27.185 (q)). When releasing herring at least one full side of the pound's webbing must be lowered a minimum of six feet below the surface of the water (5 AAC 27.185 (s)). These regulations are fundamental to the health of the herring spawning stocks and, along with gear size and kelp allocation limits, provide for sustainable use by limiting the harvest of herring by the fishery. Fishermen must take responsibility to ensure that when adding herring to a pound that herring are not at the same time swimming out of the pound as this would be a violation of 5 AAC 27.185 (q).

### **Connection Of Herring Pounds**

After the last herring has been placed into the pounds and the permit holders have notified a department representative, two pounds of two or more permit holders may drop a wall of their respective pounds to allow herring to swim between two connected pounds. Additional herring may not be transferred into the pounds once the two of them are joined. This does not change the definition of pounds as found in 5 AAC 27.130. **LAWFUL GEAR FOR SOUTHEASTERN ALASKA AREA.** (e)(1) which states that webbing of a closed pound may not be part of the webbing of another closed pound. Therefore, after fishing operations have ended two pounds may be joined, but they must remain up to that point a single unit of gear. If two pounds are joined the regulation that allows for retention of herring for six days will be enforced on the pound which first had herring placed into the structure. Under this regulation only two pounds can be joined together.

### **Units Of Gear**

For the purpose of this fishery, a closed pound is considered to be *fishing* once herring have been introduced into the closed pound structure; a closed pound is considered to have *stopped fishing* once all of the herring have been released and all spawn-on-kelp product has been removed from the closed pound structure. For the purpose of this fishery, an open pound is considered to be *fishing* once kelp has been attached to the open pound structure; an open pound is considered to have *stopped fishing* once the entire spawn-on-kelp product has been removed from the open pound structure.

The Northern Southeast Alaska area includes Sections 12-A and 13-C and the Southern Southeast Alaska area includes Section 3-B and District 7. Since Northern and Southern Southeast Alaska have different limited entry permits a permit holder may have gear in the water in both areas but a permit holder must still be physically present at those times that the pound is actively fished as defined in 5 AAC 27.185. While the permit holder may have gear in both the Northern area and the Southern area at the same time, they may not fish multiple units of gear in either area.

## **Presence Of Permit Holders Required**

A permit holder must be physically present at the permit holder's pound site during the operation of the pound as defined in sections (o) and (p) of 5 AAC 27.185 MANAGEMENT PLAN FOR HERRING SPAWN ON KELP IN POUNDS IN SOUTHEASTERN ALASKA AREA.

## **Post Harvest Requirements**

After a permit holder releases herring and harvests product from the pound, the permit holder must maintain the webbing in place for at least four weeks. To optimize hatching success, the permit holder must position egg-covered webbing in the original size and configuration of the pound structure with adequate water circulation on all sides. The webbing support system must be above the surface of the water and clearly marked as per 5 AAC 27.185 (k).

## **Harvest And Production**

Each permit holder's spawn-on-kelp blades must remain separate from other permit holder's spawn-on-kelp blades until after processing and grading is completed. Permit holders will be allowed to harvest all spawn on kelp produced in their pounds. A permit holder's fish ticket must report only the spawn on kelp they harvested from their pound. Each permit holder fishing a jointly operated pound shall be issued a fish ticket and the sum of the weights of those tickets shall equal the total weight of product produced in the jointly operated pound. All permit holders and any vessel carrying commercial spawn-on-kelp product from the fishing grounds must first contact the ADF&G with the estimated amount of spawn-on-kelp product harvested and indicate the intended time and location of the delivery. For any product that has been delivered on the grounds to a licensed processor, the processor (not the permit holder) will be required to contact the department with delivery weight for each landing on board.

## **Requirements For Buyers**

Reporting requirements for buyers and processors of spawn-on-kelp product from Southeast Alaska spawn-on-kelp fisheries can be found in 5 AAC 27.187 BUYER AND PROCESSORS REPORTING REQUIREMENTS FOR SPAWN ON KELP IN POUNDS FOR THE SOUTHEASTERN ALASKA AREA. Buyers, processors, and permit holders should read and become familiar with these reporting requirements.

Operators of floating processing vessels, tender vessels, and catcher-processors will be required to report in person, by VHF radio, or by telephone, to the Department of Fish and Game office or directly to department area management biologists on the grounds before the start of processing operations in Southeast Alaska. These reporting requirements are specified by regulation 5 AAC 39.130 (f) and (g).

## **Other Regulations**

Additional regulations pertaining to the Craig, Ernest Sound, Hoonah Sound and Tenakee Inlet pound fisheries can be found in the 2007–2008 Commercial Herring Fishing Regulations booklet under CHAPTER 27, ARTICLE 4, SOUTHEAST ALASKA AREA under the following sections: 5 AAC 27.110 FISHING SEASONS FOR SOUTHEASTERN ALASKA AREA(f), 5 AAC 27.130 LAWFUL GEAR FOR SOUTHEASTERN ALASKA AREA(d), and (e), and 5 AAC 27.185 MANAGEMENT PLAN FOR HERRING SPAWN ON KELP IN POUNDS(a) through (x), and 5 AAC 27.187 BUYER AND PROCESSORS REPORTING REQUIREMENTS FOR SPAWN ON KELP IN POUNDS FOR THE SOUTHEASTERN

ALASKA AREA. Harvesting requirements for *Macrocystis* kelp are found in 5 AAC 37.100 PERMITS. AND 5 AAC 37.300 HARVESTING REQUIREMENTS FOR MACROCYSTIS.

It is the responsibility of permit holders to carefully review and follow these regulations.

### SECTION 3-B REGULATIONS

#### Open Waters

The open waters for Section 3-B include: the waters of San Alberto Bay, Shinaku Inlet and San Christoval Channel north of a line from Entrance Point to the southernmost tip of Clam Island to the southernmost tip of Fern Point and East of 133° 20' W. longitude (Figure 1).

In Section 3-B (Craig/Klawock) herring may be captured for placement in closed pounds starting at 12:00 noon on March 17, 2008 until closed by emergency order.

#### Closed Waters

In Section 3-B certain areas are closed to the operation of herring pounds and seines for taking of herring for placement in pounds. Those areas are shown in Figure 1 and include:

- Klawock Inlet and Big Salt Lake
- Those waters of San Christoval Channel in the main channel enclosed by a line from 55° 35.62' N. latitude, 133° 20' W longitude to 55° 35.17' N. latitude, 133° 20' W longitude to 55° 33.37' N. latitude, 133° 17.52' W. longitude to 55° 33.50' N. latitude, 133° 17.28' W. longitude.
- Those waters of Fish Egg and Ballena Islands south of 55° 31' N. latitude and north of the southernmost tip of Cape Suspiro and east of the longitude of Ballena Island Shoal Light.

#### Kelp Allocation

In section 3-B the kelp allocation for the spawn-on-kelp pound fishery is as follows:

Guideline Harvest Range for Herring (tons)	Single Permit Closed Pounds	Double-Permit Closed Pounds	Triple-Permit Closed Pounds	Single Permit Open Pounds	Multiple Permit Open Pounds
200–599	200 blades	400 blades	550 blades	100 fronds or 1,000 blades	300 fronds or 3,000 blades
600 –799	300 blades	450 blades	675 blades	150 fronds or 1,500 blades	450 fronds or 4,500 blades
800 – 999	400 blades	600 blades	900 blades	200 fronds or 2,000 blades	600 fronds or 6,000 blades
1,000 or more	600 blades	750 blades	1,125 blades	250 fronds or 2,500 blades	750 fronds or 7,500 blades

### DISTRICT 7 REGULATIONS

#### Open Waters

The waters open for the District 7 (Ernest Sound) fishery include: the waters of Ernest Sound east of a line from Point Eaton to Lemesurier Point (Figure 2).

## Kelp Allocation

In District 7, the kelp allocation for the spawn-on-kelp pound fishery is as follows:

Guideline Harvest Range for Herring (tons)	Single Permit Closed Pounds	Double-Permit Closed Pounds	Triple-Permit Closed Pounds	Single Permit Open Pounds	Multiple Permit Open Pounds
50 – 99	None	None	None	100 fronds or 1,000 blades	300 fronds or 3,000 blades
100 –299	200 blades	400 blades	500 blades	150 fronds or 1,500 blades	450 fronds or 4,500 blades
300 – 499	300 blades	500 blades	500 blades	200 fronds or 2,000 blades	600 fronds or 6,000 blades
500 – 699	400 blades	500 blades	500 blades	250 fronds or 2,500 blades	750 fronds or 7,500 blades
700 or more	1,000 blades	2,000 blades	1,000 blades	250 fronds or 2,500 blades	750 fronds or 7,500 blades

## SECTION 12-A REGULATIONS

The forecast return of mature herring for Section 12-A (Tenakee Inlet) in the spring of 2008 is below the threshold of 3,000 tons and the fishery will remain closed in 2008.

## SECTION 13-C REGULATIONS

### Open Waters

The waters open for the Hoonah Sound fishery include: the waters of Hoonah Sound north and west of a line from Point Marie to a point on the northern shore of Hoonah Sound at 57° 37.38' N. latitude, 135° 27' W. longitude (Figure 3).

In Section 13-C (Hoonah Sound) herring may be captured for placement in closed pounds after 12:01 a.m. April 6, 2008 until closed by emergency order.

## Kelp Allocation

In Section 13-C, the kelp allocation for the spawn-on-kelp pound fishery is as follows:

Guideline Harvest Range for Herring (tons)	Single Permit Closed Pounds	Double-Permit Closed Pounds	Triple-Permit Closed Pounds	Single Permit Open Pounds	Multiple Permit Open Pounds
100 – 249	None	None	none	60 fronds or 600 blades	60 fronds or 600 blades
250 –399	200 blades	400 blades	500 blades	110 fronds or 1,100 blades	110 fronds or 1,100 blades
400 – 599	300 blades	500 blades	750 blades	160 fronds or 1,600 blades	160 fronds or 1,600 blades
600 – 799	1,000 blades	2,500 blades	1,500 blades	230 fronds or 2,300 blades	230 fronds or 2,300 blades
800 or more	2,000 blades	3,000 blades	1,500 blades	300 fronds or 3,000 blades	300 fronds or 3,000 blades

## EXPERIMENTAL GEAR PERMITS

New regulations addressing the definition of a closed pound were adopted by the BOF during the January, 2006 meeting in Ketchikan. Experimental gear permits will not be required to operate rectangular pounds using the newly defined surface area and depth configurations. However, all pounds must be configured in a manner that is consistent with the new regulations specified in the “REGULATIONS” section of this management plan. The department’s authority to provide experimental gear permits on a case-by-case basis, as authorized under AS 16.05.050(10), remains in effect. Experimental gear permits may be issued to those providing the department with a detailed plan that demonstrates innovation and the potential to increase spawn-on-kelp product quality and/or quantity without increasing the use of herring. In consideration of recent BOF action, the department will carefully consider the potential benefits of issuing further experimental gear permits before making a decision to proceed.

## HARVEST AND ALLOCATION OF KELP FOR 2008

A permit is required to harvest kelp for use in pounds (5 AAC 37.900). Kelp harvest permits may be obtained from local department offices. Kelp blades will be allocated equally among permit holders fishing the same type of gear. The amount of kelp allowed for harvest for each permit holder is based on the kelp allocation table as indicated under REGULATION 5 AAC 27.185 (d) plus an allowance for breakage and loss during transport. Specific allocation limits are for individual permit holders and are dependent upon the herring GHL and the type of gear to be used and will be announced following closure of the winter food and bait fishery. The kelp allocations expected for the 2008 season are listed below as maximum allocations. The Craig/Klawock allocation is based on 1,000 tons of GHL remaining following the winter bait fishery; the Hoonah Sound allocation is based on a GHL of 2,238 tons; and Ernest Sound allocation is based on an anticipated GHL greater than 700 tons following the winter food and bait fishery.

### Section 3-B (Craig/Klawock):

- Single permit closed pounds—600 blades of *Macrocystis* kelp;
- Double permit closed pounds—750 blades of *Macrocystis* kelp (per permit holder);
- Triple permit closed pounds—1,125 blades of *Macrocystis* kelp (per permit holder);
- Single permit open pounds—2,500 blades or 250 fronds of *Macrocystis* kelp;
- Multiple permit open pounds—7,500 blades or 750 fronds of *Macrocystis* kelp.

### District 7 (Ernest Sound):

- Single permit closed pounds—1,000 blades of *Macrocystis* kelp;
- Double permit closed pounds—2,000 blades of *Macrocystis* kelp (per permit holder);
- Triple permit closed pounds—1,000 blades of *Macrocystis* kelp (per permit holder);
- Single permit open pounds—2,500 blades or 250 fronds of *Macrocystis* kelp;
- Multiple permit open pounds—7,500 blades or 750 fronds of *Macrocystis* kelp.

### Section 13-C (Hoonah Sound):

- Single permit closed pounds—2,000 blades of *Macrocystis* kelp;
- Double permit closed pounds—3,000 blades of *Macrocystis* kelp (per permit holder);
- Triple permit closed pounds—1,500 blades of *Macrocystis* kelp (per permit holder);
- Single permit open pounds—3,000 blades or 300 fronds of *Macrocystis* kelp;
- Multiple permit open pounds—3,000 blades or 300 fronds of *Macrocystis* kelp.

## FISHERY CONDUCT AND MANAGEMENT

Suitable sites for pounds in Craig/Klawock, Ernest Sound and Hoonah Sound are limited. To avoid herring mortality and damage to the pounds, permit holders should locate their pounds in an area with minimal exposure to wind and wave action, and a relatively deep bottom. The distance between the locations where herring are captured and where the pound will be anchored should be minimized since long towing distances can cause stress induced spawning, egg loss, de-scaling and mortality of herring.

All permit holders involved in the operation of a pound, whether single or multiple permit pound, must be physically present at their pound fishing site at all times during the *operation of the pound*. *Operation of the pound* is defined as:

- 1) The placement of kelp into the pound structure;
- 2) The capture and transfer of herring into the pound;
- 3) The collection and sale of herring spawn-on-kelp product produced in the pound;
- 4) All permit holders must be present when two pounds are put together.

For multiple permit closed pounds, all permit holders assigned to the pound must be present at their pound site when kelp and herring are introduced into the pound. If only one permit holder is present at this time then that pound must be operated for the remainder of the season as a single permit closed pound and no more than the number of blades of kelp allocated to a single closed pound may be harvested.

The ADF&G will be closely monitoring herring activity using vessel and aerial surveys. Results of aerial surveys will be announced by department news release. This information will also be available by recorded message at 907-225-6870 (Ketchikan office) for Section 3-B (Craig/Klawock), 907-772-3700 (Petersburg office) for District 7 (Ernest Sound), and at 907-747-1009 (Sitka office) for 13-C (Hoonah Sound).

In 2008, the department will continue to monitor the practice of *top-off-fishing*. This practice has been successfully used to stimulate new spawning in pounds and therefore to produce better spawn on kelp quality and quantity. The department has a concern, based on observations during the 2003 season, that the practice of “top off fishing” was abused by some fishermen. If a permit holder allows herring to swim out of their pound when they are adding fresh herring to their pound thereby exchanging spawned-out herring for fresh herring this is a violation of 5 AAC 27.185 (q). If any such cases are observed or reported in 2008, then the department will turn such cases over to the Alaska Wildlife Troopers (AWT) for citation. Additionally, the department will consider closure of the fishery to all further fishing by emergency order or limiting fishing to specific daylight hours only. Should the latter two measures become necessary, then such measures may have the unwanted consequence of preventing some permit holders from the capture of herring that season. The department is requesting the assistance of permit holders to ensure that additions of *top-off-fishing* are only conducted in compliance with regulations.

In Hoonah Sound and Ernest Sound, the department will station a state vessel and personnel on the grounds when herring are available for capture. In Craig/Klawock department personnel can be contacted through the ADF&G office in Craig. Department personnel will closely monitor all phases of the fishery. All fishery announcements, including updates of herring activities and

fishery openings/closures, will be broadcast by VHF radio, channel 10. Permit holders are expected to have a VHF radio.

To avoid mortality, the transport of herring to the pound site should be done with the pound itself or a pushable/towable net pen. Towable net pens used only for transporting herring must be marked "Tow Pound". Transporting with a purse seine is discouraged except for very short distances. Pound operators should slowly push pounds or tow the pound alongside to avoid prop wash and prevent crushing herring against the net. Pound operators are also advised to minimize the distance herring are towed to avoid stressing the herring or causing egg loss, which can result in poorer quality product. Permit holders are asked to avoid making and holding large sets intended to fill multiple pounds to avoid herring mortality and stress. The department may close the fishery or limit fishing to daylight hours to minimize stress and mortality, to reduce potential set size, or to better monitor the fishery.

Although the department determines the number of kelp blades that can be harvested and placed in each permit holder's pound, fishers are encouraged to fish the number of blades which will maximize the overall quality and value of their product rather than simply to fish the total amount allowed. Other measures already in use in the fishery that should be considered when trying to maximize spawn on kelp quality and value include the following:

- 1) Pound nets shaped with internal frames to provide the full net volume;
- 2) Adjusting the kelp height in the pound to the depth of active spawning by testing with a weighted string;
- 3) Fishing and transferring herring to pounds when herring are fully mature;
- 4) Small top-off sets added over a 2–3 day period;
- 5) Limiting herring density in the net to a conservative amount since spawning is retarded by excessive crowding;
- 6) Web depth adjustments to provide good water exchange;
- 7) Working in a smaller group to provide adequate time for tending pounds.

The Craig/Klawock, Ernest Sound and Hoonah Sound areas are high-use recreational areas valued for their fish and wildlife resources as well as their wilderness character. The department has received a number of public complaints regarding pound structures and other material that were either abandoned in the water or on the upland areas. Following the fishery and post harvest requirements according to 5AAC 27.185 (k), all pounds and associated equipment used in these fisheries must either be removed from the water (as per 5 AAC 27.185 (w)) or stored in the upland areas under the terms of a required United States Forest Service conditional use permit.

## **OTHER AGENCY REQUIREMENTS**

Prospective pound operators are advised to consider other agency requirements for constructing and operating pounds in Craig/Klawock, Ernest Sound, and Hoonah Sound. Pound operators are urged to contact the Alaska Department of Natural Resources, U.S. Forest Service, the U.S. National Marine Fisheries Service, and the U.S. Coast Guard to determine other regulations and requirements. Phone numbers for those agencies are listed below.

## **ALASKA DEPARTMENT OF NATURAL RESOURCES**

The Alaska Department of Natural Resources (907-465-3400) manages the use of tidelands and submerged lands seaward of mean high water.

### **U.S. FOREST SERVICE**

In the Hoonah Sound and Tenakee Inlet areas, the U.S. Forest Service has jurisdiction over and manages most of the lands above mean high tide. People who plan to use National Forest land in connection with the fishery must apply for a special use permit from the U.S. Forest Service prior to any occupancy. Special use permit applications are available at the Sitka Ranger District Office, 204 Siginaka Way, Sitka, Alaska 99835, (907-747-6671). Completed applications should be submitted to the Sitka Ranger District well in advance of operations to ensure that a permit is received in time for the fishery. Examples of use needing a permit include (but are not limited to): camping on National Forest land in conjunction with the commercial fishery, and storage of gear on the National Forest.

### **U.S. NATIONAL MARINE FISHERIES SERVICE**

The U.S. National Marine Fisheries Service (907-747-6940) regulates activities that might harm marine mammals.

### **U.S. COAST GUARD**

Structures such as floating fish pens are subject to the requirements of the Code of Federal Regulations, Title 33, Part 64. This regulation requires an owner to apply for a U.S. Coast Guard permit and to install and maintain a light or other private aid to navigation if the U.S. Coast Guard determines it to be necessary to protect maritime navigation.

Herring pounds used in the spawn-on-kelp pound fishery do not require permits for private aids to navigation at this time, provided the owners:

Place two signs on opposite corners of the structure. These signs will be worded “Danger, Fish Pens” (Figure 5).

Place a single, all-points white light on one corner of structures less than 400 square feet in size.

Place a single, all-points white light on every corner of structures larger than 400 square feet in size.

Anchor fish pens within the boundary areas specified in ADF&G regulation 5 AAC 27.185 (f) (Figure 1, Figure 2, and Figure 3).

If all these conditions are not met, the permit holder must apply to the U.S. Coast Guard for an individual “Private Aids to Navigation Permit.” If you have questions, call the U.S. Coast Guard Aids to Navigation office, at (907) 463-2254.

### **PRIVATE LANDS**

Some of the area in which pounds may be operated is adjacent to privately owned lands. Pound operators should contact the landowners if they intend to use any of that land above mean high tide. Private land owners in the Craig/Klawock area include the Klawock/Heenya Corporation, Shaan-Seet Corporation, and Sealaska Corporation and private individuals. Figure 6 shows the approximate areas of privately held lands in the Craig/Klawock area.

## LIST OF MANAGEMENT CONTACTS

Following are ADF&G Division of Commercial Fisheries contacts regarding this management plan:

<b>Name and Title</b>	<b>Address and Phone Number</b>
Scott Kelley Region I Supervisor	P.O. Box 240020 Douglas, Alaska 99824 (907) 465-4250
Bill Davidson Region I Management Biologist	304 Lake St., Rm. 103 Sitka, Alaska 99835 (907) 747-6688
Marc Pritchett Herring Research Biologist	P.O. Box 240020 Douglas, Alaska 99824 (907) 465-4250
Scott Walker Area Management Biologist	2030 Sea Level Dr. Ste. 205 Ketchikan, Alaska 99901 (907) 225-5195
Bo Meredith or Justin Breese Assistant Management Biologists	
William Bergmann Area Management Biologist	P.O. Box 667 Petersburg, Alaska 99833 (907) 772-3801
Troy Thynes Assistant Management Biologist	
Scott Forbes Assistant Management Biologist	215 Front Street P.O. Box 200 Wrangell, AK 99929-0200 (907) 874-3822
Dave Gordon Area Management Biologist	304 Lake St., Rm. 103 Sitka, Alaska 99835 (907) 747-6688
Eric Coonradt Assistant Management Biologist	
Kevin Monagle Area Management Biologist	P.O. Box 110024 Juneau, Alaska 99811-0024
Dave Harris Assistant Management Biologist	(907) 465-4250

## **TABLES AND FIGURES**

**Table 1.**—Craig/Klawock stock size and winter food and bait harvests, 1987–2007.

<b>Year</b>	<b>Miles Spawn<sup>a</sup></b>	<b>Forecasted Pre-fishery Biomass<sup>b</sup> (Tons)</b>	<b>Total GHL Bait and SOK<sup>c</sup>(Tons)</b>	<b>Bait Quota (Tons)</b>	<b>Bait Harvest (Tons)</b>
87–88 <sup>d</sup>	5.0	16,550	N/A	2,200	2,014
88–89	27.0	16,350	N/A	1,810	1,730
89–90	31.7	19,800	N/A	3,150	3,221
90–91	30.0	18,350	N/A	2,841	3,272
91–92	22.0	17,800	2,684	2,281	2,295
92–93 <sup>e</sup>	23.0	12,350	1,602	1,362	629
93–94	8.4	7,996	895	760	636
94–95	8.0	6,778	725	617	124
95–96	5.5	6,262	658	558	34
96–97	9.9	6,755	715	615	517
97–98 <sup>f</sup>	13.2	7,018	755	455	254
98–99	11.0	6,951	750	450	254
99–00	15.4	6,013	626	376	346
00–01	12.9	9,091	1,058	635	144
01–02	16.7	8,387	952	571	145
02–03	18.0	6,045	630	378	144
03–04	11.2	13,204	1,754	1,052	157
04–05	12.0	15,577	2,217	1,330	550
05–06	18.0	14,262	1,955	1,173	750
06–07	8.2	13,768	1,860	1,116	300
07–08	22.3	14,213	1,945	1,167	400 <sup>g</sup>
<b>Average</b>	<b>15.7</b>	<b>11,597</b>	<b>1,281</b>	<b>1,186</b>	<b>876</b>

a Spawn year is beginning year of regulatory season listed in the adjacent year column

b Forecasted pre-fishery biomass values were estimated with hydroacoustics for 86–87, spawn deposition surveys for 87–88 to 92–93, and age-structured models for 93–94 to 06–07.

c Spawn On Kelp (SOK)

d Reduced to 1,600 tons on the grounds.

e First year bait quota was split between pound fishery 85%:15%.

f Herring allocation changed to 60% for the winter food and bait fishery, 40% to the pound fishery.

g Estimated harvest

**Table 2.**—Craig/Klawock herring spawn-on-kelp fishery summary, 1992–1999.

<b>Statistic</b>	<b>1992</b>	<b>1993</b>	<b>1994</b>	<b>1995</b>	<b>1996</b>	<b>1997</b>	<b>1998</b>	<b>1999</b>
Preliminary allocation	403	240	135	109	100	100	300	300
Unharvested bait addition	--	--	--	--	--	100	200	350
Final allocation (tons)	--	--	--	--	--	200	500	650
SOK Harvest (tons)	25.7	5.7	16.5	25.4	37.25	21.9	22.4	36
Exvessel value	\$180,000	\$47,882	\$364,199	\$1,000,000	\$1,490,000	\$270,306	\$152,203	\$212,121
Aver. Price/pound	\$3.50	\$4.17	\$11.00	\$19.00	\$20.00	\$6.00	\$3.39	\$2.94
Aver. Income/landing	\$784.	\$2,081	\$4,388	\$5,107	\$9,700	\$1,890	\$1,072	\$2,060
Number of pounds in	248	209	147	159	162	119	112	70
Number of landings	229	23	83	146	154	143	148	103
Blade allocation	310	292	233	174	156	<sup>a</sup>	<sup>b</sup>	<sup>c</sup>
Kelp harvest (tons)	7.8	3.7	3.0	3.0	2.6	3.2	3.47	2.9
Spawning dates	3/15–4/10	3/26–4/21	3/23–4/12	3/27–4/9	3/22–4/12	4/7–4/14	3/19–4/8	3/23–3/28
Miles of spawn	23.0	8.4	8.0	5.5	9.9	13.2	11.0	15.4
Forecasted Pre-fishery	17,800	12,350	7,996	6,778	6,262	6,755	7,018	6,951
Seining opened/closed	3/18–3/23	4/17–4/28	4/5–4/18	3/28–4/14	3/28–4/14	3/17–4/20	3/17–4/20	3/17–4/21

<sup>a</sup> 100 blades for single-closed pound, 150 blades for multiple pound permit holder, and 300 blades for open pound permits.

<sup>b</sup> 120 blades for a single closed pound, 180 blades for a multiple pound permit holder, 360 blades for single open pound, and 400 blades for a multiple permit open pound.

<sup>c</sup> 155 blades for a single closed pound, 235 blades for a multiple pound permit holder, 470 blades for a single open pound, 520 blades for a multiple permit open pound.

**Table 3.**–Craig/Klawock herring spawn-on-kelp fishery summary, 2000–2007.

<b>Statistic</b>	<b>2000</b>	<b>2001</b>	<b>2002</b>	<b>2003</b>	<b>2004</b>	<b>2005</b>	<b>2006</b>	<b>2007</b>
Preliminary allocation	250	423	381	150	702	887	782	744
Unharvested bait addition	30	491	471	378	895	780	484	540
Final allocation (tons)	280	914	852	528	1,579	1,667	1,266	1,284
SOK harvest (tons)	0	26.9	41.7	69.2	50	115.2	28.9	44.5
Exvessel value	\$0	\$146,859	\$218,700	\$423,000	\$325,000	\$603,723	\$298,575	\$1,087,532
Aver. Price/pound	\$0	\$2.70	\$3.10	\$3.00	\$3.25	\$2.62	\$5.15	\$12.08
Aver. Income/landing	\$0	\$2,880	\$2,460	\$3,385	\$3,420	\$9,011	\$8,782	\$23,139
Number of pounds in fishery	50	31	50	61	50	42	50	52
Number of landings	0	51	89	118	95	67	34	47
Blade allocation	<b>a</b>	<b>b</b>	<b>b</b>	<b>b</b>	<b>a</b>	<b>c</b>	<b>d</b>	<b>d</b>
Kelp harvest (tons)	2.0	3.2	8.2	7.5	14	4.6	4.6	5.6
Spawning dates	3/22–4/5	4/1–4/7	3/31–4/7	3/31–4/7	3/26–4/7	4/9–4/14	3/30–4/3	4/3–4/12
Miles of spawn	12.9	16.7	18.4	11.2	12.0	18.0	8.2	22.3
Forecasted Pre-fishery biomass (tons)	9,951	8,042	8,387	6,045	13,204	15,577	14,262	13,768
Seining opened/closed	3/17–5/1	3/17–4/24	3/17–5/20	3/17–5/15	3/17–7/15	3/17–6/01	3/17–4/30	3/17–4/30

**a** 70 blades for a single closed pound, 210 for a multiple pound permit holder, 700 blades for a single open pound, 2,100 blades for a multiple permit open pound.

**b** 200 blades - single closed pound, 600 blades – per permit holder multiple closed pound, 200 fronds or 2,000 blades – single open, 600 fronds or 6,000 blades for multiple permit open pound.

**c** 350 blades – single closed pound, 750 blades – per permit holder double closed pound, 1,125 blades – triple closed pound.

**d** 600 blades for a single closed pound, 750 blades for a double closed pound, 1,125 blades for a triple closed pound.



**Table 5.**—Ernest Sound miles of spawn stock size and harvest, 1969-2007.

Season	Date of first spawn <sup>a</sup>	Nautical miles of spawn <sup>b</sup>	Forecast Used for GHL Determination <sup>c</sup> (tons)	Spawning Biomass (tons) <sup>d</sup>	Guideline Harvest Level (tons) <sup>e</sup>	Bait harvest (tons) <sup>f</sup>	SOK Harvest (lbs)	Sac Roe Harvest (tons)	Remaining GHL (tons)	Minimum Threshold Level (tons)
1969–70	--	--	--	--	--	17	--	--	--	--
1970–71	--	3	--	13,100	--	206	--	--	--	--
1971–72	--	--	13,100	3,650	--	967	--	--	--	--
1972–73	--	--	3,650	450	--	775	--	--	--	--
1973–74	--	--	450	400	--	535	--	--	--	--
1974–75	--	--	400	2,900	--	593	--	--	--	--
1975–76	--	3	2,900	4,350	580	708	--	--	0	--
1976–77	--	3	4,350	3,035	870	901	--	49	0	2,500
1977–78	5/3	--	3,035	1,505	455	340	--	--	115	2,500
1978–79	4/16	2.6	1,505	255	--	--	--	--	--	2,500
1979–80	5/2	4	255	500	--	--	--	--	--	2,500
1980–81	--	3.5	500	410	--	--	--	--	--	2,500
1981–82	--	--	410	160	--	--	--	--	--	2,500
1982–83	--	--	160	1,640	--	--	--	--	--	2,500
1983–84	4/11	--	1,640	1,000	--	--	--	--	--	2,500
1984–85	--	4.5	1,000	1,000	--	--	--	--	--	2,500
1985–86	--	--	1,000	1,000	--	--	--	--	--	2,500
1986–87	--	1	1,000	--	--	--	--	--	--	2,500
1987–88	4/21	2	--	--	--	--	--	--	--	2,500
1988–89	4/17	2.4	--	500	--	--	--	--	--	2,500
1989–90	--	2.1	500	1,000	--	--	--	--	--	2,500
1990–91	--	ns	1,000	3,000	--	--	--	--	--	2,500
1991–92	4/16	9.1	3,000	2,650	--	--	--	--	--	2,500
1992–93	4/23	9	2,650	684	200	8	--	--	192	2,500
1993–94	4/26	8.4	684	2,544	0	--	--	--	--	2,500
1994–95	4/25	6.5	2,544	2,470	255	111	--	--	144	2,500
1995–96	4/16	6.9	2,744	2,665	280	220	--	--	60	2,500
1996–97	4/16	0	4,852	0	377	6	--	--	371	2,500
1997–98	4/9	11.8	--	5,998	0	--	--	--	--	2,500
1998–99	4/5	1.8	5,381	No survey	662	96	--	--	566	2,500
1999–00	4/8	9.1	--	920	0	--	--	--	--	2,500
2000–01	4/11	6.9	--	2,052	0	--	--	--	--	2,500
2001–02	4/15	4.8	1,653	2,406	0	--	--	--	--	2,500

-continued-

**Table 5.**—continued (page 2 of 2)

Season	Date of first spawn <sup>a</sup>	Nautical miles of spawn <sup>b</sup>	Forecast Used for GHL Determination <sup>c</sup> (tons)	Spawning Biomass (tons) <sup>d</sup>	Guideline Harvest Level (tons) <sup>e</sup>	Bait harvest (tons) <sup>f</sup>	SOK Harvest (lbs)	Sac Roe Harvest (tons)	Remaining GHL (tons)	Minimum Threshold Level (tons)
2002–03	4/10	8.5	2,407	5,509	0	--	--	--	--	2,500
2003–04	4/11	7.1	6,592	2,413	875	44	112,286	--	775	2,500
2004–05	4/22	10.1	1,906	3,268	0	--	--	--	--	2,500
2005–06	4/6	7.9	2,284	2,538	0	--	--	--	--	2,500
2006–07	4/19	11.3	1,955	7,353	0	--	--	--	--	2,500

a Since 1997–98 the first spawn and the major spawn have been within 5 days of each other.

b 1996–97 No survey, fish all spawned (7.5 miles) along Ship Island, 1998–99 No survey, only 1.8 miles of spawn observed, probably missed main spawn.

c 1971–72 through 1984–85 forecasts were based on hydroacoustical-computer generated estimates; 1985–86 through 1991–92 forecasts were based on visual estimates; 1992–93 through 1994–95 were based on spawn deposition estimates; 1995–96 through 2006–07 were biomass accounting forecasts.

d 1969–70 through 1983–84 biomass estimates were hydroacoustical-computer generated estimates; 1984–85 through 1990–91 were visual estimates; and 1991–92 through 2005–06 were spawn deposition estimates. 1975–76 & 1976–77 GHLS are based upon 20% of the acoustical estimate. 1977–78 GHL is based upon 15% of the acoustical estimate (11/28/77 memo by WB).

e 2003–04 GHL includes 90 tons rolled over from the bait pound fishery.

f 1973–74, 1974–75, 1976–77 also include harvests from Fools and Menefee Inlets. Does not include harvests from stat area 107-40.

**Table 6.**—Tenakee Inlet herring spawn deposition timing, location, biomass estimates, and food & bait harvests.

Winter & Spring of the Year	Major Spawning Dates	Nautical Miles of Spawn (nm)	Spawning Biomass <sup>a</sup> (tons)	Food/Bait Quota (tons)	Food/Bait Harvest (tons)
1979	5/9–5/11	3.3	2,500	200	0
1980	4/28–5/2	3.9	4,485	400	504
1981	4/27–5/5	9.3	7,500	750	847
1982	4/25–5/7	11.1	6,650	650	654
1983	4/25–5/6	13.1	8,870	875	799
1984	4/20–4/26	8.3	12,100	850	619
1985	4/24–5/1	9.9	11,000	1,400	1,406
1986	4/27–5/1	8.3	12,500	1,700	2,040
1987	4/22–4/30	7.9	6,600	800	1,275
1988	4/22–4/27	9.1	6,000	1,450	1,577
1989	4/26–4/29	10.3	5,360	720	655
1990	4/25–5/6	2.9	2000	650	595
1991	4/25–5/4	2.1	400	—No fishery—	
1992	5/5	trace	200	No fishery.	
1993	4/21–4/23	6.4	904	—No fishery—	
1994	4/24–4/26	0.25	400	—No fishery—	
1995	4/26	0.05	200	—No fishery—	
1996	5/4–5/14	18.1	4,560	—No fishery—	
1997	4/26–5/7	14.4	9,926	300	97.5
1998	4/24–4/29	12.4	10,419	825	692
1999	4/25–4/28	11.0	11,049	1,023	835
2000	4/26–5/3	13.8	9,425	542	494
2001	4/21–5/1	12.2	7,576	906	775
2002	4/23–4/27	15.4	4,084	840	393
2003	4/25–4/28	12.2	3,529	528	328
2004	4/28–5/3	13.0	4,728	399	confidential
2005	4/26–5/2	8.9	5,825	476	0
2006	5/2–5/6	5.9	5,110	0	0
2007	4/23–4/26	4.4	3,346	0	0

<sup>a</sup> Spawning biomass estimates were calculated from hydro-acoustical surveys from 1979 through 1986, from spawn deposition surveys from 1987 through 2006.



**Table 8.**—Tenakee Inlet herring spawn-on-kelp fishery summary, 2003–2005.

<b>Year</b>	<b>2003</b>	<b>2004</b>	<b>2005</b>
Tenakee Inlet GHL (tons)	528	399	476
GHL Available for SOK (tons)	180	360	476
SOK Harvest (tons)	47.6	95	101.4
Exvessel Value	\$580,500	\$981,464	\$512,900
Average Price/lb	\$6.10	\$4.68	\$2.53
Average Income/permit	\$10,555	\$11,684	\$5,636
Number of Permits participating	55	85	91
Number of Pounds	1/15/8/0 <sup>a</sup>	1/32/6/2/2 <sup>b</sup>	1/29/13/3 <sup>a</sup>
Number Permits Landing Product	55	85	91
Kelp Allocation (blades)	200/400/550/0 <sup>a</sup>	300/500/500/2000 <sup>a</sup>	300/500/500/2000 <sup>a</sup>
Kelp Blade Harvest (lbs)	35,375	39,000	53,850
Fishery Open—Closed	4/6–5/6	4/6–5/6	4/6–5/5
Fishing Occurred	4/25–4/28	4/28–5/1	4/27–4/30
Harvest Occurred	4/30–5/4	5/3–5/6	5/2–5/4

<sup>a</sup> single/double/triple/test

<sup>b</sup> single/double/triple/long line/test

**Table 9.**–Hoonah Sound herring spawning stock and fishery performance, 1971–2007.

Year	Spawn Dates	Nautical Miles Spawn	Estimated Escapement (tons)	SOK Harvested (tons)
1971	5/10–5/17	2.5	833	--
1972	5/11–5/12	1.5	666	--
1973	N/A	1	333	--
1974	14-May	3	999	--
1975	N/A	N/A		--
1976	5-May	1	333	--
1977	N/A	3.5	1,166	--
1978	N/A	5.3	1,765	--
1979	N/A	0.5	167	--
1980	N/A	N/A	--	--
1981	4/30–5/01	2.3	750	--
1982	4/29–5/01	1.5	500	--
1983	1-May	1	333	--
1984	4/26–5/01	3	540	--
1985	5/01–5/03	3.5	1,166	--
1986	4/28–5/01	3.8	1,249	--
1987	4/28–5/02	3.8	740	--
1988	4/30–5/01	5	1,665	--
1989	4/16–4/20	17	4,000	--
1990	4/13–4/28	10	2,350	11.9
1991	4/19–4/24	8.7	2,175	13.3
1992	4/22–4/24	10.8	5,714	23.1
1993	4/27–4/29	5.7	1,099	14.0
1994	4/21–4/23	9	2,450	32.7
1995	4/20–4/21	4.5	274	27.4
1996	5/02–5/9	10.1	4,023	--
1997	4/25–4/28	14.5	5,884	65.2
1998	4/23–4/27	14.5	6,472	85.6
1999	4/27–5/1	13.8	4,426	71.6
2000	4/27–4/30	13.0	3,635	35.7
2001	4/27–5/1	13.7	8,538	66.2
2002	4/25–4/27	11.9	4,936	136.6
2003	4/23–4/27	16.7	9,423	141.5
2004	4/22–4/29	11.1	7,502	237.4
2005	4/18–4/25	10.3	6,924	190.6
2006	4/23–4/26	9.0	6,028	162.1
2007	4/46–5/2	16.5	10,946	159.4
Average 1971–2007		7.5	3,143	NA
Average 1990–2007		11.3	5,156	86.7

\*Shaded estimated escapements are based on average spawn density from years 1989–2002.

**Table 10.**—Percent-at-age composition of spawning Hoonah Sound herring, 1991–2007 and forecast age structure for 2008.

Year	<u>Age Class</u>					
	Age 3	Age 4	Age 5	Age 6	Age 7	Ages 8+
1991	44	8	4	15	22	5
1992	7	55	6	4	14	11
1993	7	17	56	8	1	10
1994	3	10	35	42	5	6
1995	25	6	16	30	19	4
1996	83	13	1	1	2	1
1997	8	80	7	2	2	1
1998	2	13	77	7	1	1
1999	3	5	13	72	6	1
2000	23	10	10	24	31	2
2001	17	31	5	6	14	27
2002	4	27	24	6	7	31
2003	5	12	30	25	7	21
2004	1	6	13	26	26	30
2005	1	3	7	18	18	54
2006	0	16	12	10	13	49
2007	1	12	29	26	12	22
2008 <sup>a</sup>	1	1	18	31	23	26

<sup>a</sup> Forecast age composition

**Table 11.**—Hoonah Sound herring spawn-on-kelp fishery summary, 1990–2007.

<b>Statistic</b>	<b>1990</b>	<b>1991</b>	<b>1992</b>	<b>1993</b>	<b>1994</b>	<b>1995</b>
Herring Quota (tons)	150	150	150	150	150	150
Harvest Quota (tons)	11	12	12	12	12	12
Harvest (tons)	11.9	13.25	23.12	14.0	32.7	27.4
Exvessel Value	\$201,348	\$193,715	\$453,152	\$542,080	\$1,683,396	\$1,175,460
Average Price/lb	\$8.46	\$7.31	\$9.80	\$19.36	\$25.74	\$21.45
Average Income	\$2,034	\$2,334	\$4,196	\$8,470	\$15,444	\$9,715
Number of Applicants	400	185	199	230	195	153
Number of Pounds	128	104	120	115	123	132
Number Selling Product	99	83	108	64	109	121
Kelp Allocation (blades)	240	280	240	160	140	100
Kelp Blade Harvest	31,260	28,355	27,255	16,260	18,340	15,195
Fishery Open—Closed	4/13–4/22	4/6–4/25	4/6–4/26	4/6–5/3	4/6–4/25	4/6–4/22
Fishing Occurred	4/13–4/22	4/15–4/25	4/17–4/26	4/26–5/2	4/21–4/24	4/17–4/22
Harvest Occurred	4/18–4/27	4/22–4/29	4/22–4/30	4/25–5/2	4/25–4/27	4/22–4/26
	<b>1997</b>	<b>1998</b>	<b>1999</b>	<b>2000</b>	<b>2001</b>	<b>2002</b>
Herring Quota (tons)	1421	700	778	359	366	1,264
Harvest Quota (tons)	114	56	62	29	NA	NA
Harvest (tons)	65.2	85.9	71.6	35.7	66.2	136.6
Exvessel Value	\$920,000	\$1,160,523	\$1,005,529	\$587,568	\$1,006,000	\$1,970,000
Average Price/lb	\$7.05	\$6.75	\$7.02	\$8.23	\$7.60	\$7.32
Average Income/Landing	\$6,694	\$10,092	\$11,692	\$6,251	\$11,559	\$20,408
Number of Applicants	139	133	106	106	NA	NA
Number of Pounds	0/113/18 <sup>a</sup>	115	96	46/2/0 <sup>a</sup>	42/3/1 <sup>a</sup>	106/0/2 <sup>a</sup>
Number Selling Product	112/12 <sup>b</sup>	115	86	84	87	98
Kelp Allocation (blades)	430/860 <sup>b</sup>	400/800 <sup>b</sup>	400/800 <sup>b</sup>	110/300 <sup>b</sup>	120/300 <sup>b</sup>	1,000/3,600 <sup>b</sup>
Kelp Blade Harvest	68,755	54,275	42,025	29,820	29,966	113,713
Fishery Open—Closed	4/6–4/29	4/6–4/27	4/6–5/3	4/6–5/3	4/6–5/3	4/6–5/1
Fishing Occurred	4/22–4/29	4/18–4/26	4/29–5/2	4/27–4/29	4/25–4/28	4/24–4/27
Harvest Occurred	4/27–5/3	4/25–4/27	5/3–5/5	5/2–5/4	4/30–5/2	4/28–5/1
	<b>2003</b>	<b>2004</b>	<b>2005</b>	<b>2006</b>	<b>2007</b>	
Herring Quota (tons)	427	1,207	728	669	681	--
Harvest Quota (tons)	NA	NA	NA	NA	NA	--
Harvest (tons)	141.6	237.4	190.6	162.1	159	--
Exvessel Value	\$1,922,500	\$2,071,347	\$1,117,568	\$1,943,422	\$4,491,070	--
Average Price/lb	\$6.79	\$4.36	\$2.93	\$6.00	\$14.09	--
Average Income/Landing	\$17,800	\$19,541	\$11,889	\$24,600	\$49,352	--
Number of Applicants	NA	NA	NA	NA	NA	--
Number of Pounds	49/1/3 <sup>d</sup>	92/12/2 <sup>a</sup>	81/5/3 <sup>c</sup>	17/45 <sup>d</sup>	67/12 <sup>d</sup>	--
Number Selling Product	108	106	94	79	91	--
Kelp Allocation (blades)	500/300/750 <sup>c</sup>	1,000/1,000/ 3,000 <sup>a</sup>	1,000/1,000/ 1,500 <sup>d</sup>	2,500/1,000/ 1,500 <sup>d</sup>	2,500/1,000/ 1,500 <sup>d</sup>	--
Kelp Blade Harvest	60,301	126,000	118,450	136,698	122,565	--
Fishery Open—Closed	4/6–4/25	4/6–4/28	4/6–4/28	4/6–4/27	4/6–5/4	--
Fishing Occurred	4/19–4/24	4/20–4/25	4/19–4/28	4/18–4/23	4/23–4/29	--
Harvest Occurred	4/24–4/27	4/26–4/28	4/25–4/28	4/23–4/27	4/30–5/4	--


a Double closed pounds/single closed pounds/open pounds.

b Closed pound/Open Pound.


c Single-permit closed pound/double-permit closed pound/triple-permit closed pounds.

d Double closed pounds/single closed pounds/triple closed pounds


Note: No fishery occurred in 1996 since the biomass forecast was below the 1,000-ton threshold




**Figure 1.**—Open area for Craig/Klawock pound fishery (Section 3-B).



**Figure 2.**—Open area line for the district 7 Earnest Sound pound fishery.



**Figure 3.**—Areas open (dark shade) to spawn-on-kelp fishery in Hoonah Sound and Tenakee Inlet.



**Figure 4.**—Diagram of a herring pound showing two alternative methods of marking herring pounds. New regulations require vertical signs with the permit holder’s first and last name and five-digit CFEC permit number (5 AAC 27.185(k)). Letters and numbers must be at least six inches high and at least one-half inch wide and must contrast with the background.





Figure 5.—Coast Guard Requirements for marking ponds.



**Figure 6.**—Private lands in the Craig/Klawock area.