



STATISTICAL HISTORY OF ALASKA SALMON CATCHES

By:
Larry Edfelt

1973

ADF&G TECHNICAL DATA REPORTS

This series of reports is designed to facilitate prompt reporting of data from studies conducted by the Alaska Department of Fish and Game, especially studies which may be of direct and immediate interest to scientists of other agencies.

The primary purpose of these reports is presentation of data. Description of programs and data collection methods is included only to the extent required for interpretation of the data. Analysis is generally limited to that necessary for clarification of data collection methods and interpretation of the basic data. No attempt is made in these reports to present analysis of the data relative to its ultimate or intended use.

Data presented in these reports is intended to be final, however, some revisions may occasionally be necessary. Minor revision will be made via errata sheets. Major revisions will be made in the form of revised reports.

INTRODUCTION

Commercial fishing in Alaska began prior to 1850 with operation of Russian and American whaling stations and salmon salteries. Alaska's isolation discouraged further development of its fishery resources until shortly after the United States purchased the territory in 1867. When the development of canning solved preservation and transportation problems, commercial salmon canning in Alaska began in 1878 at Klawock on Prince of Wales Island and at Old Sitka on Baranof Island in Southeastern Alaska. Since that time Alaskan waters have yielded over 30 billion pounds of salmon to commercial fishermen.

Five species of Pacific salmon occur in Alaska's waters. The scientific names and usual common names of the various species are:

<u>Oncorhynchus nerka</u>	-	sockeye or red
<u>Oncorhynchus gorbuscha</u>	-	pink or humpback
<u>Oncorhynchus keta</u>	-	chum or dog
<u>Oncorhynchus kisutch</u>	-	coho or silver
<u>Oncorhynchus tshawytscha</u>	-	chinook or king

These species share several innate life history aspects but are divergent in others. Pacific salmon are anadromous (i.e., ascend rivers from the sea to breed) and return to spawn a single time in their natal waters. In late summer and fall, females construct the redd, or nest, deposit, depending on the species, some 1,500 to 8,000 eggs. These eggs are fertilized by a male and covered with gravel to a depth of 3 to 15 inches by the female. Following spawning, the adult salmon die within a short time. Eggs incubate over winter, hatching time being a function of water temperature. Fry emerge in late winter and spring, and thereafter, either migrate directly to the estuary of the spawning stream or remain to rear in freshwater for periods generally ranging from 1 to 3 years. Marine residence, depending on the species, generally ranges from 18 months to 4 years during which time growth is rapid. In the early summer of their maturing year, salmon begin their spawning migration toward their stream of origin, navigating by means not fully understood, but apparently dependent to some extent upon their olfactory senses.

Generally, the abundance of salmon is a function of the number of fish reaching the spawning grounds (termed "escapement") with interactions of the limiting factors listed below.

In most years pink salmon are the most abundant species in Alaska; other years sockeye salmon predominate. Pink salmon have an invariable 2-year life cycle and consequently, distinct genetic stocks return on

alternate years. Fry migrate to the sea immediately upon emerging from the gravel. Pink salmon production is generally limited by the amount of available spawning area (the number of spawners per unit of spawning area), and environmental conditions within the spawning and incubating habitat. Since returning pink salmon populations are derived from a single brood-year class, the influence of fishing and natural mortality factors often result in wider fluctuations in pink salmon abundance than for other species with adult returns composed of 2 to 5 year classes.

Sockeye salmon characteristically spawn either in streams which flow into or out of a lake or along the beaches of a lake. Juveniles spend 1 to 3 years within the lake and an additional 1 to 3 years in the sea. Several combinations of age groups are generally present in returning runs. Factors which influence the abundance of sockeye salmon include spawning density and area, incubating environment, and the capacity and condition of the nursery lake.

Chum salmon are third in abundance and commercial importance in Alaska. Like the pinks, chum fry migrate to the estuaries after emergence from stream gravel, but may return as 3, 4, or 5-year old adults. The schooling characteristics of pink, chum, and sockeye salmon populations make these species particularly susceptible to net fishing.

Chinook and coho salmon are stream spawners and generally rear for a period of 6 to 24 months within the streams. The young compete for space and food in the streams and this characteristic, as well as the exposure to year-round fluctuations in stream condition, are of primary importance in limiting their abundance. Chinook and coho salmon are particularly vulnerable to troll fishing (trailing baited hooks or lures through the water). Chinook salmon are especially vulnerable since a single year class may rear in fishing areas for 2 to 4 consecutive years.

Salmon catches in Alaska have exhibited drastic fluctuations through the years and in many cases the mechanisms causing the variability remain unknown, be they economic (effect of market conditions, strikes, etc.), regulatory (intensity of fishing), environmental, or any combinations of these.

In the early years, prior to 1902, catches were generally increasing as the incipient industry expanded. However, total catches were small due to small fleet size, limited processing capabilities, and a limited market for salmon other than sockeye. As fishermen and processors became more efficient larger catches were recorded. Catches became indicative of abundance and fluctuations in catches became more conspicuous during the period of 1915 to 1930. When catches could not be maintained at a constant level fishery agents became concerned with the onset of depletion

and began thinking of the resource in terms of variable maximum productivity. Salmon catches peaked during the period 1935-1945, followed by a drastic decline in certain major fisheries during the 1950's. Since 1960, when the State of Alaska assumed management of its fisheries, catches and escapements have exhibited a generally upward trend. During this same period salmon net gear licenses increased more than 75% which resulted in a generally decreasing catch per fisherman.

SALMON MANAGEMENT

Salmon resources are too valuable to be utilized inefficiently. The objectives of Alaska salmon fisheries managers have been the promulgation and execution of measures to achieve maximum sustained harvest of salmon stocks and maximum salmon production from spawning and rearing habitat. Fishery biologists use the term "stock" to refer to a single intrabreeding or intramixing unit of one species of fish. Given the dependence between escapement and levels of abundance in succeeding years, the concern is to perpetuate a brood stock sufficiently large to utilize fully the available spawning or nursery habitat; i.e., to achieve optimum escapement. This requires a flexible management scheme wherein the intensity of fishing effort can be controlled commensurate with the level of abundance of the resource.

The various geographic areas of Alaska present varied and unique problems to the personnel charged with managing the fishery. Each of the five species presents a distinct situation since they do not follow an identical life history pattern. Additionally, there are approximately 5,000 streams (not counting tributaries) in Alaska which receive appreciable numbers of spawning salmon. Access to each of these spawning areas must remain open, and runs to each of these streams must be managed to prevent overfishing. A racially distinct population of salmon may be irretrievably lost by habitat blockage or improper management. Once a salmon resource is lost to a stream, in all likelihood it will remain barren unless replanted artificially, or by fish which stray from nearby streams. Each stream must be considered a biological entity and a sequence of fisheries on a single stock must be carefully managed. The ideal situation is to control the harvest of each stock separately. This circumstance is not always possible because the fisheries operate on runs of mixed stocks before the various stocks segregate near their streams or origin (stocks are difficult to identify until segregated).

A remarkable feature of salmon is the potential for gross fluctuations in abundance from year to year. To a considerable degree this variation can be attributed to natural environmental conditions encountered by the

spawners. Obstructions in the streams may prevent migration to the spawning areas. Floods wash away spawning gravels and conversely droughts diminish spawning areas or expose eggs deposited earlier when stream flows were higher. Water temperatures which vary too far from the optimum may result in premature egg deposition, inhibit it altogether, or result in losses from the spread of fungus. Freezing during the incubation period will destroy eggs. Superimposition of eggs by successive waves of spawners will result in displacing incubating eggs. Predation reduces the number of spawning salmon and diminishes the supply of both eggs and fry. All of these factors may contribute to the reduction in the numbers of fry produced and seriously diminish the return of adults in succeeding years.

Upon approaching maturity in the ocean, salmon begin their migration to the streams of origin following definite migration routes. When schools of migrating salmon reach the inshore areas they are called "runs", a collective term referring to a group of salmon destined for a particular locale. Each run may be composed of one or more stocks or species. Inshore migration routes generally conform to the shoreline permitting observation and ready interception of the runs. Also, the inshore migrations generally follow an established pattern of timing; i.e., consistent from year to year, within narrow seasonal limits. Runs begin with low numbers of fish, build up to a peak (or peaks), then taper off. The spawning escapement should not only constitute an optimum number of returning salmon but should also relate to the timing of the runs, since the fish arriving near the peak are likely to find conditions for spawning most favorable. In order to assure the bulk of the escapement is selected from the peaks of the runs, fishing must be controlled in an orderly fashion. It is generally felt that the distribution of the escapement should generally follow the distribution of the return, i.e., escapement should not be taken only from one segment of the run.

In the attainment of maximum sustained yield, natural environmental factors, previously discussed, constitute the threshold limitations upon the abundance of salmon. However, the ability of man to capitalize upon the vulnerability of salmon runs to the point of overexploitation is the principal obstacle to achieving optimum escapement. Although measures are being taken to maintain, improve and extend the environment of salmon, the primary method of achieving the basic objective of salmon conservation is through the use of fishery regulations.

The desired effect of fishing is to remove the surplus portion of the runs, those likely to reproduce least effectively because they would be forced to spawn in poor or marginal areas through overcrowding. Thus, by reducing the total number of fish in a run, fishing reduces competition for optimum spawning areas and effects a somewhat smaller, but more productive spawning population. A commercial fishery is considered as the harvest of that part of a renewable fishery resource which is superfluous to that level

necessary to maintain the resource. Thus, overfishing may be considered to be the level of harvest which exceeds the surplus and depletes the brood stock.

Natural conditions which affect the abundance of salmon are often beyond man's control and the overall abundance of salmon stocks is finite. Therefore, restraints upon fisheries must be applied since they are by nature, not self-regulating. Effort tends to continue until the stocks diminish to the point of obvious unavailability or until economic profitability is lost. The incentive for the fisherman and processors, individually or collectively, to perpetuate the resource they exploit through a voluntary balance of the catch and escapement has been inhibited by the legal concept of a free and common fishery.

This doctrine, inculcated in the Alaska Constitution, provided for no exclusive property rights in salmon until caught, but rather that there exists open access to all who can and want to fish. Therefore, a fisherman has had no assurance that by curtailing his own catch, his actions will contribute to future levels of abundance. Rather the natural consequences of such decisions are to increase another's catch or contribute to further entry. Factors which promote additional entry or continuing effort, even in the face of declining catches include: 1) the long useful life of salmon fishing vessels and gear; 2) the self-confidence that a high opportunity income will be realized and, 3) the innate satisfaction and independence associated with the occupation of fishing.

These factors contributed to increasing levels of salmon fishing participation and effort in all areas of Alaska. In 1936 the peak catch of 126 million salmon was taken by approximately 8,200 fishermen using 3,700 gill nets, 930 seines, and approximately 450 traps. From that year the trend in catches plummeted until only 25 million salmon were caught in 1959. Within broad limits traps accounted for approximately 50% of annual catches during this period. The 1959 catch was taken by 11,200 fishermen using 4,450 gill nets, 1,300 seines, and 11 traps. These data have obvious limitations since they do not consider the condition of each stock. Some stocks have exhibited drastic declines while others have remained healthy. Southeastern pink salmon catches for example, averaged 33 million during the period 1935-1945, but from 1960 to 1970 the average catch has been 13 million. Chignik sockeye salmon catches on the other hand, presently fluctuate within the same levels of abundance as they have at any period in the past. In any case, the data suggest that increased gear levels are superfluous for catching the available surplus of salmon, and that the suggestion of overfishing is appropriate.

The decline in catches was indicative of a decline in abundance, which itself was indicative of increased mortality. Increased mortality can

only be attributed to conditions within the natural environment or fishing. It is generally accepted that changes within the natural environment were not significant enough to account for the dramatic harvest decline from the mid-30's to 1959, therefore, the increased mortality is attributed to fishing. Due to the casual relationship of escapement and abundance, the presumption arises that harvesting of the necessary brood stock occurred. The hypothesis of overfishing to explain the decline in catches is, therefore, widely accepted. The specification of precisely where or when overfishing occurred is not possible for most fisheries due to the unavailability of quantitative information on past escapement levels.

It is the purpose of fishery managers to permit a harvest on surplus portions of salmon stocks while assuring that escapement requirements of the stocks are realized. The obstacles to achieving this objective involve an interacting mix of: 1) the biological complexities of each stock or species of salmon, 2) the interaction of natural environmental influences with the intensity of fishing, 3) the vulnerability of salmon within short time limits on definitive migration routes and, 4) the correlation between levels of effort and the possibility of overfishing. Common ownership of the salmon resources prevented controls upon the introduction of excess gear into the fishery and thereby precluded fishery managers from establishing the absolute intensity of fishing. Because the level of effort demonstrated its capability of harvesting more than the available surplus of salmon stocks, restriction upon fishing intensity became necessary. In the face of free entry, the equilibrium between catch and escapement could only be effected indirectly by a variety of regulatory measures rather than directly by establishing fixed gear levels.

Intensive control of fishing upon salmon stocks to reduce mortality is crucial since: 1) the habitat cannot be greatly extended, but only protected from destruction or pollution; 2) the biological characteristics of salmon, especially reproduction and maturation in the freshwater streams and ocean, cannot be manipulated except within very broad limits; 3) natural mortality which leads to fluctuation in abundance occurs for reasons which cannot be readily measured and is seldom subject to physical control; 4) considerable "unnatural" mortality has occurred over which the state has no control (high seas fishing) and; 5) a given quantity of fish must survive to spawn if the resource is to perpetuate itself.

The factors influencing the level of salmon harvest which have been subject to public control are: 1) periods of time when fishing is permitted; 2) areas where fishing may be conducted; 3) gear restrictions, including dimensions, manner of operation, and direct prohibition and; 4) quotas and minimum size limits.

Time open to fishing is expressed in the commercial fishing regulations by fishing seasons and weekly fishing periods.

Fishing seasons are established to coincide broadly with the timing of salmon runs. Opening and closing dates of the fishing seasons are commonly manipulated to coincide with the earliest and latest dates when the abundance of the stocks will permit harvesting while assuring that some escapement will derive from the early and late portions of the runs. Seasons can be manipulated to selectively protect weak stocks. In this manner if a weak stock is intermingled with the early segment of a stronger run of another species or stock, the harvest can be adjusted to follow the peak of the weak run and still permit an orderly harvest on the stronger run.

Fishing periods are time spans (measured in days or hours) when fishing may be conducted on the runs as they develop within open fishing seasons. Short fishing periods are utilized to permit segments of the runs to escape the fishery. Adjustments of fishing periods tend to distribute the catch and escapement over the entire run or permit the escapement to derive from the desired segment of the run. The manipulation of fishing periods such as delayed seasonal openings and early closures, tend to prevent an excessive harvest on a selected species or stock.

The second factor of applied control involves the delineation of the area where fishing may be conducted and often complements temporal regulation. In Alaska the basic area regulation is the specification of registration area. The state is divided into 12 registration areas, the boundaries of which generally conform to the migration routes of salmon stocks destined for streams within each area. It is required that persons intending to operate vessels and net gear specify the registration area of intended operation in advance of commercial salmon fishing seasons. In addition, operation of vessels and net gear is restricted to the single area selected. Exceptions to this requirement are made only when loss of the vessel or incapacity of the operator occurs. For these exceptions, a substitute vessel from another area may be introduced. The requirement of area registration was intended as a manner of dealing with excessive gear levels by preventing its concentration. In this way mobile gear types are confined by area boundaries.

Another technique involving the control of area which aids the management of salmon on a stock basis is to prohibit net fishing on the high seas where stocks from all areas commonly intermingle.

In combination with the prohibition of high seas fishing, extensive closures of inshore areas can protect a weak run or a selected stock depending upon the magnitude of the closure.

A common use of area restriction is to close an area to fishing in the immediate vicinity of the mouth of the spawning stream where salmon

commonly congregate to await favorable environmental conditions prior to ascending the stream. In some cases compact milling groups of salmon may locate at considerable distances from the stream mouths yet require protection due to their vulnerability.

Fishing seasons, areas, and open fishing periods were set by the Board of Fish and Game in advance of the commencement of fishing. These are the products of scientific knowledge regarding the timing of runs, historical catch data, predictions of the size of salmon runs, and includes some economic and social considerations. This provides some degree of certainty to fishermen in knowing in advance where and for how long they are likely to be permitted to fish.

However, a necessary escape valve is provided to permit readjustment of the time and area regulations to account for unexpected deviations in salmon run timing and abundance from that predicted. Occasionally run timing and strength vary significantly from the norm. This requires immediate, on-the-spot correction to avoid over-harvest with a subsequent reduction in the desired escapement. This check valve, supplied by statute, allows the department to summarily modify time and area regulations when the necessity arises to more precisely tailor fishing intensity to salmon run strength. Since regulations fixed in advance of the salmon runs are inflexible, both maximum utilization of the resource and attainment of necessary escapement goals require that adjustments in fishing be made during the course of the salmon runs.

The power of immediate control is exercised by employees of the Department of Fish and Game trained in the biological sciences and knowledgeable in the characteristics of salmon. These biologists through their familiarity with local conditions and knowledge of the characteristics of the particular salmon runs are thus called upon to make day to day decisions whether to allow fishing to continue or prohibit it. In all cases the biologist will attempt to allow the correct amount of fishing on a run of salmon which will result in a harvest of only those members of the run not required for escapement to ensure the future continuation of that same run. Verification of the correctness of that decision comes only days, or even years, later. A wrong decision may unnecessarily curtail the harvest to the detriment of fishermen by underharvesting the salmon run or result in a failure to meet necessary escapement goals.

High degrees of precision are difficult to reach. The complex interactions of factors which effect the decision are constantly changing: 1) salmon runs vary in numbers from day to day, (2) the migration of some species stops and starts for unknown reasons, (3) variable weather conditions greatly influences migration and entry into streams and, (4) adverse weather also frequently inhibits escapement surveys by which management

judges the degree of escapement into freshwater streams.

When making their decisions whether to open or close the fishing period the biologists must have knowledge, even if not a precise measurement, of the numbers of fish which the fleet operating in his area is capable of harvesting in a given period of time. With this knowledge, in combination with previously established escapement goals, he may gauge the length of time the fleet may be allowed to operate on a salmon run. The biologists obtain their information concerning the size of the run being dealt with from many sources, including escapement data from the current year and from the years in which the returning salmon were spawned. Current catch data, obtained daily from fish tickets which detail the number of fish each individual boat delivers is vital. Since catch is an indicator of abundance, this latter information, within limits, has been found to be reliable.

The extent of knowledge of run size varies from area to area, as does the type and effectiveness of gear, but the principles are the same and this technique is utilized wherever salmon are managed in Alaska.

It thus becomes apparent that statutes and regulations which standardize gear in the State and the requirement that fishermen register their intent to fish in a specific area well in advance of fishing has been of great advantage to fishery managers. These regulations introduced an element of certainty in management plans, the factor which most heavily influences adult fish mortality, that of fishing.

Distinct changes have taken place over the years in the utilization and effectiveness of the various types of salmon gear. For example, fish traps, which accounted for the bulk of the salmon catch during the peak production years, were abolished in 1959, (with an exception for the Annette Island Indian Reservation). Gear registrations, used extensively by the Pacific Coast salmon fishing states, are varied and complicated. An example of gear regulation in Alaska may be illustrated by examining some purse seine specifications and operations.

A purse seine is an enclosing haul net set by a main vessel with one end of the net attached to the shore or held by a skiff. The net is closed by bringing both ends of the net together and then pursed (closed) at the bottom to prevent fish from escaping while retrieving it. Purse seines operate most effectively on schooling fish and regulations which relate to their operations are as follows:

(a) Length and depth: The length and depth of a purse seine has certain qualities that must be considered when managing the salmon resource. Seines with unrestricted length and depth could fish an extensive area and may block off entire migration routes which would not allow escapement to spawning streams. Regulating maximum length and depth allows the seine

to fish in a normal manner but also allows an adequate harvest and spawning escapement when properly controlled. Restrictions of minimum seine length and depth are necessary to hinder the operation of seine and vessel in shallow and/or closed waters where spawning stocks congregate. Small, light purse seines would permit the use of small, shallow draft vessels which are most effective in sheltered bays.

(b) Mesh size: In most areas the mesh size of purse seines may not exceed a certain maximum measure. Larger mesh size would allow the seine to function as a gill net, thereby defeating the purpose of prohibiting gill nets in purse seine areas.

(c) Shape of the set: Historically, an additional restriction of the operation of purse seines involved the shape of the net while fishing. Seines were restricted from being set in certain configurations (termed hammerhead, heart, or arrowhead traps). These formations could allow a seine to fish in a stationary position as a trap for an extended period of time and prevent the migration of fish moving through a fishery toward the spawning streams.

(d) Prohibition of drum seines: Vessels which use, in place of the conventional net stacking platform and power block, a large drum or reel mounted on the stern for setting, retrieving, and carrying the purse seine have been restricted from salmon fishing in Alaska. The use of a drum permits more hauls or sets to be made in a given period of time. This capability would mean that a drum seine could catch more fish than a power block seine, particularly when fish are scattered and/or runs are small.

Similar analyses may be made for gill net fishing, where fishing power is a function of length and depth of net, size of mesh, composition of net, and location of drift. Regulations rigorously control each of the above factors in every area of the State where gill netting is permitted. Fishing periods and the areas open to fishing are also directed exclusively to this form of gear.

For the remaining form of commercial salmon fishing gear operating in the State, salmon trollers, there is a limit of four lines which may be operated by a vessel, and trolling is permitted only in Southeastern Alaska and the Yakutat area.

Decreasing the efficiency of fishing gear has been a major regulatory measure used to compensate for increased entry and excessive effort promoted by common ownership of salmon resources.

Since 1962 the Board and Department have not had to contend with major variations in gear efficiency, thus allowing concentration upon time

and area regulations at a standard level of gear efficiency. Management success can be measured by a general upward trend in catches and enhanced escapements from a low point at the outset of state management. It therefore can be claimed with justification that Alaska's intensive regulation of time, area, and gear has been successful, has avoided disaster, and produced a living for many people.

SALMON CATCH STATISTICS

The data presented in the following tables represent the history of salmon catches, in numbers of fish, since the inception of a fishery for each major management area. The tables are followed either by a listing, by area, of the data sources, or where no adequate data existed, the methods used to convert case pack data into numbers of fish.

For most years and in most areas there exist numerous references which set forth salmon catch data. Because very few of the references are in precise agreement and many are in wide variance, it became necessary to select a particular agreed-upon reference as the source most accurate, or the source considered most likely to be accurate. The selection process involved interviewing numerous present and past employees of the Department of Fish and Game, as well as researching the actual reports used to generate the data presented in several of the various references. The data in this report, therefore, represents the consensus of the Department of Fish and Game as to the historical salmon catches for each management area in the state.

Over the course of the 94 years of a commercial salmon fishery in Alaska the boundaries of some of the management areas have changed. The data presented herein have either been adjusted to fit the boundaries of the present management areas or the tables are footnoted to reflect the boundary in use during the years presented.

The tabular data are presented to the nearest fish despite the fact that such retention is not necessary to portray the history of Alaska salmon catches and the rounding accuracy is beyond the mathematical precision permitted for those data which have been converted from case pack information. However, for most years the data in the source documents were presented to the nearest fish and this report has retained the same method for the sake of consistency. As so aptly stated in 1933 by Rich and Ball^{1/}: "It is realized fully, particularly in view of the nature of the data, that the retention in the tables of all digits down to units is not justified and has no significance. No excuse is made for this inconsistency except that it does not seem to be a matter of particular importance and will do no harm -- unless to the sensibilities of some few statistically minded individuals."

^{1/} Statistical Review of the Alaska Salmon Fisheries, 1933, Willis H. Rich and Edward M. Ball, Bulletin 13, Bureau of Fisheries.

ALASKA SALMON CATCHES

<u>Year</u>	<u>King</u>	<u>Red</u>	<u>Coho</u>	<u>Pink</u>	<u>Chum</u>	<u>Total</u>	<u>Remarks</u>
1878		NO SPECIES BREAKDOWN				5,402	Cases
1879	"	"	"			6,675	"
1880	"	"	"			6,539	"
1881	"	"	"			8,977	"
1882	--	58,800	--	--	--	58,800	Plus 11,501 cases
1883	--	296,506	--	--	--	296,506	
1884	--	425,184	--	--	--	425,184	Plus 400 cases
1885	--	494,980	--	--	--	494,980	" 14,000 "
1886	--	764,824	--	--	--	764,824	" 48,822 "
1887	--	1,302,991	--	--	--	1,302,991	" 72,700 "
1888	--	3,230,357	16,267	--	--	3,246,624	" 89,886 "
1889	--	5,295,671	11,246	92,094	--	5,399,011	"115,985 "
1890	5,491	5,343,631	43,915	--	--	5,393,037	"118,390 "
1891	6,185	6,275,687	23,744	--	--	6,305,616	"133,418 "
1892	--	4,433,418	15,371	8,197	--	4,456,986	" 63,499 "
1893	88,674	6,491,524	500,817*	186,994	--	7,268,009	
1894	47,494	7,502,421	430,400*	528,634	--	8,508,949	
1895	68,119	6,127,645	788,464*	605,847	--	7,590,075	
1896	58,827	8,899,711	602,699*	1,975,799	2,938	11,539,974	
1897	61,259	8,763,068	483,354*	3,716,002	6,683	13,030,366	
1898	54,428	10,371,526	450,630	1,996,333	28,582	12,901,499	
1899	98,186	10,614,791	481,322	3,160,273	7,000	14,361,572	
1900	110,024	16,533,983	440,022	4,432,067**	34,152	21,550,248	
1901	168,123	18,581,755	301,087	8,118,174	--	27,169,139	

* Mixed coho and pinks

** Mixed pinks and chums

ALASKA SALMON CATCHES - (cont.)

<u>Year</u>	<u>King</u>	<u>Red</u>	<u>Coho</u>	<u>Pink</u>	<u>Chum</u>	<u>Total</u>	<u>Remarks</u>
1902	175,198	22,045,605	519,135	9,057,618	--	31,797,556	
1903	200,790	22,735,360	900,767	6,263,074	--	30,099,991	
1904	174,130	21,108,160	774,261	6,183,285	395,686	28,635,522	
1905	225,632	21,399,566	564,195	3,351,373	1,719,965	27,260,731	
1906	215,144	19,488,873	983,700	9,002,419	1,628,000	31,318,136	
1907	296,379	19,058,284	850,996	12,578,340	1,863,656	34,647,655	
1908	228,571	24,387,516	729,598	14,671,115	2,284,536	42,301,336	
1909	312,473	23,236,477	559,939	9,756,137	1,078,519	34,943,545	
1910	328,959	19,026,510	984,225	10,724,528	2,308,376	33,372,598	
1911	318,223	17,535,165	1,215,767	22,005,596	3,237,579	44,312,330	
1912	559,214	28,618,681	1,499,384	26,398,288	6,069,276	63,144,843	
1913	507,553	28,373,351	796,030	26,777,718	2,859,266	59,313,918	
1914	500,952	30,091,408	1,333,719	16,730,546	6,326,103	54,982,728	
1915	541,820	25,786,973	1,239,692	31,398,609	4,694,488	63,661,582	
1916	493,136	29,743,824	2,439,935	29,831,112	7,242,725	69,750,732	
1917	535,220	37,440,339	1,900,502	43,326,391	8,370,847	91,573,299	
1918	590,817	35,209,803	2,390,107	50,028,101	13,829,410	102,048,238	
1919	967,288	16,505,241	2,459,751	25,766,836	11,675,473	57,374,589	
1920	670,559	20,357,903	1,992,859	30,312,191	10,740,241	64,073,753	
1921	657,418	26,210,073	1,087,816	7,899,372	2,722,046	38,576,725	
1922	504,677	33,580,853	1,764,603	31,232,869	5,198,412	72,281,414	
1923	934,903	26,971,884	1,717,348	43,447,519	4,923,551	77,995,205	
1924	1,014,423	19,265,052	1,983,881	50,335,739	9,589,072	82,188,167	
1925	798,055	15,224,856	1,971,502	35,445,923	10,710,309	64,150,645	
1926	661,548	31,136,383	2,260,291	53,746,510	8,986,618	96,791,350	
1927	875,040	17,008,935	2,720,021	21,814,218	5,106,164	47,524,378	

ALASKA SALMON CATCHES - (cont.)

<u>Year</u>	<u>King</u>	<u>Red</u>	<u>Coho</u>	<u>Pink</u>	<u>Chum</u>	<u>Total</u>	<u>Remarks</u>
1928	584,823	27,153,623	3,634,375	47,182,228	9,186,190	87,741,239	
1929	740,881	19,947,787	2,127,412	39,813,508	8,482,300	71,111,888	
1930	842,159	10,394,059	3,645,285	59,345,222	5,856,101	80,082,826	
1931	619,024	20,861,021	1,967,040	40,583,162	5,604,710	69,634,957	
1932	840,746	25,400,681	2,058,635	35,822,603	8,078,919	72,201,584	
1933	583,980	31,182,080	1,932,779	38,940,068	6,992,747	79,631,654	
1934	520,785	30,194,167	2,683,482	72,800,667	7,239,050	113,438,151	
1935	756,867	10,248,812	2,266,069	49,836,306	8,397,563	71,505,617	
1936	838,682	34,358,024	2,704,624	77,423,822	11,120,921	126,446,073	
1937	1,037,816	31,116,959	1,980,884	66,283,340	8,276,035	108,695,034	
1938	902,438	34,702,921	2,871,157	54,475,034	7,766,155	100,717,705	
1939	783,287	24,805,072	1,548,501	44,139,321	7,071,341	78,347,522	
1940	542,556	11,683,054	2,992,893	60,766,448	8,820,882	84,805,833	
1941	808,622	14,588,087	3,936,571	77,840,467	6,442,216	103,615,963	
1942	729,699	12,858,737	3,900,312	54,609,556	8,750,942	80,849,246	
1943	623,502	26,991,204	2,391,171	47,248,602	9,468,957	86,723,436	
1944	467,028	19,291,466	2,251,742	37,741,458	10,381,489	70,133,183	
1945	600,315	15,009,628	3,485,949	47,783,264	7,993,082	74,872,238	
1946	721,696	14,232,961	3,657,306	46,644,431	7,206,867	72,463,261	
1947	724,054	25,988,660	2,481,223	34,449,579	6,222,053	69,865,569	
1948	680,583	19,879,369	2,957,214	27,250,403	7,399,083	58,166,652	
1949	693,901	11,836,969	2,979,478	57,006,433	5,660,070	78,176,851	
1950	655,223	14,374,000	2,416,399	19,974,002	7,402,005	44,821,629	
1951	789,533	9,652,809	4,031,069	28,426,126	6,611,466	49,511,003	
1952	735,349	16,929,161	2,376,308	19,861,571	8,137,595	48,039,984	
1953	712,965	11,792,649	1,580,382	15,670,958	7,291,810	37,048,764	
1954	608,020	9,639,367	2,533,225	22,890,468	8,633,843	44,304,923	

ALASKA SALMON CATCHES - (cont.)

<u>Year</u>	<u>King</u>	<u>Red</u>	<u>Coho</u>	<u>Pink</u>	<u>Chum</u>	<u>Total</u>	<u>Remarks</u>
1955	585,143	8,710,557	1,854,666	24,824,931	3,653,665	39,628,962	
1956	456,037	14,783,364	1,513,168	26,420,634	7,422,994	50,596,197	
1957	518,121	9,890,836	1,630,184	13,754,110	8,582,060	34,375,311	
1958	552,223	6,104,194	1,606,821	26,099,286	6,644,575	41,007,099	
1959	607,095	8,076,566	1,433,242	10,930,384	4,086,169	25,133,456	
1960	547,155	17,833,959	1,404,257	16,079,307	6,624,911	42,489,589	
1961	503,582	16,081,305	1,313,776	21,505,774	5,630,788	45,035,225	
1962	460,503	9,296,679	2,039,085	43,863,834	7,149,278	62,809,379	
1963	501,426	6,215,401	2,022,292	34,275,653	4,464,296	47,479,068	
1964	639,095	9,966,090	2,558,339	45,290,762	7,270,790	65,725,076	
1965	580,947	29,770,492	1,998,285	20,347,335	3,643,768	56,340,827	
1966	539,958	15,073,351	1,920,568	40,051,296	6,456,297	64,041,470	
1967	610,737	8,576,399	1,488,836	6,559,219	3,654,353	20,889,544	
1968	610,517	8,129,647	2,750,969	44,726,503	6,082,252	62,299,888	
1969	639,202	11,416,818	1,133,030	25,767,375	2,953,091	41,909,516	
1970	645,759	27,633,925	1,526,841	31,147,347	7,499,629	68,453,501	
1971	662,303	14,179,616	1,447,853	23,528,374	7,679,330	47,497,476	

KOTZEBUE SALMON CATCHES

<u>YEAR</u>	<u>KING</u>	<u>RED</u>	<u>COHO</u>	<u>PINK</u>	<u>CHUM</u>	<u>TOTAL</u>	<u>REMARKS</u>
1914	---	---	---	---	8,550	8,550	Estimated from pack
1915	---	---	---	---	4,750	4,750	"
1916	---	---	---	---	19,000	19,000	"
1917	---	---	---	---	44,612	44,612	"
1918	---	---	---	---	27,407	27,407	"
1919-	---	---	---	---	---	---	No Reported
1961	---	---	---	---	---	---	Catches
1962	12	7	1	107	129,948	130,075	
1963	7	---	---	136	54,445	54,588	
1964	---	---	---	5	76,499	76,504	
1965	---	---	---	---	40,034	40,034	
1966	1	93*	---	131*	31,756**	31,981	
1967	1	---	---	3	29,400	29,404	
1968	2	---	---	---	30,212	30,214	
1969	---	---	---	48	59,335	59,383	
1970	---	---	---	---	159,306	159,306	
1971	1	---	---	---	154,956	154,957	

* Port Clarence area

** Includes 992 chums taken in Port Clarence area

NORTON SOUND SALMON CATCHES

<u>YEAR</u>	<u>KING</u>	<u>RED</u>	<u>COHO</u>	<u>PINK</u>	<u>CHUM</u>	<u>TOTAL</u>	<u>REMARKS</u>
1961	5,300	---	13,807	34,237	48,332	101,676	
1962	7,286	83	9,173	33,148	182,763	232,453	
1963	6,613	38	16,765	55,895	154,789	234,100	
1964	2,034	---	98	13,264	144,834	160,230	
1965	1,449	---	2,030	220	36,795	40,494	
1966	1,553	14	5,755	12,778	80,245	100,345	
1967	1,804	---	2,379	28,879	41,784	74,846	
1968	1,045	---	6,885	71,179	45,390	124,499	
1969	2,394	---	6,836	86,949	82,501	178,680	
1970	1,845	---	4,443	64,291	107,066	177,645	
1971	2,593	---	3,127	4,895	131,362	141,977	

YUKON RIVER SALMON CATCHES

<u>YEAR</u>	<u>KING</u>	<u>RED</u>	<u>COHO</u>	<u>PINK</u>	<u>CHUM</u>	<u>TOTAL</u>	<u>REMARKS</u>
1918	12,239	---	26,144	---	73,921	112,304	
1919	104,822	---	37,070	---	327,898	469,790	
1920	58,467	---	---	---	155,655	214,122	
1921	69,646	---	1,000	---	111,098	181,744	
1922	16,825	---	---	---	---	16,825	
1923	13,393	---	---	---	---	13,393	
1924	27,375	---	---	---	---	27,375	
1925	---	---	---	---	---	---	No Reported Catch
1926	---	---	---	---	---	---	"
1927	---	---	---	---	---	---	"
1928	---	---	---	---	---	---	"
1929	---	---	---	---	---	---	"
1930	---	---	---	---	---	---	"
1931	---	---	---	---	---	---	"
1932	4,739	---	---	---	---	4,739	
1933	8,829	---	---	---	---	8,829	
1934	25,365	---	---	---	---	25,365	
1935	7,265	---	---	---	---	7,265	
1936	20,963	---	---	---	---	20,963	
1937	6,226	---	---	---	---	6,226	
1938	13,727	---	---	---	---	13,727	
1939	9,987	---	---	---	---	9,987	
1940	18,053	---	---	---	---	18,053	
1941	29,905	---	---	---	---	29,905	
1942	22,487	---	---	---	---	22,487	
1943	27,650	---	---	---	---	27,650	

YUKON RIVER SALMON CATCHES - (cont.)

<u>YEAR</u>	<u>KING</u>	<u>RED</u>	<u>COHO</u>	<u>PINK</u>	<u>CHUM</u>	<u>TOTAL</u>	<u>REMARKS</u>
1944	14,232	---	---	---	---	14,232	
1945	19,727	---	---	---	---	19,727	
1946	22,782	---	---	---	---	22,782	
1947	54,026	---	---	---	---	54,026	
1948	33,842	---	---	---	---	33,842	
1949	36,379	---	---	---	---	36,379	
1950	41,808	---	---	---	---	41,808	
1951	56,278	---	---	---	---	56,278	
1952	38,637	---	10,868	---	---	49,505	
1953	58,859	---	---	---	5,977	64,836	
1954	64,545	---	---	---	14,375	78,920	
1955	55,925	---	---	---	---	55,925	
1956	62,208	51	1	---	10,691	72,951	
1957	63,623	---	---	---	---	63,623	
1958	63,735	---	---	---	---	63,735	
1959	78,370	---	---	---	---	78,370	
1960	67,597	---	---	---	---	67,597	
1961	119,664	---	2,855	116	42,461	165,096	
1962	94,736	12	23,339	32	53,723	171,842	
1963	117,048	3	5,572	---	---	122,623	
1964	93,587	---	2,430	---	8,347	104,364	
1965	118,014	---	661	---	23,211	141,886	
1966	93,315	---	19,254	13	71,045	183,627	
1967	129,430	2	11,047	201	49,209	189,889	
1968	106,526	---	13,303	---	67,375	187,204	
1969	90,720	---	15,076	---	192,582	298,378	
1970	79,301	---	13,188	255	347,093	439,837	
1971	110,507	1	12,203	---	289,684	412,395	

KUSKOKWIM RIVER SALMON CATCHES

<u>YEAR</u>	<u>KING</u>	<u>RED</u>	<u>COHO</u>	<u>PINK</u>	<u>CHUM</u>	<u>TOTAL</u>	<u>REMARKS</u>
1913	7,800	---	---	---	---	7,800	
1914	---	2,667	---	---	---	2,667	
1915	---	---	---	---	---	---	No Reported Catch
1916	949	---	---	---	---	949	
1917	7,878	---	---	---	---	7,878	
1918	3,055	---	---	---	---	3,055	
1919	4,836	---	---	---	---	4,836	
1920	34,853	---	---	---	---	34,853	
1921	9,854	---	---	---	---	9,854	
1922	8,944	6,120	---	---	---	15,064	
1923	7,254	---	---	---	---	7,254	
1924	19,253	900	7,167	---	7,167	34,487	
1925	1,664	5,850	---	---	---	7,514	
1926	---	---	---	---	---	---	No Reported Catch
1927	---	---	---	---	---	---	"
1928	---	---	---	---	---	---	"
1929	---	---	---	---	---	---	"
1930	7,515	2,448	---	---	---	9,963	
1931	8,541	---	---	---	---	8,541	
1932	9,399	---	---	---	---	9,399	
1933	---	---	---	---	---	---	No Reported Catch
1934	---	---	---	---	---	---	No Reported Catch
1935	6,448	---	8,296	---	---	14,744	
1936	624	---	---	---	---	624	
1937	480	---	---	---	---	480	
1938	624	---	828	---	---	1,452	
1939	134	---	---	---	---	134	

KUSKOKWIM RIVER SALMON CATCHES - (cont.)

<u>YEAR</u>	<u>KING</u>	<u>RED</u>	<u>COHO</u>	<u>PINK</u>	<u>CHUM</u>	<u>TOTAL</u>	<u>REMARKS</u>
1940	247	---	500	---	---	747	
1941	187	---	674	---	---	861	
1942	---	---	---	---	---	---	No Reported Catch
1943	---	---	---	---	---	---	"
1944	---	---	---	---	---	---	"
1945	---	---	---	---	---	---	"
1946	2,288	---	674	---	---	2,962	
1947	5,356	---	---	---	---	5,356	
1948	---	---	---	---	---	---	No Reported Catch
1949	---	---	---	---	---	---	"
1950	---	---	---	---	---	---	"
1951	4,210	---	---	---	---	4,210	
1952	---	---	---	---	---	---	No Reported Catch
1953	---	---	---	---	---	---	"
1954	57	7	---	---	---	64	
1955	---	---	---	---	---	---	No Reported Catch
1956	---	---	---	---	---	---	"
1957	---	---	---	---	---	---	"
1958	---	---	---	---	---	---	"
1959	3,760	---	---	---	---	3,760	
1960	5,985	5,649	5,498	---	3	17,135	
1961	23,462	2,308	5,090	91	18,864	49,815	
1962	20,869	10,307	12,572	4,340	45,949	94,037	
1963	18,581	1	16,458	---	1	35,041	
1964	21,246	13,422	28,992	939	707	65,306	
1965	24,428	1,895	12,191	37	4,272	42,823	

KUSKOKWIM RIVER SALMON CATCHES - (cont.)

<u>YEAR</u>	<u>KING</u>	<u>RED</u>	<u>COHO</u>	<u>PINK</u>	<u>CHUM</u>	<u>TOTAL</u>	<u>REMARKS</u>
1966	25,823	1,030	22,985	268	2,610	52,716	
1967	29,986	652	58,239	---	8,234	97,111	
1968	43,157	5,884	154,302	75,818	19,684	298,845	
1969	64,777	10,362	110,473	1,251	50,377	237,240	
1970	65,273	12,645	62,442	27,440	60,720	228,520	
1971	44,936	6,054	10,006	13	99,423	160,432	

BRISTOL BAY SALMON CATCHES

<u>YEAR</u>	<u>KING</u>	<u>RED</u>	<u>COHO</u>	<u>PINK</u>	<u>CHUM</u>	<u>TOTAL</u>	<u>REMARKS</u>
1884	---	---	---	---	---	400	Cases
1885	---	---	---	---	---	14,000	Cases
1886	---	---	---	---	---	48,822	Cases
1887	---	---	---	---	---	72,700	Cases
1888	---	---	---	---	---	89,886	Cases
1889	---	---	---	---	---	115,985	Cases
1890	---	---	---	---	---	118,390	Cases
1891	---	---	---	---	---	133,418	Cases
1892	---	---	---	---	---	63,499	Cases
1893	44,000	940,000	74,000	---	---	1,058,000	
1894	10,500	1,235,400	47,000	---	---	1,292,900	
1895	19,925	1,472,137	28,050	---	---	1,520,112	
1896	17,301	2,099,740	245,068	---	---	2,362,109	
1897	19,897	3,317,523	150,000	35,348	---	3,522,768	
1898	19,260	4,927,840	55,744	59,786	---	5,062,630	
1899	38,259	5,112,737	100,396	16,758	---	5,268,150	
1900	58,307	8,547,335	---	7,803	---	8,613,445	
1901	106,047	10,220,577	4,179	231,188	---	10,561,991	
1902	109,089	12,808,518	193,838	502,265	---	13,613,710	
1903	86,506	16,320,092	60,073	241,504	---	16,708,175	
1904	97,953	11,903,352	129,469	398,146	37,308	12,566,228	
1905	116,855	14,833,989	78,301	291,015	58,984	15,379,144	
1906	143,194	10,823,431	207,257	1,901,945	253,541	13,329,368	
1907	137,677	10,193,403	129,065	344,148	508,727	11,313,020	
1908	90,009	16,233,802	103,013	399,257	459,899	17,285,980	
1909	130,489	15,497,883	80,513	101,279	378,138	16,188,302	
1910	101,755	11,593,609	139,200	652,129	310,218	12,796,911	

BRISTOL BAY SALMON CATCHES - (cont.)

<u>YEAR</u>	<u>KING</u>	<u>RED</u>	<u>COHO</u>	<u>PINK</u>	<u>CHUM</u>	<u>TOTAL</u>	<u>REMARKS</u>
1911	113,163	8,815,114	129,971	91,764	347,866	9,497,878	
1912	97,728	19,696,343	195,093	1,680,652	354,627	22,024,443	
1913	74,249	20,581,826	66,807	425,493	284,718	21,433,093	
1914	100,964	20,195,107	98,942	564,998	566,947	21,526,958	
1915	148,028	14,787,678	130,443	134,798	593,079	15,794,026	
1916	105,124	17,521,921	293,498	683,771	1,489,623	20,093,937	
1917	91,145	24,513,532	62,263	37,082	356,222	25,060,244	
1918	87,048	23,090,665	108,576	619,303	745,824	24,651,416	
1919	201,954	7,161,375	46,687	452	204,474	7,614,942	
1920	127,350	8,897,915	153,304	2,045,437	434,338	11,658,344	
1921	91,982	15,680,076	84,564	939	355,331	16,212,892	
1922	74,020	23,632,077	159,984	289,795	515,915	24,671,791	
1923	67,013	18,181,964	9,274	3	184,902	18,443,156	
1924	71,663	10,302,066	40,379	103,056	285,463	10,802,627	
1925	97,448	7,909,508	16,596	18	231,808	8,255,378	
1926	74,604	19,414,094	13,297	288,041	326,018	20,116,054	
1927	83,846	11,071,828	146	3	195,803	11,351,626	
1928	66,075	19,710,000	4,840	46,665	396,581	20,224,161	
1929	150,663	12,188,648	58,620	---	621,554	13,019,485	
1930	105,428	4,259,188	34,150	248,727	226,930	4,874,423	
1931	47,175	12,790,614	920	---	635,726	13,474,435	
1932	68,286	14,939,552	4,630	172,396	908,522	16,093,386	
1933	49,308	23,708,950	15,800	150	255,658	24,029,866	
1934	45,945	20,600,510	12,190	33,303	332,069	21,024,017	
1935	3,573	3,022,959	2,230	---	72,049	3,100,811	
1936	21,703	20,586,884	24,310	523,841	258,964	21,415,702	
1937	36,629	21,257,814	1,700	---	302,231	21,598,374	

BRISTOL BAY SALMON CATCHES - (cont.)

<u>YEAR</u>	<u>KING</u>	<u>RED</u>	<u>COHO</u>	<u>PINK</u>	<u>CHUM</u>	<u>TOTAL</u>	<u>REMARKS</u>
1938	45,934	24,699,788	4,825	---	545,380	25,295,927	
1939	33,408	13,332,345	323	48	934,682	14,300,806	
1940	15,267	4,726,687	25,035	258,342	293,150	5,318,481	
1941	30,661	7,153,704	34,640	---	524,280	7,743,285	
1942	19,006	6,343,363	29,257	171,913	168,963	6,732,502	
1943	41,146	17,330,218	1,670	---	376,803	17,749,837	
1944	16,373	11,545,604	24,520	55,264	315,469	11,957,230	
1945	26,609	7,300,247	16,435	23	635,293	7,978,607	
1946	27,401	8,051,206	51,008	41,250	236,040	8,406,905	
1947	41,641	18,642,028	9,563	421	215,715	18,909,368	
1948	49,116	14,544,389	11,818	53,236	496,657	15,155,216	
1949	50,752	6,449,321	26,319	38	269,138	6,795,568	
1950	45,261	7,157,275	28,737	32,171	146,449	7,409,893	
1951	40,183	4,326,543	42,463	34	156,750	4,565,973	
1952	52,856	11,266,129	5,014	14,129	249,421	11,587,549	
1953	42,556	6,111,500	4,616	12	387,346	6,546,030	
1954	56,016	4,652,625	23,536	102,982	400,644	5,235,803	
1955	75,429	4,549,106	21,028	9	212,179	4,857,751	
1956	66,377	8,881,467	63,459	91,972	315,517	9,418,792	
1957	91,420	6,275,502	68,745	29	259,342	6,695,038	
1958	103,207	2,985,666	135,828	1,135,542	358,092	4,718,335	
1959	84,289	4,608,119	17,335	301	481,516	5,191,560	
1960	111,703	13,705,002	16,140	302,032	1,315,957	15,450,834	
1961	88,656	11,913,926	20,633	538	727,932	12,751,685	
1962	84,047	4,718,016	39,284	913,934	677,545	6,432,826	
1963	62,269	2,871,136	41,262	461	370,097	3,345,225	

BRISTOL BAY SALMON CATCHES - (cont.)

<u>YEAR</u>	<u>KING</u>	<u>RED</u>	<u>COHO</u>	<u>PINK</u>	<u>CHUM</u>	<u>TOTAL</u>	<u>REMARKS</u>
1964	139,536	5,596,120	36,563	1,549,569	802,508	8,124,296	
1965	112,967	24,255,239	8,083	700	360,544	24,737,533	
1966	77,472	9,314,240	33,942	2,492,851	343,212	12,261,717	
1967	117,193	4,330,730	53,796	1,114	476,357	4,979,190	
1968	103,723	2,792,849	93,374	1,935,736	363,791	5,289,473	
1969	124,908	6,621,698	81,376	1,870	332,989	7,162,841	
1970	140,511	20,720,766	14,490	456,911	717,846	22,050,524	
1971	123,015	9,583,987	12,709	212	676,906	10,396,829	

NORTH SIDE ALASKA PENINSULA SALMON CATCHES

<u>YEAR</u>	<u>KING</u>	<u>RED</u>	<u>COHO</u>	<u>PINK</u>	<u>CHUM</u>	<u>TOTAL</u>	<u>REMARKS</u>
1906	1,530	135,000	---	---	---	136,530	
1907	1,725	66,500	3,150	1,500	---	72,875	
1908	600	166,870	---	---	---	167,470	
1909	1,500	143,000	---	15	1,000	145,515	
1910	---	---	---	---	---	---	No Reported Catch
1911	---	129,600	---	---	---	129,600	
1912	940	252,746	11,029	---	2,448	267,163	
1913	600	888,816	18,737	---	1,964	910,117	
1914	8,090	1,325,081	---	---	---	1,333,171	
1915	13,953	1,974,270	---	---	54,789	2,043,012	
1916	44,244	1,974,718	---	2,561	191,404	2,212,927	
1917	20,006	679,592	6,800	560	90,301	797,259	
1918	9,679	1,208,545	---	1,211	252,287	1,471,722	
1919	19,632	389,176	---	12,041	143,464	564,313	
1920	19,001	1,371,939	---	---	36,954	1,427,894	
1921	12,474	1,746,465	---	---	32,750	1,791,689	
1922	10,431	667,890	---	---	42,912	721,233	
1923	9,075	731,668	61	---	25,755	766,559	
1924	10,493	701,712	---	---	48,389	760,594	
1925	10,550	400,234	---	---	53,874	464,658	
1926	23,925	672,860	---	---	71,533	768,318	
1927	16,495	230,594	104	---	86,963	334,156	
1928	4,604	855,595	---	---	83,543	943,742	Estimated from Case Pack
1929	4,067	877,990	---	---	145,200	1,027,257	" "
1930	3,846	167,699	---	---	93,692	265,237	" "
1931	1,837	760,985	---	---	54,914	817,736	" "

NORTH SIDE ALASKA PENINSULA SALMON CATCHES-(cont.)

<u>YEAR</u>	<u>KING</u>	<u>RED</u>	<u>COHO</u>	<u>PINK</u>	<u>CHUM</u>	<u>TOTAL</u>	<u>REMARKS</u>
1932	3,255	977,149	---	---	56,344	1,036,748	Estimated from Case Pack
1933	1,145	350,111	---	---	15,958	367,214	" "
1934	1,619	1,091,303	---	400	13,045	1,106,367	
1935	991	479,206	1	78	33,819	514,095	
1936	983	610,746	---	2,832	18,984	633,545	
1937	1,633	860,854	---	192	65,600	928,279	
1938	5,902	1,009,569	---	---	34,738	1,050,209	
1939	3,918	746,222	---	16	82,198	832,354	
1940	741	678,922	---	25	65,553	745,241	
1941	716	491,668	---	3,178	30,160	525,722	Estimated from Case Pack
1942	---	---	---	---	---	---	No Fishery
1943	183	567,393	---	1,250	50,396	619,222	
1944	70	414,679	---	2,645	157,853	575,247	
1945	86	394,378	---	2,484	335,101	732,049	
1946	2,458	697,714	275	11	36,012	736,470	
1947	82	357,660	90	50	75,049	432,931	
1948	2,164	477,611	17,218	26	161,660	658,679	
1949	712	137,117	25,650	---	40,682	204,161	
1950	1,101	127,751	37,811	---	217,569	384,232	
1951	1,272	358,936	32,936	20,367	202,994	616,505	
1952	661	354,783	54,177	1,430	246,882	657,933	
1953	808	537,271	26,197	18,330	224,436	807,042	
1954	3,379	354,724	34,984	18,479	405,032	816,598	
1955	4,119	586,556	6,153	863	129,583	727,274	
1956	4,154	1,370,866	8,150	28,472	427,422	1,839,064	
1957	1,040	327,945	18,356	3,302	274,895	625,538	
1958	14,989	473,759	57,116	60,449	254,775	861,088	

NORTH SIDE ALASKA PENINSULA SALMON CATCHES-(cont.)

<u>YEAR</u>	<u>KING</u>	<u>RED</u>	<u>COHO</u>	<u>PINK</u>	<u>CHUM</u>	<u>TOTAL</u>	<u>REMARKS</u>
1959	28,692	634,918	59,115	9,585	404,746	1,137,056	
1960	10,441	692,787	43,959	34,725	607,173	1,389,085	
1961	6,050	387,675	24,592	2,953	153,282	574,552	
1962	6,098	256,159	39,776	27,905	37,323	367,261	
1963	3,601	225,199	40,501	6,912	55,630	331,843	
1964	3,592	234,640	36,568	6,821	139,034	420,655	
1965	6,131	199,469	34,467	2,093	69,673	311,833	
1966	9,342	245,341	37,286	15,975	79,083	387,027	
1967	5,523	224,706	46,842	669	41,252	318,992	
1968	4,483	237,131	64,914	167	73,519	380,214	
1969	4,846	321,347	49,092	111	28,094	403,490	
1970	3,854	211,234	26,334	7,904	49,928	299,254	
1971	2,189	354,805	8,222	297	64,303	429,816	

ALEUTIAN ISLANDS SALMON CATCHES

<u>YEAR</u>	<u>KING</u>	<u>RED</u>	<u>COHO</u>	<u>PINK</u>	<u>CHUM</u>	<u>TOTAL</u>	<u>REMARKS</u>
1911	---	9,252	---	---	---	9,252	
1912	---	---	---	---	---	---	No Reported Catch
1913	---	---	---	---	---	---	No Reported Catch
1914	---	---	---	---	---	---	No Reported Catch
1915	---	---	---	---	---	---	No Reported Catch
1916	47	76,494	1,174	180,264	137	258,116	
1917	---	70,434	3,769	612	23,145	97,960	
1918	---	55,244	4,405	75,600	---	135,249	
1919	---	3,900	800	4,000	---	8,700	
1920	---	10,050	2,790	---	---	12,840	
1921	---	---	---	---	---	---	No Reported Catch
1922	---	14,000	---	---	---	14,000	
1923	---	---	---	---	---	---	No Reported Catch
1924	8	24,876	---	673,846	123	698,853	
1925	---	18,634	---	3,842	9,136	31,612	
1926	---	1,335	---	521,724	7,797	530,856	
1927	---	17,259	20	334,575	---	351,854	
1928		CATCHES INCLUDED IN SOUTH PENINSULA CATCHES					
1950		OR NO CATCHES REPORTED					
1951	3	11,717	393	526	94,502	107,141	
1952	209	42,824	9	31,750	25,732	100,524	
1953	---	4,281	524	69,158	820	74,783	
1954	1	6,306	840	566,457	160	573,764	
1955	---	12,588	100	31,078	374	44,140	
1956	---	---	---	5,175	---	5,175	
1957	2,301	27,296	88	485	13,876	44,046	
1958	2	344	14	613,225	277	613,862	

ALEUTIAN ISLANDS SALMON CATCHES - (cont.)

<u>YEAR</u>	<u>KING</u>	<u>RED</u>	<u>COHO</u>	<u>PINK</u>	<u>CHUM</u>	<u>TOTAL</u>	<u>REMARKS</u>
1959	---	6,096	---	11,961	79	18,136	
1960	---	7,649	3	444,897	299	452,848	
1961	---	2,661	3	93,958	219	96,841	
1962	12	5,473	99	2,001,731	1,151	2,008,466	
1963	4	4,509	---	90,367	250	95,130	
1964	1	248	4	194,138	2,314	196,705	
1956	---	---	---	---	---	---	NO FISHERY
1966	1	999	14	63,483	703	65,200	
1967	1	201	---	7,917	10	8,129	
1968	37	3,032	112	894,157	792	898,130	
1969	2	1,892	35	242,150	1,549	245,628	
1970	6	1,629	135	670,991	3,348	676,109	
1971	---	333	2	45,114	58	45,507	

SOUTH SIDE ALASKA PENINSULA SALMON CATCHES

<u>YEAR</u>	<u>KING</u>	<u>RED</u>	<u>COHO</u>	<u>PINK</u>	<u>CHUM</u>	<u>TOTAL</u>	<u>REMARKS</u>
1908	---	69,442	---	---	---	69,442	
1909	---	108,437	7,200	---	---	115,637	
1910	---	46,324	5,500	---	---	51,824	
1911	---	240,824	12,447	25,232	82,963	361,466	
1912	---	334,383	26,982	40,409	195,017	596,791	
1913	1,832	299,694	---	---	6,950	308,476	
1914	648	628,939	9,896	310,977	221,065	1,171,525	
1915	4,753	367,888	16,237	120,135	333,141	842,154	
1916	6,792	730,922	34,145	576,104	508,880	1,856,843	
1917	6,424	1,486,056	4,648	72,060	415,476	1,984,664	
1918	8,682	1,014,115	16,334	2,150,816	1,501,037	4,690,984	
1919	9,626	619,141	56,087	80,171	921,437	1,686,462	
1920	7,563	1,142,252	47,731	2,109,805	934,041	4,241,392	
1921	678	830,666	1,457	47,320	84,627	964,748	
1922	6,939	3,376,812	2,173	756,741	349,304	4,491,969	
1923	4,059	1,827,155	75,276	143,610	538,948	2,589,048	
1924	3,938	1,351,992	127,312	3,931,308	1,330,725	6,745,275	
1925	10,742	820,480	127,087	382,148	1,116,769	2,457,226	
1926	9,486	3,071,504	193,790	3,719,705	1,179,782	8,174,267	
1927	9,610	714,749	125,332	1,455,516	1,299,666	3,604,873	
1928*	7,722	971,520	96,593	900,939	2,416,342	4,393,116	Includes Aleutian Island Catch
1929*	10,530	935,766	84,549	1,793,516	2,428,963	5,253,324	"
1930*	10,899	935,224	161,100	6,094,811	1,278,097	8,480,131	"
1931*	10,986	1,863,188	128,734	997,861	1,211,044	4,211,813	"
1932*	17,416	2,977,312	112,303	3,604,771	817,253	7,529,055	"
1933*	12,614	1,996,718	189,952	3,109,202	1,173,902	6,482,388	"

* Estimated from Case Pack

SOUTH SIDE ALASKA PENINSULA SALMON CATCHES-(cont.)

<u>YEAR</u>	<u>KING</u>	<u>RED</u>	<u>COHO</u>	<u>PINK</u>	<u>CHUM</u>	<u>TOTAL</u>	<u>REMARKS</u>
1934	17,595	1,372,390	247,104	6,538,530	1,940,251	10,115,870	Catches from Unalaska to Castle Cape
1935	13,893	978,405	117,179	5,386,173	2,003,054	8,498,704 "	"
1936	14,380	3,662,620	284,556	9,470,992	2,310,903	15,743,451 "	"
1937	9,266	1,558,025	73,853	9,302,047	1,506,691	12,449,882 "	"
1938	6,449	772,106	220,686	7,169,070	1,476,588	9,644,899 "	"
1939	16,523	1,881,654	98,919	6,005,287	1,440,604	9,442,987 "	"
1940	9,082	1,040,325	184,157	7,182,834	2,326,278	10,742,676 "	"
1941	13,000	1,072,000	183,000	5,347,000	1,542,000	8,157,000 "	"
1942	4,821	810,050	123,035	6,762,616	1,321,100	9,021,622 "	"
1943	21,663	2,397,722	90,642	4,360,164	924,469	7,794,660 "	"
1944	9,868	538,569	238,659	2,653,841	985,554	4,426,491 "	"
1945	21,444	813,355	116,082	3,639,630	948,914	5,539,425 "	"
1946	6,055	752,304	151,370	1,963,982	1,219,886	4,093,597 "	"
1947	3,404	1,137,122	55,800	2,319,611	1,219,223	4,735,160 "	"
1948	1,231	285,898	39,222	1,683,743	1,139,574	3,149,668 "	"
1949	3,805	637,466	19,492	1,544,015	560,908	2,765,686 "	"
1950	4,001	1,745,285	70,665	1,613,676	562,545	3,996,172 "	"
1951	1,507	264,155	55,720	2,844,820	683,106	3,849,308	
1952	9,242	894,510	39,237	908,518	1,040,776	2,892,283	
1953	7,172	1,039,212	47,923	2,743,901	1,464,593	5,302,801	
1954	4,187	636,275	49,407	2,033,298	1,413,392	4,136,559	
1955	5,362	550,061	44,803	2,529,228	688,157	3,817,611	
1956	4,806	641,370	61,877	2,740,719	1,618,669	5,067,441	
1957	5,765	341,919	49,907	913,098	1,281,426	2,592,115	
1958	758	186,093	70,628	1,385,167	841,004	2,483,650	
1959	577	217,207	8,470	884,709	576,332	1,687,295	
1960	1,911	384,937	2,979	1,510,795	1,071,493	2,972,115	

SOUTH SIDE ALASKA PENINSULA SALMON CATCHES-(cont.)

<u>YEAR</u>	<u>KING</u>	<u>RED</u>	<u>COHO</u>	<u>PINK</u>	<u>CHUM</u>	<u>TOTAL</u>	<u>REMARKS</u>
1961	942	456,823	10,448	1,727,818	748,595	2,944,626	
1962	3,214	407,786	16,327	1,961,018	823,078	3,211,423	
1963	1,900	204,387	16,514	2,303,085	464,060	2,989,946	
1964	2,025	370,743	13,552	2,721,991	750,950	3,859,261	
1965	2,104	880,375	34,161	2,858,528	537,500	4,312,668	
1966	1,358	606,203	6,334	302,344	485,176	1,401,415	
1967	1,645	297,123	2,884	77,758	238,735	618,145	
1968	1,444	699,787	31,128	1,284,917	325,281	2,342,557	
1969	1,939	912,836	10,884	1,219,446	389,249	2,534,354	
1970	1,806	1,779,956	32,573	1,739,279	993,383	4,546,997	
1971	2,174	716,087	16,907	1,445,031	1,365,957	3,546,156	

CHIGNIK SALMON CATCHES

<u>YEAR</u>	<u>KING</u>	<u>RED</u>	<u>COHO</u>	<u>PINK</u>	<u>CHUM</u>	<u>TOTAL</u>	<u>REMARKS</u>
1888	---	13,000	---	---	---	13,000	
1889	---	560,000	---	---	---	560,000	
1890	---	453,000	---	---	---	453,000	
1891	---	775,000	---	---	---	775,000	
1892	---	522,000	---	---	---	522,000	
1893	---	600,000	64,000	---	---	664,000	
1894	---	600,000	---	---	---	600,000	
1895	---	683,319	---	---	---	683,319	
1896	3,304	850,000	56,764	---	---	910,068	
1897	---	765,000	10,510	5,800	---	781,310	
1898	---	1,165,419	790	---	850	1,167,059	
1899	---	903,749	12,882	18,134	---	934,765	
1900	---	1,047,371	2,053	52,350*	1,200	1,102,974 * Mixed Pinks & Chums	
1901	---	907,350	6,501	40,484	---	954,335	
1902	---	1,782,015	---	---	---	1,782,015	
1903	---	1,149,990	8,616	84,097	---	1,242,703	
1904	129	1,689,642	---	27,785	---	1,717,556	
1905	---	1,297,114	---	---	---	1,297,114	
1906	---	1,323,584	---	---	---	1,323,584	
1907	---	1,622,987	800	---	---	1,623,787	
1908	---	1,630,677	---	---	---	1,630,677	
1909	---	1,730,804	---	---	---	1,730,804	
1910	---	1,314,672	36,907	17,170	---	1,368,749	
1911	---	1,077,595	7,788	23,128	14,788	1,123,299	
1912	33	1,330,832	18,979	55,099	28,232	1,433,175	
1913	1,918	833,220	23,773	30,080	91,152	980,143	

CHIGNIK SALMON CATCHES - (cont.)

<u>YEAR</u>	<u>KING</u>	<u>RED</u>	<u>COHO</u>	<u>PINK</u>	<u>CHUM</u>	<u>TOTAL</u>	<u>REMARKS</u>
1914	320	1,056,629	34,475	80,080	32,388	1,203,892	
1915	1,054	1,330,031	29,617	55,665	65,350	1,481,717	
1916	1,693	1,002,911	45,899	267,148	88,778	1,406,429	
1917	904	1,456,676	13,323	9,583	124,579	1,605,065	
1918	1,449	1,542,707	21,118	396,125	343,886	2,305,285	
1919	597	884,938	34,931	4,807	136,754	1,062,027	
1920	811	1,772,710	22,493	297,826	152,206	2,246,046	
1921	399	1,828,857	13,251	30,620	220,721	2,093,848	
1922	500	1,248,763	14,952	359,510	212,789	1,836,514	
1923	867	642,872	18,574	9,235	87,668	759,216	
1924	483	877,343	94,433	1,014,992	110,793	2,098,044	
1925	1,475	712,658	30,049	42,704	102,121	889,007	
1926	830	510,718	31,842	677,026	265,168	1,485,584	
1927	987	456,263	101,422	186,710	171,467	916,849	
1928	438	785,740	65,703	45,863*	122,552*	1,020,296	
1929	1,546	1,048,984	36,762	72,733*	185,265*	1,345,290	
1930	238	20,768	18,809	67,515*	50,437*	157,767	
1931	1,252	714,979	39,919	169,561*	45,644*	971,355	
1932	692	1,578,124	25,272	812,337*	50,399*	2,466,824	
1933	1,088	595,501	52,745	325,088*	119,823*	1,094,245	
1934	692	1,108,332	26,995	536,589*	134,036*	1,806,644	From Castle Cape to Eastern Boundary
1935	569	619,330	18,143	373,112*	190,873*	1,202,027	"
1936	792	980,925	39,763	596,581*	114,497*	1,732,558	"
1937	804	629,318	19,378	1,205,410*	122,928*	1,977,838	"
1938	994	410,989	23,695	223,314*	71,384*	730,376	"
1939	1,633	1,482,079	8,834	272,956*	78,707*	1,844,209	"

CHIGNIK SALMON CATCHES - (cont.)

<u>YEAR</u>	<u>KING</u>	<u>RED</u>	<u>COHO</u>	<u>PINK</u>	<u>CHUM</u>	<u>TOTAL</u>	<u>REMARKS</u>
1940	---	250,435	219	86,845*	24,711*	362,210	From Castle Cape to Eastern Boundary
1941	1,203	653,909	30,867	326,641*	161,890*	1,174,510	"
1942	1,702	658,503	11,603	486,106*	150,770*	1,308,684	"
1943	1,004	1,247,818	20,092	96,346*	51,992*	1,417,252	"
1944	1,699	401,977	14,238	568,090*	67,311*	1,053,315	"
1945	1,101	220,953	7,866	441,879*	135,973*	807,772	"
1946	1,792	869,020	6,621	906,744*	265,470*	2,049,647	"
1947	737	2,084,824	4,610	472,327*	71,829*	2,634,327	"
1948	756	370,329	937	1,071,556*	368,966*	1,812,544	"
1949	763	542,545	6,009	91,528*	129,139*	769,984	"
1950	976	353,192	14,620	616,696*	92,137*	1,077,621	"
1951	696	259,017	7,464	19,406	26,499	313,082	
1952	290	127,068	9,400	81,502	151,674	369,934	
1953	508	295,187	1,370	136,851	229,764	663,680	
1954	183	91,566	195	348,203	123,733	563,880	
1955	1,266	352,556	167	822,537	291,016	1,467,542	
1956	570	670,140	5,179	177,304	266,860	1,120,053	
1957	939	304,788	5,334	305,109	216,190	832,360	
1958	511	320,131	403	130,916	189,077	641,038	
1959	690	428,022	4,814	67,042	187,079	687,647	
1960	427	710,349	7,665	198,368	152,191	1,069,000	
1961	429	323,459	3,095	445,256	183,170	955,409	
1962	435	364,753	1,293	1,518,366	364,452	2,249,299	
1963	1,744	408,606	9,933	1,662,363	112,697	2,195,343	
1964	1,097	557,806	2,230	1,683,410	333,755	2,578,298	
1965	1,592	630,587	9,163	1,118,157	120,605	1,880,104	
1966	639	222,065	15,019	683,746	238,913	1,160,382	

CHIGNIK SALMON CATCHES - (cont.)

<u>YEAR</u>	<u>KING</u>	<u>RED</u>	<u>COHO</u>	<u>PINK</u>	<u>CHUM</u>	<u>TOTAL</u>	<u>REMARKS</u>
1967	882	467,874	9,375	108,981	75,543	662,655	
1968	674	878,449	2,200	1,290,660	223,861	2,395,844	
1969	3,445	310,063	18,130	1,779,569	67,785	2,178,992	
1970	1,226	1,325,811	15,348	1,287,827	464,607	3,094,819	
1971	2,010	1,016,136	14,557	612,290	353,952	1,998,945	

*Estimated from Case Pack

KODIAK SALMON CATCHES

<u>YEAR</u>	<u>KING</u>	<u>RED</u>	<u>COHO</u>	<u>PINK</u>	<u>CHUM</u>	<u>TOTAL</u>	<u>REMARKS</u>
1882	---	58,800	---	---	---	58,800	
1883	---	188,706	---	---	---	188,706	
1884	---	282,184	---	---	---	282,184	
1885	---	468,580	---	---	---	468,580	
1886	---	646,100	---	---	---	646,100	
1887	---	1,004,500	---	---	---	1,004,500	
1888	---	2,781,100	---	---	---	2,781,100	
1889	---	3,754,735	---	---	---	3,754,735	
1890	---	3,592,707	---	---	---	3,592,707	
1891	---	3,846,388	---	---	---	3,846,388	
1892	---	3,126,459	---	---	---	3,126,459	
1893	---	3,244,609	---	---	---	3,244,609	
1894	---	3,830,336	---	---	---	3,830,336	
1895	---	2,246,966	8,321	---	---	2,255,287	
1896	---	3,328,846	---	---	---	3,328,846	
1897	---	2,785,515	1,500	---	---	2,787,015	
1898	---	2,033,094	19,175	---	---	2,052,269	
1899	1,104	1,934,771	32,475	---	---	1,968,350	
1900	4,838	3,450,480	32,239	---	---	3,487,557	
1901	3,838	4,826,159	---	2,015	---	4,832,012	
1902	2,932	3,868,101	34,972	---	---	3,906,005	
1903	1,187	1,826,163	119,541	10,000	---	1,956,891	
1904	3,190	2,875,118	103,136	5,180	---	2,986,624	
1905	2,496	2,142,367	86,913	---	---	2,231,776	
1906	3,640	3,980,462	23,738	---	---	4,007,840	
1907	4,015	4,232,454	38,059	---	---	4,274,528	

KODIAK SALMON CATCHES - (cont.)

<u>YEAR</u>	<u>KING</u>	<u>RED</u>	<u>COHO</u>	<u>PINK</u>	<u>CHUM</u>	<u>TOTAL</u>	<u>REMARKS</u>
1908	3,028	2,487,848	73,789	286,374	---	2,851,039	
1909	3,907	1,915,230	51,500	153,595	---	2,124,232	
1910	1,598	1,954,717	44,291	215,382	---	2,215,988	
1911	689	2,685,949	21,870	229,551	6,492	2,944,551	
1912	686	2,246,467	17,491	547,171	24,588	2,836,403	
1913	1,082	1,663,163	27,634	590,039	3,822	2,285,740	
1914	1,329	1,255,444	32,063	1,726,411	13,094	3,028,341	
1915	939	1,664,426	51,819	252,073	20,331	1,989,588	
1916	1,038	3,373,055	49,683	3,181,890	28,962	6,634,628	
1917	1,457	3,645,914	30,485	225,335	15,961	3,919,152	
1918	2,021	1,894,466	78,169	2,467,325	81,699	4,523,680	
1919	1,831	1,619,101	104,233	282,715	60,102	2,067,982	
1920	1,637	1,957,636	88,970	1,977,421	55,175	4,080,839	
1921	660	2,857,922	45,764	67,688	24,779	2,996,813	
1922	703	1,097,359	119,724	2,766,257	223,970	4,208,013	
1923	1,915	1,090,117	77,554	928,510	38,653	2,136,749	
1924	1,002	1,407,525	120,686	5,435,091	117,883	7,082,187	
1925	1,911	1,693,057	92,960	2,673,675	212,492	4,674,095	
1926	596	3,015,366	174,475	4,606,694	324,706	8,121,837	
1927	4,358	1,155,202	151,548	5,297,305	417,956	7,026,369	
1928	2,546	1,592,003	290,645	1,535,313	726,480	4,146,987	Estimated from Case Pack
1929	3,200	712,126	144,226	6,108,402	1,057,662	8,025,616	"
1930	4,991	466,409	228,800	1,651,398	419,011	2,770,609	"
1931	1,541	1,183,074	170,075	6,839,906	183,737	8,378,333	"
1932	1,873	1,058,446	52,192	4,719,939	237,023	6,069,473	"
1933	1,140	1,428,373	91,428	6,573,660	536,935	8,631,536	"

KODIAK SALMON CATCHES - (cont.)

<u>YEAR</u>	<u>KING</u>	<u>RED</u>	<u>COHO</u>	<u>PINK</u>	<u>CHUM</u>	<u>TOTAL</u>	<u>REMARKS</u>
1934	1,300*	1,828,953	89,588*	7,641,891	661,341	10,223,073*	Estimated from Case Pack
1935	1,393*	1,613,519	76,849*	10,780,612	381,753	12,854,126*	"
1936	2,548*	2,657,195	183,903*	5,647,726	328,218	8,819,590*	"
1937	1,257*	1,881,304	164,902*	16,787,150	346,238	19,180,851*	"
1938	1,232*	1,965,943	154,959*	8,397,981	640,119	11,160,234*	"
1939	2,272*	1,786,445	112,171*	11,741,218	641,693	14,283,799*	"
1940	1,233*	1,318,233	148,016*	9,997,899	673,265	12,138,646*	"
1941	2,571*	1,730,201	199,515*	7,601,531	444,521	9,978,339*	"
1942	1,329*	1,281,529	106,865*	6,092,526	564,924	8,047,173*	"
1943	1,133*	1,990,557	59,661*	12,479,608	454,205	14,985,164*	"
1944	668	1,817,875	51,675*	4,955,354	506,703	7,332,275*	"
1945	2,021*	2,041,090	60,122*	9,044,544	559,332	11,707,109*	"
1946	129*	838,863	56,425*	9,545,871	298,486	10,739,774*	"
1947	99*	993,394	76,230*	8,856,666	294,518	10,220,907*	"
1948	1,401	1,260,465	32,364	5,968,487	330,795	7,593,512	
1949	851	892,336	53,737	4,927,779	699,548	6,574,251	
1950	2,127	920,885	40,653	5,304,701	685,109	6,953,475	
1951	2,402	467,875	48,792	2,100,377	483,057	3,102,503	
1952	1,081	603,677	51,567	4,576,726	1,243,227	6,476,278	
1953	2,991	317,150	41,681	5,174,645	547,574	6,084,041	
1954	942	325,157	66,430	8,439,231	1,250,833	10,082,593	
1955	2,428	164,482	34,582	10,794,164	482,425	11,478,081	
1956	1,123	271,249	52,844	3,318,841	705,047	4,349,104	
1957	1,030	234,253	34,995	4,716,482	1,208,472	6,195,232	
1958	1,942	288,014	20,555	4,038,938	930,698	5,280,147	
1959	1,837	330,087	14,512	1,967,058	733,784	3,047,278	
1960	1,238	362,525	54,308	6,737,817	1,300,386	8,456,274	

KODIAK SALMON CATCHES - (cont.)

<u>YEAR</u>	<u>KING</u>	<u>RED</u>	<u>COHO</u>	<u>PINK</u>	<u>CHUM</u>	<u>TOTAL</u>	<u>REMARKS</u>
1961	864	407,979	28,579	3,926,023	518,935	4,882,380	
1962	1,095	784,664	54,583	14,113,851	794,727	15,748,920	
1963	286	407,040	57,011	5,480,158	305,061	6,249,556	
1964	1,306	498,488	35,535	12,044,341	1,134,163	13,713,833	
1965	786	346,237	26,672	2,886,831	431,340	3,691,866	
1966	599	631,646	67,700	10,755,582	762,766	12,218,293	
1967	1,753	308,756	10,354	187,813	226,681	735,357	
1968	1,936	760,393	56,629	8,768,122	750,428	10,337,508	
1969	2,469	591,481	48,759	12,500,823	534,933	13,678,465	
1970	1,089	917,047	66,424	12,036,598	919,972	13,941,130	
1971	920	478,479	22,844	4,334,492	1,541,444	6,378,179	

COOK INLET SALMON CATCH

<u>YEAR</u>	<u>KING</u>	<u>RED</u>	<u>COHO</u>	<u>PINK</u>	<u>CHUM</u>	<u>TOTAL</u>	<u>REMARKS</u>
1893	30,000	170,000	34,000	---	---	234,000	
1894	15,500	406,840	19,000	---	---	441,340	
1895	25,199	324,277	---	---	---	349,476	
1896	18,076	309,863	27,600	37,800	---	393,339	
1897	14,083	354,800	28,000	---	---	396,883	
1898	16,389	551,168	83,412	---	---	650,969	
1899	17,102	558,529	54,890	---	---	630,521	
1900	26,683	585,309	20,000	---	---	631,992	
1901	34,319	482,406	8,967	5,591	---	531,283	
1902	49,013	710,280	54,864	79,246	---	893,403	
1903	66,023	564,189	58,968	---	---	689,180	
1904	30,073	489,348	23,800	---	---	543,221	
1905	17,668	95,547	---	---	---	113,215	
1906	22,420	225,506	93,485	64,100	---	405,511	
1907	62,944	460,620	177,276	6,420	---	707,260	
1908	33,774	670,774	94,936	375,140	---	1,174,624	
1909	59,624	582,562	88,350	3,740	---	734,276	
1910	49,028	840,187	79,702	217,666	1,318	1,187,901	
1911	55,845	1,249,154	87,909	70,665	749	1,464,322	
1912	47,866	1,194,888	70,567	1,661,874	121,628	3,096,823	
1913	63,652	1,369,196	81,484	10,926	10,813	1,536,071	
1914	47,554	1,472,829	188,341	1,255,798	39,905	3,004,427	
1915	83,793	1,860,684	122,028	19,308	27,833	2,113,646	
1916	62,895	1,699,323	209,978	1,682,672	128,322	3,783,190	
1917	65,499	1,659,907	60,776	54,286	78,468	1,918,936	
1918	34,886	1,668,394	251,151	721,231	108,200	2,783,862	

COOK INLET SALMON CATCH - (cont.)

<u>YEAR</u>	<u>KING</u>	<u>RED</u>	<u>COHO</u>	<u>PINK</u>	<u>CHUM</u>	<u>TOTAL</u>	<u>REMARKS</u>
1919	23,801	943,694	172,855	43,447	54,333	1,238,130	
1920	39,563	1,314,916	302,353	445,524	97,541	2,199,897	
1921	13,946	983,625	20,519	4,717	42,409	1,065,216	
1922	31,030	860,019	199,923	637,405	74,389	1,802,766	
1923	29,911	1,099,465	142,926	39,146	23,481	1,334,929	
1924	27,012	1,056,090	187,656	752,016	36,755	2,059,529	
1925	51,033	1,510,861	198,146	11,828	15,064	1,786,932	
1926	75,620	1,999,720	353,173	586,054	118,455	3,133,022	
1927	87,404	1,459,068	387,746	251,866	59,380	2,245,464	
1928	69,885	1,172,959	522,509	568,052	101,086	2,434,491	Estimated from case pack. Excludes Resurrection Bay
1929	67,694	1,049,851	184,858	376,863	134,601	1,813,867	"
1930	72,317	917,882	498,475	1,022,679	99,630	2,610,983	"
1931	51,402	805,526	328,294	472,221	62,628	1,720,071	Estimated from case pack
1932	70,931	1,131,958	374,976	441,125	64,749	2,083,739	"
1933	59,281	1,336,135	187,972	118,187	57,245	1,758,820	"
1934	72,379	1,815,267	251,260	929,992	91,319	3,160,217	"
1935	75,075	1,355,787	170,438	430,540	161,424	2,193,264	No Resurrection Bay fisher
1936	81,062	2,390,281	328,496	852,924	264,909	3,917,672	"
1937	85,982	1,581,183	215,700	487,692	148,869	2,519,426	Resurrection Bay contribut estimated from case pack
1938	57,663	2,425,253	213,804	848,733	191,328	3,736,781	"
1939	52,726	2,334,904	163,010	319,312	231,645	3,101,597	"
1940	63,016	1,648,952	478,096	2,604,235	280,831	5,075,130	Estimated from case pack
1941	104,822	1,293,234	359,224	715,211	272,345	2,744,836	
1942	95,180	1,540,185	644,823	965,507	400,989	3,646,684	
1943	111,381	1,468,279	279,852	1,457,161	301,899	3,618,572	
1944	85,210	1,939,932	256,621	1,815,441	258,840	4,356,044	
1945	69,202	1,556,713	329,828	1,367,950	305,901	3,629,594	

COOK INLET SALMON CATCH - (cont.)

<u>YEAR</u>	<u>KING</u>	<u>RED</u>	<u>COHO</u>	<u>PINK</u>	<u>CHUM</u>	<u>TOTAL</u>
1946	64,281	1,474,473	581,374	1,338,731	383,563	3,842,422
1947	106,804	1,473,973	443,879	681,731	279,227	2,985,614
1948	105,996	2,035,306	408,079	1,660,147	439,314	4,648,842
1949	111,281	2,153,213	279,701	433,003	238,646	3,215,844
1950	162,942	2,642,374	351,366	1,132,164	463,507	4,752,353
1951	187,513	2,481,346	284,715	417,485	292,293	3,663,352
1952	74,500	1,510,214	233,771	2,277,019	450,580	4,546,084
1953	89,430	1,490,062	227,612	550,073	536,639	2,893,816
1954	65,325	1,246,672	336,685	2,460,051	775,659	4,884,392
1955	46,499	1,064,128	180,452	1,286,008	317,053	2,894,140
1956	65,310	1,295,095	207,534	1,803,295	870,269	4,241,503
1957	42,767	670,629	127,199	306,841	1,207,920	2,355,356
1958	22,847	496,842	241,561	2,598,314	596,179	3,955,743
1959	32,783	634,313	112,664	137,255	411,157	1,328,172
1960	27,539	948,040	314,153	2,023,252	776,079	4,089,063
1961	19,778	1,185,079	119,397	337,394	405,221	2,066,869
1962	20,270	1,172,859	358,051	4,960,030	1,149,841	7,661,051
1963	17,632	958,101	203,876	234,052	525,537	1,939,198
1964	4,622	990,709	462,114	4,287,378	1,402,419	7,147,242
1965	9,751	1,426,352	154,481	139,561	344,521	2,074,666
1966	9,603	1,867,323	295,101	2,585,820	660,887	5,418,734
1967	8,035	1,409,106	180,455	407,717	382,282	2,387,595
1968	4,600	1,200,146	475,333	2,863,638	1,194,248	5,737,965
1969	12,462	815,050	101,575	235,866	331,058	1,496,011
1970	8,455	753,526	280,156	1,388,179	999,325	3,429,641
1971	19,838	658,537	105,197	428,495	475,631	1,687,698

PRINCE WILLIAM SOUND SALMON CATCHES

<u>YEAR</u>	<u>KING</u>	<u>RED</u>	<u>COHO</u>	<u>PINK</u>	<u>CHUM</u>	<u>TOTAL</u>	<u>REMARKS</u>
1889	---	242,790	---	---	---	242,790	Includes Copper River Catches
1890	5,491	411,190	---	---	---	416,681	"
1891	6,185	710,740	---	---	---	716,925	"
1892	---	---	---	---	---	---	No Fishery
1893	8,674	792,690	72,000*	---	---	873,364	Includes Copper River Catches
1894	8,494	710,000	17,000*	---	---	735,494	"
1895	10,248	507,630	142,937*	---	---	660,815	"
1896	1,407	714,595	31,862*	308,180	---	1,056,044	"
1897	2,044	371,487	25,605*	302,290	---	701,426	"
1898	1,850	417,171	---	375,246	---	794,267	"
1899	4,682	527,122	---	212,907	---	744,711	"
1900	3,462	748,310	88,175*	50,565	---	890,512	"
1901	6,558	781,438	---	313,806	---	1,101,802	"
1902	2,500	800,044	---	375,408	---	1,177,952	"
1903	4,600	814,345	---	398,926	---	1,217,871	"
1904	253	109,200	---	573,967	---	683,420	
1905	---	100,000	---	---	---	100,000	
1906	---	60,578	---	---	---	60,578	
1907	---	17,692	---	252,373	---	270,065	
1908	---	117,018	---	18,018	---	135,036	
1909	---	150,412	---	---	---	150,412	
1910	---	68,122	14,411	196,871	---	279,404	
1911	---	23,130	20,284	156,349	---	199,763	
1912	---	47,549	15,563	401,892	405	465,409	
1913	1,003	75,412	406	425,574	70	502,465	
1914	---	72,348	13,001	224,906	---	310,255	

PRINCE WILLIAM SOUND SALMON CATCHES- (cont.)

<u>YEAR</u>	<u>KING</u>	<u>RED</u>	<u>COHO</u>	<u>PINK</u>	<u>CHUM</u>	<u>TOTAL</u>	<u>REMARKS</u>
1915	---	52,111	6,915	449,174	2,175	510,375	
1916	6	72,321	47,746	3,270,282	45,918	3,436,273	
1917	364	222,154	44,557	2,590,563	370,309	3,227,947	
1918	557	249,092	100,247	4,302,646	1,341,887	5,994,429	
1919	6,930	152,682	72,836	1,008,312	558,522	1,799,282	
1920	6,408	129,655	89,378	5,314,747	260,963	5,801,151	
1921	---	92,571	9,316	12,644	3,499	118,030	
1922	286	140,736	8,962	2,421,272	50,517	2,621,773	
1923	530	170,050	26,889	2,447,006	111,582	2,756,057	
1924	1,219	158,484	69,431	8,395,901	385,251	9,010,286	
1925	3,325	96,703	84,408	4,085,084	780,956	5,050,476	
1926	2,153	157,313	78,607	11,153,663	587,351	11,979,087	
1927	3,094	118,118	258,816	6,124,911	655,159	7,160,098	
1928	4,018	183,144	190,350	8,034,200	468,260	8,879,972	
1929	900	264,960	66,066	9,613,500	1,282,150	11,227,576	
1930	2,195	207,108	107,622	6,776,860	979,800	8,073,585	
1931	1,507	159,499	55,108	4,860,083	560,271	5,636,468	
1932	7,907	256,047	99,856	3,466,435	350,895	4,181,140	
1933	3,842	106,985	75,538	3,030,274	285,824	3,502,463	
1934	3,621	143,524	100,331	6,788,991	261,479	7,297,946	
1935	3,302	175,191	33,557	2,618,009	471,050	3,301,109	
1936	3,421	153,033	43,783	9,581,246	218,550	10,000,033	
1937	1,757	108,121	60,062	3,332,395	227,468	3,729,803	
1938	1,475	116,135	52,735	7,545,648	249,754	7,965,747	
1939	2,004	120,544	35,664	2,075,310	273,015	2,506,537	
1940	1,046	76,167	89,549	11,542,576	532,327	12,241,665	

PRINCE WILLIAM SOUND SALMON CATCHES - (cont.)

<u>YEAR</u>	<u>KING</u>	<u>RED</u>	<u>COHO</u>	<u>PINK</u>	<u>CHUM</u>	<u>TOTAL</u>	<u>REMARKS</u>
1941	355	74,797	47,574	3,774,792	507,350	4,404,868	
1942	1,433	96,526	63,612	7,002,089	702,331	7,865,991	
1943	340	164,965	73,365	10,814,268	475,877	11,528,815	
1944	761	141,002	65,454	8,346,755	1,208,587	9,762,559	
1945	367	175,798	43,679	11,632,238	1,753,720	13,605,802	
1946	1,669	110,787	159,011	8,026,032	757,173	9,054,672	
1947	781	199,208	66,335	8,077,210	706,189	9,049,723	
1948	207	208,159	35,168	2,460,760	457,618	3,161,912	
1949	643	93,396	115,556	6,089,394	827,665	7,126,654	
1950	558	74,585	74,445	1,850,731	455,900	2,456,219	
1951	3,636	208,065	47,636	802,892	549,206	1,611,435	
1952	111	74,324	51,130	2,161,556	549,663	2,836,784	
1953	72	49,252	37,012	1,996,413	352,714	2,435,463	
1954	1	6,185	436	12,142	6,071	24,835	Eshamy District Onl
1955	---	12,924	596	26,873	4,662	45,055	"
1956	492	156,336	34,850	4,525,408	507,199	5,224,285	
1957	968	66,468	20,935	649,001	705,642	1,443,014	
1958	12,041	13,821	22,555	6,289,924	687,266	7,025,607	
1959	1,447	---	1,123	229	---	2,799	
1960	1,584	35,176	30,722	1,841,899	381,858	2,291,239	
1961	406	68,572	10,988	2,298,218	224,401	2,602,585	
1962	1,830	54,468	31,908	6,742,316	891,880	7,722,402	
1963	2,293	60,304	48,661	5,295,378	942,900	6,349,536	
1964	71	66,974	30,969	4,206,896	539,047	4,843,957	
1965	1,099	116,092	45,211	2,460,471	201,043	2,823,916	
1966	650	99,714	23,908	2,699,418	426,628	3,250,318	

PRINCE WILLIAM SOUND SALMON CATCHES - (cont.)

<u>YEAR</u>	<u>KING</u>	<u>RED</u>	<u>COHO</u>	<u>PINK</u>	<u>CHUM</u>	<u>TOTAL</u>	<u>REMARKS</u>
1967	3,624	45,515	40,569	2,626,340	274,234	2,990,282	
1968	1,523	121,804	11,693	2,452,168	342,939	2,930,127	
1969	3,340	285,584	12,866	4,828,579	320,977	5,451,346	
1970	1,031	104,169	11,485	2,809,996	230,661	3,157,342	
1971	3,551	88,368	30,551	7,310,964	574,265	8,007,699	

* Reported as Coho but probably Pinks

COPPER RIVER SALMON CATCHES

<u>YEAR</u>	<u>KING</u>	<u>RED</u>	<u>COHO</u>	<u>PINK</u>	<u>CHUM</u>	<u>TOTAL</u>	<u>REMARKS</u>
1889 -							
1903				Included in Prince William Sound Catch			
1904	5,014	501,630	---	---	---	506,644	
1905	20,000	320,000	---	---	---	340,000	
1906	2,165	265,378	---	---	---	267,543	
1907	869	263,557	---	---	---	264,426	
1908	---	466,414	---	---	---	466,414	
1909	3,067	316,688	---	---	---	319,755	
1910	974	221,993	18,149	---	---	241,116	
1911	1,358	407,559	33,660	---	---	442,577	
1912	6,181	456,390	36,238	---	---	498,809	
1913	2,307	404,914	---	---	---	407,221	
1914	3,043	570,959	42,192	---	---	616,194	
1915	7,334	818,728	12,098	16,076	---	854,236	
1916	14,259	769,531	118,267	31,578	67	933,702	
1917	13,930	919,818	126,073	8,845	---	1,068,666	
1918	19,627	1,492,356	74,379	5,361	686	1,592,409	
1919	13,266	1,328,643	53,468	---	---	1,395,377	
1920	22,997	854,624	73,924	---	---	951,545	
1921	11,466	570,291	377	---	---	582,134	
1922	10,075	505,775	---	---	---	515,850	
1923	10,339	625,875	---	462	---	636,676	
1924	15,862	790,835	41,889	186	23	848,795	
1925	19,728	160,721	153,376	20	4	333,849	
1926	21,338	211,341	177,781	85	---	410,545	
1927	42,045	341,291	410,350	---	---	793,686	

COPPER RIVER SALMON CATCHES - (cont.)

<u>YEAR</u>	<u>KING</u>	<u>RED</u>	<u>COHO</u>	<u>PINK</u>	<u>CHUM</u>	<u>TOTAL</u>	<u>REMARKS</u>
1928	44,954*	531,791*	304,326*	---	---	881,071	Includes Bering River Catches
1929	46,790*	968,001*	183,889*	---	---	1,198,680	"
1930	24,726*	829,894*	597,822*	---	---	1,452,442	"
1931	34,588	760,071	91,891	---	---	886,550	"
1932	29,403	830,028	---	---	---	859,431	"
1933	19,410	629,096	96,263*	312*	---	745,081	
1934	13,167	913,743	---	3,081*	---	929,991	
1935	2,901	111,579	79,722*	176*	---	194,378	Includes Bering River Catches
1936	10,930	862,789	---	293*	---	874,012	
1937	14,218	1,024,416	45,535*	2,067*	---	1,086,236	
1938	11,321	767,721	---	2,048*	470*	781,560	Includes Bering River Catches
1939	8,616	633,733	7,397	3,218*	38*	653,002	"
1940	5,470	435,993	229,012	---	---	670,475	"
1941	12,352	444,162	566,008	10,901*	188*	1,033,611	"
1942	25,335	562,092	710,014*	1,599*	141*	1,299,181	"
1943	20,202	700,493	185,691*	1,053*	---	907,439	"
1944	9,857	769,552	294,372*	---	---	1,073,781	"
1945	21,644	823,805	324,322	---	367*	1,170,138	"
1946	24,353	550,353	283,700	---	---	858,406	"
1947	15,026	354,281	278,637	---	---	647,944	"
1948	5,774	172,687	266,555	---	---	445,016	"
1949	8,652	441,776	173,124	---	---	623,552	"
1950	17,777	800,451	146,197	39*	47*	964,511	"
1951	17,439	451,943	154,418	101	48	623,949	
1952	29,355	1,136,316	163,740	6,284	1,091	1,336,786	
1953	12,198	563,708	29,866	166	46	605,984	

* Estimated from case pack

COPPER RIVER SALMON CATCHES - (cont.)

<u>YEAR</u>	<u>KING</u>	<u>RED</u>	<u>COHO</u>	<u>PINK</u>	<u>CHUM</u>	<u>TOTAL</u>	<u>REMARKS</u>
1954	15,764	1,099,564	157,941	135	272	1,273,676	
1955	20,438	636,705	158,208	149	12	815,512	
1956	11,702	540,575	109,248	1,131	54	662,710	
1957	8,151	541,637	58,705	1,841	1,224	611,558	
1958	6,965	307,342	81,610	8,872	181	404,970	
1959	9,833	299,782	132,259	940	67	442,881	
1960	8,678	360,667	137,957	375	314	507,991	
1961	7,621	528,223	133,987	1,639	106	671,576	
1962	14,792	677,626	174,628	1,880	513	869,439	
1963	10,871	375,029	202,621	1,487	85	590,093	
1964	12,751	699,548	242,666	548	62	955,575	
1965	15,390	818,277	70,786	803	331	905,587	
1966	11,422	1,005,615	116,147	717	115	1,134,016	
1967	9,853	508,327	160,532	573	218	679,503	
1968	9,743	573,261	230,867	4,343	473	818,687	
1969	14,040	696,836	77,405	847	244	789,372	
1970	19,375	1,115,695	161,892	645	687	1,298,294	
1971	16,486	616,801	208,915	1,762	5,287	849,251	

BERING RIVER SALMON CATCHES

<u>YEAR</u>	<u>KING</u>	<u>RED</u>	<u>COHO</u>	<u>PINK</u>	<u>CHUM</u>	<u>TOTAL</u>	<u>REMARKS</u>
1896	---	23,980	---	---	---	23,980	
1897	---	39,269	---	---	---	39,269	
1898	---	39,383	---	---	---	39,383	
1899	---	27,072	---	---	---	27,072	
1900	---	106,167	---	---	---	106,167	
1901	---	---	---	---	---	---	No Data Available
1902	---	---	---	---	---	---	"
1903	---	---	---	---	---	---	"
1904	400	123,400	---	---	---	123,800	
1905	---	---	---	---	---	---	No Data Available
1906	111	54,074	---	---	---	54,185	
1907	---	---	---	---	---	---	No Data Available
1908	---	---	---	---	---	---	"
1909	---	---	---	---	---	---	"
1910	---	---	---	---	---	---	"
1911	---	---	---	---	---	---	"
1912	---	41,023	8,000	---	---	49,023	
1913	---	38,519	---	---	---	38,519	
1914	---	10,202	---	---	---	10,202	
1915	4	105,614	---	---	---	105,618	
1916	7	141,278	51,938	14,492	---	207,715	
1917	321	163,357	78,412	---	---	242,090	
1918	139	173,021	80,218	772	3	254,153	
1919	72	139,792	76,729	---	---	216,593	
1920	120	162,582	63,865	---	---	226,567	
1921	3	120,667	---	---	---	120,670	

BERING RIVER SALMON CATCHES - (cont.)

<u>YEAR</u>	<u>KING</u>	<u>RED</u>	<u>COHO</u>	<u>PINK</u>	<u>CHUM</u>	<u>TOTAL</u>	<u>REMARKS</u>
1922	72	131,179	---	---	---	131,251	
1923	86	192,361	24,723	298	---	217,468	
1924	111	87,114	80,030	---	---	167,255	
1925	77	52,632	57,018	206	---	109,933	
1926	76	37,424	52,668	135	---	90,303	
1927	---	---	---	---	---	---	No Fishery
1928-	---	---	---	---	---	---	Catches Included with Copper River
1932	---	---	---	---	---	---	
1933	134	19,751	---	---	---	19,885	
1934	70	78,262	---	---	---	78,332	
1935	---	---	---	---	---	---	Catches Included with Copper River
1936	213	50,154	---	---	---	50,367	
1937	86	28,733	---	---	---	28,819	
1938-	---	---	---	---	---	---	Catches Included with Copper River
1950	---	---	---	---	---	---	
1951	34	3,591	46,306	5	1	49,937	
1952	---	---	13,642	---	---	13,642	
1953	26	8,572	---	---	---	8,598	
1954	---	129	91,964	9	1	92,103	
1955	125	34,121	70,100	50	2	104,398	
1956	147	41,437	53,484	46	5	95,119	
1957	71	29,142	27,441	27	22	56,703	
1958	72	23,947	21,202	32	1	45,254	
1959	77	27,384	58,560	6	---	86,027	
1960	63	32,890	70,065	126	6	103,150	
1961	872	60,116	50,883	30	1	111,902	

BERING RIVER SALMON CATCHES - (cont.)

<u>YEAR</u>	<u>KING</u>	<u>RED</u>	<u>COHO</u>	<u>PINK</u>	<u>CHUM</u>	<u>TOTAL</u>	<u>REMARKS</u>
1962	246	72,230	55,502	---	2	127,980	
1963	95	23,127	88,610	60	---	111,892	
1964	36	13,469	78,708	---	---	92,213	
1965	3	10,651	52,114	---	32	62,800	
1966	36	24,949	49,818	---	1	74,804	
1967	20	11,866	46,138	3	2	58,029	
1968	10	26,136	67,134	199	---	93,479	
1969	44	38,093	4,033	1	---	42,171	
1970	26	23,539	79,264	1	1	102,831	
1971	105	36,776	88,231	4	---	125,116	

YAKUTAT SALMON CATCHES

<u>YEAR</u>	<u>KING</u>	<u>RED</u>	<u>COHO</u>	<u>PINK</u>	<u>CHUM</u>	<u>TOTAL</u>	<u>REMARKS</u>
1902	150	52,900	12,300	35,000	---	100,350	
1903	---	---	---	---	---	---	No Reported Catch
1904	---	141,653	96,540	111,100	---	349,293	
1905	---	266,664	49,889	45,229	---	361,782	
1906	---	296,897	80,786	63,249	---	440,932	
1907	---	331,396	100,890	53,862	---	486,148	
1908	6,890	430,850	46,324	54,073	---	538,137	
1909	---	483,095	67,725	18,461	---	569,281	
1910	2,340	464,963	164,292	41,823	2,111	675,529	
1911	328	508,329	158,049	180,749	13,679	861,134	
1912	4,733	637,519	127,283	31,515	6,418	807,468	
1913	4,066	562,211	112,210	45,437	---	723,924	
1914	11,500	543,927	116,294	5,620	---	677,341	
1915	9,176	433,086	156,967	157,367	---	756,596	
1916	1,317	435,062	126,826	41,434	---	604,639	
1917	16,871	493,348	188,651	92,757	---	791,627	
1918	12,821	453,722	224,885	115,931	---	807,359	
1919	13,363	493,758	244,218	24,123	---	775,462	
1920	24,299	485,827	211,153	44,431	---	765,710	
1921	12,720	512,614	197,748	34,967	---	758,049	
1922	9,457	376,998	179,518	72,562	---	638,535	
1923	16,093	359,792	190,319	294,425	6,263	866,892	
1924	20,495	395,082	155,278	311,047	---	881,902	
1925	20,443	200,601	147,685	103,842	2,224	474,795	
1926	18,992	207,396	143,538	245,891	4,156	619,973	
1927	9,974	241,675	292,328	100,262	1,079	645,318	

YAKUTAT SALMON CATCHES - (cont.)

<u>YEAR</u>	<u>KING</u>	<u>RED</u>	<u>COHO</u>	<u>PINK</u>	<u>CHUM</u>	<u>TOTAL</u>	<u>REMARKS</u>
1928	---	---	---	---	---	---	Included in S.E. Catches
1929	---	---	---	---	---	---	"
1930	83,044	313,277	83,988	72,365	---	552,674	
1931	---	279,623	---	---	---	279,623	Italio, Situk, Ahrnklin Catch Only
1932	---	---	---	---	---	---	Included in S. E. Catches
1933	12,760	156,964	132,873	118,366	2,878	423,841	
1934	17,791	355,344	237,694	107,791	3,415	722,035	
1935	7,985	406,648	145,695	87,558	1,574	649,460	
1936	4,408	248,446	206,920	168,954	1,026	629,754	Estimated from Case Pack
1937	7,164	227,574	177,578	127,292	4,224	543,832	"
1938	7,347	374,800	200,966	128,681	1,326	713,120	
1939	6,934	325,571	84,318	41,024	228	458,075	
1940	1,992	171,278	230,008	107,550	1,291	512,119	
1941	4,658	242,631	340,624	66,958	5,033	659,904	
1942	499	157,933	185,340	58,125	257	402,154	
1943	1,095	137,558	107,231	28,585	116	274,585	
1944	3,152	183,246	91,251	63,732	137	341,518	
1945	11,491	233,474	173,225	15,182	4,399	437,771	
1946	9,189	115,979	123,437	62,334	1,047	311,986	
1947	7,576	129,044	75,011	24,721	3,190	239,542	
1948	9,255	81,836	105,646	99,734	6,629	303,100	
1949	612	77,833	44,633	17,583	385	141,046	
1950	---	---	---	---	---	---	Included in S.E. Cat
1951	1,260	148,295	127,701	35,222	5,328	317,806	
1952	2,414	110,358	187,990	37,067	12,599	350,428	
1953	1,914	111,733	150,512	8,801	15,605	288,565	
1954	2,246	127,095	267,181	40,043	16,094	452,659	

YAKUTAT SALMON CATCHES - (cont.)

<u>YEAR</u>	<u>KING</u>	<u>RED</u>	<u>COHO</u>	<u>PINK</u>	<u>CHUM</u>	<u>TOTAL</u>	<u>REMARKS</u>
1955	3,808	111,250	201,842	25,686	23,568	366,154	
1956	6,341	108,303	130,445	17,201	23,533	285,823	
1957	3,680	110,504	63,009	16,475	31,996	225,664	
1958	1,098	42,090	98,772	61,785	17,764	221,509	
1959	1,412	76,790	138,989	12,505	36,694	266,390	
1960	916	48,321	121,320	13,966	12,491	197,014	
1961	2,534	82,929	130,314	65,063	11,520	292,360	
1962	2,748	80,668	189,511	27,692	17,914	318,533	
1963	942	52,711	145,863	79,180	10,679	289,375	
1964	2,005	92,235	169,806	40,392	5,669	310,107	
1965	1,468	122,735	125,421	4,425	4,258	258,307	
1966	2,152	185,361	67,414	1,395	3,395	259,717	
1967	2,190	88,431	120,286	32,532	4,471	247,910	
1968	3,801	80,780	122,497	2,317	13,896	223,291	
1969	4,768	117,797	59,623	64,094	14,935	261,217	
1970	10,018	112,169	38,529	3,764	7,110	171,590	
1971	10,173	129,212	40,504	80,317	5,019	265,225	

SOUTHEASTERN SALMON CATCHES

<u>YEAR</u>	<u>KING</u>	<u>RED</u>	<u>COHO</u>	<u>PINK</u>	<u>CHUM</u>	<u>TOTAL</u>
1878	Total SE	5,402 cases, probably reds				
1879	Total SE	6,675 cases, probably reds				
1880	Total SE	6,539 cases, probably reds				
1881	Total SE	8,777 cases, probably reds				
1882	Total SE	11,501 cases, probably reds				
1883	Northern SE	---	107,800	---	---	107,800
	Total SE	---	107,800	---	---	107,800
1884	Northern SE	---	143,000	---	---	143,000
	Total SE	---	143,000	---	---	143,000
1885	Northern SE	---	26,400	---	---	26,400
	Total SE	---	26,400	---	---	26,400
1886	Northern SE	---	113,300	---	---	113,300
	Southern SE	---	5,424	---	---	5,424
	Total SE	---	118,724	---	---	118,724
1887	Northern SE	---	143,000	---	---	143,000
	Southern SE	---	155,491	---	---	155,491
	Total SE	---	298,491	---	---	298,491
1888	Northern SE	---	212,300	---	---	212,300
	Southern SE	---	223,957	16,267	---	240,224
	Total SE	---	436,257	16,267	---	452,524
1889	Northern SE	---	556,500	---	---	556,500
	Southern SE	---	181,646	11,246	92,094	284,986
	Total SE	---	738,146	11,246	92,094	841,486
1890	Northern SE	---	636,202	2,354	---	638,556
	Southern SE	---	250,532	41,561	---	292,093
	Total SE	---	886,734	43,915	---	930,649
1891	Northern SE	---	669,613	---	---	669,613
	Southern SE	---	273,946	23,744	---	297,690
	Total SE	---	943,559	23,744	---	967,303
1892	Northern SE	---	577,984	4,635	---	582,619
	Southern SE	---	206,975	10,736	8,197	225,908
	Total SE	---	784,959	15,371	8,197	808,527

SOUTHEASTERN SALMON CATCHES - (cont.)

<u>YEAR</u>		<u>KING</u>	<u>RED</u>	<u>COHO</u>	<u>PINK</u>	<u>CHUM</u>	<u>TOTAL</u>
1893	Northern SE	---	427,846	293	---	---	428,139
	Southern SE	---	189,379	524	186,994	---	376,897
	Unallocated	6,000	127,000	256,000	---	---	389,000
	Total SE	6,000	744,225	256,817	186,994	---	1,194,036
1894	Northern SE	7,000	349,370	11,000	---	---	367,370
	Southern SE	---	253,475	5,400	528,634	---	787,509
	Unallocated	6,000	117,000	331,000	---	---	454,000
	Total SE	13,000	719,845	347,400	528,634	---	1,608,879
1895	Northern SE	9,453	337,037	11,116	---	---	357,606
	Southern SE	3,294	408,037	8,489	605,847	---	1,025,667
	Unallocated	---	148,242	589,551	---	---	737,793
	Total SE	12,747	893,316	609,156	605,847	---	2,121,066
1896	Northern SE	10,823	469,148	9,459	---	---	489,430
	Southern SE	3,958	989,255	191,947	995,796	---	2,180,956
	Unallocated	3,958	114,284	39,999	634,023	2,938	795,202
	Total SE	18,739	1,572,687	241,405	1,629,819	2,938	3,465,588
1897	Northern SE	14,796	338,096	12,080	---	---	364,972
	Southern SE	4,680	791,378	161,130	2,217,937	6,683	3,181,808
	Unallocated	5,759	---	94,529	1,154,627	---	1,254,915
	Total SE	25,235	1,129,474	267,739	3,372,564	6,683	4,801,695
1898	Northern SE	---	337,456	37,228	---	---	374,684
	Southern SE	8,565	708,354	131,521	672,655	---	1,521,095
	Unallocated	8,364	191,641	122,760	888,646	27,732	1,239,143
	Total SE	16,929	1,237,451	291,509	1,561,301	27,732	3,134,922
1899	Northern SE	12,540	484,950	3,934	---	---	501,424
	Southern SE	12,215	797,052	138,709	1,545,011	500	2,493,487
	Unallocated	12,284	268,809	138,036	1,367,463	6,500	1,793,092
	Total SE	37,039	1,550,811	280,679	2,912,474	7,000	4,788,003
1900	Northern SE	11,066	1,024,044	37,625	67,595	---	1,140,330
	Southern SE	---	763,068	84,163	2,039,734	2,250	2,889,215
	Unallocated	5,668	261,899	175,767	2,214,020	30,702	2,688,056
	Total SE	16,734	2,049,011	297,555	4,321,349	32,952	6,717,601
1901	Northern SE	8,565	711,171	66,023	1,120,205	---	1,905,964
	Southern SE	3,269	263,768	106,835	1,049,226	---	1,423,098
	Unallocated	5,527	388,886	108,582	5,355,659	---	5,858,654
	Total SE	17,361	1,363,825	281,440	7,525,090	---	9,187,716
1902	Northern SE	5,245	1,185,077	107,072	1,232,938	---	2,530,332
	Southern SE	3,793	256,078	33,874	1,546,643	---	1,840,388
	Unallocated	2,476	582,592	82,215	5,286,118	---	5,953,401
	Total SE	11,514	2,023,747	223,161	8,065,699	---	10,324,121

SOUTHEASTERN SALMON CATCHES - (cont.)

<u>YEAR</u>		<u>KING</u>	<u>RED</u>	<u>COHO</u>	<u>PINK</u>	<u>CHUM</u>	<u>TOTAL</u>
1903	Northern SE	6,293	1,277,643	248,522	951,494	---	2,483,952
	Southern SE	181	229,579	125,203	668,662	---	1,023,625
	Unallocated	36,000	553,359	279,844	3,908,391	---	4,777,594
	Total SE	42,474	2,060,581	653,569	5,528,547	---	8,285,171
1904	Northern SE	33,200	2,072,196	136,453	1,329,881	187,334	3,759,064
	Southern SE	3,918	1,143,335	242,275	2,381,477	102,052	3,873,057
	Unallocated	---	59,286	42,588	1,355,749	68,992	1,526,615
	Total SE	37,118	3,274,817	421,316	5,067,107	358,378	9,158,736
1905	Northern SE	46,043	1,334,951	162,197	857,553	868,888	3,269,632
	Southern SE	9,270	1,008,934	183,895	2,059,764	342,793	3,604,656
	Unallocated	13,300	---	3,000	97,812	449,300	563,412
	Total SE	68,613	2,343,885	349,092	3,015,129	1,660,981	7,437,700
1906	Northern SE	26,569	1,330,475	387,699	2,539,533	869,130	5,153,406
	Southern SE	2,795	981,454	169,170	3,858,920	472,928	5,485,267
	Unallocated	12,720	12,034	21,565	574,672	32,401	653,392
	Total SE	42,084	2,323,963	578,434	6,973,125	1,374,459	11,292,065
1907	Northern SE	60,995	1,056,076	221,348	3,781,253	917,442	6,037,114
	Southern SE	17,224	808,410	180,408	8,055,174	437,487	9,498,703
	Unallocated	10,930	5,189	---	83,610	---	99,729
	Total SE	89,149	1,869,675	401,756	11,920,037	1,354,929	15,635,546
1908	Northern SE	32,291	1,364,991	202,033	5,458,489	1,187,366	8,245,170
	Southern SE	43,181	730,630	185,980	7,119,752	616,059	8,695,602
	Unallocated	18,798	18,200	23,523	960,012	21,212	1,041,745
	Total SE	94,270	2,113,821	411,536	13,538,253	1,824,637	17,982,517
1909	Northern SE	37,994	1,585,296	136,682	2,559,869	450,244	4,770,085
	Southern SE	34,264	723,070	127,969	6,784,178	249,137	7,918,618
	Unallocated	41,628	---	---	135,000	---	176,628
	Total SE	113,886	2,308,366	264,651	9,479,047	699,381	12,865,331
1910	Northern SE	37,125	1,541,425	238,091	2,445,568	873,288	5,135,497
	Southern SE	66,302	978,398	235,025	6,831,593	1,121,441	9,232,759
	Unallocated	69,837	2,100	8,657	106,326	---	186,920
	Total SE	173,264	2,521,923	481,773	9,383,487	1,994,729	14,555,176
1911	Northern SE	61,817	1,313,108	364,880	4,970,190	1,575,018	8,285,013
	Southern SE	80,155	1,031,860	354,633	15,251,612	1,141,145	17,859,405
	Unallocated	4,868	43,691	24,276	1,006,356	54,879	1,134,070
	Total SE	146,840	2,388,659	743,789	21,228,158	2,771,042	27,278,488
1912	Northern SE	67,877	1,566,939	448,608	4,725,565	2,632,262	9,441,251
	Southern SE	152,330	807,752	517,125	17,140,761	2,684,814	21,302,782
	Unallocated	180,840	5,850	6,426	113,350	18,837	325,303
	Total SE	401,047	2,380,541	972,159	21,979,676	5,335,913	31,069,336

SOUTHEASTERN SALMON CATCHES - (cont.)

<u>YEAR</u>		<u>KING</u>	<u>RED</u>	<u>COHO</u>	<u>PINK</u>	<u>CHUM</u>	<u>TOTAL</u>
1913	Northern SE	64,647	1,254,494	282,746	6,621,996	1,044,221	9,268,104
	Southern SE	190,535	392,043	156,583	18,097,835	1,383,864	20,220,860
	Unallocated	93,862	9,843	25,650	530,338	31,692	691,385
	Total SE	349,044	1,656,380	464,979	25,250,169	2,459,777	30,180,349
1914	Northern SE	70,731	2,128,330	566,430	3,923,584	1,594,838	8,283,913
	Southern SE	132,830	826,270	224,606	8,433,383	3,782,706	13,399,795
	Unallocated	123,943	2,676	7,479	204,789	66,610	405,497
	Total SE	327,504	2,957,276	798,515	12,561,756	5,444,154	22,089,205
1915	Northern SE	93,584	1,538,259	299,478	9,863,256	1,102,477	12,897,054
	Southern SE	119,465	781,281	332,214	17,991,924	2,385,087	21,609,971
	Unallocated	59,737	72,917	81,876	2,338,833	105,476	2,658,839
	Total SE	272,786	2,392,457	713,568	30,194,013	3,593,040	37,165,864
1916	Northern SE	135,298	1,274,454	830,486	9,808,505	2,058,652	14,107,395
	Southern SE	39,366	595,803	500,707	8,608,461	2,442,553	12,186,890
	Unallocated	80,101	76,031	129,588	1,481,950	240,429	2,008,099
	Total SE	254,765	1,946,288	1,460,781	19,898,916	4,741,634	28,302,384
1917	Northern SE	176,108	1,454,290	626,032	22,218,621	2,773,985	27,249,036
	Southern SE	115,488	656,930	632,545	16,706,299	3,786,279	21,897,541
	Unallocated	18,825	18,331	22,168	1,309,788	291,510	1,660,622
	Total SE	310,421	2,129,551	1,280,745	40,234,708	6,851,774	50,807,199
1918	Northern SE	173,252	1,485,741	700,580	15,781,235	6,435,618	24,576,426
	Southern SE	122,006	789,099	640,214	20,020,522	2,686,268	24,258,109
	Unallocated	103,356	92,636	63,687	3,370,023	230,687	3,860,389
	Total SE	398,614	2,367,476	1,404,481	39,171,780	9,352,573	52,694,924
1919	Northern SE	245,884	1,479,722	799,449	6,998,611	4,937,354	14,461,020
	Southern SE	121,004	1,240,101	689,862	16,789,115	4,120,036	22,960,118
	Unallocated	199,670	49,218	70,526	519,042	211,099	1,049,555
	Total SE	566,558	2,769,041	1,559,837	24,306,768	9,268,489	38,470,693
1920	Northern SE	149,414	1,221,076	535,193	7,112,924	3,879,577	12,898,184
	Southern SE	80,759	941,185	272,169	9,844,341	4,343,645	15,482,099
	Unallocated	97,317	95,536	129,536	1,119,735	390,146	1,832,270
	Total SE	327,490	2,257,797	936,898	18,077,000	8,613,368	30,212,553
1921	Northern SE	222,915	630,986	455,551	1,775,131	1,102,322	4,186,905
	Southern SE	54,232	329,349	159,287	4,631,275	609,053	5,783,196
	Unallocated	156,443	25,984	98,982	1,294,071	135,457	1,710,937
	Total SE	433,590	986,319	713,820	7,700,477	1,846,832	11,681,038

SOUTHEASTERN SALMON CATCHES - (cont)

<u>YEAR</u>		<u>KING</u>	<u>RED</u>	<u>COHO</u>	<u>PINK</u>	<u>CHUM</u>	<u>TOTAL</u>
1922	Northern SE	123,933	809,578	442,165	5,064,213	1,361,961	7,801,850
	Southern SE	78,935	673,251	553,989	18,494,432	2,329,926	22,130,533
	Unallocated	132,527	40,296	83,213	370,682	36,729	663,447
	Total SE	335,395	1,523,125	1,079,367	23,929,327	3,728,616	30,595,830
1923	Northern SE	478,346	971,930	455,955	9,058,657	1,301,166	12,266,054
	Southern SE	140,476	1,006,686	584,817	28,786,250	2,437,053	32,955,282
	Unallocated	155,546	71,949	110,980	1,739,917	168,080	2,246,472
	Total SE	774,368	2,050,565	1,151,752	39,584,824	3,906,299	47,467,808
1924	Northern SE	478,599	1,014,275	474,987	9,232,225	2,735,049	13,935,135
	Southern SE	48,636	1,064,923	482,440	19,896,496	4,374,953	25,867,448
	Unallocated	288,274	31,835	102,193	589,575	156,498	1,168,375
	Total SE	815,509	2,111,033	1,059,620	29,718,296	7,266,500	40,970,958
1925	Northern SE	250,548	934,408	448,270	4,660,448	3,563,243	9,856,917
	Southern SE	106,038	682,168	462,179	22,660,446	4,454,259	28,365,090
	Unallocated	223,073	26,341	153,728	821,662	168,359	1,393,163
	Total SE	579,659	1,642,917	1,064,177	28,142,556	8,185,861	39,615,170
1926	Northern SE	196,641	977,521	399,622	12,385,921	3,188,898	17,148,603
	Southern SE	63,462	832,024	445,848	19,267,915	2,578,158	23,187,407
	Unallocated	173,825	27,767	195,650	293,656	334,596	1,025,494
	Total SE	433,928	1,837,312	1,041,120	31,947,492	6,101,652	41,361,504
1927	Northern SE	294,788	625,058	599,167	5,471,488	1,572,439	8,562,940
	Southern SE	68,627	573,421	240,803	2,581,125	619,909	4,083,885
	Unallocated	253,812	4,409	152,239	10,457	26,343	447,260
	Total SE	617,227	1,202,888	992,209	8,063,070	2,218,691	13,094,085
1928	Northern SE	239,209	896,978	1,252,457	17,989,546	2,041,093	22,419,283*
	Southern SE	145,372	453,893	906,952	18,061,650	2,830,253	22,398,120
	Total SE	384,581	1,350,871	2,159,409	36,051,196	4,871,346	44,817,403
1929	Northern SE	379,424	1,277,781	518,639	8,848,640	1,594,531	12,619,015*
	Southern SE	76,067	623,680	849,803	12,999,854	1,032,374	15,581,778
	Total SE	455,491	1,901,461	1,368,442	21,848,494	2,626,905	28,200,793
1930	Northern SE	306,690	1,494,124	629,876	22,182,953	1,741,568	26,355,211
	Southern SE	220,270	780,038	1,284,643	21,227,914	966,936	24,479,801
	Total SE	526,960	2,274,162	1,914,519	43,410,867	2,708,504	50,835,012
1931	Northern SE	162,909	660,601	429,732	13,676,252	1,180,208	16,109,702
	Southern SE	297,286	882,861	722,367	13,567,278	1,670,538	17,140,330
	Total SE	460,195	1,543,462	1,152,099	27,243,530	2,850,746	33,250,032

* Includes Yakutat Catches

SOUTHEASTERN SALMON CATCHES - (cont.)

<u>YEAR</u>		<u>KING</u>	<u>RED</u>	<u>COHO</u>	<u>PINK</u>	<u>CHUM</u>	<u>TOTAL</u>
1932	Northern SE	312,168	1,025,932	905,892	7,821,537	2,869,585	12,935,114*
	Southern SE	314,677	626,133	483,514	14,784,063	2,724,149	18,932,536
	Total SE	626,845	1,652,065	1,389,406	22,605,600	5,593,734	31,867,650
1933	Northern SE	72,939	441,257	397,925	10,419,920	2,894,861	14,226,902
	Southern SE	341,490	412,239	692,283	15,244,909	1,649,663	18,340,584
	Total SE	414,429	853,496	1,090,208	25,664,829	4,544,524	32,567,486
1934	Northern SE	121,107	430,857	642,651	15,015,809	2,733,706	18,944,130
	Southern SE	200,134	455,682	1,075,669	35,204,290	1,068,389	38,004,164
	Total SE	321,241	886,539	1,718,320	50,220,099	3,802,095	56,948,294
1935	Northern SE	597,364	750,524	416,401	7,178,091	2,164,917	11,107,297
	Southern SE	36,108	735,664	1,197,558	22,981,957	2,917,050	27,868,337
	Total SE	633,472	1,486,188	1,613,959	30,160,048	5,081,967	38,975,634
1936	Northern SE	278,105	939,558	498,575	13,150,392	3,878,483	18,745,113
	Southern SE	398,550	1,215,393	1,094,318	37,428,041	3,726,387	43,862,689
	Total SE	676,655	2,154,951	1,592,893	50,578,433	7,604,870	62,607,802
1937	Northern SE	263,438	903,383	355,653	14,050,677	2,509,407	18,082,558
	Southern SE	608,876	1,056,234	866,523	20,988,418	3,042,379	26,562,430
	Total SE	872,314	1,959,617	1,222,176	35,039,095	5,551,786	44,644,988
1938	Northern SE	264,668	1,088,950	639,570	9,952,654	1,740,035	13,685,877
	Southern SE	485,102	1,071,667	1,359,089	20,206,905	2,815,033	25,937,796
	Total SE	749,770	2,160,617	1,998,659	30,159,559	4,555,068	39,623,673
1939	Northern SE	492,880	1,063,494	323,813	6,228,085	1,545,170	9,653,442
	Southern SE	152,252	1,098,081	714,052	17,452,847	1,843,361	21,260,593
	Total SE	645,132	2,161,575	1,037,865	23,680,932	3,388,531	30,914,035
1940	Northern SE	369,696	484,990	501,789	10,492,983	2,431,948	14,281,406
	Southern SE	56,713	851,072	1,106,512	18,493,159	2,191,528	22,698,984
	Total SE	426,409	1,336,062	1,608,301	28,986,142	4,623,476	36,980,390
1941	Northern SE	515,138	423,807	611,019	22,977,799	1,362,000	25,889,763
	Southern SE	93,054	1,007,974	1,563,426	37,016,456	1,592,449	41,273,359
	Total SE	608,192	1,431,781	2,174,445	59,994,255	2,954,449	67,163,122
1942	Northern SE	180,203	454,963	611,780	13,459,113	2,285,416	16,991,475
	Southern SE	377,704	953,593	1,413,983	19,609,962	3,156,051	25,511,293
	Total SE	557,907	1,408,556	2,025,763	33,069,075	5,441,467	42,502,768
1943	Northern SE	251,747	453,652	300,436	4,844,734	3,696,761	9,547,330
	Southern SE	145,958	532,549	1,272,531	13,165,433	3,136,439	18,252,910
	Total SE	397,705	986,201	1,572,967	18,010,167	6,833,200	27,800,240

* Includes Yakutat Catches

SOUTHEASTERN SALMON CATCHES - (cont.)

<u>YEAR</u>		<u>KING</u>	<u>RED</u>	<u>COHO</u>	<u>PINK</u>	<u>CHUM</u>	<u>TOTAL</u>
1944	Northern SE	173,298	715,648	274,579	9,331,682	3,832,736	14,327,943
	Southern SE	151,840	823,382	940,373	9,948,654	3,048,299	14,912,548
	Total SE	325,138	1,539,030	1,214,952	19,280,336	6,881,035	29,240,491
1945	Northern SE	169,369	623,420	424,932	5,344,915	1,534,419	8,097,055
	Southern SE	257,254	826,395	1,989,458	16,294,419	1,779,663	21,147,189
	Total SE	426,623	1,449,815	2,414,390	21,639,334	3,314,082	29,244,244
1946	Northern SE	261,192	369,913	410,544	3,441,567	1,607,685	6,090,901
	Southern SE	298,107	402,349	1,832,867	21,317,909	2,401,505	26,252,737
	Total SE	559,299	772,262	2,243,411	24,759,476	4,009,190	32,343,638
1947	Northern SE	170,005	367,189	473,683	3,336,008	1,235,417	5,582,302
	Southern SE	318,517	249,937	997,385	10,680,834	2,121,696	14,368,369
	Total SE	488,522	617,126	1,471,068	14,016,842	3,357,113	19,950,671
1948	Northern SE	204,815	198,767	716,112	1,482,282	903,518	3,505,494
	Southern SE	266,026	243,922	1,324,095	12,770,432	3,094,352	17,698,827
	Total SE	470,841	442,689	2,040,207	14,252,714	3,997,870	21,204,321
1949	Northern SE	222,465	191,152	871,750	9,922,099	940,536	12,148,002
	Southern SE	256,986	220,814	1,363,507	33,980,994	1,953,423	37,775,724
	Total SE	479,451	411,966	2,235,257	43,903,093	2,893,959	49,923,726
1950	Northern SE	191,986	306,472	621,116	1,686,864	1,438,401	4,244,839*
	Southern SE	186,686	245,730	1,030,789	7,736,960	3,340,341	12,540,506
	Total SE	378,672	552,202	1,651,905	9,423,824	4,778,742	16,785,345
1951	Northern SE	262,210	390,473	1,925,482	5,792,237	2,311,166	10,681,568
	Southern SE	210,890	280,853	1,257,043	16,392,654	1,806,516	19,947,956
	Total SE	473,100	671,326	3,182,525	22,184,891	4,117,682	30,629,524
1952	Northern SE	262,582	351,740	918,311	3,430,689	1,668,029	6,631,351
	Southern SE	263,411	457,218	637,452	6,334,901	2,497,921	10,190,903
	Total SE	525,993	808,958	1,555,763	9,765,590	4,165,950	16,822,254
1953	Northern SE	292,676	658,635	487,655	1,174,702	2,060,042	4,673,710
	Southern SE	203,755	606,086	525,414	3,797,906	1,466,254	6,599,415
	Total SE	496,431	1,264,721	1,013,069	4,972,608	3,526,296	11,273,125
1954	Northern SE	226,460	641,154	888,436	2,405,536	3,238,694	7,400,280
	Southern SE	168,914	439,628	615,190	6,462,052	987,531	8,673,315
	Unallocated	---	12,280	---	1,850	1,352	15,482
	Total SE	395,374	1,093,062	1,503,626	8,869,438	4,227,577	16,089,077

* Includes Yakutat Catches

SOUTHEASTERN SALMON CATCHES - (cont.)

<u>YEAR</u>		<u>KING</u>	<u>RED</u>	<u>COHO</u>	<u>PINK</u>	<u>CHUM</u>	<u>TOTAL</u>
1955	Northern SE	217,756	335,815	669,715	4,059,939	1,115,847	6,399,072
	Southern SE	150,709	234,180	466,920	5,248,347	388,052	6,488,208
	Unallocated	1,279	66,085	---	---	735	68,099
	Total SE	369,744	636,080	1,136,635	9,308,286	1,504,634	12,955,379
1956	Northern SE	126,202	469,502	420,451	3,634,645	1,142,298	5,793,098
	Southern SE	106,605	336,973	365,646	10,076,425	1,535,430	12,421,079
	Total SE	232,807	806,475	786,097	13,711,070	2,677,728	18,214,177
1957	Northern SE	173,256	419,730	665,680	2,158,163	1,909,354	5,326,183
	Southern SE	121,358	500,979	488,174	4,683,257	1,427,515	7,221,283
	Unallocated	1,752	40,044	1,616	---	44,186	87,598
	Total SE	296,366	960,753	1,155,470	6,841,420	3,381,055	12,635,064
1958	Northern SE	183,984	388,305	356,991	3,314,945	1,579,886	5,824,111
	Southern SE	138,024	541,438	499,586	6,459,587	1,169,098	8,807,733
	Unallocated	2,048	36,402	---	1,590	20,277	60,317
	Total SE	324,056	966,145	856,577	9,776,122	2,769,261	14,692,161
1959	Northern SE	207,045	336,147	529,736	4,269,434	687,220	6,029,582
	Southern SE	150,366	364,499	353,934	3,569,304	522,920	4,961,023
	Unallocated	5,917	113,202	1,731	55	44,575	165,480
	Total SE	363,328	813,848	885,401	7,838,793	1,254,715	11,156,085
1960	Northern SE	185,091	329,444	305,857	1,429,196	485,211	2,734,799
	Southern SE	123,982	210,523	293,631	1,541,859	521,450	2,691,445
	Total SE	309,073	539,967	599,488	2,971,055	1,006,661	5,426,244
1961	Northern SE	126,895	449,281	360,049	8,697,804	1,503,547	11,137,576
	Southern SE	100,109	212,274	399,056	3,874,636	1,044,202	5,630,277
	Total SE	227,004	661,555	759,105	12,572,440	2,547,749	16,767,853
1962	Northern SE	129,839	345,076	390,996	550,192	1,007,340	2,423,443
	Southern SE	72,974	346,492	642,042	11,007,292	971,129	13,039,929
	Total SE	202,813	691,568	1,033,038	11,557,484	1,978,469	15,463,372
1963	Northern SE	173,794	326,452	742,912	13,920,884	830,851	15,994,893
	Southern SE	83,746	298,758	385,733	5,145,235	637,214	6,550,686
	Total SE	257,540	625,210	1,128,645	19,066,119	1,468,065	22,545,579
1964	Northern SE	237,546	365,463	695,736	7,282,081	737,918	9,318,744
	Southern SE	117,640	466,225	722,368	11,258,989	1,192,564	13,757,786
	Total SE	355,186	831,688	1,418,104	18,541,070	1,930,482	23,076,530
1965	Northern SE	183,720	477,174	829,408	5,165,053	1,180,549	7,835,904
	Southern SE	102,045	485,409	593,436	5,710,456	289,060	7,180,406
	Total SE	285,765	962,583	1,422,844	10,875,509	1,469,609	15,016,310

SOUTHEASTERN SALMON CATCHES - (cont.)

<u>YEAR</u>		<u>KING</u>	<u>RED</u>	<u>COHO</u>	<u>PINK</u>	<u>CHUM</u>	<u>TOTAL</u>
1966	Northern SE	192,820	423,411	561,401	4,787,072	2,564,165	8,528,869
	Southern SE	113,172	445,347	598,490	15,649,703	705,597	17,512,309
	Total SE	305,992	868,758	1,159,891	20,436,775	3,269,762	26,041,178
1967	Northern SE	191,133	303,171	577,180	2,437,182	1,516,123	5,024,789
	Southern SE	107,664	579,939	168,760	641,537	289,818	1,787,718
	Total SE	298,797	883,110	745,940	3,078,719	1,805,941	6,812,507
1968	Northern SE	217,717	440,644	762,409	9,882,380	1,367,204	12,670,354
	Southern SE	110,096	309,351	658,189	15,200,702	1,263,159	17,541,497
	Total SE	327,813	749,995	1,420,598	25,083,082	2,630,363	30,211,851
1969	Northern SE	213,364	445,053	416,752	3,608,082	476,640	5,159,891
	Southern SE	95,684	248,726	120,115	1,197,689	69,843	1,732,057
	Total SE	309,048	693,779	536,867	4,805,771	546,483	6,891,948
1970	Northern SE	197,794	370,675	437,554	5,241,642	1,794,685	8,042,350
	Southern SE	114,149	185,064	282,584	5,411,624	643,891	6,637,312
	Total SE	311,943	555,739	720,138	10,653,266	2,438,576	14,679,662
1971	Northern SE	198,483	257,297	442,771	3,016,903	1,236,779	5,152,233
	Southern SE	125,322	236,743	431,107	6,247,585	704,304	7,745,061
	Total SE	323,805	494,040	873,878	9,264,488	1,941,083	12,897,294

<u>Year</u>	<u>Area</u>	<u>King</u>	<u>Red</u>	<u>Coho</u>	<u>Pink</u>	<u>Chum</u>	<u>Total</u>
1878	Southeastern	--	--	--	--	--	5,402 cas
1879	Southeastern	--	--	--	--	--	6,675 cas
1880	Southeastern	--	--	--	--	--	6,539 cas
1881	Southeastern	--	--	--	--	--	8,977 cas
1882	Kodiak	--	58,800	--	--	--	58,800
	Southeastern	--	--	--	--	--	11,501 cas
1883	Kodiak	--	188,706	--	--	--	188,706
	Southeastern	--	107,800	--	--	--	107,800
	Total	--	296,506	--	--	--	296,506
1884	Bristol Bay	--	--	--	--	--	400 cas
	Kodiak	--	282,184	--	--	--	282,184
	Southeastern	--	143,000	--	--	--	143,000
	Total	--	425,184	--	--	--	425,184
1885	Bristol Bay	--	--	--	--	--	14,000 cas
	Kodiak	--	468,580	--	--	--	468,580
	Southeastern	--	26,400	--	--	--	26,400
	Total	--	494,980	--	--	--	494,980
1886	Bristol Bay	--	--	--	--	--	48,822 cas
	Kodiak	--	646,100	--	--	--	646,100
	Southeastern	--	118,724	--	--	--	118,724
	Total	--	764,824	--	--	--	764,824
1887	Bristol Bay	--	--	--	--	--	72,700 cas
	Kodiak	--	1,004,500	--	--	--	1,004,500
	Southeastern	--	298,491	--	--	--	298,491
	Total	--	1,302,991	--	--	--	1,302,991
1888	Bristol Bay	--	--	--	--	--	89,886 cas
	Chignik	--	13,000	--	--	--	13,000
	Kodiak	--	2,781,100	--	--	--	2,781,100
	Southeastern	--	436,257	16,267	--	--	452,524
	Total	--	3,230,357	16,267	--	--	3,246,624
1889	Bristol Bay	--	--	--	--	--	115,985 cas
	Chignik	--	560,000	--	--	--	560,000
	Kodiak	--	3,754,735	--	--	--	3,754,735
	Prince William*	--	242,790	--	--	--	242,790
	Southeastern	--	738,146	11,246	92,094	--	841,486
	Total	--	5,295,671	11,246	92,094	--	5,399,011
1890	Bristol Bay	--	--	--	--	--	118,390 cas
	Chignik	--	453,000	--	--	--	453,000
	Kodiak	--	3,592,707	--	--	--	3,592,707
	Prince William*	5,491	411,190	--	--	--	416,681
	Southeastern	--	886,734	43,915	--	--	930,649
	Total	5,491	5,343,631	43,915	--	--	5,393,037

* Includes Copper River

<u>Year</u>	<u>Area</u>	<u>King</u>	<u>Red</u>	<u>Coho</u>	<u>Pink</u>	<u>Chum</u>	<u>Total</u>
1891	Bristol Bay	--	--	--	--	--	133,418 case
	Chignik	--	775,000	--	--	--	775,000
	Kodiak	--	3,846,388	--	--	--	3,846,388
	Prince William*	6,185	710,740	--	--	--	716,925
	Southeastern	--	943,559	23,744	--	--	967,303
	Total	6,185	6,275,687	23,744	--	--	6,305,616
1892	Bristol Bay	--	--	--	--	--	63,499 case
	Chignik	--	522,000	--	--	--	522,000
	Kodiak	--	3,126,459	--	--	--	3,126,459
	Prince William*		NO FISHERY				--
	Southeastern	--	784,959	15,371	8,197	--	808,527
	Total	--	4,433,418	15,371	8,197	--	4,456,986
1893	Bristol Bay	44,000	940,000	74,000	--	--	1,058,000
	Chignik	--	600,000	64,000	--	--	664,000
	Kodiak	--	3,244,609	--	--	--	3,244,609
	Cook Inlet	30,000	170,000	34,000	--	--	234,000
	Prince William*	8,674	792,690	72,000**	--	--	873,364
	Southeastern	6,000	744,225	256,817	186,994	--	1,194,036
	Total	88,674	6,491,524	500,817	186,994	--	7,268,009
1894	Bristol Bay	10,500	1,235,400	47,000	--	--	1,292,900
	Chignik	--	600,000	--	--	--	600,000
	Kodiak	--	3,830,336	--	--	--	3,830,336
	Cook Inlet	15,500	406,840	19,000	--	--	441,340
	Prince William*	8,494	710,000	17,000**	--	--	735,494
	Southeastern	13,000	719,845	347,400	528,634	--	1,608,879
	Total	47,494	7,502,421	430,400	528,634	--	8,508,949
1895	Bristol Bay	19,925	1,472,137	28,050	--	--	1,520,112
	Chignik	--	683,319	--	--	--	683,319
	Kodiak	--	2,246,966	8,321	--	--	2,255,287
	Cook Inlet	25,199	324,277	--	--	--	349,476
	Prince William*	10,248	507,630	142,937**	--	--	660,815
	Southeastern	12,747	893,316	609,156	605,847	--	2,121,066
	Total	68,119	6,127,645	788,464	605,847	--	7,590,075
1896	Bristol Bay	17,301	2,099,740	245,068	--	--	2,362,109
	Chignik	3,304	850,000	56,764	--	--	910,068
	Kodiak	--	3,328,846	--	--	--	3,328,846
	Cook Inlet	18,076	309,863	27,600	37,800	--	393,339
	Prince William*	1,407	714,595	31,862**	308,180	--	1,056,044
	Bering River	--	23,980	--	--	--	23,980
	Southeastern	18,739	1,572,687	241,405	1,629,819	2,938	3,465,588
	Total	58,827	8,899,711	602,699	1,975,799	2,938	11,539,974

* Includes Copper River

** Reported as coho but probably pinks

<u>Year</u>	<u>Area</u>	<u>King</u>	<u>Red</u>	<u>Coho</u>	<u>Pink</u>	<u>Chum</u>	<u>Total</u>
1897	Bristol Bay	19,897	3,317,523	150,000	35,348	--	3,522,768
	Chignik	--	765,000	10,510	5,800	--	781,310
	Kodiak	--	2,785,515	1,500	--	--	2,787,015
	Cook Inlet	14,083	354,800	28,000	--	--	396,883
	Prince William*	2,044	371,487	25,605**	302,290	--	701,426
	Bering River	--	39,269	--	--	--	39,269
	Southeastern	25,235	1,129,474	267,739	3,372,564	6,683	4,801,695
	Total	61,259	8,763,068	483,354	3,716,002	6,683	13,030,366
1898	Bristol Bay	19,260	4,927,840	55,744	59,786	--	5,062,630
	Chignik	--	1,165,419	790	--	850	1,167,059
	Kodiak	--	2,033,094	19,175	--	--	2,052,269
	Cook Inlet	16,389	551,168	83,412	--	--	650,969
	Prince William*	1,850	417,171	--	375,246	--	794,267
	Bering River	--	39,383	--	--	--	39,383
	Southeastern	16,929	1,237,451	291,509	1,561,301	27,732	3,134,922
	Total	54,428	10,371,526	450,630	1,996,333	28,582	12,901,499
1899	Bristol Bay	38,259	5,112,737	100,396	16,758	--	5,268,150
	Chignik	--	903,749	12,882	18,134	--	934,765
	Kodiak	1,104	1,934,771	32,475	--	--	1,968,350
	Cook Inlet	17,102	558,529	54,890	--	--	630,521
	Prince William*	4,682	527,122	--	212,907	--	744,711
	Bering River	--	27,072	--	--	--	27,072
	Southeastern	37,039	1,550,811	280,679	2,912,474	7,000	4,788,003
	Total	98,186	10,614,791	481,322	3,160,273	7,000	14,361,572
1900	Bristol Bay	58,307	8,547,335	--	7,803	--	8,613,445
	Chignik	--	1,047,371	2,053	52,350***	1,200	1,102,974
	Kodiak	4,838	3,450,480	32,239	--	--	3,487,557
	Cook Inlet	26,683	585,309	20,000	--	--	631,992
	Prince William*	3,462	748,310	88,175**	50,565	--	890,512
	Bering River	--	106,167	--	--	--	106,167
	Southeastern	16,734	2,049,011	297,555	4,321,349	32,952	6,717,601
	Total	110,024	16,533,983	440,022	4,432,067	34,152	21,550,248
1901	Bristol Bay	106,047	10,220,577	4,179	231,188	--	10,561,991
	Chignik	--	907,350	6,501	40,484	--	954,335
	Kodiak	3,838	4,826,159	--	2,015	--	4,832,012
	Cook Inlet	34,319	482,406	8,967	5,591	--	531,283
	Prince William*	6,558	781,438	--	313,806	--	1,101,802
	Bering River	NO DATA AVAILABLE			--	--	--
	Southeastern	17,361	1,363,825	281,440	7,525,090	--	9,187,716
	Total	168,123	18,581,755	301,087	8,118,174	--	27,169,139
1902	Bristol Bay	109,089	12,808,518	193,838	502,265	--	13,613,710
	Chignik	--	1,782,015	--	--	--	1,782,015
	Kodiak	2,932	3,868,101	34,972	--	--	3,906,005
	Cook Inlet	49,013	710,280	54,864	79,246	--	893,403
	Prince William*	2,500	800,044	--	375,408	--	1,177,952
	Bering River	NO DATA AVAILABLE			--	--	--
	Yakutat	150	52,900	12,300	35,000	--	100,350
	Southeastern	11,514	2,023,747	223,161	8,065,699	--	10,324,121
	Total	175,198	22,045,605	519,135	9,057,618	--	31,797,556

* Includes Copper River

- 71 -

** Reported as coho but probably pinks

*** Mixed pinks and chums

<u>Year</u>	<u>Area</u>	<u>King</u>	<u>Red</u>	<u>Coho</u>	<u>Pink</u>	<u>Chum</u>	<u>Total</u>
1903	Bristol Bay	86,506	16,320,092	60,073	241,504	--	16,708,175
	Chignik	--	1,149,990	8,616	84,097	--	1,242,703
	Kodiak	1,187	1,826,163	119,541	10,000	--	1,956,891
	Cook Inlet	66,023	564,189	58,968	--	--	689,180
	Prince William*	4,600	814,345	--	398,926	--	1,217,871
	Bering River		NO DATA AVAILABLE				
	Yakutat		NO REPORTED CATCH				
	Southeastern	42,474	2,060,581	653,569	5,528,547	--	8,285,171
	Total	200,790	22,735,360	900,767	6,263,074	--	30,099,991
1904	Bristol Bay	97,953	11,903,352	129,469	398,146	37,308	12,566,228
	Chignik	129	1,689,642	--	27,785	--	1,717,556
	Kodiak	3,190	2,875,118	103,136	5,180	--	2,986,624
	Cook Inlet	30,073	489,348	23,800	--	--	543,221
	Prince William	253	109,200	--	573,967	--	683,420
	Copper River	5,014	501,630	--	--	--	506,644
	Bering River	400	123,400	--	--	--	123,800
	Yakutat	--	141,653	96,540	111,100	--	349,293
	Southeastern	37,118	3,274,817	421,316	5,067,107	358,378	9,158,736
	Total	174,130	21,108,160	774,261	6,183,285	395,686	28,635,522
1905	Bristol Bay	116,855	14,833,989	78,301	291,015	58,984	15,379,144
	Chignik	--	1,297,114	--	--	--	1,297,114
	Kodiak	2,496	2,142,367	86,913	--	--	2,231,776
	Cook Inlet	17,668	95,547	--	--	--	113,215
	Prince William	--	100,000	--	--	--	100,000
	Copper River	20,000	320,000	--	--	--	340,000
	Bering River		NO DATA AVAILABLE				--
	Yakutat	--	266,664	49,889	45,229	--	361,782
	Southeastern	68,613	2,343,885	349,092	3,015,129	1,660,981	7,437,700
	Total	225,632	21,399,566	564,195	3,351,373	1,719,965	27,260,731
1906	Bristol Bay	143,194	10,823,431	207,257	1,901,945	253,541	13,329,368
	N. Side Ak Penin	1,530	135,000	--	--	--	136,530
	Chignik	--	1,323,584	--	--	--	1,323,584
	Kodiak	3,640	3,980,462	23,738	--	--	4,007,840
	Cook Inlet	22,420	225,506	93,485	64,100	--	405,511
	Prince William	--	60,578	--	--	--	60,578
	Copper River	2,165	265,378	--	--	--	267,543
	Bering River	111	54,074	--	--	--	54,185
	Yakutat	--	296,897	80,786	63,249	--	440,932
	Southeastern	42,084	2,323,963	578,434	6,973,125	1,374,459	11,292,065
	Total	215,144	19,488,873	983,700	9,002,419	1,628,000	31,318,136

* Includes Copper River

<u>Year</u>	<u>Area</u>	<u>King</u>	<u>Red</u>	<u>Coho</u>	<u>Pink</u>	<u>Chum</u>	<u>Total</u>
1907	Bristol Bay	137,677	10,193,403	129,065	344,148	508,727	11,313,020
	N. Side Ak Penin	1,725	66,500	3,150	1,500	--	72,875
	Chignik	--	1,622,987	800	--	--	1,623,787
	Kodiak	4,015	4,232,454	38,059	--	--	4,274,528
	Cook Inlet	62,944	460,620	177,276	6,420	--	707,260
	Prince William	--	17,692	--	252,373	--	270,065
	Copper River	869	263,557	--	--	--	264,426
	Bering River	NO DATA AVAILABLE					
	Yakutat	--	331,396	100,890	53,862	--	486,148
	Southeastern	89,149	1,869,675	401,756	11,920,037	1,354,929	15,635,546
	Total	296,379	19,058,284	850,996	12,578,340	1,863,656	34,647,655
1908	Bristol Bay	90,009	16,233,802	103,013	399,257	459,899	17,285,980
	N. Side Ak Penin	600	166,870	--	--	--	167,470
	S. Side Ak Penin	--	69,442	--	--	--	69,442
	Chignik	--	1,630,677	--	--	--	1,630,677
	Kodiak	3,028	2,487,848	73,789	286,374	--	2,851,039
	Cook Inlet	33,774	670,774	94,936	375,140	--	1,174,624
	Prince William	--	117,018	--	18,018	--	135,036
	Copper River	--	466,414	--	--	--	466,414
	Bering River	NO DATA AVAILABLE					
	Yakutat	6,890	430,850	46,324	54,073	--	538,137
	Southeastern	94,270	2,113,821	411,536	13,538,253	1,824,637	17,982,517
	Total	228,571	24,387,516	729,598	14,671,115	2,284,536	42,301,336
1909	Bristol Bay	130,489	15,497,883	80,513	101,279	378,138	16,188,302
	N. Side Ak Penin	1,500	143,000	--	15	1,000	145,515
	S. Side Ak Penin	--	108,437	7,200	--	--	115,637
	Chignik	--	1,730,804	--	--	--	1,730,804
	Kodiak	3,907	1,915,230	51,500	153,595	--	2,124,232
	Cook Inlet	59,624	582,562	88,350	3,740	--	734,276
	Prince William	--	150,412	--	--	--	150,412
	Copper River	3,067	316,688	--	--	--	319,755
	Bering River	NO DATA AVAILABLE					
	Yakutat	--	483,095	67,725	18,461	--	569,281
	Southeastern	113,886	2,308,366	264,651	9,479,047	699,381	12,865,331
	Total	312,473	23,236,477	559,939	9,756,137	1,078,519	34,943,545
1910	Bristol Bay	101,755	11,593,609	139,200	652,129	310,218	12,796,911
	N. Side Ak Penin	NO REPORTED CATCH					--
	S. Side Ak Penin	--	46,324	5,500	--	--	51,824
	Chignik	--	1,314,672	36,907	17,170	--	1,368,749
	Kodiak	1,598	1,954,717	44,291	215,382	--	2,215,988
	Cook Inlet	49,028	840,187	79,702	217,666	1,318	1,187,901
	Prince William	--	68,122	14,411	196,871	--	279,404
	Copper River	974	221,993	18,149	--	--	241,116
	Bering River	NO DATA AVAILABLE					
	Yakutat	2,340	464,963	164,292	41,823	2,111	675,529
	Southeastern	173,264	2,521,923	481,773	9,383,487	1,994,729	14,555,176
	Total	328,959	19,026,510	984,225	10,724,528	2,308,376	33,372,598

<u>Year</u>	<u>Area</u>	<u>King</u>	<u>Red</u>	<u>Coho</u>	<u>Pink</u>	<u>Chum</u>	<u>Total</u>
1911	Bristol Bay	113,163	8,815,114	129,971	91,764	347,866	9,497,878
	N. Side Ak Penin	--	129,600	--	--	--	129,600
	Aleutian Is.	--	9,252	--	--	--	9,252
	S. Side Ak Penin	--	240,824	12,447	25,232	82,963	361,466
	Chignik	--	1,077,595	7,788	23,128	14,788	1,123,299
	Kodiak	689	2,685,949	21,870	229,551	6,492	2,944,551
	Cook Inlet	55,845	1,249,154	87,909	70,665	749	1,464,322
	Prince William	--	23,130	20,284	156,349	--	199,763
	Copper River	1,358	407,559	33,660	--	--	442,577
	Bering River	NO DATA AVAILABLE					
	Yakutat	328	508,329	158,049	180,749	13,679	861,134
	Southeastern	146,840	2,388,659	743,789	21,228,158	2,771,042	27,278,488
	Total	318,223	17,535,165	1,215,767	22,005,596	3,237,579	44,312,330
1912	Bristol Bay	97,728	19,696,343	195,093	1,680,652	354,627	22,024,443
	N. Side Ak Penin	940	252,746	11,029	--	2,448	267,163
	Aleutian Is.	NO REPORTED CATCH					
	S. Side Ak Penin	--	334,383	26,982	40,409	195,017	596,791
	Chignik	33	1,330,832	18,979	55,099	28,232	1,433,175
	Kodiak	686	2,246,467	17,491	547,171	24,588	2,836,403
	Cook Inlet	47,866	1,194,888	70,567	1,661,874	121,628	3,096,823
	Prince William	--	47,549	15,563	401,892	405	465,409
	Copper River	6,181	456,390	36,238	--	--	498,809
	Bering River	--	41,023	8,000	--	--	49,023
	Yakutat	4,733	637,519	127,283	31,515	6,418	807,468
	Southeastern	401,047	2,380,541	972,159	21,979,676	5,335,913	31,069,336
	Total	559,214	28,618,681	1,499,384	26,398,288	6,069,276	63,144,843
1913	A-Y-K	7,800	--	--	--	--	7,800
	Bristol Bay	74,249	20,581,826	66,807	425,493	284,718	21,433,093
	N. Side Ak Penin	600	888,816	18,737	--	1,964	910,117
	Aleutian Is.	NO REPORTED CATCH					
	S. Side Ak Penin	1,832	299,694	--	--	6,950	308,476
	Chignik	1,918	833,220	23,773	30,080	91,152	980,143
	Kodiak	1,082	1,663,163	27,634	590,039	3,822	2,285,740
	Cook Inlet	63,652	1,369,196	81,484	10,926	10,813	1,536,071
	Prince William	1,003	75,412	406	425,574	70	502,465
	Copper River	2,307	404,914	--	--	--	407,221
	Bering River	--	38,519	--	--	--	38,519
	Yakutat	4,066	562,211	112,210	45,437	--	723,924
	Southeastern	349,044	1,656,380	464,979	25,250,169	2,459,777	30,180,349
	Total	507,553	28,373,351	796,030	26,777,718	2,859,266	59,313,918

<u>Year</u>	<u>Area</u>	<u>King</u>	<u>Red</u>	<u>Coho</u>	<u>Pink</u>	<u>Chum</u>	<u>Total</u>
1914	A-Y-K	--	2,667	--	--	8,550	11,217
	Bristol Bay	100,964	20,195,107	98,942	564,998	566,947	21,526,958
	N. Side Ak Penin	8,090	1,325,081	--	--	--	1,333,171
	Aleutian Is.	NO REPORTED CATCH					
	S. Side Ak Penin	648	628,939	9,896	310,977	221,065	1,171,525
	Chignik	320	1,056,629	34,475	80,080	32,388	1,203,892
	Kodiak	1,329	1,255,444	32,063	1,726,411	13,094	3,028,341
	Cook Inlet	47,554	1,472,829	188,341	1,255,798	39,905	3,004,427
	Prince William	--	72,348	13,001	224,906	--	310,255
	Copper River	3,043	570,959	42,192	--	--	616,194
	Bering River	--	10,202	--	--	--	10,202
	Yakutat	11,500	543,927	116,294	5,620	--	677,341
	Southeastern	327,504	2,957,276	798,515	12,561,756	5,444,154	22,089,205
	Total	500,952	30,091,408	1,333,719	16,730,546	6,326,103	54,982,728
1915	A-Y-K	--	--	--	--	4,750	4,750
	Bristol Bay	148,028	14,787,678	130,443	134,798	593,079	15,794,026
	N. Side Ak Penin	13,953	1,974,270	--	--	54,789	2,043,012
	Aleutian Is.	NO REPORTED CATCH					
	S. Side Ak Penin	4,753	367,888	16,237	120,135	333,141	842,154
	Chignik	1,054	1,330,031	29,617	55,665	65,350	1,481,717
	Kodiak	939	1,664,426	51,819	252,073	20,331	1,989,588
	Cook Inlet	83,793	1,860,684	122,028	19,308	27,833	2,113,646
	Prince William	--	52,111	6,915	449,174	2,175	510,375
	Copper River	7,334	818,728	12,098	16,076	--	854,236
	Bering River	4	105,614	--	--	--	105,618
	Yakutat	9,176	433,086	156,967	157,367	--	756,596
	Southeastern	272,786	2,392,457	713,568	30,194,013	3,593,040	37,165,864
	Total	541,820	25,786,973	1,239,692	31,398,609	4,694,488	63,661,582
1916	A-Y-K	949	--	--	--	19,000	19,949
	Bristol Bay	105,124	17,521,921	293,498	683,771	1,489,623	20,093,937
	N. Side Ak Penin	44,244	1,974,718	--	2,561	191,404	2,212,927
	Aleutian Is.	47	76,494	1,174	180,264	137	258,116
	S. Side Ak Penin	6,792	730,922	34,145	576,104	508,880	1,856,843
	Chignik	1,693	1,002,911	45,899	267,148	88,778	1,406,429
	Kodiak	1,038	3,373,055	49,683	3,181,890	28,962	6,634,628
	Cook Inlet	62,895	1,699,323	209,978	1,682,672	128,322	3,783,190
	Prince William	6	72,321	47,746	3,270,282	45,918	3,436,273
	Copper River	14,259	769,531	118,267	31,578	67	933,702
	Bering River	7	141,278	51,938	14,492	--	207,715
	Yakutat	1,317	435,062	126,826	41,434	--	604,639
	Southeastern	254,765	1,946,288	1,460,781	19,898,916	4,741,634	28,302,384
	Total	493,136	29,743,824	2,439,935	29,831,112	7,242,725	69,750,732

<u>Year</u>	<u>Area</u>	<u>King</u>	<u>Red</u>	<u>Coho</u>	<u>Pink</u>	<u>Chum</u>	<u>Total</u>
1917	A-Y-K	7,878	--	--	--	44,612	52,490
	Bristol Bay	91,145	24,513,532	62,263	37,082	356,222	25,060,244
	N. Side Ak Penin	20,006	679,592	6,800	560	90,301	797,259
	Aleutian Is.	--	70,434	3,769	612	23,145	97,960
	S. Side Ak Penin	6,424	1,486,056	4,648	72,060	415,476	1,984,664
	Chignik	904	1,456,676	13,323	9,583	124,579	1,605,065
	Kodiak	1,457	3,645,914	30,485	225,335	15,961	3,919,152
	Cook Inlet	65,499	1,659,907	60,776	54,286	78,468	1,918,936
	Prince William	364	222,154	44,557	2,590,563	370,309	3,227,947
	Copper River	13,930	919,818	126,073	8,845	--	1,068,666
	Bering River	321	163,357	78,412	--	--	242,090
	Yakutat	16,871	493,348	188,651	92,757	--	791,627
	Southeastern	310,421	2,129,551	1,280,745	40,234,708	6,851,774	50,807,199
	Total	535,220	37,440,339	1,900,502	43,326,391	8,370,847	91,573,299
1918	A-Y-K	15,294	--	26,144	--	101,328	142,766
	Bristol Bay	87,048	23,090,665	108,576	619,303	745,824	24,651,416
	N. Side Ak Penin	9,679	1,208,545	--	1,211	252,287	1,471,722
	Aleutian Is.	--	55,244	4,405	75,600	--	135,249
	S. Side Ak Penin	8,682	1,014,115	16,334	2,150,816	1,501,037	4,690,984
	Chignik	1,449	1,542,707	21,118	396,125	343,886	2,305,285
	Kodiak	2,021	1,894,466	78,169	2,467,325	81,699	4,523,680
	Cook Inlet	34,886	1,668,394	251,151	721,231	108,200	2,783,862
	Prince William	557	249,092	100,247	4,302,646	1,341,887	5,994,429
	Copper River	19,627	1,492,356	74,379	5,361	686	1,592,409
	Bering River	139	173,021	80,218	772	3	254,153
	Yakutat	12,821	453,722	224,885	115,931	--	807,359
	Southeastern	398,614	2,367,476	1,404,481	39,171,780	9,352,573	52,694,924
	Total	590,817	35,209,803	2,390,107	50,028,101	13,829,410	102,048,238
1919	A-Y-K	109,658	--	37,070	--	327,898	474,626
	Bristol Bay	201,954	7,161,375	46,687	452	204,474	7,614,942
	N. Side Ak Penin	19,632	389,176	--	12,041	143,464	564,313
	Aleutian Is.	--	3,900	800	4,000	--	8,700
	S. Side Ak Penin	9,626	619,141	56,087	80,171	921,437	1,686,462
	Chignik	597	884,938	34,931	4,807	136,754	1,062,027
	Kodiak	1,831	1,619,101	104,233	282,715	60,102	2,067,982
	Cook Inlet	23,801	943,694	172,855	43,447	54,333	1,238,130
	Prince William	6,930	152,682	72,836	1,008,312	558,522	1,799,282
	Copper River	13,266	1,328,643	53,468	--	--	1,395,377
	Bering River	72	139,792	76,729	--	--	216,593
	Yakutat	13,363	493,758	244,218	24,123	--	775,462
	Southeastern	566,558	2,769,041	1,559,837	24,306,768	9,268,489	38,470,693
	Total	967,288	16,505,241	2,459,751	25,766,836	11,675,473	57,374,589

<u>Year</u>	<u>Area</u>	<u>King</u>	<u>Red</u>	<u>Coho</u>	<u>Pink</u>	<u>Chum</u>	<u>Total</u>
1920	A-Y-K	93,320	--	--	--	155,655	248,975
	Bristol Bay	127,350	8,897,915	153,304	2,045,437	434,338	11,658,344
	N. Side Ak Penin	19,001	1,371,939	--	--	36,954	1,427,894
	Aleutian Is.	--	10,050	2,790	--	--	12,840
	S. Side Ak Penin	7,563	1,142,252	47,731	2,109,805	934,041	4,241,392
	Chignik	811	1,772,710	22,493	297,826	152,206	2,246,046
	Kodiak	1,637	1,957,636	88,970	1,977,421	55,175	4,080,839
	Cook Inlet	39,563	1,314,916	302,353	445,524	97,541	2,199,897
	Prince William	6,408	129,655	89,378	5,314,747	260,963	5,801,151
	Copper River	22,997	854,624	73,924	--	--	951,545
	Bering River	120	162,582	63,865	--	--	226,567
	Yakutat	24,299	485,827	211,153	44,431	--	765,710
	Southeastern	327,490	2,257,797	936,898	18,077,000	8,613,368	30,212,553
	Total	670,559	20,357,903	1,992,859	30,312,191	10,740,241	64,073,753
1921	A-Y-K	79,500	--	1,000	--	111,098	191,598
	Bristol Bay	91,982	15,680,076	84,564	939	355,331	16,212,892
	N. Side Ak Penin	12,474	1,746,465	--	--	32,750	1,791,689
	Aleutian Is.	NO REPORTED CATCH					--
	S. Side Ak Penin	678	830,666	1,457	47,320	84,627	964,748
	Chignik	399	1,828,857	13,251	30,620	220,721	2,093,848
	Kodiak	660	2,857,922	45,764	67,688	24,779	2,996,813
	Cook Inlet	13,946	983,625	20,519	4,717	42,409	1,065,216
	Prince William	--	92,571	9,316	12,644	3,499	118,030
	Copper River	11,466	570,291	377	--	--	582,134
	Bering River	3	120,667	--	--	--	120,670
	Yakutat	12,720	512,614	197,748	34,967	--	758,049
	Southeastern	433,590	986,319	713,820	7,700,477	1,846,832	11,681,038
	Total	657,418	26,210,073	1,087,816	7,899,372	2,722,046	38,576,725
1922	A-Y-K	25,769	6,120	--	--	--	31,889
	Bristol Bay	74,020	23,632,077	159,984	289,795	515,915	24,671,791
	N. Side Ak Penin	10,431	667,890	--	--	42,912	721,233
	Aleutian Is.	--	14,000	--	--	--	14,000
	S. Side Ak Penin	6,939	3,376,812	2,173	756,741	349,304	4,491,969
	Chignik	500	1,248,763	14,952	359,510	212,789	1,836,514
	Kodiak	703	1,097,359	119,724	2,766,257	223,970	4,208,013
	Cook Inlet	31,030	860,019	199,923	637,405	74,389	1,802,766
	Prince William	286	140,736	8,962	2,421,272	50,517	2,621,773
	Copper River	10,075	505,775	--	--	--	515,850
	Bering River	72	131,179	--	--	--	131,251
	Yakutat	9,457	376,998	179,518	72,562	--	638,535
	Southeastern	335,395	1,523,125	1,079,367	23,929,327	3,728,616	30,595,830
	Total	504,677	33,580,853	1,764,603	31,232,869	5,198,412	72,281,414

<u>Year</u>	<u>Area</u>	<u>King</u>	<u>Red</u>	<u>Coho</u>	<u>Pink</u>	<u>Chum</u>	<u>Total</u>
1923	A-Y-K	20,647	--	--	--	--	20,647
	Bristol Bay	67,013	18,181,964	9,274	3	184,902	18,443,156
	N. Side Ak Penin	9,075	731,668	61	--	25,755	766,559
	Aleutian Is.	NO REPORTED CATCH					
	S. Side Ak Penin	4,059	1,827,155	75,276	143,610	538,948	2,589,048
	Chignik	867	642,872	18,574	9,235	87,668	759,216
	Kodiak	1,915	1,090,117	77,554	928,510	38,653	2,136,749
	Cook Inlet	29,911	1,099,465	142,926	39,146	23,481	1,334,929
	Prince William	530	170,050	26,889	2,447,006	111,582	2,756,057
	Copper River	10,339	625,875	--	462	--	636,676
	Bering River	86	192,361	24,723	298	--	217,468
	Yakutat	16,093	359,792	190,319	294,425	6,263	866,892
	Southeastern	774,368	2,050,565	1,151,752	39,584,824	3,906,299	47,467,808
	Total	934,903	26,971,884	1,717,348	43,447,519	4,923,551	77,995,205
1924	A-Y-K	46,628	900	7,167	--	7,167	61,862
	Bristol Bay	71,663	10,302,066	40,379	103,056	285,463	10,802,627
	N. Side Ak Penin	10,493	701,712	--	--	48,389	760,594
	Aleutian Is.	8	24,876	--	673,846	123	698,853
	S. Side Ak Penin	3,938	1,351,992	127,312	3,931,308	1,330,725	6,745,275
	Chignik	483	877,343	94,433	1,014,992	110,793	2,098,044
	Kodiak	1,002	1,407,525	120,686	5,435,091	117,883	7,082,187
	Cook Inlet	27,012	1,056,090	187,656	752,016	36,755	2,059,529
	Prince William	1,219	158,484	69,431	8,395,901	385,251	9,010,286
	Copper River	15,862	790,835	41,889	--	23	848,795
	Bering River	111	87,114	80,030	--	--	167,255
	Yakutat	20,495	395,082	155,278	311,047	--	881,902
	Southeastern	815,509	2,111,033	1,059,620	29,718,296	7,266,500	40,970,958
	Total	1,014,423	19,265,052	1,983,881	50,335,739	9,589,072	82,188,167
1925	A-Y-K	1,664	5,850	--	--	--	7,514
	Bristol Bay	97,448	7,909,508	16,596	18	231,808	8,255,378
	N. Side Ak Penin	10,550	400,234	--	--	53,874	464,658
	Aleutian Is.	--	18,634	--	3,842	9,136	31,612
	S. Side Ak Penin	10,742	820,480	127,087	382,148	1,116,769	2,457,226
	Chignik	1,475	712,658	30,049	42,704	102,121	889,007
	Kodiak	1,911	1,693,057	92,960	2,673,675	212,492	4,674,095
	Cook Inlet	51,033	1,510,861	198,146	11,828	15,064	1,786,932
	Prince William	3,325	96,703	84,408	4,085,084	780,956	5,050,476
	Copper River	19,728	160,721	153,376	20	4	333,849
	Bering River	77	52,632	57,018	206	--	109,933
	Yakutat	20,443	200,601	147,685	103,842	2,224	474,795
	Southeastern	579,659	1,642,917	1,064,177	28,142,556	8,185,861	39,615,170
	Total	798,055	15,224,856	1,971,502	35,445,923	10,710,309	64,150,645

<u>Year</u>	<u>Area</u>	<u>King</u>	<u>Red</u>	<u>Coho</u>	<u>Pink</u>	<u>Chum</u>	<u>Total</u>
1926	A-Y-K		NO REPORTED CATCH				--
	Bristol Bay	74,604	19,414,094	13,297	288,041	326,018	20,116,054
	N. Side Ak Penin	23,925	672,860	--	--	71,533	768,318
	Aleutian Is.	--	1,335	--	521,724	7,797	530,856
	S. Side Ak Penin	9,486	3,071,504	193,790	3,719,705	1,179,782	8,174,267
	Chignik	830	510,718	31,842	677,026	265,168	1,485,584
	Kodiak	596	3,015,366	174,475	4,606,694	324,706	8,121,837
	Cook Inlet	75,620	1,999,720	353,173	586,054	118,455	3,133,022
	Prince William	2,153	157,313	78,607	11,153,663	587,351	11,979,087
	Copper River	21,338	211,341	177,781	85	--	410,545
	Bering River	76	37,424	52,668	135	--	90,303
	Yakutat	18,992	207,396	143,538	245,891	4,156	619,973
	Southeastern	433,928	1,837,312	1,041,120	31,947,492	6,101,652	41,361,504
	Total	661,548	31,136,383	2,260,291	53,746,510	8,986,618	96,791,350
1927	A-Y-K		NO REPORTED CATCH				--
	Bristol Bay	83,846	11,071,828	146	3	195,803	11,351,626
	N. Side Ak Penin	16,495	230,594	104	--	86,963	334,156
	Aleutian Is.	--	17,259	20	334,575	--	351,854
	S. Side Ak Penin	9,610	714,749	125,332	1,455,516	1,299,666	3,604,873
	Chignik	987	456,263	101,422	186,710	171,467	916,849
	Kodiak	4,358	1,155,202	151,548	5,297,305	417,956	7,026,369
	Cook Inlet	87,404	1,459,068	387,746	251,866	59,380	2,245,464
	Prince William	3,094	118,118	258,816	6,124,911	655,159	7,160,098
	Copper River	42,045	341,291	410,350	--	--	793,686
	Bering River		NO FISHERY				--
	Yakutat	9,974	241,675	292,328	100,262	1,079	645,318
	Southeastern	617,227	1,202,888	992,209	8,063,070	2,218,691	13,094,085
	Total	875,040	17,008,935	2,720,021	21,814,218	5,106,164	47,524,378
1928	A-Y-K		NO REPORTED CATCH				--
	Bristol Bay	66,075	19,710,000	4,840	46,665	396,581	20,224,161
	N. Side Ak Penin*	4,604	855,595	--	--	83,543	943,742
	Aleutian Is. and						
	S. Side Ak Penin*	7,722	971,520	96,593	900,939	2,416,342	4,393,116
	Chignik	438	785,740	65,703	45,863*	122,552*	1,020,296
	Kodiak *	2,546	1,592,003	290,645	1,535,313	726,480	4,146,987
	Cook Inlet*	69,885	1,172,959	522,509	568,052	101,086	2,434,491
	Prince William	4,018	183,144	190,350	8,034,200	468,260	8,879,972
	Copper-Bering	44,954*	531,791*	304,326*	--	--	881,071
	Southeastern**	384,581	1,350,871	2,159,409	36,051,196	4,871,346	44,817,403
	Total	584,823	27,153,623	3,634,375	47,182,228	9,186,190	87,741,239

* Estimated from case pack

** Includes Yakutat catches

<u>Year</u>	<u>Area</u>	<u>King</u>	<u>Red</u>	<u>Coho</u>	<u>Pink</u>	<u>Chum</u>	<u>Total</u>
1929	A-Y-K		NO REPORTED CATCH				--
	Bristol Bay	150,663	12,188,648	58,620	--	621,554	13,019,485
	N. Side Ak Penin*	4,067	877,990	--	--	145,200	1,027,257
	Aleutian Is. and						
	S. Side Ak Penin*	10,530	935,766	84,549	1,793,516	2,428,963	5,253,324
	Chignik	1,546	1,048,984	36,762	72,733*	185,265*	1,345,290
	Kodiak*	3,200	712,126	144,226	6,108,402	1,057,662	8,025,616
	Cook Inlet*	67,694	1,049,851	184,858	376,863	134,601	1,813,867
	Prince William	900	264,960	66,066	9,613,500	1,282,150	11,227,576
	Copper-Bering	46,790*	968,001*	183,889*	--	--	1,198,680
	Southeastern**	455,491	1,901,461	1,368,442	21,848,494	2,626,905	28,200,793
	Total	740,881	19,947,787	2,127,412	39,813,508	8,482,300	71,111,888
1930	A-Y-K	7,515	2,448	-	--	--	9,963
	Bristol Bay	105,428	4,259,188	34,150	248,727	226,930	4,874,423
	N. Side Ak Penin*	3,846	167,699	--	--	93,692	265,237
	Aleutian Is. and						
	S. Side Ak Penin*	10,899	935,224	161,100	6,094,811	1,278,097	8,480,131
	Chignik	238	20,768	18,809	67,515*	50,437*	157,767
	Kodiak*	4,991	466,409	228,800	1,651,398	419,011	2,770,609
	Cook Inlet*	72,317	917,882	498,475	1,022,679	99,630	2,610,983
	Prince William	2,195	207,108	107,622	6,776,860	979,800	8,073,585
	Copper-Bering	24,726*	829,894*	597,822*	--	--	1,452,442
	Yakutat	83,044	313,277	83,988	72,365	--	552,674
	Southeastern	526,960	2,274,162	1,914,519	43,410,867	2,708,504	50,835,012
	Total	842,159	10,394,059	3,645,285	59,345,222	5,856,101	80,082,826
1931	A-Y-K	8,541	--	--	--	--	8,541
	Bristol Bay	47,175	12,790,614	920	--	635,726	13,474,435
	N. Side Ak Penin*	1,837	760,985	--	--	54,914	817,736
	Aleutian Is. and						
	S. Side Ak Penin*	10,986	1,863,188	128,734	997,861	1,211,044	4,211,813
	Chignik	1,252	714,979	39,919	169,561*	45,644*	971,355
	Kodiak*	1,541	1,183,074	170,075	6,839,906	183,737	8,378,333
	Cook Inlet*	51,402	805,526	328,294	472,221	62,628	1,720,071
	Prince William	1,507	159,499	55,108	4,860,083	560,271	5,636,468
	Copper-Bering	34,588	760,071	91,891	--	--	886,550
	Yakutat***	--	279,623	--	--	--	279,623
	Southeastern	460,195	1,543,462	1,152,099	27,243,530	2,850,746	33,250,032
	Total	619,024	20,861,021	1,967,040	40,583,162	5,604,710	69,634,957

* Estimated from case pack

** Includes Yakutat catches

*** Italio, Situk, Ahrnklin catch only

<u>Year</u>	<u>Area</u>	<u>King</u>	<u>Red</u>	<u>Coho</u>	<u>Pink</u>	<u>Chum</u>	<u>Total</u>
1932	A-Y-K	14,138	--	--	--	--	14,138
	Bristol Bay	68,286	14,939,552	4,630	172,396	908,522	16,093,386
	N. Side Ak Penin*	3,255	977,149	--	--	56,344	1,036,748
	Aleutian Is. and						
	S. Side Ak Penin*	17,416	2,977,312	112,303	3,604,771	817,253	7,529,055
	Chignik	692	1,578,124	25,272	812,337*	50,399*	2,466,824
	Kodiak *	1,873	1,058,446	52,192	4,719,939	237,023	6,069,473
	Cook Inlet *	70,931	1,131,958	374,976	441,125	64,749	2,083,739
	Prince William	7,907	256,047	99,856	3,466,435	350,895	4,181,140
	Copper-Bering	29,403	830,028	--	--	--	859,431
	Southeastern***	626,845	1,652,065	1,389,406	22,605,600	5,593,734	31,867,650
	Total	840,746	25,400,681	2,058,635	35,822,603	8,078,919	72,201,584
1933	A-Y-K	8,829	--	--	--	--	8,829
	Bristol Bay	49,308	23,708,950	15,800	150	255,658	24,029,866
	N. Side Ak Penin*	1,145	350,111	--	--	15,958	367,214
	Aleutian Is. and						
	S. Side Ak Penin*	12,614	1,996,718	189,952	3,109,202	1,173,902	6,482,388
	Chignik	1,088	595,501	52,745	325,088*	119,823*	1,094,245
	Kodiak*	1,140	1,428,373	91,428	6,573,660	536,935	8,631,536
	Cook Inlet*	59,281	1,336,135	187,972	118,187	57,245	1,758,820
	Prince William	3,842	106,985	75,538	3,030,274	285,824	3,502,463
	Copper River	19,410	629,096	96,263*	312*	--	745,081
	Bering River	134	19,751	--	--	--	19,885
	Yakutat	12,760	156,964	132,873	118,366	2,878	423,841
	Southeastern	414,429	853,496	1,090,208	25,664,829	4,544,524	32,567,486
	Total	583,980	31,182,080	1,932,779	38,940,068	6,992,747	79,631,654
1934	A-Y-K	25,365	--	--	--	--	25,365
	Bristol Bay	45,945	20,600,510	12,190	33,303	332,069	21,024,017
	N. Side Ak Penin	1,619	1,091,303	--	400	13,045	1,106,367
	Aleutian Is. and						
	S. Side Ak Penin**	17,595	1,372,390	247,104	6,538,530	1,940,251	10,115,870
	Chignik	692	1,108,332	26,995	536,589*	134,036*	1,806,644
	Kodiak	1,300*	1,828,953	89,588*	7,641,891	661,341	10,223,073
	Cook Inlet*	72,379	1,815,267	251,260	929,992	91,319	3,160,217
	Prince William	3,621	143,524	100,331	6,788,991	261,479	7,297,946
	Copper River	13,167	913,743	--	3,081	--	929,991
	Bering River	70	78,262	--	--	--	78,332
	Yakutat	17,791	355,344	237,694	107,791	3,415	722,035
	Southeastern	321,241	886,539	1,718,320	50,220,099	3,802,095	56,948,294
	Total	520,785	30,194,167	2,683,482	72,800,667	7,239,050	113,438,151

* Estimated from case pack

** Includes catches east to Castle Cape in Chignik area

*** Includes Yakutat catches

<u>Year</u>	<u>Area</u>	<u>King</u>	<u>Red</u>	<u>Coho</u>	<u>Pink</u>	<u>Chum</u>	<u>Total</u>
1935	A-Y-K	13,713	--	8,296	--	--	22,009
	Bristol Bay	3,573	3,022,959	2,230	--	72,049	3,100,811
	N. Side Ak Penin	991	479,206	1	78	33,819	514,095
	Aleutian Is. and						
	S. Side Ak Penin*	13,893	978,405	117,179	5,386,173	2,003,054	8,498,704
	Chignik	569	619,330	18,143	373,112**	190,873**	1,202,027
	Kodiak	1,393**	1,613,519	76,849**	10,780,612	381,753	12,854,126
	Cook Inlet**	75,075	1,355,787	170,438	430,540	161,424	2,193,264
	Prince William	3,302	175,191	33,557	2,618,009	471,050	3,301,109
	Copper-Bering	2,901	111,579	79,722**	176**	--	194,378
	Yakutat	7,985	406,648	145,695	87,558	1,574	649,460
	Southeastern	633,472	1,486,188	1,613,959	30,160,048	5,081,967	38,975,634
	Total	756,867	10,248,812	2,266,069	49,836,306	8,397,563	71,505,617
1936	A-Y-K	21,587	--	--	--	--	21,587
	Bristol Bay	21,703	20,586,884	24,310	523,841	258,964	21,415,702
	N. Side Ak Penin	983	610,746	--	2,832	18,984	633,545
	Aleutian Is. and						
	S. Side Ak Penin*	14,380	3,662,620	284,556	9,470,992	2,310,903	15,743,451
	Chignik	792	980,925	39,763	596,581**	114,497**	1,732,558
	Kodiak	2,548**	2,657,195	183,903**	5,647,726	328,218	8,819,590
	Cook Inlet**	81,062	2,390,281	328,496	852,924	264,909	3,917,672
	Prince William	3,421	153,033	43,783	9,581,246	218,550	10,000,033
	Copper River	10,930	862,789	--	293**	--	874,012
	Bering River	213	50,154	--	--	--	50,367
	Yakutat**	4,408	248,446	206,920	168,954	1,026	629,754
	Southeastern	676,655	2,154,951	1,592,893	50,578,433	7,604,870	62,607,802
	Total	838,682	34,358,024	2,704,624	77,423,822	11,120,921	126,446,073
1937	A-Y-K	6,706	--	--	--	--	6,706
	Bristol Bay	36,629	21,257,814	1,700	--	302,231	21,598,374
	N. Side Ak Penin	1,633	860,854	--	192	65,600	928,279
	Aleutian Is. and						
	S. Side Ak Penin*	9,266	1,558,025	73,853	9,302,047	1,506,691	12,449,882
	Chignik	804	629,318	19,378	1,205,410**	122,928**	1,977,838
	Kodiak	1,257**	1,881,304	164,902**	16,787,150	346,238	19,180,851
	Cook Inlet	85,982	1,581,183	215,700	487,692	148,869	2,519,426
	Prince William	1,757	108,121	60,062	3,332,395	227,468	3,729,803
	Copper River	14,218	1,024,416	45,535**	2,067**	--	1,086,236
	Bering River	86	28,733	--	--	--	28,819
	Yakutat**	7,164	227,574	177,578	127,292	4,224	543,832
	Southeastern	872,314	1,959,617	1,222,176	35,039,095	5,551,786	44,644,988
	Total	1,037,816	31,116,959	1,980,884	66,283,340	8,276,035	108,695,034

* Includes catches east to Castle Cape in Chignik area

** Estimated from case pack

<u>Year</u>	<u>Area</u>	<u>King</u>	<u>Red</u>	<u>Coho</u>	<u>Pink</u>	<u>Chum</u>	<u>Total</u>
1938	A-Y-K	14,351	--	828	--	--	15,179
	Bristol Bay	45,934	24,699,788	4,825	--	545,380	25,295,927
	N. Side Ak Penin	5,902	1,009,569	--	--	34,738	1,050,209
	Aleutian Is. and						
	S. Side Ak Penin*	6,449	772,106	220,686	7,169,070	1,476,588	9,644,899
	Chignik	994	410,989	23,695	223,314**	71,384**	730,376
	Kodiak	1,232**	1,965,943	154,959**	8,397,981	640,119	11,160,234
	Cook Inlet	57,663	2,425,253	213,804	848,733	191,328	3,736,781
	Prince William	1,475	116,135	52,735	7,545,648	249,754	7,965,747
	Copper-Bering	11,321	767,721	--	2,048**	470**	781,560
	Yakutat	7,347	374,800	200,966	128,681	1,326	713,120
	Southeastern	749,770	2,160,617	1,998,659	30,159,559	4,555,068	39,623,673
	Total	902,438	34,702,921	2,871,157	54,475,034	7,766,155	100,717,705
1939	A-Y-K	10,121	--	--	--	--	10,121
	Bristol Bay	33,408	13,332,345	323	48	934,682	14,300,806
	N. Side Ak Penin	3,918	746,222	--	16	82,198	832,354
	Aleutian Is. and						
	S. Side Ak Penin*	16,523	1,881,654	98,919	6,005,287	1,440,604	9,442,987
	Chignik	1,633	1,482,079	8,834	272,956**	78,707**	1,844,209
	Kodiak	2,272	1,786,445	112,171**	11,741,218	641,693	14,283,799
	Cook Inlet	52,726	2,334,904	163,010	319,312	231,645	3,101,597
	Prince William	2,004	120,544	35,664	2,075,310	273,015	2,506,537
	Copper-Bering	8,616	633,733	7,397	3,218**	38**	653,002
	Yakutat	6,934	325,571	84,318	41,024	228	458,075
	Southeastern	645,132	2,161,575	1,037,865	23,680,932	3,388,531	30,914,035
	Total	783,287	24,805,072	1,548,501	44,139,321	7,071,341	78,347,522
1940	A-Y-K	18,300	--	500	--	--	18,800
	Bristol Bay	15,267	4,726,687	25,035	258,342	293,150	5,318,481
	N. Side Ak Penin	741	678,922	--	25	65,553	745,241
	Aleutian Is. and						
	S. Side Ak Penin*	9,082	1,040,325	184,157	7,182,834	2,326,278	10,742,676
	Chignik	--	250,435	219	86,845**	24,711**	362,210
	Kodiak	1,233**	1,318,233	148,016**	9,997,899	673,265	12,138,646
	Cook Inlet**	63,016	1,648,952	478,096	2,604,235	280,831	5,075,130
	Prince William	1,046	76,167	89,549	11,542,576	532,327	12,241,665
	Copper-Bering	5,470	435,993	229,012	--	--	670,475
	Yakutat	1,992	171,278	230,008	107,550	1,291	512,119
	Southeastern	426,409	1,336,062	1,608,301	28,986,142	4,623,476	36,980,390
	Total	542,556	11,683,054	2,992,893	60,766,448	8,820,882	84,805,833

* Includes catches east to Castle Cape in Chignik area

** Estimated from case pack

<u>Year</u>	<u>Area</u>	<u>King</u>	<u>Red</u>	<u>Coho</u>	<u>Pink</u>	<u>Chum</u>	<u>Total</u>
1941	A-Y-K	30,092	--	674	--	--	30,766
	Bristol Bay	30,661	7,153,704	34,640	--	524,280	7,743,285
	N.Side Ak Penin**	716	491,668	--	3,178	30,160	525,722
	Aleutian Is. and						
	S.Side Ak Penin*	13,000	1,072,000	183,000	5,347,000	1,542,000	8,157,000
	Chignik	1,203	653,909	30,867	326,641**	161,890**	1,174,510
	Kodiak	2,571**	1,730,201	199,515**	7,601,531	444,521	9,978,339
	Cook Inlet	104,822	1,293,234	359,224	715,211	272,345	2,744,836
	Prince William	355	74,797	47,574	3,774,792	507,350	4,404,868
	Copper-Bering	12,352	444,162	566,008	10,901**	188**	1,033,611
	Yakutat	4,658	242,631	340,624	66,958	5,033	659,904
	Southeastern	608,192	1,431,781	2,174,445	59,994,255	2,954,449	67,163,122
	Total	808,622	14,588,087	3,936,571	77,840,467	6,442,216	103,615,963
1942	A-Y-K	22,487	--	--	--	--	22,487
	Bristol Bay	19,006	6,343,363	29,257	171,913	168,963	6,732,502
	N.Side Ak Penin	NO FISHERY					--
	Aleutian Is. and						
	S. Side Ak Penin*	4,821	810,050	123,035	6,762,616	1,321,100	9,021,622
	Chignik	1,702	658,503	11,603	486,106**	150,770**	1,308,684
	Kodiak	1,329**	1,281,529	106,865**	6,092,526	564,924	8,047,173
	Cook Inlet	95,180	1,540,185	644,823	965,507	400,989	3,646,684
	Prince William	1,433	96,526	63,612	7,002,089	702,331	7,865,991
	Copper-Bering	25,335	562,092	710,014**	1,599**	144**	1,299,181
	Yakutat	499	157,933	185,340	58,125	257	402,154
	Southeastern	557,907	1,408,556	2,025,763	33,069,075	5,441,467	42,502,768
	Total	729,699	12,858,737	3,900,312	54,609,556	8,750,942	80,849,246
1943	A-Y-K	27,650	--	--	--	--	27,650
	Bristol Bay	41,146	17,330,218	1,670	--	376,803	17,749,837
	N.Side Ak Penin	183	567,393	--	1,250	50,396	619,222
	Aleutian Is. and						
	S. Side Ak Penin*	21,663	2,397,722	90,642	4,360,164	924,469	7,794,660
	Chignik	1,004	1,247,818	20,092	96,346**	51,992**	1,417,252
	Kodiak	1,133**	1,990,557	59,661**	12,479,608	454,205	14,985,164
	Cook Inlet	111,381	1,468,279	279,852	1,457,161	301,899	3,618,572
	Prince William	340	164,965	73,365	10,814,268	475,877	11,528,815
	Copper-Bering	20,202	700,493	185,691**	1,053**	--	907,439
	Yakutat	1,095	137,558	107,231	28,585	116	274,585
	Southeastern	397,705	986,201	1,572,967	18,010,167	6,833,200	27,800,240
	Total	623,502	26,991,204	2,391,171	47,248,602	9,468,957	86,723,436

* Includes catches east to Castle Cape in Chignik area

** Estimated from case pack

<u>Year</u>	<u>Area</u>	<u>King</u>	<u>Red</u>	<u>Coho</u>	<u>Pink</u>	<u>Chum</u>	<u>Total</u>
1944	A-Y-K	14,232	--	--	--	--	14,232
	Bristol Bay	16,373	11,545,604	24,520	55,264	315,469	11,957,230
	N.Side Ak Penin	70	414,679	--	2,645	157,853	575,247
	Aleutian Is. and						
	S.Side Ak Penin*	9,868	538,569	238,659	2,653,841	985,554	4,426,491
	Chignik	1,699	401,977	14,238	568,090**	67,311**	1,053,315
	Kodiak	668**	1,817,875	51,675**	4,955,354	506,703	7,332,275
	Cook Inlet	85,210	1,939,932	256,621	1,815,441	258,840	4,356,044
	Prince William	761	141,002	65,454	8,346,755	1,208,587	9,762,559
	Copper-Bering	9,857	769,552	294,372**	--	--	1,073,781
	Yakutat	3,152	183,246	91,251	63,732	137	341,518
	Southeastern	325,138	1,539,030	1,214,952	19,280,336	6,881,035	29,240,491
	Total	467,028	19,291,466	2,251,742	37,741,458	10,381,489	70,133,183
1945	A-Y-K	19,727	--	--	--	--	19,727
	Bristol Bay	26,609	7,300,247	16,435	23	635,293	7,978,607
	N.Side Ak Penin	86	394,378	--	2,484	335,101	732,049
	Aleutian Is. and						
	S.Side Ak Penin*	21,444	813,355	116,082	3,639,630	948,914	5,539,425
	Chignik	1,101	220,953	7,866	441,879**	135,973**	807,772
	Kodiak	2,021**	2,041,090	60,122**	9,044,544	559,332	11,707,109
	Cook Inlet	69,202	1,556,713	329,828	1,367,950	305,901	3,629,594
	Prince William	367	175,798	43,679	11,632,238	1,753,720	13,605,802
	Copper-Bering	21,644	823,805	324,322	--	367	1,170,138
	Yakutat	11,491	233,474	173,225	15,182	4,399	437,771
	Southeastern	426,623	1,449,815	2,414,390	21,639,334	3,314,082	29,244,244
	Total	600,315	15,009,628	3,485,949	47,783,264	7,993,082	74,872,238
1946	A-Y-K	25,070	--	674	--	--	25,744
	Bristol Bay	27,401	8,051,206	51,008	41,250	236,040	8,406,905
	N.Side Ak Penin	2,458	697,714	275	11	36,012	736,470
	Aleutian Is. and						
	S.Side Ak Penin*	6,055	752,304	151,370	1,963,982	1,219,886	4,093,597
	Chignik	1,792	869,020	6,621	906,744**	265,470**	2,049,647
	Kodiak	129**	838,863	56,425**	9,545,871	298,486	10,739,774
	Cook Inlet	64,281	1,474,473	581,374	1,338,731	383,563	3,842,422
	Prince William	1,669	110,787	159,011	8,026,032	757,173	9,054,672
	Copper-Bering	24,353	550,353	283,700	--	--	858,406
	Yakutat	9,189	115,979	123,437	62,334	1,047	311,986
	Southeastern	559,299	772,262	2,243,411	24,759,476	4,009,190	32,343,638
	Total	721,696	14,232,961	3,657,306	46,644,431	7,206,867	72,463,261

* Includes catches east to Castle Cape in Chignik area

** Estimated from case pack

<u>Year</u>	<u>Area</u>	<u>King</u>	<u>Red</u>	<u>Coho</u>	<u>Pink</u>	<u>Chum</u>	<u>Total</u>
1947	A-Y-K	59,382	--	--	--	--	59,382
	Bristol Bay	41,641	18,642,028	9,563	421	215,715	18,909,368
	N.Side Ak Penin	82	357,660	90	50	75,049	432,931
	Aleutian Is. and S.Side Ak Penin*	3,404	1,137,122	55,800	2,319,611	1,219,223	4,735,160
	Chignik	737	2,084,824	4,610	472,327**	71,829**	2,634,327
	Kodiak	99**	993,394	76,230**	8,856,666	294,518	10,220,907
	Cook Inlet	106,804	1,473,973	443,879	681,731	279,227	2,985,614
	Prince William	781	199,208	66,335	8,077,210	706,189	9,049,723
	Copper-Bering	15,026	354,281	278,637	--	--	647,944
	Yakutat	7,576	129,044	75,011	24,721	3,190	239,542
	Southeastern	488,522	617,126	1,471,068	14,016,842	3,357,113	19,950,671
	Total	724,054	25,988,660	2,481,223	34,449,579	6,222,053	69,865,569
1948	A-Y-K	33,842	--	--	--	--	33,842
	Bristol Bay	49,116	14,544,389	11,818	53,236	496,657	15,155,216
	N.Side Ak Penin	2,164	477,611	17,218	26	161,660	658,679
	Aleutian Is. and S.Side Ak Penin*	1,231	285,898	39,222	1,683,743	1,139,574	3,149,668
	Chignik	756	370,329	937	1,071,556**	368,966**	1,812,544
	Kodiak	1,401	1,260,465	32,364	5,968,487	330,795	7,593,512
	Cook Inlet	105,996	2,035,306	408,079	1,660,147	439,314	4,648,842
	Prince William	207	208,159	35,168	2,460,760	457,618	3,161,912
	Copper-Bering	5,774	172,687	266,555	--	--	445,016
	Yakutat	9,255	81,836	105,646	99,734	6,629	303,100
	Southeastern	470,841	442,689	2,040,207	14,252,714	3,997,870	21,204,321
	Total	680,583	19,879,369	2,957,214	27,250,403	7,399,083	58,166,652
1949	A-Y-K	36,379	--	--	--	--	36,379
	Bristol Bay	50,752	6,449,321	26,319	38	269,138	6,795,568
	N.Side Ak Penin	712	137,117	25,650	--	40,682	204,161
	Aleutian Is. and S.Side Ak Penin*	3,805	637,466	19,492	1,544,015	560,908	2,765,686
	Chignik	763	542,545	6,009	91,528**	129,139**	769,984
	Kodiak	851	892,336	53,737	4,927,779	699,548	6,574,251
	Cook Inlet	111,281	2,153,213	279,701	433,003	238,646	3,215,844
	Prince William	643	93,396	115,556	6,089,394	827,665	7,126,654
	Copper-Bering	8,652	441,776	173,124	--	--	623,552
	Yakutat	612	77,833	44,633	17,583	385	141,046
	Southeastern	479,451	411,966	2,235,257	43,903,093	2,893,959	49,923,726
	Total	693,901	11,836,969	2,979,478	57,006,433	5,660,070	78,176,851

* Includes catches east to Castle Cape in Chignik area

** Estimated from case pack

<u>Year</u>	<u>Area</u>	<u>King</u>	<u>Red</u>	<u>Coho</u>	<u>Pink</u>	<u>Chum</u>	<u>Total</u>
1950	A-Y-K	41,808	--	--	--	--	41,808
	Bristol Bay	45,261	7,157,275	28,737	32,171	146,449	7,409,893
	N. Side Ak Penin	1,101	127,751	37,811	--	217,569	384,232
	Aleutian Is. and S. Side Ak Penin*	4,001	1,745,285	70,665	1,613,676	562,545	3,996,172
	Chignik	976	353,192	14,620	616,696**	92,137**	1,077,621
	Kodiak	2,127	920,885	40,653	5,304,701	685,109	6,953,475
	Cook Inlet	162,942	2,642,374	351,366	1,132,164	463,507	4,752,353
	Prince William	558	74,585	74,445	1,850,731	455,900	2,456,219
	Copper-Bering	17,777	800,451	146,197	39**	47**	964,511
	Southeastern***	378,672	552,202	1,651,905	9,423,824	4,778,742	16,785,345
	Total	655,223	14,374,000	2,416,399	19,974,002	7,402,005	44,821,629
1951	A-Y-K	60,488	--	--	--	--	60,488
	Bristol Bay	40,183	4,326,543	42,463	34	156,750	4,565,973
	N. Side Ak Penin	1,272	358,936	32,936	20,367	202,994	616,505
	Aleutian Is.	3	11,717	393	526	94,502	107,141
	S. Side Ak Penin	1,507	264,155	55,720	2,844,820	683,106	3,849,308
	Chignik	696	259,017	7,464	19,406	26,499	313,082
	Kodiak	2,402	467,875	48,792	2,100,377	483,057	3,102,503
	Cook Inlet	187,513	2,481,346	284,715	417,485	292,293	3,663,352
	Prince William	3,636	208,065	47,636	802,892	549,206	1,611,435
	Copper River	17,439	451,943	154,418	101	48	623,949
	Bering River	34	3,591	46,306	5	1	49,937
	Yakutat	1,260	148,295	127,701	35,222	5,328	317,806
	Southeastern	473,100	671,326	3,182,525	22,184,891	4,117,682	30,629,524
	Total	789,533	9,652,809	4,031,069	28,426,126	6,611,466	49,511,003
1952	A-Y-K	38,637	--	10,868	--	--	49,505
	Bristol Bay	52,856	11,266,129	5,014	14,129	249,421	11,587,549
	N. Side Ak Penin	661	354,783	54,177	1,430	246,882	657,933
	Aleutian Is.	209	42,824	9	31,750	25,732	100,524
	S. Side Ak Penin	9,242	894,510	39,237	908,518	1,040,776	2,892,283
	Chignik	290	127,068	9,400	81,502	151,674	369,934
	Kodiak	1,081	603,677	51,567	4,576,726	1,243,227	6,476,278
	Cook Inlet	74,500	1,510,214	233,771	2,277,019	450,580	4,546,084
	Prince William	111	74,324	51,130	2,161,556	549,663	2,836,784
	Copper River	29,355	1,136,316	163,740	6,284	1,091	1,336,786
	Bering River	--	--	13,642	--	--	13,642
	Yakutat	2,414	110,358	187,990	37,067	12,599	350,428
	Southeastern	525,993	808,958	1,555,763	9,765,590	4,165,950	16,822,254
	Total	735,349	16,929,161	2,376,308	19,861,571	8,137,595	48,039,984

* Includes catches east to Castle Cape in Chignik area

** Estimated from case pack

*** Includes Yakutat catches

<u>Year</u>	<u>Area</u>	<u>King</u>	<u>Red</u>	<u>Coho</u>	<u>Pink</u>	<u>Chum</u>	<u>Total</u>
1953	A-Y-K	58,859	--	--	--	5,977	64,836
	Bristol Bay	42,556	6,111,500	4,616	12	387,346	6,546,030
	N. Side Ak Penin	808	537,271	26,197	18,330	224,436	807,042
	Aleutian Is.	--	4,281	524	69,158	820	74,783
	S. Side Ak Penin	7,172	1,039,212	47,923	2,743,901	1,464,593	5,302,801
	Chignik	508	295,187	1,370	136,851	229,764	663,680
	Kodiak	2,991	317,150	41,681	5,174,645	547,574	6,084,041
	Cook Inlet	89,430	1,490,062	227,612	550,073	536,639	2,893,816
	Prince William	72	49,252	37,012	1,996,413	352,714	2,435,463
	Copper River	12,198	563,708	29,866	166	46	605,984
	Bering River	26	8,572	--	--	--	8,598
	Yakutat	1,914	111,733	150,512	8,801	15,605	288,565
	Southeastern	496,431	1,264,721	1,013,069	4,972,608	3,526,296	11,273,125
	Total	712,965	11,792,649	1,580,382	15,670,958	7,291,810	37,048,764
1954	A-Y-K	64,602	7	--	--	14,375	78,984
	Bristol Bay	56,016	4,652,625	23,536	102,982	400,644	5,235,803
	N. Side Ak Penin	3,379	354,724	34,984	18,479	405,032	816,598
	Aleutian Is.	1	6,306	840	566,457	160	573,764
	S. Side Ak Penin	4,187	636,275	49,407	2,033,298	1,413,392	4,136,559
	Chignik	183	91,566	195	348,203	123,733	563,880
	Kodiak	942	325,157	66,430	8,439,231	1,250,833	10,082,593
	Cook Inlet	65,325	1,246,672	336,685	2,460,051	775,659	4,884,392
	Prince William*	1	6,185	436	12,142	6,071	24,835
	Copper River	15,764	1,099,564	157,941	135	272	1,273,676
	Bering River	--	129	91,964	9	1	92,103
	Yakutat	2,246	127,095	267,181	40,043	16,094	452,659
	Southeastern	395,374	1,093,062	1,503,626	8,869,438	4,227,577	16,089,077
	Total	608,020	9,639,367	2,533,225	22,890,468	8,633,843	44,304,923
1955	A-Y-K	55,925	--	--	--	--	55,925
	Bristol Bay	75,429	4,549,106	21,028	9	212,179	4,857,751
	N. Side Ak Penin	4,119	586,556	6,153	863	129,583	727,274
	Aleutian Is.	--	12,588	100	31,078	374	44,140
	S. Side Ak Penin	5,362	550,061	44,803	2,529,228	688,157	3,817,611
	Chignik	1,266	352,556	167	822,537	291,016	1,467,542
	Kodiak	2,428	164,482	34,582	10,794,164	482,425	11,478,081
	Cook Inlet	46,499	1,064,128	180,452	1,286,008	317,053	2,894,140
	Prince William*	--	12,924	596	26,873	4,662	45,055
	Copper River	20,438	636,705	158,208	149	12	815,512
	Bering River	125	34,121	70,100	50	2	104,398
	Yakutat	3,808	111,250	201,842	25,686	23,568	366,154
	Southeastern	369,744	636,080	1,136,635	9,308,286	1,504,634	12,955,379
	Total	585,143	8,710,557	1,854,666	24,824,931	3,653,665	39,628,962

* Eshamy district only, remainder closed

<u>Year</u>	<u>Area</u>	<u>King</u>	<u>Red</u>	<u>Coho</u>	<u>Pink</u>	<u>Chum</u>	<u>Total</u>
1956	A-Y-K	62,208	51	1	--	10,691	72,951
	Bristol Bay	66,377	8,881,467	63,459	91,972	315,517	9,418,792
	N. Side Ak Penin	4,154	1,370,866	8,150	28,472	427,422	1,839,064
	Aleutian Is.	--	--	--	5,175	--	5,175
	S. Side Ak Penin	4,806	641,370	61,877	2,740,719	1,618,669	5,067,441
	Chignik	570	670,140	5,179	177,304	266,860	1,120,053
	Kodiak	1,123	271,249	52,844	3,318,841	705,047	4,349,104
	Cook Inlet	65,310	1,295,095	207,534	1,803,295	870,269	4,241,503
	Prince William	492	156,336	34,850	4,525,408	507,199	5,224,285
	Copper River	11,702	540,575	109,248	1,131	54	662,710
	Bering River	147	41,437	53,484	46	5	95,119
	Yakutat	6,341	108,303	130,445	17,201	23,533	285,823
	Southeastern	232,807	806,475	786,097	13,711,070	2,677,728	18,214,177
	Total	456,037	14,783,364	1,513,168	26,420,634	7,422,994	50,596,197
1957	A-Y-K	63,623	--	--	--	--	63,623
	Bristol Bay	91,420	6,275,502	68,745	29	259,342	6,695,038
	N. Side Ak Penin	1,040	327,945	18,356	3,302	274,895	625,538
	Aleutian Is.	2,301	27,296	88	485	13,876	44,046
	S. Side Ak Penin	5,765	341,919	49,907	913,098	1,281,426	2,592,115
	Chignik	939	304,788	5,334	305,109	216,190	832,360
	Kodiak	1,030	234,253	34,995	4,716,482	1,208,472	6,195,232
	Cook Inlet	42,767	670,629	127,199	306,841	1,207,920	2,355,356
	Prince William	968	66,468	20,935	649,001	705,642	1,443,014
	Copper River	8,151	541,637	58,705	1,841	1,224	611,558
	Bering River	71	29,142	27,441	27	22	56,703
	Yakutat	3,680	110,504	63,009	16,475	31,996	225,664
	Southeastern	296,366	960,753	1,155,470	6,841,420	3,381,055	12,635,064
	Total	518,121	9,890,836	1,630,184	13,754,110	8,582,060	34,375,311
1958	A-Y-K	63,735	--	--	--	--	63,735
	Bristol Bay	103,207	2,985,666	135,828	1,135,542	358,092	4,718,335
	N. Side Ak Penin	14,989	473,759	57,116	60,449	254,775	861,088
	Aleutian Is.	2	344	14	613,225	277	613,862
	S. Side Ak Penin	758	186,093	70,628	1,385,167	841,004	2,483,650
	Chignik	511	320,131	403	130,916	189,077	641,038
	Kodiak	1,942	288,014	20,555	4,038,938	930,698	5,280,147
	Cook Inlet	22,847	496,842	241,561	2,598,314	596,179	3,955,743
	Prince William	12,041	13,821	22,555	6,289,924	687,266	7,025,607
	Copper River	6,965	307,342	81,610	8,872	181	404,970
	Bering River	72	23,947	21,202	32	1	45,254
	Yakutat	1,098	42,090	98,772	61,785	17,764	221,509
	Southeastern	324,056	966,145	856,577	9,776,122	2,769,261	14,692,161
	Total	552,223	6,104,194	1,606,821	26,099,286	6,644,575	41,007,099

<u>Year</u>	<u>Area</u>	<u>King</u>	<u>Red</u>	<u>Coho</u>	<u>Pink</u>	<u>Chum</u>	<u>Total</u>
1959	A-Y-K	82,130	--	--	--	--	82,130
	Bristol Bay	84,289	4,608,119	17,335	301	481,516	5,191,560
	N. Side Ak Penin	28,692	634,918	59,115	9,585	404,746	1,137,056
	Aleutian Is.	--	6,096	--	11,961	79	18,136
	S. Side Ak Penin	577	217,207	8,470	884,709	576,332	1,687,295
	Chignik	690	428,022	4,814	67,042	187,079	687,647
	Kodiak	1,837	330,087	14,512	1,967,058	733,784	3,047,278
	Cook Inlet	32,783	634,313	112,664	137,255	411,157	1,328,172
	Prince William	1,447	--	1,123	229	--	2,799
	Copper River	9,833	299,782	132,259	940	67	442,881
	Bering River	77	27,384	58,560	6	--	86,027
	Yakutat	1,412	76,790	138,989	12,505	36,694	266,390
	Southeastern	363,328	813,848	885,401	7,838,793	1,254,715	11,156,085
	Total	607,095	8,076,566	1,433,242	10,930,384	4,086,169	25,133,456
1960	A-Y-K	73,582	5,649	5,498	--	3	84,732
	Bristol Bay	111,703	13,705,002	16,140	302,032	1,315,957	15,450,834
	N. Side Ak Penin	10,441	692,787	43,959	34,725	607,173	1,389,085
	Aleutian Is.	--	7,649	3	444,897	299	452,848
	S. Side Ak Penin	1,911	384,937	2,979	1,510,795	1,071,493	2,972,115
	Chignik	427	710,349	7,665	198,368	152,191	1,069,000
	Kodiak	1,238	362,525	54,308	6,737,817	1,300,386	8,456,274
	Cook Inlet	27,539	948,040	314,153	2,023,252	776,079	4,089,063
	Prince William	1,584	35,176	30,722	1,841,899	381,858	2,291,239
	Copper River	8,678	360,667	137,957	375	314	507,991
	Bering River	63	32,890	70,065	126	6	103,150
	Yakutat	916	48,321	121,320	13,966	12,491	197,014
	Southeastern	309,073	539,967	599,488	2,971,055	1,006,661	5,426,244
	Total	547,155	17,833,959	1,404,257	16,079,307	6,624,911	42,489,589
1961	A-Y-K	148,426	2,308	21,752	34,444	109,657	316,587
	Bristol Bay	88,656	11,913,926	20,633	538	727,932	12,751,685
	N. Side Ak Penin	6,050	387,675	24,592	2,953	153,282	574,552
	Aleutian Is.	--	2,661	3	93,958	219	96,841
	S. Side Ak Penin	942	456,823	10,448	1,727,818	748,595	2,944,626
	Chignik	429	323,459	3,095	445,256	183,170	955,409
	Kodiak	864	407,979	28,579	3,926,023	518,935	4,882,380
	Cook Inlet	19,778	1,185,079	119,397	337,394	405,221	2,066,869
	Prince William	406	68,572	10,988	2,298,218	224,401	2,602,585
	Copper River	7,621	528,223	133,987	1,639	106	671,576
	Bering River	872	60,116	50,883	30	1	111,902
	Yakutat	2,534	82,929	130,314	65,063	11,520	292,360
	Southeastern	227,004	661,555	759,105	12,572,440	2,547,749	16,767,853
	Total	503,582	16,081,305	1,313,776	21,505,774	5,630,788	45,035,225

<u>Year</u>	<u>Area</u>	<u>King</u>	<u>Red</u>	<u>Coho</u>	<u>Pink</u>	<u>Chum</u>	<u>Total</u>
1962	A-Y-K	122,903	10,409	45,085	37,627	412,383	628,407
	Bristol Bay	84,047	4,718,016	39,284	913,934	677,545	6,432,826
	N. Side Ak Penin	6,098	256,159	39,776	27,905	37,323	367,261
	Aleutian Is.	12	5,473	99	2,001,731	1,151	2,008,466
	S. Side Ak Penin	3,214	407,786	16,327	1,961,018	823,078	3,211,423
	Chignik	435	364,753	1,293	1,518,366	364,452	2,249,299
	Kodiak	1,095	784,664	54,583	14,113,851	794,727	15,748,920
	Cook Inlet	20,270	1,172,859	358,051	4,960,030	1,149,841	7,661,051
	Prince William	1,830	54,468	31,908	6,742,316	891,880	7,722,402
	Copper River	14,792	677,626	174,628	1,880	513	869,439
	Bering River	246	72,230	55,502	--	2	127,980
	Yakutat	2,748	80,668	189,511	27,692	17,914	318,533
	Southeastern	202,813	691,568	1,033,038	11,557,484	1,978,469	15,463,372
	Total	460,503	9,296,679	2,039,085	43,863,834	7,149,278	62,809,379
1963	A-Y-K	142,249	42	38,795	56,031	209,235	446,352
	Bristol Bay	62,269	2,871,136	41,262	461	370,097	3,345,225
	N. Side Ak Penin	3,601	225,199	40,501	6,912	55,630	331,843
	Aleutian Is.	4	4,509	--	90,367	250	95,130
	S. Side Ak Penin	1,900	204,387	16,514	2,303,085	464,060	2,989,946
	Chignik	1,744	408,606	9,933	1,662,363	112,697	2,195,343
	Kodiak	286	407,040	57,011	5,480,158	305,061	6,249,556
	Cook Inlet	17,632	958,101	203,876	234,052	525,537	1,939,198
	Prince William	2,293	60,304	48,661	5,295,378	942,900	6,349,536
	Copper River	10,871	375,029	202,621	1,487	85	590,093
	Bering River	95	23,127	88,610	60	--	111,892
	Yakutat	942	52,711	145,863	79,180	10,679	289,375
	Southeastern	257,540	625,210	1,128,645	19,066,119	1,468,065	22,545,579
	Total	501,426	6,215,401	2,022,292	34,275,653	4,464,296	47,479,068
1964	A-Y-K	116,867	13,422	31,520	14,208	230,387	406,404
	Bristol Bay	139,536	5,596,120	36,563	1,549,569	802,508	8,124,296
	N. Side Ak Penin	3,592	234,640	36,568	6,821	139,034	420,655
	Aleutian Is.	1	248	4	194,138	2,314	196,705
	S. Side Ak Penin	2,025	370,743	13,552	2,721,991	750,950	3,859,261
	Chignik	1,097	557,806	2,230	1,683,410	333,755	2,578,298
	Kodiak	1,306	498,488	35,535	12,044,341	1,134,163	13,713,833
	Cook Inlet	4,622	990,709	462,114	4,287,378	1,402,419	7,147,242
	Prince William	71	66,974	30,969	4,206,896	539,047	4,843,957
	Copper River	12,751	699,548	242,666	548	62	955,575
	Bering River	36	13,469	78,708	--	--	92,213
	Yakutat	2,005	92,235	169,806	40,392	5,669	310,107
	Southeastern	355,186	831,688	1,418,104	18,541,070	1,930,482	23,076,530
	Total	639,095	9,966,090	2,558,339	45,290,762	7,270,790	65,725,076

<u>Year</u>	<u>Area</u>	<u>King</u>	<u>Red</u>	<u>Coho</u>	<u>Pink</u>	<u>Chum</u>	<u>Total</u>
1965	A-Y-K	143,891	1,895	14,882	257	104,312	265,237
	Bristol Bay	112,967	24,255,239	8,083	700	360,544	24,737,533
	N. Side Ak Penin	6,131	199,469	34,467	2,093	69,673	311,833
	Aleutian Is.	NO FISHERY					
	S. Side Ak Penin	2,104	880,375	34,161	2,858,528	537,500	4,312,668
	Chignik	1,592	630,587	9,163	1,118,157	120,605	1,880,104
	Kodiak	786	346,237	26,672	2,886,831	431,340	3,691,866
	Cook Inlet	9,751	1,426,352	154,481	139,561	344,521	2,074,666
	Prince William	1,099	116,092	45,211	2,460,471	201,043	2,823,916
	Copper River	15,390	818,277	70,786	803	331	905,587
	Bering River	3	10,651	52,114	--	32	62,800
	Yakutat	1,468	122,735	125,421	4,425	4,258	258,307
	Southeastern	285,765	962,583	1,422,844	10,875,509	1,469,609	15,016,310
	Total	580,947	29,770,492	1,998,285	20,347,335	3,643,768	56,340,827
1966	A-Y-K	120,692	1,137	47,994	13,190	185,656	368,669
	Bristol Bay	77,472	9,314,240	33,942	2,492,851	343,212	12,261,717
	N. Side Ak Penin	9,342	245,341	37,286	15,975	79,083	387,027
	Aleutian Is.	1	999	14	63,483	703	65,200
	S. Side Ak Penin	1,358	606,203	6,334	302,344	485,176	1,401,415
	Chignik	639	222,065	15,019	683,746	238,913	1,160,382
	Kodiak	599	631,646	67,700	10,755,582	762,766	12,218,293
	Cook Inlet	9,603	1,867,323	295,101	2,585,820	660,887	5,418,734
	Prince William	650	99,714	23,908	2,699,418	426,628	3,250,318
	Copper River	11,422	1,005,615	116,147	717	115	1,134,016
	Bering River	36	24,949	49,818	--	1	74,804
	Yakutat	2,152	185,361	67,414	1,395	3,395	259,717
	Southeastern	305,992	868,758	1,159,891	20,436,775	3,269,762	26,041,178
	Total	539,958	15,073,351	1,920,568	40,051,296	6,456,297	64,041,470
1967	A-Y-K	161,221	654	71,665	29,083	128,627	391,250
	Bristol Bay	117,193	4,330,730	53,796	1,114	476,357	4,979,190
	N. Side Ak Penin	5,523	224,706	46,842	669	41,252	318,992
	Aleutian Is.	1	201	--	7,917	10	8,129
	S. Side Ak Penin	1,645	297,123	2,884	77,758	238,735	618,145
	Chignik	882	467,874	9,375	108,981	75,543	662,655
	Kodiak	1,753	308,756	10,354	187,813	226,681	735,357
	Cook Inlet	8,035	1,409,106	180,455	407,717	382,282	2,387,595
	Prince William	3,624	45,515	40,569	2,626,340	274,234	2,990,282
	Copper River	9,853	508,327	160,532	573	218	679,503
	Bering River	20	11,866	46,138	3	2	58,029
	Yakutat	2,190	88,431	120,286	32,532	4,471	247,910
	Southeastern	298,797	883,110	745,940	3,078,719	1,805,941	6,812,507
	Total	610,737	8,576,399	1,488,836	6,559,219	3,654,353	20,889,544

<u>Year</u>	<u>Area</u>	<u>King</u>	<u>Red</u>	<u>Coho</u>	<u>Pink</u>	<u>Chum</u>	<u>Total</u>
1968	A-Y-K	150,730	5,884	174,490	146,997	162,661	640,762
	Bristol Bay	103,723	2,792,849	93,374	1,935,736	363,791	5,289,473
	N. Side Ak Penin	4,483	237,131	64,914	167	73,519	380,214
	Aleutian Is.	37	3,032	112	894,157	792	898,130
	S. Side Ak Penin	1,444	699,787	31,128	1,284,917	325,281	2,342,557
	Chignik	674	878,449	2,200	1,290,660	223,861	2,395,844
	Kodiak	1,936	760,393	56,629	8,768,122	750,428	10,337,508
	Cook Inlet	4,600	1,200,146	475,333	2,863,638	1,194,248	5,737,965
	Prince William	1,523	121,804	11,693	2,452,168	342,939	2,930,127
	Copper River	9,743	573,261	230,867	4,343	473	818,687
	Bering River	10	26,136	67,134	199	--	93,479
	Yakutat	3,801	80,780	122,497	2,317	13,896	223,291
	Southeastern	327,813	749,995	1,420,598	25,083,082	2,630,363	30,211,851
	Total	610,517	8,129,647	2,750,969	44,726,503	6,082,252	62,299,888
1969	A-Y-K	157,891	10,362	132,385	88,248	384,795	773,681
	Bristol Bay	124,908	6,621,698	81,376	1,870	332,989	7,162,841
	N. Side Ak Penin	4,846	321,347	49,092	111	28,094	403,490
	Aleutian Is.	2	1,892	35	242,150	1,549	245,628
	S. Side Ak Penin	1,939	912,836	10,884	1,219,446	389,249	2,534,354
	Chignik	3,445	310,063	18,130	1,779,569	67,785	2,178,992
	Kodiak	2,469	591,481	48,759	12,500,823	534,933	13,678,465
	Cook Inlet	12,462	815,050	101,575	235,866	331,058	1,496,011
	Prince William	3,340	285,584	12,866	4,828,579	320,977	5,451,346
	Copper River	14,040	696,836	77,405	847	244	789,372
	Bering River	44	38,093	4,033	1	--	42,171
	Yakutat	4,768	117,797	59,623	64,094	14,935	261,217
	Southeastern	309,048	693,779	536,867	4,805,771	546,483	6,891,948
	Total	639,202	11,416,818	1,133,030	25,767,375	2,953,091	41,909,516
1970	A-Y-K	146,419	12,645	80,073	91,986	674,185	1,005,308
	Bristol Bay	140,511	20,720,766	14,490	456,911	717,846	22,050,524
	N. Side Ak Penin	3,854	211,234	26,334	7,904	49,928	299,254
	Aleutian Is.	6	1,629	135	670,991	3,348	676,109
	S. Side Ak Penin	1,806	1,779,956	32,573	1,739,279	993,383	4,546,997
	Chignik	1,226	1,325,811	15,348	1,287,827	464,607	3,094,819
	Kodiak	1,089	917,047	66,424	12,036,598	919,972	13,941,130
	Cook Inlet	8,455	753,526	280,156	1,388,179	999,325	3,429,641
	Prince William	1,031	104,169	11,485	2,809,996	230,661	3,157,342
	Copper River	19,375	1,115,695	161,892	645	687	1,298,294
	Bering River	26	23,539	79,264	1	1	102,831
	Yakutat	10,018	112,169	38,529	3,764	7,110	171,590
	Southeastern	311,943	555,739	720,138	10,653,266	2,438,576	14,679,662
	Total	645,759	27,633,925	1,526,841	31,147,347	7,499,629	68,453,501

<u>Year</u>	<u>Area</u>	<u>King</u>	<u>Red</u>	<u>Coho</u>	<u>Pink</u>	<u>Chum</u>	<u>Total</u>
1971	A-Y-K	158,037	6,055	25,336	4,908	675,425	869,761
	Bristol Bay	123,015	9,583,987	12,709	212	676,906	10,396,829
	N. Side Ak Penin	2,189	354,805	8,222	297	64,303	429,816
	Aleutian Is.	--	333	2	45,114	58	45,507
	S. Side Ak Penin	2,174	716,087	16,907	1,445,031	1,365,957	3,546,156
	Chignik	2,010	1,016,136	14,557	612,290	353,952	1,998,945
	Kodiak	920	478,479	22,844	4,334,492	1,541,444	6,378,179
	Cook Inlet	19,838	658,537	105,197	428,495	475,631	1,687,698
	Prince William	3,551	88,368	30,551	7,310,964	574,265	8,007,699
	Copper River	16,486	616,801	208,915	1,762	5,287	849,251
	Bering River	105	36,776	88,231	4	--	125,116
	Yakutat	10,173	129,212	40,504	80,317	5,019	265,225
	Southeastern	323,805	494,040	873,878	9,264,488	1,941,083	12,897,294
	Total	662,303	14,179,616	1,447,853	23,528,374	7,679,330	47,497,476

SOURCES OF CATCH DATA

KOTZEBUE

- 1914 - 1918 Alaska Dept. Fish and Game, Annual Management Report 1974
Arctic-Yukon-Kuskokwim Region.
- 1919 - 1961 No reported catches
- 1962 - 1971 Alaska Dept. Fish and Game Statistical Leaflets #5,7,9,11, 13,
15,17,19,21,23.

NORTON SOUND

- 1961 - 1971 Alaska Dept. Fish and Game Statistical Leaflets #3,7,9,11,13,
15,17,19,21,23.

YUKON

- 1918 - 1950 Alaska Dept. Fish and Game, Annual Management Report 1974
Arctic-Yukon-Kuskokwim.
- 1951 - 1959 Simpson, Robert R. 1960. Alaska Commercial Salmon Catch
Statistics 1951-1959. U.S. Fish and Wildlife Service Statistical
Digest 50, 115 pp.
- 1960 - 1971 Alaska Dept. Fish and Game Statistical Leaflets #1,3,5,7,9,11,
13,15,17,19,21,23.

KUSKOKWIM

- 1913 - 1950 Alaska Dept. Fish and Game, Annual Management Report 1974
Arctic-Yukon-Kuskokwim.
- 1951 - 1959 Simpson, Robert R. 1960. Alaska Commercial Salmon Catch
Statistics 1951-1959. U.S. Fish and Wildlife Service Statistical
Digest 50, 115 pp.
- 1960 - 1971 Alaska Dept. Fish and Game Statistical Leaflets #1,3,5,7,9,11,
13,15,17,19,21,23.

BRISTOL BAY

- 1893 - 1927 Rich, Willis H. and Edward M. Ball. 1928. Statistical Review
of the Alaska Salmon Fisheries, Part I: Bristol Bay and the
Alaska Peninsula, U.S. Dept. Commerce, Bureau of Fisheries
Document No. 1041, pp. 41-73.

- 1928 - 1950 Nelson, Michael L. (Editor) 1970. Studies of Bristol Bay Fishery Resources, Bristol Bay Data Report No. 25, Alaska Dept. Fish and Game Manuscript Report, 93 pp.
- 1951 - 1959 Simpson, Robert R. 1960. Alaska Commercial Salmon Catch Statistics 1951-1959. U.S. Fish and Wildlife Service Statistical Digest 50, 115 pp.
- 1960 - 1970 Alaska Dept. Fish and Game Statistical Leaflets #1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23.

NORTH SIDE ALASKA PENINSULA

- 1906 - 1927 Rich, Willis H. and Edward M. Ball. 1928. Statistical Review of the Alaska Salmon Fisheries, Part I: Bristol Bay and the Alaska Peninsula. U.S. Dept. Commerce, Bureau of Fisheries Document No. 1041, pp. 73-79.
- 1928 - 1933 Estimated from case pack for each year using Central Alaska fish/case x North Side Alaska Peninsula case pack from Alaska Fishery and Fur Seal Industries in 1928-1933, U.S. Dept. Commerce, Bureau of Fisheries.
- 1934 - 1950 The Exploitation, Scientific Investigation and Management of Salmon (genus Oncorhynchus) Stocks on the Pacific Coast of the United States in Relation to the Abstention Provisions of the North Pacific Fisheries Convention. 1962. International North Pacific Fisheries Commission Bulletin No. 10, pp. 73-75.
- 1951 - 1959 Simpson, Robert R. 1960. Alaska Commercial Salmon Catch Statistics 1951-1959. U.S. Fish and Wildlife Service Statistical Digest 50, 115 pp.
- 1960 - 1971 Alaska Dept. Fish and Game Statistical Leaflets No. 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23.

ALEUTIAN ISLANDS

- 1911 - 1927 Rich, Willis H. and Edward M. Ball. 1928. Statistical Review of the Alaska Salmon Fisheries, Part I: Bristol Bay and the Alaska Peninsula. U.S. Dept. Commerce, Bureau of Fisheries Document No. 1041, pp. 79-80.
- 1928 - 1950 Included in South Side Alaska Peninsula Catches.
- 1951 - 1959 Simpson, Robert R. 1960. Alaska Commercial Salmon Catch Statistics 1951-1959. U.S. Fish and Wildlife Service Statistical Digest 50, 115 pp.

1960 - 1971 Alaska Dept. Fish and Game Statistical Leaflets No. 1,3,5,
7,9,11,13,15,17,19,21,23.

SOUTH SIDE ALASKA PENINSULA

1908 - 1927 Rich, Willis H. and Edward M. Ball. 1928. Statistical Review
of the Alaska Salmon Fisheries, Part I: Bristol Bay and the
Alaska Peninsula. U.S. Dept. Commerce, Bureau of Fisheries
Document No. 1041, pp. 80-95.

1928 - 1933 Estimated from case pack for each year using Central Alaska
fish/case x South Side Alaska Peninsula case pack from Alaska
Fishery and Fur Seal Industries in 1928-1933, U.S. Dept.
Commerce, Bureau of Fisheries.

1934 - 1940 The Exploitation, Scientific Investigation and Management of
Salmon (genus Oncorhynchus) Stocks on the Pacific Coast of
the United States in Relation to the Abstention Provisions of
the North Pacific Fisheries Convention. 1962. International
North Pacific Commission Bulletin No. 10, pp. 25-48.

1941 Fredin, R.A. et al. 1968. Information on Recent Changes in
the Salmon Fisheries of Alaska and the Condition of the Stocks.
(Prepared for the Scientific Subcommittee of the Ad Hoc Com-
mittee on Abstention, INPFC) pp. 89-94.

1942 - 1950 Same as 1934-1940.

1951 - 1959 Simpson, Robert R. 1960. Alaska Commercial Salmon Catch
Statistics 1951-1959. U.S. Fish and Wildlife Service Statistical
Digest 50, 115 pp, and Alaska Dept. Fish and Game, Annual
Management Report, Chignik Area, 1966.

1960 - 1971 Alaska Dept. Fish and Game Statistical Leaflets #1,3,5,9,11,
13,15,17,19,21,23.

CHIGNIK

1888 - 1927 Rich, Willis H. and Edward M. Ball. 1930. Statistical Review
of the Alaska Salmon Fisheries, Part II: Chignik to Resurrection
Bay. U.S. Dept. Commerce, Bureau of Fisheries Document No.
1102, pp. 643-652.

1928 - 1950 Pink and Chum Salmon: Estimated from case pack for each
year using Central Alaska fish/case x Chignik case pack
from Alaska Fishery and Fur Seal Industries in 1928-1950,
U.S. Dept. Commerce, Bureau of Fisheries, and U.S. Dept.
Interior, Fish and Wildlife Service. Red, King and Coho
Salmon: Alaska Dept. Fish and Game, Annual Management
Report, Chignik Area, 1966.

- 1951 - 1959 Red, king and coho salmon: Alaska Dept. Fish and Game Annual Management Report, Chignik Area, 1966. Pink and chum salmon: Simpson, Robert R. 1960. Alaska Commercial Salmon Catch Statistics 1951-1959, USFWS Statistical Digest 50, 115 pp.
- 1960 - 1971 Alaska Dept. Fish and Game Statistical Leaflets #1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23.
- KODIAK
- 1881 - 1927 Rich, Willis H. and Edward M. Ball. 1930. Statistical Review of the Alaska Salmon Fisheries, Part II: Chignik to Resurrection Bay. U.S. Dept. Commerce, Bureau of Fisheries Document No. 1102, pp. 652-692.
- 1928 - 1933 Estimated from case pack for each year using Central Alaska fish/case x Kodiak case pack from Alaska Fishery and Fur Seal Industries in 1928-1933, U.S. Dept. Commerce, Bureau of Fisheries.
- 1934 - 1947 Red, pink and chum salmon: The Exploitation, Scientific Investigation and Management of Salmon (*genus Oncorhynchus*) Stocks on the Pacific Coast of the United States in Relation to the Abstention Provisions of the North Pacific Fisheries Convention. 1962. International North Pacific Fisheries Commission Bulletin No. 10, pp. 25-48.
- King and coho salmon: Estimated from case pack for each year using Central Alaska fish/case x Kodiak case pack from Alaska Fishery and Fur Seal Industries in 1934-1947, U.S. Dept. Commerce, Bureau of Fisheries, and U.S. Dept. Interior, Fish and Wildlife Service.
- 1948 - 1950 Lechner, Burdette J. 1971. Commercial Fisheries Statistics, Kodiak Area, Alaska Dept. Fish and Game Manuscript Report, 50 pp.
- 1951 - 1959 Simpson, Robert R. 1960. Alaska Commercial Salmon Catch Statistics, 1951-1959. U.S. Fish and Wildlife Service Statistical Digest 50, 115 pp.
- 1960 - 1971 Alaska Dept. Fish and Game Statistical Leaflets #1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23.

COOK INLET

- 1893 - 1927 Rich, Willis H. and Edward M. Ball. 1930. Statistical Review of the Alaska Salmon Fisheries, Part II: Chignik to Resurrection Bay. U.S. Dept. Commerce, Bureau of Commercial Fisheries Document No. 1102, pp. 692-712.
- 1928 - 1930 Estimated from case pack for each year using Central Alaska fish/case x Cook Inlet case pack from Alaska Fishery and Fur Seal Industries in 1928-1930, U.S. Dept. Commerce, Bureau of Commercial Fisheries. Excludes Resurrection Bay.
- 1931 - 1936 Estimated from case pack for each year using Central Alaska fish/case x Cook Inlet case pack from Alaska Fishery and Fur Seal Industries in 1931-1936, U.S. Dept. Commerce, Bureau of Fisheries. Resurrection Bay catches from 1931 to 1934 are added to the Cook Inlet Area catches from Annual Reports of Fishery Management Agents, Central District, 1931-1934 (1933 Resurrection Bay catch estimated from Resurrection Bay case pack x Central Alaska fish/case from Alaska Fishery and Fur Seal Industries, 1931-1934) U.S. Dept. Commerce, Bureau of Fisheries. No Resurrection Bay fishery occurred in 1935 and 1936.
- 1937 - 1939 Annual Reports of Fishery Management Agents, Cook Inlet District, 1937-1939, U.S. Dept. Commerce, Bureau of Fisheries including Resurrection Bay catches estimated from Resurrection Bay case pack x Central Alaska fish/case from Alaska Fishery and Fur Seal Industries, 1937-1939, from Annual Reports of Fishery Management Agents, Central District, 1937-1939, U.S. Dept. Commerce, Bureau of Fisheries.
- 1940 Estimated from case pack using Central Alaska fish/case x Cook Inlet case pack (plus Resurrection Bay case pack from Annual Report of Fishery Management Agents, Central District, 1940) from Alaska Fishery and Fur Seal Industries, 1940. U.S. Dept Interior, Fish and Wildlife Service.
- 1941 - 1945 Annual Reports of Fishery Management Agents, Cook Inlet District, 1941-1950, U.S. Dept. Interior, Fish and Wildlife Service, including Resurrection Bay catches estimated from Resurrection Bay case pack from Annual Reports of Fishery Management Agents, Central District, 1941-1950, x Central District fish/case from Alaska Fishery and Fur Seal Industries, 1941-1950, U.S. Dept. Interior, Fish and Wildlife Service.

- 1946 - 1950 Annual Reports of Fishery Management Agents, Cook Inlet District, 1946-1950, and for Resurrection Bay, Annual Reports of Fishery Management Agents, 1946-1950, U.S. Dept. Interior, Fish and Wildlife Service.
- 1951 - 1959 Simpson, Robert R. 1960. Alaska Commercial Salmon Catch Statistics, 1951-1959. U.S. Fish and Wildlife Service Statistical Digest No. 50, 115 pp.
- 1960 - 1971 Alaska Dept. Fish and Game Statistical Leaflets #1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23.

PRINCE WILLIAM SOUND

- 1889 - 1927 Rich, Willis H. and Edward M. Ball. 1932. Statistical Review of the Alaska Salmon Fisheries, Part III: Prince William Sound, Copper River and Bering River, U.S. Dept. Commerce, Bureau of Fisheries Bulletin No. 7, pp. 187-238.
- 1928 - 1930 Pinks: Estimated from case pack by Noerenberg, Wallace H. 1954. Prince William Sound Spawning Ground Survey, 1954. University of Washington, Fisheries Research Institute, Circular No. 69. Other species estimated from case pack on the basis of 9 coho, 10 chum, 3.5 king and 12 red salmon per case.
- 1931 - 1950 Alaska Dept. Fish and Game, Annual Management Report Prince William Sound Area, 1964. Manuscript Report.
- 1951 - 1959 Simpson, Robert R. 1960. Alaska Commercial Salmon Catch Statistics, 1951-1959. U.S. Fish and Wildlife Service Statistical Digest 50, 115 pp.
- 1960 - 1971 Alaska Dept. Fish and Game Statistical Leaflets #1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23.

COPPER RIVER

- 1889 - 1903 Included in Prince William Sound catches.
- 1904 - 1927 Rich, Willis H. and Edward M. Ball. 1932. Statistical Review of the Alaska Salmon Fisheries, Part III: Prince William Sound, Copper River and Bering River, U.S. Dept. Commerce, Bureau of Fisheries Bulletin No. 7, pp. 238-245.

1928 - 1930 Estimated from case pack for each year using annual Copper River case pack from Alaska Fishery and Fur Seal Industries, U.S. Dept. Commerce, Bureau of Fisheries, multiplied by the following average fish per case:

pinks 19.5 (average of 13 selected years during 1951-1971)
chums 9.4 (average of 12 selected years during 1951-1971)
reds 11.8 (average of 20 years during 1951-1971)
cohos 8.5 (average of 19 years during 1951-1971)
kings 3.2 (average of 21 years 1951-1971)

1931 - 1950 Pinks and chums: Same as 1928-1930.
Cohos: 1933, 1935, 1937, 1942, 1943, 1944 estimated from case pack using Central Alaska fish/case x Copper River case pack from Alaska Fishery and Fur Seal Industries, U.S. Dept. Commerce, Bureau of Fisheries and U.S. Dept. Interior, Fish and Wildlife Service. Other years coho catches from Annual Reports of Fishery Management Agents, Central District, Bureau of Fisheries and U.S. Fish and Wildlife Service.

Reds and kings: Annual Reports of Fishery Management Agents, Central District, 1931-1950.

1951 - 1959 Simpson, Robert R. 1960. Alaska Commercial Salmon Catch Statistics 1951-1959, U.S. Fish and Wildlife Service Statistical Digest 50, 115 pp.

1960 - 1971 Alaska Dept. Fish and Game Statistical Leaflets #1,3,5,7,9, 11,13,15,17,19,21,23.

BERING RIVER

1896 - 1927 Rich, Willis H. and Edward M. Ball. 1932. Statistical Review of the Alaska Salmon Fisheries, Part III: Prince William Sound, Copper River and Bering River. U.S. Dept. Commerce, Bureau of Fisheries Bulletin No. 7, pp. 238-245.

1928 - 1932 Catches included in Copper River catches.

1933, 1934 Annual Reports of Fishery Management Agents, Central District, 1933, 1934, U.S. Dept. Commerce, Bureau of Fisheries.

1935 Catch included in Copper River catch.

1936 - 1937 Annual Reports of Fishery Management Agents, Central District, 1936, 1937, U.S. Dept. Commerce, Bureau of Fisheries.

- 1938 - 1950 Catches included in Copper River catches.
- 1951 - 1959 Simpson, Robert R. 1960. Alaska Commercial Salmon Catch Statistics 1951-1959, U.S. Fish and Wildlife Service Statistical Digest 50, 115 pp.
- 1960 - 1971 Alaska Dept. Fish and Game Statistical Leaflets #1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23.

YAKUTAT

- 1902 - 1927 Rich, Willis H. and Edward M. Ball. 1933. Statistical Review of the Alaska Salmon Fisheries, Part IV: Southeastern Alaska. U.S. Dept. Commerce, Bureau of Fisheries Bulletin 13, pp. 440-449.
- 1928 - 1930, 1932 Included in Southeastern Alaska catches. No Yakutat data available.
- 1931, 1933 - 1949 Annual Reports of Fishery Management Agents, Yakutat District, 1928-1950, U.S. Dept. Commerce, Bureau of Fisheries and U.S. Dept. Interior, Fish and Wildlife Service.
- 1950 Included in Southeastern Alaska catch. No Yakutat data available.
- 1951 - 1959 Simpson, Robert R. 1960. Alaska Commercial Salmon Catch Statistics 1951-1959, U.S. Fish and Wildlife Service Statistical Digest 50, 115 pp.
- 1960 - 1971 Alaska Dept. Fish and Game Statistical Leaflets #1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23.

SOUTHEASTERN ALASKA

- 1878 - 1927 Rich, Willis H. and Edward M. Ball. 1933. Statistical Review of the Alaska Salmon Fisheries, Part IV: Southeastern Alaska. U.S. Dept. Commerce, Bureau of Fisheries Bulletin No. 13, pp. 449-662.
- 1928 - 1930, 1932 Alaska Fishery and Fur Seal Industries in 1928-1930, 1932, U.S. Dept. Commerce, Bureau of Fisheries. Includes Yakutat catches. Southern Southeastern case pack percentage x catch = Southern S.E. catch. Remainder = Northern S.E. catch.

- 1931, 1933 Alaska Fishery and Fur Seal Industries in 1931, 1933-1938, (excluding Yakutat catches), U.S. Dept. Commerce, Bureau of Fisheries. Southern Southeastern case pack percentage x catch equals southern Southeastern catch. Remainder of catch attributed to northern Southeastern.
- 1938
- 1939 - 1950 Alaska Fishery and Fur Seal Industries in 1939-1950, U.S. Dept. Interior, Bureau of Fisheries, and U.S. Fish and Wildlife Service, excluding Yakutat catches. Southern Southeastern case pack percentage x catch equals southern Southeastern catch. Remainder of catch attributed to northern Southeastern. Case pack percentage from Pacific Fisherman Yearbooks, 1939-1950.
- 1951 - 1959 Simpson, Robert R. 1960. Alaska Commercial Salmon Catch Statistics 1951-1959, U.S. Fish and Wildlife Service Statistical Digest 50, 115 pp.
- 1960 - 1971 Alaska Dept. Fish and Game Statistical Leaflets #1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23.

Because the Alaska Department of Fish and Game receives federal funding, all of its public programs and activities are operated free from discrimination on the basis of race, religion, color, national origin, age, sex, or handicap. Any person who believes he or she has been discriminated against should write to:

**O.E.O.
U.S. Department of the Interior
Washington, D.C. 20240**
