

OCT 24 1995

AWC Volume SE SC SW W (AR) IN USGS Quad Nome D-1

REGION II  
 HABITAT AND RESTORATION  
 DIVISION

Anadromous Water Catalog Number of Waterway 333-10-11200-2160-3025

Name of Waterway GOLD BOTTOM CREEK USGS name X Local name \_\_\_\_\_

Addition X Deletion \_\_\_\_\_ Correction \_\_\_\_\_ Backup Information SE  
Upper Limit Extension (Upper Snake R.)  
 For Office Use

*incorporated  
 during 95  
 revision  
 Dist*

Nomination # <u>333-10-11200-XX</u>	<u>A. Helt</u>	<u>10/7/93</u>
Revision Year: <u>1994</u> <u>94</u> <u>3</u> <u>4</u>	Regional Supervisor	Date
Revision to: Atlas _____ Catalog _____	<u>Dean W. Hughes</u>	<u>1-23-96</u>
Both <u>X</u>		
Revision Code: <u>A-1</u>	Drafted	Date

OBSERVATION INFORMATION

Species	Date(s) Observed	Spawning	Rearing	Migration	Anadromous
<u>Dolly VARDEN</u>	<u>8/4/93</u>		<u>✓</u>		<u>✓</u>
<u>Sculpin</u>	<u>8/4/93</u>		<u>✓</u>		

**IMPORTANT:** Provide all supporting documentation that this water body is important for the spawning, rearing or migration of anadromous fish, including: number of fish and life stages observed; sampling methods, sampling duration and area sampled; copies of field notes; etc. Attach a copy of a map showing location of mouth and observed upper extent of each species, as well as any other information such as: specific stream reaches observed as spawning or rearing habitat; locations, types, and heights of any barriers; etc.

Comments: Approx 1/3 mile above JENSENS CAMP. SAW several dozen Dolly VARDEN (150-230 mm) and 1 small sculpin. SEINED 3 Dolly VARDENS - LENGTHS WERE 154mm, 171mm, 192 mm. CREEK APPROX 15 ft wide, cobble bottom, 1.0 % gradient, discharge = approx. 10 cfs.


Name of Observer (please print) ROBERT F. McLEAN  
 Date: 10-5-93 Signature: Robert F. McLean  
 Address: ADF#6 - H&R  
1300 COLLEGE RD FAIRBANKS

OCT 11 1993


REGION II  
 HABITAT AND RESTORATION  
 DIVISION

This certifies that in my best professional judgement and belief the above information is evidence that this waterbody should be included in or deleted from the Catalog of Waters Important for Spawning, Rearing or Migration of Anadromous Fishes per AS 16.05.870.

Signature of Area Biologist: Robert F. McLean



Mapped by the Army Map Service  
 Published for civil use by the Geological Survey  
 Control by USGS, USC&GS and USCE  
 Topography by photogrammetric methods from aerial photographs  
 taken 1950. Map not field checked  
 Universal Transverse Mercator projection; 1927 North American datum  
 10,000 foot grid based on Alaska coordinate system; zone 8  
 1000 meter Universal Transverse Mercator grid ticks; zone 3, shown in blue  
 Land lines represent unsurveyed and unmarked locations  
 predetermined by the Bureau of Land Management  
 Folios K 13 and K 14, Kateel River Meridian



TRUE NORTH  
 MAGNETIC NORTH  
 APPROXIMATE MEAN  
 DECLINATION, 1950


*This extension,  
 was already incorporated  
 during the 95 revision.*

*NOME D-1*

MAP NO.  
 D-1

LEGEND	
S	Sockeye Salmon
K	King Salmon
CO	Coho Salmon
P	Pink Salmon
CH	Chum Salmon
SH	Steelhead Trout
DV	Dolly Varden
	Subscript
	s-Known Spawner
	r-Rearing
	*m-Migration
	*Migration upstr

COMP. ORC



PROJ. TITLE  
 ANADRO

OF

State of Alaska  
 Department of Fish and Game  
 Nomination for Waters  
 Important to Anadromous Fish

AWC Volume SE SC SW W **(AR)** IN USGS Quad None D-1

Anadromous Water Catalog Number of Waterway 333-10-11200

Name of Waterway GOLD BOTTOM CREEK USGS name  Local name \_\_\_\_\_

Addition  Deletion \_\_\_\_\_ Correction \_\_\_\_\_ Backup Information ~~\_\_\_\_\_~~  
Upper Limit Extension (Upper Snake R.)  
 For Office Use

Nomination # <u>333-10-11200-xx</u>	<u>A. Holt</u>	<u>10/7/93</u>
Revision Year: <u>1994</u> <u>94</u> <u>344</u>	Regional Supervisor	Date
Revision to: Atlas _____ Catalog _____	<u>Q. Wain</u>	<u>8/26/02</u>
Both <input checked="" type="checkbox"/> <u>N/A</u>	_____	_____
Revision Code: <u>F-2</u>	Drafted	Date

OBSERVATION INFORMATION

Species	Date(s) Observed	Spawning	Rearing	Migration	Anadromous
<u>Dolly VARDEN</u>	<u>8/4/93</u>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>
<u>Sculpin</u>	<u>8/4/93</u>		<input checked="" type="checkbox"/>		

**IMPORTANT:** Provide all supporting documentation that this water body is important for the spawning, rearing or migration of anadromous fish, including: number of fish and life stages observed; sampling methods, sampling duration and area sampled; copies of field notes; etc. Attach a copy of a map showing location of mouth and observed upper extent of each species, as well as any other information such as: specific stream reaches observed as spawning or rearing habitat; locations, types, and heights of any barriers; etc.


Comments: Approx 1/3 mile above JENSENS CAMP. SAW several dozen Dolly VARDEN (150-230 mm) and 1 small SCULPIN. SEINED 3 Dolly VARDENS - LENGTHS WERE 154mm, 171mm, 192 mm. CREEK APPROX 15 ft wide, cobble bottom, 1.0 % gradient, discharge = approx. 10 cfs.

Name of Observer (please print) ROBERT F. McLEAN  
 Date: 10-5-93 Signature: Robert F. McLean  
 Address: ADFSG - HER  
1300 COLLEGE RD FAIRBANKS

ALASKA DEPT. OF FISH & GAME  
 NOV 08 1993  
 REGION II  
 WATERS AND RESTORATION


This certifies that in my best professional judgement and belief the above information is evidence that this waterbody should be included in or deleted from the Catalog of Waters Important for Spawning, Rearing or Migration of Anadromous Fishes per AS 16.05.870.

Signature of Area Biologist: Robert F. McLean



3930 000  
FEET  
64°45'  
165°30'

Mapped by the Army Map Service  
 Published for civil use by the Geological Survey  
 Control by USGS, USC&GS and USCE  
 Topography by photogrammetric methods from aerial photographs  
 taken 1950. Map not field checked  
 Universal Transverse Mercator projection, 1927 North American datum  
 10,000 foot grid based on Alaska coordinate system, zone 8  
 1000 meter Universal Transverse Mercator grid ticks,  
 zone 3, shown in blue  
 Land lines represent unsurveyed and unmarked locations  
 predetermined by the Bureau of Land Management  
 Folios K 13 and K 14, Kateel River Meridian



CONTOUR 1  
 DASHED LINES REP  
 NATIONAL GEODETH

*Nome D-1*

MAP NO.  
 D-1  
 OF

LEGEND	
S	Sockeye Salmon
K	King Salmon
CO	Coho Salmon
P	Pink Salmon
CH	Chum Salmon
SH	Steelhead Trout
DV	Dolly Varden
	<u>Subscript</u>
	s-Known Spawner
	r-Rearing
	*m-Migration
	*Migration upstr.

COMP. DRC



PROJ. TITLE  
**ANADRO**  
 COMMISS W

**MEMORANDUM**


**State of Alaska**

*To:* Lance Trasky  
Regional Supervisor  
Habitat and Restoration Division

*Date:* November 1, 1993

*File No:*

*Telephone Number:* 451-6192

*From:*  Alvin G. Ott, Regional Supervisor  
Habitat and Restoration Division  
Department of Fish and Game

*Subject:* 1994 Anadromous  
Catalog

**RE: 1994 Anadromous Catalog Nominations**

Enclosed are Region III's proposed changes to the Catalog of Waters Important for Spawning, Rearing or Migration of Anadromous Fishes. Also enclosed are two memos which specifically address nominations made for the Seward Peninsula Area. Should there be any questions, please contact either me or Mr. McLean at 451-6192.

**Enclosures**

**cc:** Lana Shea, ADF&G, Juneau  
Phil Brna, ADF&G, Anchorage

AGO/ago

# MEMORANDUM

## State of Alaska Department of Fish and Game

ALASKA DEPT. OF  
FISH & GAME

To: Lance Trasky  
Regional Supervisor  
Habitat and Restoration Division

Date: October 26, 1993

NOV 08 1993

File No:

Telephone Number: 451-6192

REGION II  
HABITAT AND RESTORATION  
DIVISION

From: Alvin G. Ott   
Regional Supervisor  
Habitat and Restoration Division  
Department of Fish and Game

Subject: 1994 Anadromous  
Catalog  
Nominations

**RE: 1994 Anadromous Catalog Nominations -- Justification for Designation of Visually Observed Juvenile Arctic Char (Dolly Varden) and Coho Salmon within the Seward Peninsula Area.**

The following justification has been prepared for the record and reflects the factual basis and professional judgement exercised in our determination to accept visually documented juvenile Arctic char (Dolly Varden) and coho salmon for submission to and inclusion in the 1994 Update to the Catalog of Waters Important for the Spawning, Rearing, or Migration of Anadromous Fish. While internal measures have been adopted to ensure accurate species identification (and thus maintain the department's credibility), it is important to recognize that AS 16.05.870 provides protection for all anadromous fish species. Species identification is required only to understand life history requirements that warrant permit protection under AS 16.05.870(b), but not necessarily for designation of a waterbody under AS 16.05.870(a)

### Background

Anadromous Catalog nominations were submitted for the following streams based on visual observations of juvenile Arctic char (Dolly Varden) and/or coho salmon by Habitat and Restoration and Commercial Fisheries and Development division area biologists:

<u>Stream Name</u>	<u>Species</u>	<u>Approx. #</u>	<u>Date</u>	<u>Observer</u>
Osborn Creek (Nome R.)	Dolly Varden	Unspecified	6/23/91	Lean
North Fork (Kougarok R.)	Dolly Varden	Several 100s	8/12/93	McLean
Neva Creek (Kougarok R.)	Dolly Varden	21	8/12/93	McLean
Coffee Creek (Kougarok R.)	Dolly Varden	Several 100s	8/12/93	McLean
Goldbottom Ck. (Snake R.)	Dolly Varden	Several dozen 3 net seined	8/04/93	McLean
Saunders Creek	Dolly Varden	Several dozen	8/06/93	McLean
Hastings Creek	Dolly Varden	Several 100s	8/06/93	McLean
West Fk. Solomon	Coho Salmon	Several dozen +	8/11/93	McLean
	Dolly Varden	Several dozen +	8/11/93	McLean
Willow Creek	Dolly Varden	Several 100s	8/11/93	McLean
Butte Creek	Dolly Varden	Several dozen +	8/11/93	McLean
Johns Creek	Dolly Varden	Several dozen +	8/11/93	McLean
Cheyenne Creek	Dolly Varden	Several dozen +	8/11/93	McLean

**Background (Continued)**

<u>Stream Name</u>	<u>Species</u>	<u>Approx. #</u>	<u>Date</u>	<u>Observer</u>
Jones Creek	Dolly Varden	Several dozen +	8/11/93	McLean
	Coho Salmon	One	8/11/93	McLean
Winston Creek	Dolly Varden	Several dozen +	8/11/93	McLean
	Coho Salmon	Dozen +	8/11/93	McLean
Fish Creek	Dolly Varden	Several dozen	8/11/93	McLean
Montana Ck.	Dolly Varden	Several dozen	8/11/93	McLean
Coal Creek	Dolly Varden	Hundreds	8/11/93	McLean
Ruby Creek	Dolly Varden	Several dozen +	8/11/93	McLean
Casadepaga River	Dolly Varden	Several	8/11/93	McLean
Fox Creek	Dolly Varden	Several dozen	8/11/93	McLean
Unnamed Trib. (Coal Ck.)	Dolly Varden	Six	8/11/93	McLean
Rock Creek	Dolly Varden	Several dozen	8/11/93	McLean
Victoria Creek	Dolly Varden	Several 100s	8/11/93	McLean
Offield Creek	Dolly Varden	Seven	8/11/93	McLean

**Requirements for Visual Identification**

1. All visual observations were made under full light conditions in slack water (step pools, lateral scour pools, side channel sloughs, etc).
2. Species designation was not recorded unless observer could detect and observe sufficient distinguishing characteristics (noted below) to provide positive identification.
3. Visual identification accepted only for upper limit extension or inclusion of additional undocumented tributaries within river segments or stream systems previously documented (fish in hand) to contain the identified species. Within the identified waterbodies, only coho salmon and/or Dolly Varden have previously been documented. Chinook salmon, cutthroat, or steelhead have not been documented in these waterbodies.
4. Observers routinely electroshock/trap both juvenile coho salmon and Dolly Varden; thereby providing opportunity for constant visual "recalibration" of distinguishing characteristics.

**Distinguishing Factors for the Visual Identification of Juvenile Dolly Varden and Coho Salmon in Norton Sound Drainages**

Coho Salmon	Size:	Typically 35 to 130 mm in Norton Sound drainages.
	Parr Marks:	Fairly even spaced; tall, vertical, bar shaped.
	Anal Fin:	Sharply angled; first ray elongated (generally observable, though not always); black/darkish along leading edge.
	Dorsal Fin:	Black/dark tinge along leading edge; generally clear elsewhere; rarely spotted.
	Color:	General dark green/silver coloration on back; silver coloration along sides.

Lance Trasky

3

October 26, 1993

Dolly  
Varden

- Size:** Typically 40 to 170+ mm in Norton Sound drainages (most less than 130 mm).
- Parr Marks:** Irregularly spaced; rounded, oval or rectangular shaped. Overall impression - parr marks generally much wider than intervening spaces.
- Anal Fin:** Fin triangular shaped - not angled; first ray does not extend beyond base of last ray; general coloration is lightly hued and frequently streaked with orange pigmentation.
- Dorsal Fin:** Generally spotted or dark
- Color:** Generally dark; mottled green blotches along dorsal surface. Lateral sides mottled with blotchy parr marks, occasionally light orange/yellowish pigmentation but rare on fish under 170 mm.

cc: Frank Rue, ADF&G-H&R, Juneau  
Lana Shea, ADF&G-H&R, Douglas  
Phil Brna, ADF&G-H&R, SPCO  
Charlie Lean, ADF&G-CF, Nome  
Fred Andersen, ADF&G-SF, Fairbanks  
Fred DeCicco, ADF&G-SF, Fairbanks

AGO:BM