



Region INT

USGS Quad TANANA C-5

Fish Distribution Database Number of Waterway 334-40-11000-2445

Name of Waterway TOZITNA CK USGS Name Local Name

Addition Deletion Correction Backup Information

For Office Use

AMU 2/24/05

Nomination #		Fisheries Scientist	Date
Revision Year		EDD Project Biologist	Date
Revision to	Alias <input type="checkbox"/> Catalog <input type="checkbox"/> Both <input checked="" type="checkbox"/>	Drafted	Date
Revision Code			

OBSERVATION INFORMATION

Species	<input checked="" type="checkbox"/> Date(s) Observed	Spawning	Rearing	Present	Anadromous
<u>Sockeye Salmon</u>	<u>See attached</u>			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>

IMPORTANT: Provide all supporting documentation that this water body is important for the spawning, rearing or migration of anadromous fish, including: number of fish and life stages observed; sampling methods, sampling duration and area sampled; copies of field notes; etc. Attach a copy of a map showing location of mouth and observed upper extent of each species, as well as other information such as: specific stream reaches observed as spawning or rearing habitat; locations, types, and heights of any barriers; etc.

Comments:

See attached

Add Sp to 334-40-11000-2445

ALASKA DEPT. OF FISH & GAME
FEB 17 2005

Name of Observer (please print): x Tim Sundlov

Signature: [Signature]

Address: 1150 University Ave

FBKS, AK 99709

Date: 1/25/05

This certifies that in my best professional judgment and belief the above information is evidence that this waterbody should be included in or deleted from the Fish Distribution Database.

Signature of Area Biologist: _____

Revision 04/03

Name of Area Biologist (please print): _____

2002 Tozitna River Sockeye Escapement

Date	Daily	Cumul
7/23	1	1
7/27	1	2

2004 Tozitna River Sockeye Escapement

Date	Daily	Cumul
7/18	1	1
7/23	1	2
7/30	1	3
8/4	1	4
8/6	1	5
8/7	1	6
8/8	1	7
8/10	1	8

All fish were observed passing through the weir and exhibited spawning coloration. The weir site is approximately 80 km upstream from the mouth of the Tozitna River.

