



State of Alaska  
Department of Fish and Game  
Sportfish Division

Nomination Form  
Fish Distribution Database

Region Interior USGS Quad(s) McGrath C-4  
 Fish Distribution Database Number of Waterway tributary of 335-30-16600-2300-3095 - 4068  
 Name of Waterway no name--tributary of Windy Fork of Middle Fork  USGS Name  Local Name  
 Addition  Deletion  Correction  Backup Information

For Office Use

Nomination # <u>07-175</u>	_____ ADF&G Fisheries Scientist	_____ Date
Revision Year: <u>2008</u>	_____ ADNR OHMP Operations Mgr.	_____ Date
Revision to: Atlas _____ Catalog _____ Both _____	<u>[Signature]</u> FDD Project Biologist	<u>5/9/07</u> Date
Revision Code: <u>F-1</u>	_____ Cartographer	_____ Date

OBSERVATION INFORMATION

Species	Date(s) Observed	Spawning	Rearing	Present	Anadromous
Coho	9/22/2002	Unknown	Unknown	Y	<input checked="" type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>

**IMPORTANT:** Provide all supporting documentation that this water body is important for the spawning, rearing or migration of anadromous fish, including: number of fish and life stages observed; sampling methods, sampling duration and area sampled; copies of field notes; etc. Attach a copy of a map showing location of mouth and observed upper extent of each species, as well as other information such as: specific stream reaches observed as spawning or rearing habitat; locations, types, and heights of any barriers; etc.

**Comments:** I completed this nomination in the hope that it will provide back up information for waters below the confluence of the unnamed tributary. As far as I am aware, this tributary was not flown often historically, and the most recent survey of this system was conducted in the fall of 2002 in search of coho salmon. A considerable number of coho salmon were found in this stream, but the observer did not note where in the stream they were observed. Thus, I don't think this tributary itself can be nominated, but perhaps it can provide additional documentation for the Windy Fork below it's confluence.

The reach surveyed is about 6 mi long and extends from the mouth at 62.69817 N, 154.60583 W to 62.63283 N, 154.56733 W. The observer counted 318 coho salmon within this stretch of river, but did not note where.

*Substantiates coho salmon presence in 335-30-16600-2300-3095 and -4068*

Name of Observer (please print): Daniel Costello  
 Signature: [Signature] Date: 7/8/2007  
 Agency: ADF&G / CF  
 Address: 333 Raspberry Road  
Anchorage, AK 99518

This certifies that in my best professional judgment and belief the above information is evidence that this waterbody should be included in or deleted from the Fish Distribution Database.

Signature of Area Biologist: \_\_\_\_\_ Date: \_\_\_\_\_  
 Name of Area Biologist (please print): \_\_\_\_\_ Revision 02/05



62

62.69832° N

} 62.6981667

154.60588° W

} 154.605833


stump

62.632833° N

W

154.567333

40f



335-30-1660-2300

3095-4066

COP

COP

-154.56733, 62.63283

Chp, COP, Kp

Chp, COP, Kp

WINDMILL

Pitka

Middle Fork

MIDDLE

FORK

FORK

POL

Kg

Kg

Kg

Ks

Ks

Ks

Kg

Kg

Ks

Ks

Ks