State of Alaska
Department of Fish and Game
Nomination for Waters
Important to Anadromous Species

1986
Year of Revision
86-420

Approved

Regional Supervisor — 11-4-85 Date

ok STS — 11/18/85

Tom Bucceu — 11-15-85
Drafted

Name of Waterway Springs 3

AWC# of Waterway 334-40-11000-2490-3416-4011

AWC Volume & Number Interior 6

USGS Quad Big Delta (A-3)

Addition X
Deletion ____
Correction ____
Change ____

Change to ____ Atlas
____ Catalog
X Both

Species	Date(s) Observed	Spawning	Rearing	Migration
Coho salmon	5-11-79 / 11-8-79	X	X	

Comments: Provide any clarifying information, including number of fish observed, location of fish survey data, etc.

During foot surveys for grayling both juvenile and adult coho were observed utilizing this springs complex (field notes attached)

Attach a copy of a map showing location of mouth and upper points of each species, specific stream reaches identified for spawning or rearing, locations of barriers, such as falls. Attach a copy of the fish survey data, if available.

Name of Observer (please print) Bill Ridder (FB Delta Jct)

Date: 11/5/85 Signature: W.C. Ridder

Address: Box 605
Delta Jct., AK. 99737

ALASKA DEPT. OF FISH & GAME
NOV - 5 1985
REGION II
HABITAT DIVISION

SPRING #1
SPRING 1A
SPRING 2A
#2 SPRING
MAIN
(6)
(7)
(8)
MAIN
MAIN
550

11/8/79

#3 25 Gr around F16 dam site
2100-200 under ice by below old lodge
about equal #'s of 2 age classes
a few 55 still spawning by dam
3°C many carcasses

#2 3°C 220+ at old lodge
215 above
see Step
many 55 still alive
1 mink in trap

#1, 1.0°C 55 yr seen but did not make it up to log/beaver dam
where I saw them last time.
Adult 55 still in Spawning and some still in good shape
unlike #3 & #2

DC River 1°C

11/14 Spring 1A 2°C walked normal route ice covered most of lead spring. Many 55 = same 30mm and observed 10 Ad 55 Might have seen a couple of GR but see poor contrast pool I.D.
In main spring - fewer yrd 55 and again 10-15 Ad 55 No GR We not too bad.

Spring #1 many 30mm 55. a few Adults still in. Walked up 2 of beyond old Beaver lodge. Saw 5-10 GR 2280 at lodge. Stages 55 (yrm) up above. Temp 2.3°C

DC River 0°C @ 1A, @ #2 0°C.

#3 - not walked 2°C

Discussed future projects with Dick.

10/5/78 Spring #3 5.2°C
155# at dam
GR below "
many " above dam. Feeding

Spring #2 5.0°C
42-5 GR at mouth
Many Ad (+20) SS in river at mouth. 28 in riffle above pool - Spawning. 3 redd's.
50-100 Many GR's in pool above dam
pool. Seen 410 2+

Spring #1 4°C no gr seen to planting loc.
6 Ad SS in river slightly above Spring mouth.

Spring 1A 2°C
Many +50 seen in middle Spring at planting loc
45 seen in spring at other planting loc. (when it split)

1979

10/1 Shaw 36°F
64 GR trapped 2½ hrs.
5 swallows.

10/5 ~20 SS on canopy & panel.
- Rem. project - station goals.

10/5 Spray #3 ~55 adults at mouth
~1000 fingerlings

① Return trip saw 9 tagged GR with 6R by boat
RT Dam 5 tagged 6R
~35-50 200-240mm
② ~50 150-200 mm

RT Below - 2nd Dam (~26 miles)
(5 tagged GR) move swallows 180-180~250
some 6R in fast water 200-240 6R ~35+
end of canopy 55+
above 2nd Dam 40°F
③ - gravel bar Below house ~100-200 6R
plus 55. ~10 TAGGED 6R
above dam swallows 200++6R

In the spray: above H_2O - found over gravel
fast H_2O - some of mud or gravel.

@ mouth 40°F, 10' out - 37.5°

Redds at point of island 5 months
- interfere b/t two camcorders.

~305 adults below #3 pool

#3
x redds
XXX
~5 redds
(~30)

any SS(juv) at mouth holes but dark shadows
don't know.

Half of GR seen (approx) headed to home
blue spray on a base - the other half headed
downriver.

Chum seen (~7-10) at mouth of
Spray #2 in DCP. One SS canopy in
#2 mouth & a BIG GR chum on
DCP 36°F it's butt lips.

Spray #2 40°F 1 GR (220) at mouth hole
along ~55 SS
just 55 (juv) seen in lower part of #2
but alot of "baby shit" blocked previous
- Upper part - ~60 (3 tagged) at tailrace
bridge and 30-50 above bridge in normal
upper portion. These GR were all ~200 and very

10/5/79 Court

#3 60 acres treated.

Date of det about 1 year ago.

Gas sch. of approved to be dropped down from 1st bloom

Down to pt of land at Hebron.

79
52
131

1974

Spring 2 WT 6.9°C

Many Ot SS under gravel at margin Algae growth on rocks predigenous. No GR. To Beaver Lodge & Coal. Working at mineral.

Spring #3 2 GR 3+?. ×2 20 under overpass at mineral c many O and 1+ SS WT 8.5 4 Ga 2 250mm, 2 180-200 on west side of island



135 ended in it predominantly along shore.

Two Ga defended his territory against any new that came within 3 feet by hitting the ew in the side at which time the ew swam deep down a few feet.

or.

SN 6 isp above Spring SS Ot 7.5° above 10 Ohm 2

Aug 2: Type Traps set in Coal Mine #3 - at 5:30 PM along west side mainman traps - no green and no brown hatch with eggs. - Ga jumping all across lake - shallow and deep

Aug 3. Pulled type traps 2:30 PM green mainman trap 5 SSc brown 1 → X 3 SSc



Type: #Ga: 213 WT 17.1°C
SSc: 3

Obs G @ Coal Mine 10°C flowing good - 10-23" area - many with fish. Lightly stocked.

5/11/77

#2A: 5°C NO GR sighted - Conditions good. ~~few~~ few 1+ SS, more Or. 2+ (?) SS in backwater at mouth -

#2: 6°C Or and 1+ SS's. 2 GR 1+ 2+ SS at mouth - 100's and in river.

#3 7°C 1 2+GR at mouth, 1+GR at old Beaver Lodge. No Ords - many Or SS's. Seal nesting below dam.

TEST CAGE: 20 mesh 1 Wk. & 6 fish from 300 box upstream of dog left. 3 fish very thin. Tox fine screening off one side of cage to let some goodies drift in.

Remington Springs ~~flow~~ flow

Dam

X-GR

LT FP

Rt. FP



Mapped, edited, and published by the Geological Survey

Control by USGS and USC&GS

Topography by photogrammetric methods from aerial photographs taken 1951, 1952, and 1954, field annotated 1955. Map not field checked

Universal Transverse Mercator projection, 1927 North American datum
10,000-foot grid based on Alaska coordinate system, zone 3
1000-meter Universal Transverse Mercator grid ticks

29½°
TRUE NORTH
NETIC NORTH

SCALE 1:63360

1 0 1 2 3
3000 0 3000 6000 9000 12000 15000 18000
1 5 0 1 2 3 4

CONTOUR INTERVAL 50 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929