



State of Alaska  
Department of Fish and Game  
Habitat and Restoration Division

ALASKA DEPT. OF  
FISH & GAME

JAN 14 2003

Nomination of Waters  
Important to Anadromous Fish

REGION II  
HABITAT AND RESTORATION  
DIVISION

USGS Quad: Kenai D-7

Region: Southcentral

Anadromous Water Catalog Number of Waterway: 245-50-10050-2016-3201

Status:

Name of Waterway: \_\_\_\_\_

USGS Name

Local Name

Addition

Deletion

Correction

Backup Information

For Office Use

Nomination #	<u>03 104</u>	Regional Supervisor	<u>3/11/03</u>
Revision Year:	<u>2003</u>	AWC Project Biologist	<u>10 MAR 03</u>
Revision to: Atlas _____ Catalog _____		Drafted	Date
Both <u>X</u>			
Revision Code: <u>A-2</u>			

**SITE INFORMATION** Station: FSH0211b46 Visit: 1 Date Observed: 7/31/2002 Latitude: 60.784279 Longitude: -152.42416  
Legal Description: NW 1/4 Section 15, T. 8 N., R. 18 W., S.M.

**STREAM PARAMETER**

	Wetted	OHW		
Width (m)	7.6	6.1	Water Temp. (C):	7.7
Thalweg Depth (m)	0.1		Dominant Substrate:	Gravel
			Stream Stage:	Medium

Station Comments: lots of spawning habitat and channel migration across broad gravel floodplain

**SPECIES INFORMATION** coho salmon Life Stage: Juvenile Count: 5 Life History: Anadromous  
Sampling Method: Portable Electrofisher Area (m2): 25 Effort (s): 267 Trap Time (h): Trap in:  
Fish passage barrier at site: Unknown Trap out:  
Species Comments: 1

**SPECIES INFORMATION** Dolly Varden Life Stage: Juvenile/Adult Count: 3 Life History: Resident  
Sampling Method: Portable Electrofisher Area (m2): 25 Effort (s): 267 Trap Time (h): Trap in:  
Fish passage barrier at site: Unknown Trap out:  
Species Comments: 2

**SPECIES INFORMATION** slimy sculpin Life Stage: Juvenile/Adult Count: 1 Life History: Resident  
Sampling Method: Portable Electrofisher Area (m2): 25 Effort (s): 267 Trap Time (h): Trap in:  
Fish passage barrier at site: Unknown Trap out:  
Species Comments: 3

Additional Comments:

IMPORTANT: Provide all supporting documentation that this water body is important for the spawning, rearing or migration of anadromous fish, including: number of fish and life stages observed; sampling methods, sampling duration and area sampled; copies of field notes; etc. Attach a copy of a map showing location of mouth and observed upper extent of each species, as well as other information such as: specific stream reaches observed as spawning or rearing habitat; locations, types, and heights of any barriers; etc.

Name of Observer: Cecil Rich, Habitat Biologist

Phone: (907)267-2122


Date Printed: 12/10/2002

Signature: Cecil Rich

Address: Habitat and Restoration Division, Alaska Department of Fish and Game  
333 Raspberry Road  
Anchorage, AK 995181599 USA

This certifies that in my best professional judgment and belief the above information is evidence that this waterbody should be included in or deleted from the Catalog of Waters Important for Spawning, Rearing or Migration of Anadromous Fishes per AS 16.05.870.

Signature of Area Biologist: \_\_\_\_\_





State of Alaska  
Department of Fish and Game  
Habitat and Restoration Division

Nomination of Waters  
Important to Anadromous Fish

Region: Southcentral

USGS Quad:

Anadromous Water Catalog Number of Waterway: \_\_\_\_\_

Status:

Name of Waterway: \_\_\_\_\_

USGS Name

Local Name

Addition

Deletion

Correction

Backup Information

For Office Use

Nomination # _____	_____
Revision Year: _____	_____
Revision to: Atlas _____ Catalog _____	_____
Both _____	_____
Revision Code: _____	_____
Regional Supervisor _____	Date _____
AWC Project Biologist _____	Date _____
Drafted _____	Date _____

**SITE INFORMATION** Station: FSH0211b42 Visit: 1 Date Observed: 7/31/2002 Latitude: 60.78773 Longitude: -152.41933  
Legal Description: NW 1/4 Section 15, T. 8 N., R. 18 W., S.M.

<b>STREAM PARAMETER</b>	<b>Wetted</b>	<b>OHW</b>		
Width (m)	1.2	2.6	Water Temp. (C): 8.2	Stream Stage: Medium
Thalweg Depth (m)	0.1		Dominant Substrate: Gravel	

Station Comments:

**SPECIES INFORMATION** slimy sculpin Life Stage: Juvenile/Adult Count: 1 Life History: Resident  
Sampling Method: Portable Electrofisher Area (m2): 5 Effort (s): 78 Trap Time (h): Trap in: \_\_\_\_\_  
Fish passage barrier at site: None Trap out: \_\_\_\_\_

**SPECIES INFORMATION** Dolly Varden Life Stage: Juvenile/Adult Count: 1 Life History: Resident  
Sampling Method: Portable Electrofisher Area (m2): 5 Effort (s): 78 Trap Time (h): Trap in: \_\_\_\_\_  
Fish passage barrier at site: None Trap out: \_\_\_\_\_

**SPECIES INFORMATION** coho salmon Life Stage: Juvenile Count: 16 Life History: Anadromous  
Sampling Method: Portable Electrofisher Area (m2): 5 Effort (s): 78 Trap Time (h): Trap in: \_\_\_\_\_  
Fish passage barrier at site: None Trap out: \_\_\_\_\_  
Species Comments: additional fish measured (mm): 49, 39, 47, 38, 37, 35

**Additional Comments:**

**IMPORTANT:** Provide all supporting documentation that this water body is important for the spawning, rearing or migration of anadromous fish, including: number of fish and life stages observed; sampling methods, sampling duration and area sampled; copies of field notes; etc. Attach a copy of a map showing location of mouth and observed upper extent of each species, as well as other information such as: specific stream reaches observed as spawning or rearing habitat; locations, types, and heights of any barriers; etc.

Name of Observer: Cecil Rich, Habitat Biologist


Phone: (907)267-2122 Date Printed: 12/10/2002

Signature:

Address: Habitat and Restoration Division, Alaska Department of Fish and Game  
333 Raspberry Road  
Anchorage, AK 995181599 USA

This certifies that in my best professional judgment and belief the above information is evidence that this waterbody should be included in or deleted from the Catalog of Waters Important for Spawning, Rearing or Migration of Anadromous Fishes per AS 16.05.870.

Signature of Area Biologist: \_\_\_\_\_



BIG FORK

KENAID

COR

Add stream for COR

245-505-10050-2016

3201