



**State of Alaska**  
**Department of Fish and Game**  
**Habitat and Restoration Division**

ALASKA DEPT.  
 FISH & GAME

**Nomination of Waters**  
**Important to Anadromous Fish**

Region: Southcentral

Anadromous Water Catalog Number of Waterway: 245-50-10010-2019

Name of Waterway: \_\_\_\_\_

Addition

Deletion

Correction

USGS Quad: \_\_\_\_\_

Kenai D-6

Status: \_\_\_\_\_

USGS Name

Local Name

Backup Information

**For Office Use**

Nomination # 03 110  
 Revision Year: 2003  
 Revision to: Atlas \_\_\_\_\_ Catalog \_\_\_\_\_  
 Both   
 Revision Code: A-2

Regional Supervisor [Signature] Date 3/11/00  
 AWC Project Biologist [Signature] Date 06 MAR 03  
 Drafted CB Date \_\_\_\_\_

**SITE INFORMATION**

Station: FSH0212b55 Visit: 1

Date Observed: 8/1/2002

Latitude: 60.866610

Longitude: -152.03862

Legal Description: SW 1/4 Section 13, T. 9 N., R. 16 W., S.M.

**STREAM PARAMETER**

Wetted OHW

Width (m) 6 11

Thalweg Depth (m) 0.17

Water Temp. (C): 20.2

Stream Stage: Medium

Dominant Substrate: Gravel

**Station Comments:**

**SPECIES INFORMATION** coho salmon

Life Stage: Juvenile

Count: 24

Life History: Anadromous

Sampling Method: Portable Electrofisher

Area (m2): 55 Effort (s): 349 Trap Time (h):

Trap in:

Fish passage barrier at site: Unknown

Trap out:

Species Comments: additional fish measured (mm): 38,38, 34, 42, 45,34, 37, 38, 42, 40, 45, 36,37, 43

1

**SPECIES INFORMATION** slimy sculpin

Life Stage: Juvenile/Adult

Count: 8

Life History: Resident

Sampling Method: Portable Electrofisher

Area (m2): 55 Effort (s): 349 Trap Time (h):

Trap in:

Fish passage barrier at site: Unknown

Trap out:

Species Comments:

2

**Additional Comments:**

IMPORTANT: Provide all supporting documentation that this water body is important for the spawning, rearing or migration of anadromous fish, including: number of fish and life stages observed; sampling methods, sampling duration and area sampled; copies of field notes; etc. Attach a copy of a map showing location of mouth and observed upper extent of each species, as well as other information such as: specific stream reaches observed as spawning or rearing habitat; locations, types, and heights of any barriers; etc.

Name of Observer: Cecil Rich, Habitat Biologist

Phone: (907)267-2122


Date Printed: 12/10/2002

Signature: Cecil Rich

Address: Habitat and Restoration Division, Alaska Department of Fish and Game  
 333 Raspberry Road  
 Anchorage, AK 995181599 USA

This certifies that in my best professional judgment and belief the above information is evidence that this waterbody should be included in or deleted from the Catalog of Waters Important for Spawning, Rearing or Migration of Anadromous Fishes per AS 16.05.870.

Signature of Area Biologist: \_\_\_\_\_





State of Alaska  
Department of Fish and Game  
Habitat and Restoration Division

Nomination of Waters  
Important to Anadromous Fish

Region: Southcentral

USGS Quad:

Anadromous Water Catalog Number of Waterway: \_\_\_\_\_

Status:

Name of Waterway: \_\_\_\_\_

USGS Name

Local Name

Addition

Deletion

Correction

Backup Information

For Office Use

Nomination # _____	_____	_____
Revision Year: _____	_____	_____
Revision to: Atlas _____ Catalog _____	_____	_____
Both _____	_____	_____
Revision Code: _____	_____	_____
Regional Supervisor		Date
AWC Project Biologist		Date
Drafted		Date

**SITE INFORMATION** Station: FSH0212b54 Visit: 1 Date Observed: 8/1/2002 Latitude: 60.858605 Longitude: -151.94034  
Legal Description: NE 1/4 Section 21, T. 9 N., R. 15 W., S.M.

STREAM PARAMETER	Wetted	OHW		
Width (m)	10.2	10.8	Water Temp. (C): 16.1	Stream Stage: Medium
Thalweg Depth (m)	0.8		Dominant Substrate: Gravel	

Station Comments:

<b>SPECIES INFORMATION</b>	Life Stage:	Count:	Life History:
ninespine stickleback Sampling Method: Portable Electrofisher Fish passage barrier at site: Specific Barrier Unknown Species Comments: 2 total	Juvenile/Adult	2	Resident
	Area (m2): 10 Effort (s): 138 Trap Time (h):		Trap in: Trap out:
			<b>1</b>
threespine stickleback Sampling Method: Portable Electrofisher Fish passage barrier at site: Specific Barrier Unknown Species Comments: 5 total	Juvenile/Adult	5	Resident
	Area (m2): 10 Effort (s): 138 Trap Time (h):		Trap in: Trap out:
			<b>2</b>
slimy sculpin Sampling Method: Portable Electrofisher Fish passage barrier at site: None Species Comments: 8 sculpin total	Juvenile/Adult	8	Resident
	Area (m2): 10 Effort (s): 138 Trap Time (h):		Trap in: Trap out:
			<b>3</b>

Additional Comments:

Next Page  
for more  
species...

IMPORTANT: Provide all supporting documentation that this water body is important for the spawning, rearing or migration of anadromous fish, including: number of fish and life stages observed; sampling methods, sampling duration and area sampled; copies of field notes; etc. Attach a copy of a map showing location of mouth and observed upper extent of each species, as well as other information such as: specific stream reaches observed as spawning or rearing habitat; locations, types, and heights of any barriers; etc.

Name of Observer: Cecil Rich, Habitat Biologist

Phone: (907)267-2122

Date Printed: 12/10/2002

Signature: \_\_\_\_\_

Address: Habitat and Restoration Division, Alaska Department of Fish and Game  
333 Raspberry Road  
Anchorage, AK 995181599 USA

This certifies that in my best professional judgment and belief the above information is evidence that this waterbody should be included in or deleted from the Catalog of Waters Important for Spawning, Rearing or Migration of Anadromous Fishes per AS 16.05.870.

Signature of Area Biologist: \_\_\_\_\_

**SPECIES INFORMATION** coho salmon

Sampling Method: Portable Electrofisher

Fish passage barrier at site: None

Species Comments:

Life Stage: Juvenile

Count: 8

Life History: Anadromous

Area (m2): 10 Effort (s): 138 Trap Time (h):

Trap in:

Trap out:

Add stream w/ COR  
245-50-10010-2019

→ COR

KENAI D-6

