



State of Alaska
Department of Fish and Game
Division of Sport Fish

Fish Survey
Nomination Form
Fish Distribution Database

Region: Southcentral

USGS Quad: Tyonek D-4

Fish Distribution Database Number of Waterway: N/A 247-41-10200-2053-3205-4030 Status: N/A

Name of Waterway: _____ USGS Name 5010 Local Name

Addition Deletion Correction Backup Information

Nomination # <u>04 027</u>		For Office Use <u>ref cul</u> <u>12/1/04</u>	
Revision Year: <u>2005</u>		Date <u>9/21/04</u>	
Revision to: Atlas _____ Catalog _____		Fisheries Scientist	
Both <u>X</u>		<u>99</u>	
Revision Code: <u>A-2</u>		FDD Project Biologist	
		<u>2. B zone</u>	
		Drafted	
		Date <u>12/8/04</u>	

Site Information Station: FSS0321A05 Date Observed: 8/30/2003 Legal Desc.: Sec 18, T. 21 N., R. 11 W., S.M. Latitude: Longitude: Datum:
Stream Depth (m) Width (m) Water Temp. (C): 11.9 (Transformed) 61.90355 -151.35771 NAD27
Parameters: OHW 15.8 Stream Stage: Medium
Wetted 0.3 Dominant Substrate: Sand/Silt/Clay (Original) 61.90297 -151.36027 WGS84

Rosgen Channel Type: C5 Low gradient, meandering, point-bar, riffle/pool, alluvial channels with broad, well-defined floodplains.

Station Comments: Side channel of Skwentna River (at high stage) - likely a tributary (not side channel) when Skwentna River is lower. . Skwentna River at high stage - channel inundated with glacially turbid water from the Skwentna River.

Observation Information

Life History: Anadromous

Species/Lifestage: coho salmon juvenile Samp. ID (# Fish): A (3) Barriers: Unknown photo 027.
Species/Lifestage: sockeye salmon juvenile Samp. ID (# Fish): B (2) Barriers: Unknown photo 028.

Life History: Resident

Species/Lifestage: ninespine stickleback juvenile/adult Samp. ID (# Fish): B (5) Barriers: Unknown
Species/Lifestage: rainbow trout juvenile/adult Samp. ID (# Fish): A (3) Barriers: Unknown

Key to Samp. ID

Samp. ID: A Method: Minnow Trap, 1/4 in. Mesh # Traps: 1 Trap Time(h): 2
Comments:

Samp. ID: B Method: Minnow Trap, 1/4 in. Mesh # Traps: 1 Trap Time(h): 2
Comments:

Additional Comments: Good rearing habitat. Stream not electrofished due to high turbidity. Fish sampled by minnow trap baited with salmon roe; but sockeye salmon are not typically attracted to salmon roe. AWC lists sockeye salmon in Skwentna River, 1.5 stream miles away.

Add new stream w/ COFSR

Name of Observer: Joe Buckwaller Phone: (907)267-2345 Date Printed: 12/3/2003

Signature: Joe Buckwaller

Address: Division of Sport Fish
333 Raspberry Road
Anchorage, AK 995181599
State of Alaska
DEPARTMENT OF FISH & GAME
333 Raspberry Rd.
Anchorage, AK 99518-1599

This certifies that in my best professional judgment and belief the above information is evidence that this waterbody should be included in or deleted from the Fish Distribution Database.

Signature of Area Biologist: _____ Date: _____




FSS0321A025.jpg



FSS0321A026.jpg



FSS0321A027.jpg



FSS0321A028.jpg



FSS0321A029.jpg