



**State of Alaska
Department of Fish and Game
Sportfish Division**

**Nomination Form
Fish Distribution Database
FISH & GAME**

NOV 12 2004

Region Southwest SCN USGS Quad Illamna C-2

Fish Distribution Database Number of Waterway 248-20-10067 N/A

Name of Waterway Unnamed USGS Name Local Name

Addition Deletion Correction Backup Information

For Office Use

AMU 11/17/04

Revision Year	2004	Revision to	2004
Revision Year	2004	Revision to	2004

OBSERVATION INFORMATION

Species	Date(s) Observed	Spawning	Rearing	Present	Anadromous
Coho <u>✓2</u>	9/4/2004			Yes	<input checked="" type="checkbox"/>
Sockeye <u>✓2</u>	9/4/2004			Yes	<input checked="" type="checkbox"/>
Arctic Grayling	9/4/2004			Yes	<input type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>

IMPORTANT: Provide all supporting documentation that this water body is important for the spawning, rearing or migration of anadromous fish, including: number of fish and life stages observed; sampling methods, sampling duration and area sampled; copies of field notes; etc. Attach a copy of a map showing location of mouth and observed upper extent of each species, as well as other information such as: specific stream reaches observed as spawning or rearing habitat locations, types, and heights of any barriers, etc.

Comments: This stream is not currently listed as Anadromous. Field studies indicate that Anadromous species utilize at least the first few hundred feet of this stream. Adult Coho and Sockeye salmon were observed and juvenile Arctic Grayling were captured.

Sampling location: N59.73463 W153.45984 (WGS84) *Red marker on map corresponds to sampling location.

Sampling method: Juvenile fish were captured using a backpack electroshocker. Electroshocker was not used near spawning adults.

Area sampled: Intersection of stream with proposed alignment.

Fish captured/observed: Several adult Coho and Sockeye observed. Arctic Grayling: 119mm, 186mm, 104mm, 111mm, 123mm, 115mm, 112mm, 86mm, 92mm, 76mm.

Unnamed stream draining into Iniskin Bay.

G82.36

Add COPSP to existing stream

Name of Observer (please print):

Mac Salway

Signature:

[Signature]

Date: 11/10/04

Address:

HDR Alaska, Inc. 2525 C. Street Suite 305

Anchorage, Alaska 99503-2932

This certifies that in my best professional judgment and belief the above information is evidence that this waterbody should be included in or deleted from the Fish Distribution Database.

Signature of Area Biologist: _____

Name of Area Biologist (please print): _____

Revision 04/03



State of Alaska
Department of Fish and Game
Sportfish Division

Nomination Form
Fish Distribution Database

FISH & GAME
NOV 12 2004

Region Southwest SCN USGS Quad Iliamna C-2

Fish Distribution Database Number of Waterway 248-20-10067 N/A

Name of Waterway Unnamed USGS Name Local Name

Addition Deletion Correction Backup Information

For Office Use

Nomination #	<u>04 289</u>		<u>11/15/04</u>	
Revision Year:	<u>2005</u>		Fisheries Scientist	Date
Revision to:	Atlas _____ Catalog _____		FDD Project Biologist	<u>15 Nov 04</u>
	Both <u>X</u>			Date
Revision Code:	<u>B-1</u>			
		Drafted	Date	

OBSERVATION INFORMATION

Species	Date(s) Observed	Spawning	Rearing	Present	Anadromous
Coho <u>r2</u>	9/4/2004			Yes	<input checked="" type="checkbox"/>
Sockeye <u>r2</u>	9/4/2004			Yes	<input checked="" type="checkbox"/>
Arctic Grayling	9/4/2004			Yes	<input type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>

IMPORTANT: Provide all supporting documentation that this water body is important for the spawning, rearing or migration of anadromous fish, including: number of fish and life stages observed; sampling methods, sampling duration and area sampled; copies of field notes; etc. Attach a copy of a map showing location of mouth and observed upper extent of each species, as well as other information such as: specific stream reaches observed as spawning or rearing habitat; locations, types, and heights of any barriers; etc.

Comments: This stream is not currently listed as Anadromous. Field studies indicate that Anadromous species utilize at least the first few hundred feet of this stream. Adult Coho and Sockeye salmon were observed and juvenile Arctic Grayling were captured.
Sampling location: N59.73463 W153.45984 (WGS84) *Red marker on map corresponds to sampling location.
Sampling method: Juvenile fish were captured using a backpack electroshocker. Electroshocker was not used near spawning adults.
Area sampled: Intersection of stream with proposed alignment.
Fish captured/observed: Several adult Coho and Sockeye observed. Arctic Grayling: 119mm, 196mm, 104mm, 111mm, 123mm, 115mm, 112mm, 86mm, 92mm, 75mm.
Unnamed stream draining into Inskin Bay.
G82.36.
Add COPSP to existing stream



Name of Observer (please print): Mac Salway
 Signature:
 Address: HDR Alaska, Inc. 2525 C. Street Suite 305
Anchorage, Alaska 99503-2632

Date: 11/10/04

This certifies that in my best professional judgment and belief the above information is evidence that this waterbody should be included in or deleted from the Fish Distribution Database.

Signature of Area Biologist: _____
 Name of Area Biologist (please print): _____


Revision 04/03



Map center is 59.7345°N, 153.4618°W (WGS84/NAD83)



Iliamna C-2 quadrangle

Projection is UTM Zone 5 NAD83 Datum



M=19.047

G=-0.399



Map center is 59.7345°N, 153.4618°W (WGS84/NAD83)
Iliamna C-2 quadrangle
 Projection is UTM Zone 5 NAD83 Datum

