

FISH DISTRIBUTION DATABASE CATALOG/ATLAS
CORRECTION FORM

CORRECTION TO: ATLAS Y CATALOG X

REGION: SCN

MAP: Kenai A-4, B-4

WATERWAY NUMBER: 244-30-10050

DESCRIBE CHANGE(S): Redesignate Sockeye salmon

present as Sockeye salmon migration

CHANGE REQUESTED BY: Dave Westermann

02/01/07
DATE

DRAFTED/DIGITIZED BY: J. Irvine

3/05/07
DATE

REVISION CODE: B-2

NOMINATION NUMBER: 06-986

** ATTACH THIS FORM TO EXISTING NOMINATION FORM IN FILE **

Kenai B-4
A-4

Sm
↓

COp,Ks,Ps,Sp,DVp,SHp

COsr,Kr

COs,DVp

COs,Ps,DVp

Ps

Redesignate
SP AS
244-30-10050

COs,Kr,Pp,DVp,SHp,COsr

COsr

COp,Pp,Ss,DVp,SHp

COp,Ks,Ps,Sp,DVp,SHp COp,Pp,Ss,DVp,SHp

Ss

SMA
↓

COr



J Johnson

From: David Westerman [david_westerman@fishgame.state.ak.us]
Sent: Thursday, February 01, 2007 9:23 AM
To: j_johnson@fishgame.state.ak.us
Subject: RE: AWC draft

Here is a lat/long that will work for Juneau Crk. 60 29.515 149 53.065.

Assume you mean below Skilak when you say upper Kenai River. All I have is anecdotal evidence that indicates some eulachon presence in upper river but nothing documented as to precise location. Sport Fish division caught eulachon in the Sterling area about 5 or 6 years ago, near and downstream of the confluence of the Moose River but nothing above that area. We operate smolt traps in the upper river and have no record of catching any eulachon the years we've been doing the project. I know we caught them in smolt traps at RM 19 in the early 90s and thats about all I know. We'll add 'eulachon watch' to our to-do list next May so we can document a presence, if true, and advise you of a presence or not.

-----Original Message-----

From: J Johnson [mailto:j_johnson@fishgame.state.ak.us]
Sent: Thursday, February 01, 2007 6:57 AM
To: 'Ed Weiss'; david_westerman@fishgame.state.ak.us
Subject: RE: AWC draft

244-30-10050 Sockeye presently designated as present Change would affect ITM draft maps Kenai A-4, B-4

244-30-10010-2165 presently designated w/Chinook (sr) and sockeye salmon(s) Change would affect ITM draft maps Seward B-8 (wasn't revised for 2007), C-8 Coho and pink salmon documented in 244-30-10010

Dave - do you need a map or can you provide lat/long to indicate upper extent of Coho and pink salmon spawning?

Did you come up w/any documentation for eulachon presence in upper Kenai River?

-----Original Message-----

From: Ed Weiss [mailto:ed_weiss@dnr.state.ak.us]
Sent: Wednesday, January 31, 2007 3:18 PM
To: david_westerman@fishgame.state.ak.us
Cc: j_johnson@fishgame.state.ak.us
Subject: RE: AWC draft

Thanks Dave,

By copy of this email I'm forwarding this on to J Johnson at DFG to consider for additions to the Atlas & Catalog. J may be contacting you to get additional details. Thanks again.

Edward W. Weiss
Habitat Biologist
Office of Habitat Management & Permitting Alaska Department of Natural Resources 550 W. 7th Ave. Suite 1420 Anchorage, AK 99501
Phone: (907)-269-5901
FAX: (907)-269-5673
ed_weiss@dnr.state.ak.us

-----Original Message-----

From: David Westerman [mailto:david_westerman@fishgame.state.ak.us]
Sent: Wednesday, January 31, 2007 2:15 PM

To: Weiss, Edward W (DNR)
Subject: AWC draft

Found two things in the draft anadromous waters maps to comment about:

- 1) Kasilof River (244-30-10050); Sockeye use the Kasilof river as a migratory route.
- 2) Juneau Crk (244-30-10010-2165); Coho and pink salmon are documented as spawning in the lower end of the creek, within a mile of the Kenai river.

Dave Westerman
ADF&G
Soldotna

J Johnson

From: Ed Weiss [ed_weiss@dnr.state.ak.us]
Sent: Wednesday, January 31, 2007 3:18 PM
To: david_westerman@fishgame.state.ak.us
Cc: j_johnson@fishgame.state.ak.us
Subject: RE: AWC draft

Thanks Dave,

By copy of this email I'm forwarding this on to J Johnson at DFG to consider for additions to the Atlas & Catalog. J may be contacting you to get additional details. Thanks again.

Edward W. Weiss
Habitat Biologist
Office of Habitat Management & Permitting Alaska Department of Natural Resources 550 W.
7th Ave. Suite 1420 Anchorage, AK 99501
Phone: (907)-269-5901
FAX: (907)-269-5673
ed_weiss@dnr.state.ak.us
-----Original Message-----

From: David Westerman [mailto:david_westerman@fishgame.state.ak.us]
Sent: Wednesday, January 31, 2007 2:15 PM
To: Weiss, Edward W (DNR)
Subject: AWC draft

Found two things in the draft anadromous waters maps to comment about:

- 1) Kasilof River (244-30-10050); Sockeye use the Kasilof river as a migratory route.
- 2) Juneau Crk (244-30-10010-2165); Coho and pink salmon are documented as spawning in the lower end of the creek, within a mile of the Kenai river.

Dave Westerman
ADF&G
Soldotna

From: David Westerman [david_westerman@fishgame.state.ak.us]
Sent: Friday, February 02, 2007 8:22 AM
To: j_johnson@fishgame.state.ak.us
Subject: RE: AWC draft

Looks good.

-----Original Message-----
From: J Johnson [mailto:j_johnson@fishgame.state.ak.us]
Sent: Thursday, February 01, 2007 11:45 AM
To: david_westerman@fishgame.state.ak.us
Subject: RE: AWC draft

~~Dave~~
Does the location indicated on the attached map match w/the documented spawning Coho and pink salmon extent?

-----Original Message-----
From: David Westerman [mailto:david_westerman@fishgame.state.ak.us]
Sent: Thursday, February 01, 2007 10:00 AM
To: j_johnson@fishgame.state.ak.us
Subject: RE: AWC draft

whats NAD 27 or 83? They came off a GPS unit.

-----Original Message-----
From: J Johnson [mailto:j_johnson@fishgame.state.ak.us]
Sent: Thursday, February 01, 2007 9:29 AM
To: david_westerman@fishgame.state.ak.us
Subject: RE: AWC draft

Thx for the hooligan update
Do you know if coordinates are NAD 27 or 83?

-----Original Message-----
From: David Westerman [mailto:david_westerman@fishgame.state.ak.us]
Sent: Thursday, February 01, 2007 9:23 AM
To: j_johnson@fishgame.state.ak.us
Subject: RE: AWC draft

Here is a lat/long that will work for Juneau Crk. 60 29.515 149 53.065.

Assume you mean below Skilak when you say upper Kenai River. All I have is anecdotal evidence that indicates some eulachon presence in upper river but nothing documented as to precise location. Sport Fish division caught eulachon in the Sterling area about 5 or 6 years ago, near and downstream of the confluence of the Moose River but nothing above that area. We operate smolt traps in the upper river and have no record of catching any eulachon the years we've been doing the project. I know we caught them in smolt traps at RM 19 in the early 90s and thats about all I know. We'll add 'eulachon watch' to our to-do list next May so we can document a presence, if true, and advise you of a presence or not.

-----Original Message-----
From: J Johnson [mailto:j_johnson@fishgame.state.ak.us]
Sent: Thursday, February 01, 2007 6:57 AM
To: 'Ed Weiss'; david_westerman@fishgame.state.ak.us
Subject: RE: AWC draft

244-30-10050 Sockeye presently designated as present Change would affect ITM draft maps Kenai A-4, B-4

244-30-10010-2165 presently designated w/Chinook (sr) and sockeye salmon(s) Change would affect ITM draft maps Seward B-8 (wasn't revised for 2007), C-8 Coho and pink salmon documented in 244-30-10010

Dave - do you need a map or can you provide lat/long to indicate upper extent of Coho and pink salmon spawning?

Did you come up w/any documentation for eulachon presence in upper Kenai River?

-----Original Message-----

From: Ed Weiss [mailto:ed_weiss@dnr.state.ak.us]
Sent: Wednesday, January 31, 2007 3:18 PM
To: david_westerman@fishgame.state.ak.us
Cc: j_johnson@fishgame.state.ak.us
Subject: RE: AWC draft

Thanks Dave,

By copy of this email I'm forwarding this on to J Johnson at DFG to consider for additions to the Atlas & Catalog. J may be contacting you to get additional details. Thanks again.

Edward W. Weiss
Habitat Biologist
Office of Habitat Management & Permitting Alaska Department of Natural Resources 550 W.
7th Ave. Suite 1420 Anchorage, AK 99501
Phone: (907)-269-5901
FAX: (907)-269-5673
ed_weiss@dnr.state.ak.us

-----Original Message-----

From: David Westerman [mailto:david_westerman@fishgame.state.ak.us]
Sent: Wednesday, January 31, 2007 2:15 PM
To: Weiss, Edward W (DNR)
Subject: AWC draft

Found two things in the draft anadromous waters maps to comment about:

- 1) Kasilof River (244-30-10050); Sockeye use the Kasilof river as a migratory route.
- 2) Juneau Crk (244-30-10010-2165); Coho and pink salmon are documented as spawning in the lower end of the creek, within a mile of the Kenai river.

Dave Westerman
ADF&G
Soldotna