



State of Alaska  
Department of Fish and Game  
Division of Sport Fish

Nomination Form  
Anadromous Waters Catalog

JTB

Region SCN USGS Quad(s) ANCHORAGE C-8

Anadromous Waters Catalog Number of Waterway 247-50-10330-2050-3050-4027

Name of Waterway   USGS Name  Local Name

Addition  Deletion  Correction  Backup Information

For Office Use

Nomination # <u>09-217</u>	_____	_____
Revision Year: <u>2010</u>	Fisheries Scientist	Date
Revision to: Atlas _____ Catalog _____	_____	_____
Both _____	Habitat Operations Manager	Date
Revision Code: <u>F-1</u>	<u>[Signature]</u>	<u>02/20/09</u>
	AWC Project Biologist	Date
	_____	_____
	Cartographer	Date

OBSERVATION INFORMATION

Species	Date(s) Observed	Spawning	Rearing	Present	Anadromous
					<input type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>

**IMPORTANT:** Provide all supporting documentation that this water body is important for the spawning, rearing or migration of anadromous fish, including: number of fish and life stages observed; sampling methods, sampling duration and area sampled; copies of field notes; etc. Attach a copy of a map showing location of mouth and observed upper extent of each species, as well as other information such as: specific stream reaches observed as spawning or rearing habitat; locations, types, and heights of any barriers; etc.

**Comments:** AWC listing supported by the following AWC nominations - 01-238, 03-181

Name of Observer (please print): J. Johnson  
 Signature: \_\_\_\_\_ Date: 2/19/2009  
 Agency: 333 Raspberry Road  
 Address: Anchorage, AK 99518

This certifies that in my best professional judgment and belief the above information is evidence that this waterbody should be included in or deleted from the Anadromous Waters Catalog.

Signature of Area Biologist: \_\_\_\_\_ Date: \_\_\_\_\_ Revision 05/08  
 Name of Area Biologist (please print): \_\_\_\_\_



State of Alaska  
Department of Fish and Game  
Habitat and Restoration Division

Nomination for Waters  
Important to Anadromous Fish

Region

USGS Quad

Anadromous Water Catalog Number of Waterway

Name of Waterway   USGS Name  Local Name

Addition  Deletion  Correction  Backup Information

For Office Use

Nomination #	<u>01 238</u>	Regional Supervisor <u>[Signature]</u>	<u>11/20/01</u>
Revision Year:	<u>2001</u>		Date
Revision to:	Atlas _____ Catalog _____	AWC Project Biologist <u>[Signature]</u>	<u>10/29/01</u>
	Both <input checked="" type="checkbox"/>		Date
Revision Code:	<u>A-2</u>	Drafted	<u>12/4/01</u>
			Date

OBSERVATION INFORMATION

Species	Date(s) Observed	Spawning	Rearing	Present	Anadromous
Coho	4/6/01		X	X	<input checked="" type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>

**IMPORTANT:** Provide all supporting documentation that this water body is important for the spawning, rearing or migration of anadromous fish, including: number of fish and life stages observed; sampling methods, sampling duration and area sampled; copies of field notes; etc. Attach a copy of a map showing location of mouth and observed upper extent of each species, as well as other information such as: specific stream reaches observed as spawning or rearing habitat; locations, types, and heights of any barriers; etc.

Comments:

Two juvenile (fry) coho (approximately 70mm long) were captured with a salmon roe baited minnow trap, in Cloudy Lake, approximately 30 yards east of Cloudy Lake outlet culvert inlet.

Trap set: 4/5/01 - 1010

Trap pulled: 4/6/01 - 0900

The two coho captured on 4/6/01 were captured in the non-cataloged Cloudy Lake. The lake's outlet stream is currently cataloged to the outlet of Cloudy Lake. Hence, the AWC # given in the "AWC# of Waterway" cell above.

Name of Observer (please print):

Doug Hill

Signature:

[Signature] Date: 4/20/01

Address:


ADF&G, H&R Division

333 Raspberry Rd, Anchorage, AK. 99522

This certifies that in my best professional judgment and belief the above information is evidence that this waterbody should be included in or deleted from the Catalog of Waters Important for Spawning, Rearing or Migration of Anadromous Fishes per AS 16.05.870.

Signature of Area Biologist: \_\_\_\_\_

Revision 3/97





State of Alaska  
Department of Fish and Game  
Habitat and Restoration Division

ALASKA DEPT. OF  
FISH & GAME

JAN 14 2003

HABITAT AND RESTORATION  
DIVISION

Nomination of Waters  
Important to Anadromous Fish

Region: Southcentral

USGS Quad: Anchorage C-8

Anadromous Water Catalog Number of Waterway: 247-50-10330-2050-3050-4027-0055 Status:

Name of Waterway: Cloudy Lake

USGS Name  Local Name

Addition

Deletion

Correction

Backup Information

For Office Use

Nomination #	03 181	Regional Supervisor	Date
Revision Year:	2003	<i>[Signature]</i>	10 MAR 03
Revision to:	Atlas _____ Both _____	AWC Project Biologist	Date
Revision Code:	F-1 <i>already mapped</i>	Drafted	Date

**SITE INFORMATION** Station: FSH0232b53 Visit: 1 Date Observed: 9/18/2002 Latitude: 61.611614 Longitude: -149.63896  
Legal Description: NE 1/4 Section 33, T. 18 N., R. 2 W., S.M.

**STREAM PARAMETER**

	Wetted	OHW		
Width (m)	1.2	1.35	Water Temp. (C):	11.2
Thalweg Depth (m)	0.13		Stream Stage:	Medium
			Dominant Substrate:	Gravel

Station Comments: all habitat data collected in outlet stream.

**SPECIES INFORMATION** rainbow trout Life Stage: Juvenile Count: 6 Life History: Resident  
Sampling Method: Portable Electrofisher Area (m2): 60 Effort (s): 387 Trap Time (h): Trap in:  
Fish passage barrier at site: Specific Barrier Unknown Trap out:  
Species Comments: 1

**SPECIES INFORMATION** threespine stickleback Life Stage: Juvenile/Adult Count: 26 Life History: Resident  
Sampling Method: Minnow Trap, 1/4 in. Mesh Area (m2): Effort (s): Trap Time (h): 2.05 Trap in: 9/18/2002 12:07:00 PM  
Fish passage barrier at site: Specific Barrier Unknown Trap out: 9/18/2002 2:10:00 PM  
Species Comments: fish captured in lake 2

**SPECIES INFORMATION** ninespine stickleback Life Stage: Juvenile/Adult Count: 1 Life History: Resident  
Sampling Method: Minnow Trap, 1/4 in. Mesh Area (m2): Effort (s): Trap Time (h): 2.05 Trap in: 9/18/2002 12:07:00 PM  
Fish passage barrier at site: Specific Barrier Unknown Trap out: 9/18/2002 2:10:00 PM  
Species Comments: fish captured in lake 3

Additional Comments: 2 juvenile coho captured by minnow trap in Cloudy Lake. 3 juv. coho captured by electrofisher downstream of lake. Stream previously cataloged, but not lake. Bad (small) culvert and artificial weirs at lake outlet.

IMPORTANT: Provide all supporting documentation that this water body is important for the spawning, rearing or migration of anadromous fish, including: number of fish and life stages observed; sampling methods, sampling duration and area sampled; copies of field notes; etc. Attach a copy of a map showing location of mouth and observed upper extent of each species, as well as other information such as: specific stream reaches observed as spawning or rearing habitat; locations, types, and heights of any barriers; etc.

Name of Observer: Joe Buckwalter, Fish and Wildlife Technician Phone: (907)267-2345 Date Printed: 12/10/2002

Signature: *Joe Buckwalter*

Address: Habitat and Restoration Division, Alaska Department of Fish and Game  
333 Raspberry Road  
Anchorage, AK 995181599 USA

This certifies that in my best professional judgment and belief the above information is evidence that this waterbody should be included in or deleted from the Catalog of Waters Important for Spawning, Rearing or Migration of Anadromous Fishes per AS 16.05.870.

Signature of Area Biologist: \_\_\_\_\_

**SPECIES INFORMATION** coho salmon

**Life Stage:** Juvenile

**Count:** 5

**Life History:** Anadromous

**Sampling Method:** Portable Electrofisher

**Area (m2):** 60 **Effort (s):** 387 **Trap Time (h):** 2.05 **Trap In:** 9/18/2002 12:07:00 PM

**Fish passage barrier at site:** Specific Barrier Unknown

**Trap out:** 9/18/2002 2:10:00 PM

**Species Comments:** 3 fish (97,90,90-mm) captured by electrofisher downstream of lake. 2 fish (82,90-mm) captured by minnow trap in lake.

4

**SPECIES INFORMATION** longnose sucker

**Life Stage:** Juvenile

**Count:** 2

**Life History:** Resident

**Sampling Method:** Portable Electrofisher

**Area (m2):** 60 **Effort (s):** 387 **Trap Time (h):**


**Trap In:**

**Fish passage barrier at site:** Specific Barrier Unknown

**Trap out:**

**Species Comments:**

5



Site 32B53 - GPS waypoint was taken at culvert outlet; however, 2 juvenile coho were captured in Cloudy Lake, upstream of waypoint.



32853 looking upstream (Cloudy Lake)



32053 looking downstream from road



32 B53 weirs at outlet of Cloudy Lake



32 B53 culvert inlet



**State of Alaska**  
**Department of Fish and Game**  
**Habitat and Restoration Division**

**Nomination of Waters**  
**Important to Anadromous Fish**

Region: Southcentral

USGS Quad: Anchorage C-8

Anadromous Water Catalog Number of Waterway: \_\_\_\_\_

Status: \_\_\_\_\_

Name of Waterway: \_\_\_\_\_

USGS Name

Local Name

Addition

Deletion

Correction

Backup Information

For Office Use

Nomination # _____	_____	_____
Revision Year: _____	Regional Supervisor	Date
Revision to: Atlas _____ Catalog _____	_____	_____
Both _____	AWC Project Biologist	Date
Revision Code: _____	_____	_____
	Drafted	Date

**SITE INFORMATION** Station: FSH0232b52 Visit: 1 Date Observed: 9/18/2002 Latitude: 61.620165 Longitude: -149.62362

Legal Description: SW 1/4 Section 27, T. 18 N., R. 2 W., S.M.

**STREAM PARAMETER**

Wetted OHW

Width (m) 1.4 1.8  
 Thalweg Depth (m) 0.1

Water Temp. (C): 8.9 Stream Stage: Medium  
 Dominant Substrate: Gravel

Station Comments: \_\_\_\_\_

**SPECIES INFORMATION** no fish collected or observed Life Stage: Not Applicable Count: 0 Life History: Unknown

Sampling Method: Portable Electrofisher

Area (m2): 60 Effort (s): 281 Trap Time (h): \_\_\_\_\_ Trap in: \_\_\_\_\_

Fish passage barrier at site: Not applicable

Trap out: \_\_\_\_\_

Species Comments: Fair spawning and rearing habitat. CO in Cloudy Lake -1/2 mile DS (32B53). No specific barrier is known DS.

1

**Additional Comments:**

**IMPORTANT:** Provide all supporting documentation that this water body is important for the spawning, rearing or migration of anadromous fish, including: number of fish and life stages observed; sampling methods, sampling duration and area sampled; copies of field notes; etc. Attach a copy of a map showing location of mouth and observed upper extent of each species, as well as other information such as: specific stream reaches observed as spawning or rearing habitat; locations, types, and heights of any barriers; etc.

Name of Observer: Joe Buckwalter, Fish and Wildlife Technician

Phone: (907)267-2345

Date Printed: 12/10/2002

Signature: \_\_\_\_\_

*Joe Buckwalter*

Address: Habitat and Restoration Division, Alaska Department of Fish and Game  
 333 Raspberry Road  
 Anchorage, AK 995181599 USA

This certifies that in my best professional judgment and belief the above information is evidence that this waterbody should be included in or deleted from the Catalog of Waters Important for Spawning, Rearing or Migration of Anadromous Fishes per AS 16.05.870.

Signature of Area Biologist: \_\_\_\_\_