



State of Alaska  
Department of Fish and Game  
Division of Sport Fish

Nomination Form  
Anadromous Waters Catalog

Region South Central USGS Quad(s) Cordova C-3

Anadromous Waters Catalog Number of Waterway \_\_\_\_\_

Name of Waterway Fickett Glacier Creek  USGS Name  Local Name

Addition  Deletion  Correction  Backup Information

For Office Use

Nomination # _____	_____	_____
Revision Year: <u>2013</u>	Fisheries Scientist _____	Date _____
Revision to: Atlas _____ Catalog _____	Habitat Operations Manager _____	Date <u>9/17/12</u>
Both _____	AWC Project Biologist _____	Date _____
Revision Code: <u>120330</u> <b>F-1</b>	Cartographer _____	Date _____

OBSERVATION INFORMATION

Species	Date(s) Observed	Spawning	Rearing	Present	Anadromous
Sockeye	8.30.12	x			<input checked="" type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>

**IMPORTANT:** Provide all supporting documentation that this water body is important for the spawning, rearing or migration of anadromous fish, including: number of fish and life stages observed; sampling methods, sampling duration and area sampled; copies of field notes; etc. Attach a copy of a map showing location of mouth and observed upper extent of each species, as well as other information such as: specific stream reaches observed as spawning or rearing habitat; locations, types, and heights of any barriers; etc.

Comments:

New stream addition. Stream was mostly clear water with a small glacial component. Observed two dead adult sockeye salmon. Could not continue up creek due to bear presence. The creek was a decent creek, wide with small rock falls in the beginning. There was good volume of water flowing from this creek.  
\*Creek notes and photos attached \*All coordinates WGS-84

Name of Observer (please print): Angela Kuntz  
Signature: Angela Kuntz  
Agency: ALASKA DEPT OF FISH AND GAME  
Address: PO BOX 669  
CORDOVA ALASKA 99574

Date: 9/17/12

This certifies that in my best professional judgment and belief the above information is evidence that this waterbody should be included in or deleted from the Anadromous Waters Catalog.

Signature of Area Biologist: [Signature] Date: 9-6-2012 Revision 02/08


## Fickett Glacier Creek

The southerly most stream that we walked.


We only did not walk very far upstream as it was getting late and bear “woofed” at us from the bushes.

We observed two spawned-out sockeye salmon carcasses a few hundred yards upstream and turned around at this point.


- WAYPOINT, Strm4MOUTH, 60.524901543, -145.008120881
  - Intersection of creek and Copper River.
- WAYPOINT, Strm4SPAWNEDSK, 60.527603617, -145.006466629
  - Location of dead spawned out sockeye salmon.



Creek Mouth



Upstream from mouth of creek



Goodwin Glacier Creek

Kennedy Creek

Peace Creek

Flickell Glacier Creek

2.51 mi

Image © 2012 TerraMetrics

Google earth