State of Alaska
Department of Fish and Game
Public Review Nomination for Waters
Important to Anadromous Species

83-040

☑ Addition ☐ Deletion

Name of Waterbody (if known): Drift River

Location:

Anadromous Waters Catalog Volume and Number SouthCentral Region 2

USGS 1:63,360 Quadrangle Kenai C-6

or 1:250,000 (if 1:63,360 not available) _____

Species	Date(s) Observed	Stage(s) (Spawning, Rearing, Migration)
Coho	1981 survey	migration

Comments: Please provide any clarifying information in addition to identification on Anadromous Waters Catalog Public Review Maps.

Coho migration corridor

Name of Observer (please print) Tom Mears - Cook Inlet Aquaculture Assoc.

Date: 6/24/82 Signature: BEKing

Drafted 2/10/83 F. Irone

Durand 2-7-83

State of Alaska
Department of Fish and Game
Public Review Nomination for Waters
Important to Anadromous Species

☑ Addition ☐ Deletion

Name of Waterbody (if known): Johnson Slough - Bachatna Crk

Location:

Anadromous Waters Catalog Volume and Number South Central - Reg. 2

USGS 1:63,360 Quadrangle Kenai C-6

or 1:250,000 (if 1:63,360 not available) _____

Species	Date(s) Observed	Stage(s) (Spawning, Rearing, Migration)
Coho	1981 survey	migration
Sockeye	" "	"

Comments: Please provide any clarifying information in addition to identification on Anadromous Waters Catalog Public Review Maps.

coho, sockeye migration Corridor

Name of Observer (please print) Tom Mears - Cook Inlet Aquaculture Assoc

Date: 6/24/82 Signature: Bruce Elking

Drafted 2/10/83 F. Boone

Durand 2-7-83

Final

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

KENAI (C-6) QUADRANGLE
ALASKA-KENAI PENINSULA BOROUGH
1:63360 SERIES (TOPOGRAPHIC)



Mapped, edited, and published by the Geological Survey

Control by USGS and USC & GS

Topography by photogrammetric methods from aerial photographs taken 1952, 1954 and 1957, field annotated 1958. Map not field checked

Selected hydrographic data compiled from USC & GS Chart 8553 (1960), and from aerial photographs. This information is not intended for navigational purposes

Universal Transverse Mercator projection; 1927 North American datum
10,000 foot grids based on Alaska coordinate system, zones 5 and 4
1000 meter Universal Transverse Mercator grid ticks, zone 5, shown in blue

Gray land lines represent unsurveyed and unmarked locations predetermined by the Bureau of Land Management
Fidlos S 12 and S 13, Seward Meridian

Swamps, as portrayed, indicate only the wetter areas usually, of low relief, as interpreted from aerial photographs

TRUE NORTH
MAGNETIC NORTH
APPROXIMATE MEAN DECLINATION, 1958

Scale now 1:63 360

CONTOUR INTERVAL 50 FEET
DATUM IS MEAN SEA LEVEL
DEPTH CURVES AND SOUNDINGS IN FEET. DATUM IS MEAN LOWER LOW WATER
SHORELINE SHOWN REPRESENTS THE APPROXIMATE LINE OF MEAN HIGH WATER
THE MEAN RANGE OF TIDE IS APPROXIMATELY 16 FEET

FOR SALE BY U. S. GEOLOGICAL SURVEY
FAIRBANKS, ALASKA 99701, DENVER, COLORADO 80225, OR WASHINGTON, D. C. 20242
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

QUADRANGLE LOCATION

ROAD CLASSIFICATION
No roads or trails in this area

SPECIAL PRINTING
Contours and woodland symbols omitted

KENAI (C-6), ALASKA
N6030—W15152.5/15X22.5
1958
MINOR REVISIONS 1972

2/82

MAP NO.
C-6
OF
52

LEGEND

S	Sockeye Salmon
K	King Salmon
CO	Coho Salmon
P	Pink Salmon
CH	Chum Salmon
SH	Steelhead Trout
DV	Dolly Varden
AC	Arctic Char
SF	Sheefish
W	Whitefish
CT	Cutthroat Trout

Subscript
s - Known Spawning
r - Rearing
*m - Migration

*Migration upstream is assumed for stream reaches where anadromous fish occur.

COMP.	DRC
DRAWN	CB
REVISED	DRC
APPROVED	ERL
DATE	4/82
FILE NO.	

N

SCALE
1" = 1 MILE
1 : 63,360

PROJ. TITLE
ANADROMOUS WATERS CATALOG
ANADROMOUS WATERS ARE LISTED PURSUANT TO AS 16.05.870 (a)

MAP TITLE
KENAI, C-6

STATE OF ALASKA
DEPARTMENT OF FISH AND GAME
habitat protection division
JUNEAU, ALASKA

BY	DATE
REVISIONS	