State of Alaska
Department of Fish and Game
Nomination for Waters
Important to Anadromous Fish

1990
Year of Revision

Anadromous Water Catalog Volume REGION II

USGS Quad (53) SEWARD C-3

Name of Waterway

Anadromous Water Catalog Number of Waterway

222-30-12933

Change to _____ Atlas

_____ Catalog

✓ Both

Addition ✓

Deletion

Correction

Name addition:

USGS name

Local name

For Office Use

Nomination # 90 384

Regional Supervisor — Date 11/13/89

SB — 12/89

Drafted — Date 12/11/89

| Species | Date(s) Observed | Spawning | Rearing | Migration |
|---|---|---|---|---|
| PINK | 5/5/89 | — | | |
| | | | | |
| | | | | |
| | | | | |

Comments: Provide any clarifying information, including number of fish observed, location of fish survey data, etc.

PINK FRY OBSERVED IN STREAM. SKELETAL REMAINS OF LAST YEAR'S ADULT SPAWNERS OBSERVED ON STREAM BANKS

Attach a copy of a map showing location of mouth and upper points of each species, specific stream reaches identified for spawning or rearing, locations of barriers, such as falls. Attach a copy of the fish survey data, if available.

Name of Observer (please print) MICHAEL WIEDMER

Date: 5/16/89 Signature: [signature]

Address: 333 RASPBERRY RD.
ANCHORAGE AK. 99518.

Signature of Area Biologist:

# FISH HABITAT SURVEY FORM 8/88

Observer(s) A.W. & M.W. Watershed No. NO PHOTO

Site No. 3-B-5

Stream No. _____ Stream Name _____

Date 5/5/89 Time 1500 Temp: Air _____ Water 3°C

Altitude _____ M.S.L U.S.G.S. Quad _____

Lat. ___ ° ___ . ___ ' N Long. ___ ° ___ . ___ ' W

| Weather | Stream Stage | Precip. | |
|---|---|---|---|
| Clear | 1 → 5 | Today | RAIN IN a.M. |
| Prt. Cloudy | Low High | Yesterday | H. RAIN |
| Cloudy | 3 | This Week | 3-4" |

| Water Q. | | Substrate % | |
|---|---|---|---|
| | Muddy | Mud | ___ |
| | Murky | Sand | ___ |
| | Stained | Gravel | 80 |
| | Clear | Cobble | 20 |
| | | Boulder | ___ |
| | | Bedrock | ___ |

$H_2O$ Conductivity 20-120 µs/cm

Habitat Quality 1 → 5 (Poor – Excell)

Spawning 5

Rearing 5

Migration 5

Flow:




V = ___ ___ ___ ___ ___

Fish Species

| Length mm. | K | CO | S | P | CH | DV | RB | CT | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | |
| | | | | 1 | FRY | OBSERVED | | | | |
| | | | | | | | | | | |
| | | | | BONES | OF | LAST | YEARS | | | |
| | | | | SPAWNERS | VISIBLE | | | | | |

Gear EYE

Est. Area Sampled 180' x 40'

Sampling Time 5 min

Est Sampling Efficiency

Channel Diagram (include bank&stream features, vegetation, and description of stream barriers)

EXCELLENT SPAWNING &
REARING FOR PINK & COHO?



12930
12960
12965
12940
224-20
224-30
PASSAGE
224-20
225-10
NELLIE JUAN
226-10
225-10
PRINCE WIL
(SEWARD C-4)
40'
17N
16N
15000