

State of Alaska  
 Department of Fish and Game  
 Nomination for Waters  
 Important to Anadromous Fish

Rocky 03 Segment 0-01

AWC Volume SE SC SW W AR IN USGS Quad Seldovia B-4

Anadromous Water Catalog Number of Waterway 242-31-10122

Name of Waterway \_\_\_\_\_ USGS name \_\_\_\_\_ Local name \_\_\_\_\_

Addition  Deletion \_\_\_\_\_ Correction \_\_\_\_\_ Backup Information \_\_\_\_\_

For Office Use

|  |                     |                 |
|--|---------------------|-----------------|
| Nomination # <u>94 268</u>               | <u>[Signature]</u>  | <u>11/9/94</u>  |
| Revision Year: <u>94</u>                 | Regional Supervisor | Date            |
| Revision to: Atlas _____ Catalog _____   | <u>Ed Wein</u>      | <u>12/23/93</u> |
| Both <input checked="" type="checkbox"/> | <u>J. Inoue</u>     | <u>2/2/94</u>   |
| Revision Code: <u>A-2</u>                | Drafted             | Date            |

OBSERVATION INFORMATION

| Species                    | Date(s) Observed | Spawning  | Rearing | Migration | Anadromous |
|----------------------------|------------------|-----------|---------|-----------|------------|
| <u>Pink salmon - Adult</u> | <u>9-8-93</u>    | <u>76</u> |         |           | <u>✓</u>   |
|                            |                  |           |         |           |            |
|                            |                  |           |         |           |            |
|                            |                  |           |         |           |            |

**IMPORTANT:** Provide all supporting documentation that this water body is important for the spawning, rearing or migration of anadromous fish, including: number of fish and life stages observed; sampling methods, sampling duration and area sampled; copies of field notes; etc. Attach a copy of a map showing location of mouth and observed upper extent of each species, as well as any other information such as: specific stream reaches observed as spawning or rearing habitat; locations, types, and heights of any barriers; etc.

Comments: Pink salmon were observed from the intertidal zone upstream to the 3 meter high water-slide barrier. Stream width ranges from 4 meters at the mouth to 4.5 meters at the upper extent.  
Gradient is 2 percent. Predominant stream substrate is gravel.

ALASKA DEPT. OF  
 FISH & GAME

Name of Observer (please print) JEFF BARNHART

Date: 10-13-93 Signature: [Signature]

Address: 333 Raspberry Road

Anchorage AK

NOV 03 1993

REGION II  
 FISH AND RESTORATION

This certifies that in my best professional judgement and belief the above information is evidence that this waterbody should be included in or deleted from the Catalog of Waters Important for Spawning, Rearing or Migration of Anadromous Fishes per AS 16.05.870.

Signature of Area Biologist: \_\_\_\_\_

## STREAM HABITAT ASSESSMENT 1993 - SEGMENTS

STREAM: Rocky-03 SEGMENT: 0-01 DATE: 9/8/93 TEAM: JB/WG  
 ANADROMOUS: Yn WIDTH (m): 4-4.5 LENGTH (m): 40 GPS DATE: 9/19 DIGITIZE: y n  
 WATERBODY: mainstem tributary lake/pond wetland intertidal other: \_\_\_\_\_

| FISH         |               |           |                |                                   | WILDLIFE      |       |               |
|--------------|---------------|-----------|----------------|-----------------------------------|---------------|-------|---------------|
| SPECIES      | STAGE (A J U) | COUNT     | METHOD (E V D) | COMMENTS                          | SPECIES       | COUNT | COMMENTS      |
| <u>pinks</u> | <u>A</u>      | <u>20</u> | <u>V</u>       | <u>In Stream - live</u>           | <u>Bear</u>   |       | <u>Tracks</u> |
| <u>pinks</u> | <u>A</u>      | <u>30</u> | <u>V</u>       | <u>In ITZ - live</u>              | <u>bander</u> |       | <u>Tracks</u> |
| <u>grabs</u> | <u>A</u>      | <u>20</u> | <u>V</u>       | <u>ITZ - dead at stream mouth</u> |               |       |               |
|              |               |           |                |                                   |               |       |               |
|              |               |           |                |                                   |               |       |               |
|              |               |           |                |                                   |               |       |               |
|              |               |           |                |                                   |               |       |               |
|              |               |           |                |                                   |               |       |               |
|              |               |           |                |                                   |               |       |               |

GRADIENT(%): 1 CHANNEL PROFILE: V □ ⊕ U ∩ ∪ —  
 A B C D E F  
 CHANNEL PATTERN: single multi braided  
 STREAM SUBSTRATE: BEDROCK \_\_\_ BOULDER 3 RUBBLE \_\_\_ COBBLE 2  
 (rank three most predominant types) GRAVEL 1 SAND \_\_\_ MUD/SILT \_\_\_ ORGANICS \_\_\_ OTHER: \_\_\_  
 STREAM COVER TYPE: ORGANIC DEBRIS \_\_\_ DEAD BRANCHES/TWIGS X LOGS X BOULDERS X  
 CUT BANK \_\_\_ OVERHANGING VEGET. X OTHER: \_\_\_  
 STREAM COVER ABUNDANCE: none low medium high

RIPARIAN VEGETATION (three most abundant plants in order of dominance) within 20m of the banks:

OVERSTORY: SITKA Spruce \_\_\_\_\_  
 UNDERSTORY: Fern Devils club blueberry

CANOPY ABOVE STREAM: none low medium high

GROWTH: mature secondary shrubs meadow muskeg intertidal

TOTAL BARRIER? Yn BARRIER TO SPECIES: pinks adults juveniles  
 TYPE: fall slide beaverdam logjam spring substrate HEIGHT (m): 3 DIST. FROM UPPER EXTENT (m): 0

| PHOTO ROLL(s): _____ |             | VIDEO TAPE(s): _____ |             |
|----------------------|-------------|----------------------|-------------|
| FRAME                | DESCRIPTION | DATE                 | DESCRIPTION |
|                      |             |                      |             |
|                      |             |                      |             |
|                      |             |                      |             |
|                      |             |                      |             |
|                      |             |                      |             |
|                      |             |                      |             |
|                      |             |                      |             |

Substrate: Bedrock (solid) Boulder >1' Rubble 6-12" Cobble 2-6" Gravel .1-2" Sand <.1"  
 (Please enter comments on the other side) Comments

Also ITZ spawning.

# STREAM HABITAT ASSESSMENT 1993 - STREAMS

STREAM: Rocky-03 QUAD: Seldavik-84 STAGE: H (M) L  
 LANDOWNER: Chenega CAC Eyak Tatitlek (Pt. Graham) English Bay (circle one)  
 DATE(s): 09/02/93 UTM ZONE: 5  
 GPS FILES: B09108A, B092219F

SKETCH (indicate UTM zones, if not uniform throughout the stream)

(E)





PHOTO ROLL(s): 3B05

VIDEO TAPE(s): \_\_\_\_\_

| FRAME | DESCRIPTION                             | DATE |
|-------|---|------|
| 10    | Looking Downstream from Top of segment  |      |
| 11    | Looking upstream to Rock slide; Bedrock |      |

(Please enter comments on the other side)



1, edited, and published by the Geological Survey  
 by USC&GS and USCE  
 ph by photogrammetric methods from aerial photographs

Rocky-03 P5

SCALE 1:63360



# MEMORANDUM

# State of Alaska

DEPARTMENT OF FISH & GAME

**TO:** Ed Weiss  
Habitat Biologist  
Region II  
Habitat and Restoration Division  
Department of Fish and Game

**DATE:** November 3, 1993

**FILE NO.:**

**TELEPHONE NO.:** 267-2295

**SUBJECT:** Anadromous Stream  
Nominations  
and Corrections  
Project R-51

**FROM:** Kathrin Sundet *KS*  
Habitat Biologist  
Region II  
Habitat and Restoration Division  
Department of Fish and Game

Attached are anadromous stream nominations and corrections to be included in the Anadromous Waters Catalog for 74 streams surveyed in the fall of 1993 on private lands held by the Port Graham, English Bay and Seldovia Native Corporations on the outer Kenai Peninsula.

Streams were surveyed by the Alaska Department of Fish and Game, Habitat and Restoration Division personnel, Kathrin Sundet, Jeff Barnhart, Dan Grey, and Wes Ghormley as part of Exxon Valdez Oil Spill Restoration project R-51 aka SHA (Stream Habitat Assessment).

Streams were surveyed on foot from the intertidal zone to the upper extent of anadromous fish distribution. Adult salmon and Dolly Varden were visually identified and enumerated. Juvenile salmon were visually identified in the stream, and then captured by electroshocking, dipnet, or minnow trap to confirm identification. Sampling was conducted periodically along the stream to determine the presence of juvenile salmon. No attempt was made to determine the rearing population sizes of juvenile salmon, or to determine the total escapement of adult salmon in a stream.

Stream data are on file at the Alaska Department of Fish and Game, Habitat and Restoration office, 333 Raspberry Road, Anchorage, Alaska.

cc: Lance Trasky  
Don McKay  
Mark Kuwada

ALASKA DEPT. OF  
FISH & GAME

NOV 03 1993

REGION II  
HABITAT AND RESTORATION  
DIVISION