

State of Alaska
 Department of Fish and Game
 Nomination for Waters
 Important to Anadromous Fish

Dog Fish 05
 Segment 0-01

241-40-10297

AWC Volume SE SC SW W AR IN USGS Quad Segment 0-01 Seldovia - A5

Anadromous Water Catalog Number of Waterway 241-40-10297

Name of Waterway _____ USGS name _____ Local name _____

Addition Deletion _____ Correction _____ Backup Information _____

For Office Use

Nomination # <u>94 298</u>	<u>[Signature]</u>	<u>11/9/94</u>
Revision Year: <u>'94</u>	Regional Supervisor	Date
Revision to: Atlas _____ Catalog _____	<u>Ed Wain</u>	_____
Both <input checked="" type="checkbox"/>	<u>J. Brown</u>	<u>2/1/94</u>
Revision Code: <u>A-2D</u>	Drafted	Date

OBSERVATION INFORMATION

Species	Date(s) Observed	Spawning	Rearing	Migration	Anadromous
<u>Pink Salmon - Adult</u>	<u>9-13-93</u>	<u>In stream 3</u>			<input checked="" type="checkbox"/>
<u>Pink Salmon - Adult</u>	<u>9-13-93</u>	<u>Intertidal 13</u>			<input checked="" type="checkbox"/>

IMPORTANT: Provide all supporting documentation that this water body is important for the spawning, rearing or migration of anadromous fish, including: number of fish and life stages observed; sampling methods, sampling duration and area sampled; copies of field notes; etc. Attach a copy of a map showing location of mouth and observed upper extent of each species, as well as any other information such as: specific stream reaches observed as spawning or rearing habitat; locations, types, and heights of any barriers; etc.

Comments: Pink salmon were observed spawning in the intertidal zone as well as in the stream above m.H.W. (mean high water). Pink salmon distribution extended to within 20 meters of the 1.5 meter high waterfall barrier. Stream width ranged from 3 meters at the mouth to 2.5 meters at the upper extent of fish distribution. Gradient is 4 percent. Predominant stream substrate is gravel. Good water flow.

Name of Observer (please print) JEFF BARNHART

Date: 10-26-93

Signature: [Signature]

Address: 333 Raspberry Road
Anchorage AK

ALASKA DEPT. OF
FISH & GAME

NOV 03 1993

REGION II
HABITAT AND RESTORATION

This certifies that in my best professional judgement and belief the above information is evidence that this waterbody should be included in or deleted from the Catalog of Waters Important for Spawning, Rearing or Migration of Anadromous Fishes per AS 16.05.870.

Signature of Area Biologist: _____

STREAM HABITAT ASSESSMENT 1993 - SEGMENTS

STREAM: Deq Fish 05 SEGMENT: 0-01 DATE: 9/13/03 TEAM: JB/DG
 ANADROMOUS: yn WIDTH (m): 3-2.5 LENGTH (m): _____ GPS DATE: -/-/ DIGITIZE: yn
 WATERBODY: (mainstem) tributary lake/pond wetland intertidal other: _____

FISH					WILDLIFE		
SPECIES	STAGE (A J U)	COUNT	METHOD (E V D)	COMMENTS	SPECIES	COUNT	COMMENTS
<u>pinks</u>	<u>A</u>	<u>1</u>	<u>V</u>	<u>live in stream</u>			
<u>pinks</u>	<u>A</u>	<u>2</u>	<u>V</u>	<u>Dead in stream</u>			
<u>pinks</u>	<u>A</u>	<u>7</u>	<u>V</u>	<u>live in UTZ</u>			
<u>pinks</u>	<u>A</u>	<u>1</u>	<u>V</u>	<u>Dead in ITZ</u>			

GRADIENT(%): 4 CHANNEL PROFILE: V U (U) U V U
A B C D E F

CHANNEL PATTERN: (single) multi braided

STREAM SUBSTRATE: BEDROCK _____ BOULDER _____ RUBBLE 3 COBBLE 2
(rank three most predominant types) GRAVEL 1 SAND _____ MUD/SILT _____ ORGANICS _____ OTHER: _____

STREAM COVER TYPE: ORGANIC DEBRIS _____ DEAD BRANCHES/TWIGS X LOGS X BOULDERS _____
 CUT BANK _____ OVERHANGING VEGET. _____ OTHER: _____

STREAM COVER ABUNDANCE: none low (medium) high

RIPARIAN VEGETATION (three most abundant plants in order of dominance) within 20m of the banks:

OVERSTORY: Sitka spruce
 UNDERSTORY: Devils club salmon berry Fern

CANOPY ABOVE STREAM: none low (medium) high

GROWTH: (mature) secondary shrubs meadow muskeg intertidal

TOTAL BARRIER? yn BARRIER TO SPECIES: pinks (adults) juveniles
 TYPE: (fall) slide beaverdam logjam spring substrate HEIGHT (m): 5 DIST. FROM UPPER EXTENT (m): 20

PHOTO ROLL(s): _____		VIDEO TAPE(s): _____	
FRAME	DESCRIPTION	DATE	DESCRIPTION

Substrate: Bedrock (solid) Boulder >1' Rubble 6-12" Cobble 2-6" Gravel .1-2" Sand <.1"
 (Please enter comments on the other side)

ENTER


DO NOT ENTER

241-40-10300

STREAM HABITAT ASSESSMENT 1993 - STREAMS

STREAM: Dogfish-05 QUAD: Seldovia A5 STAGE: H @ L
 LANDOWNER: Chenega CAC Eyak Tatitlek Pt. Graham English Bay (circle one)
 DATE(s): 9/13/93 UTM ZONE: _____
 GPS FILES: B0919 19B

SKETCH (indicate UTM zones, if not uniform throughout the stream)



start || 5610
 stop 5624

PHOTO ROLL(s): <u>3806</u>		VIDEO TAPE(s): _____	
FRAME	DESCRIPTION	DATE	
<u>14</u>	<u>Mid Seg. looking Upstream</u>		

(Please enter comments on the other side)


ADD STREAM

241-40-10297 w/ A5

USE  SYMBOL

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

(SELDOVIA B-6)



DOG FISH - 05

10297

ELIZABETH ISLAND

CHATHAM

CHUGACH

PASSAGE

(SELDOVIA A-6)

(SELDOVIA)

MEMORANDUM

State of Alaska

DEPARTMENT OF FISH & GAME

TO: Ed Weiss
Habitat Biologist
Region II
Habitat and Restoration Division
Department of Fish and Game

DATE: November 3, 1993

FILE NO.:

TELEPHONE NO.: 267-2295

FROM: Kathrin Sundet *KS*
Habitat Biologist
Region II
Habitat and Restoration Division
Department of Fish and Game

SUBJECT: Anadromous Stream
Nominations
and Corrections
Project R-51

Attached are anadromous stream nominations and corrections to be included in the Anadromous Waters Catalog for 74 streams surveyed in the fall of 1993 on private lands held by the Port Graham, English Bay and Seldovia Native Corporations on the outer Kenai Peninsula.

Streams were surveyed by the Alaska Department of Fish and Game, Habitat and Restoration Division personnel, Kathrin Sundet, Jeff Barnhart, Dan Grey, and Wes Ghormley as part of Exxon Valdez Oil Spill Restoration project R-51 aka SHA (Stream Habitat Assessment).

Streams were surveyed on foot from the intertidal zone to the upper extent of anadromous fish distribution. Adult salmon and Dolly Varden were visually identified and enumerated. Juvenile salmon were visually identified in the stream, and then captured by electroshocking, dipnet, or minnow trap to confirm identification. Sampling was conducted periodically along the stream to determine the presence of juvenile salmon. No attempt was made to determine the rearing population sizes of juvenile salmon, or to determine the total escapement of adult salmon in a stream.

Stream data are on file at the Alaska Department of Fish and Game, Habitat and Restoration office, 333 Raspberry Road, Anchorage, Alaska.

cc: Lance Trasky
Don McKay
Mark Kuwada

ALASKA DEPT. OF
FISH & GAME

NOV 03 1993

REGION II
HABITAT AND RESTORATION