

AWC Volume SE SC SW W AR IN USGS Quad Seldovia A-5

Anadromous Water Catalog Number of Waterway 241-40-10300-2007

Name of Waterway _____ USGS name _____ Local name _____

Addition Deletion _____ Correction _____ Backup Information _____

For Office Use

Nomination # <u>94 306</u>	<u>[Signature]</u>	<u>1/19/94</u>
Revision Year: <u>-94</u>	Regional Supervisor	Date
Revision to: Atlas _____ Catalog _____	<u>[Signature]</u>	<u>1/11/94</u>
Both <input checked="" type="checkbox"/>	<u>2 Done</u>	<u>2/1/94</u>
Revision Code: <u>A-2</u>	Drafted	Date

OBSERVATION INFORMATION

Species	Date(s) Observed	Spawning	Rearing	Migration	Anadromous
<u>Pink Salmon - Adult</u>	<u>9-15-93</u>	<u>31</u>			<input checked="" type="checkbox"/>
<u>Chum Salmon - Adult</u>	<u>9-15-93</u>	<u>132</u>			<input checked="" type="checkbox"/>

IMPORTANT: Provide all supporting documentation that this water body is important for the spawning, rearing or migration of anadromous fish, including: number of fish and life stages observed; sampling methods, sampling duration and area sampled; copies of field notes; etc. Attach a copy of a map showing location of mouth and observed upper extent of each species, as well as any other information such as: specific stream reaches observed as spawning or rearing habitat; locations, types, and heights of any barriers; etc.

Comments: Pink and Chum salmon were observed to the headwaters which is a spring (barrier). Stream width ranges from 4 meters at the mouth to 1.5 meters at the upper extent of salmon distribution. Gradient is 1 percent. Good spawning gravel.

ALASKA DEPT. OF FISH & GAME

Name of Observer (please print) JEFF BARNHART

Date: 10-26-93

Signature: [Signature]

NOV 03 1993

Address: 333 Raspberry Road Anchorage AK

REGION II HABITAT AND RESTORATION DIVISION

This certifies that in my best professional judgement and belief the above information is evidence that this waterbody should be included in or deleted from the Catalog of Waters Important for Spawning, Rearing or Migration of Anadromous Fishes per AS 16.05.870.

Signature of Area Biologist: _____

STREAM HABITAT ASSESSMENT 1993 - SEGMENTS

241-40-10300

STREAM: 10300 SEGMENT: 3-01 DATE: 9/15/93 TEAM: J.B./DG
 ANADROMOUS: yn WIDTH (m): 4 - 1.5 LENGTH (m): _____ GPS DATE: ___/___/___ DIGITIZE: y n
 WATERBODY: mainstem tributary lake/pond wetland Intertidal other: _____

FISH					WILDLIFE		
SPECIES	STAGE (A J U)	COUNT	METHOD (E V D)	COMMENTS	SPECIES	COUNT	COMMENTS
<u>rats</u>	<u>A</u>	<u>16</u>	<u>V</u>	<u>live</u>	<u>Black Bear</u>	<u>1</u>	<u>SCAT/Track s</u>
<u>snails</u>	<u>A</u>	<u>25</u>	<u>V</u>	<u>Dead</u>			
<u>chums</u>	<u>A</u>	<u>3</u>	<u>V</u>	<u>live</u>			
<u>chums</u>	<u>A</u>	<u>130</u>	<u>V</u>	<u>Dead</u>			

GRADIENT(%): 1 CHANNEL PROFILE: V □ □ U V —
A B C D E F
 CHANNEL PATTERN: single multi braided
 STREAM SUBSTRATE: BEDROCK — BOULDER — RUBBLE — COBBLE —
(rank three most predominant types) GRAVEL L SAND — MUD/SILT — ORGANICS 2 OTHER: _____
 STREAM COVER TYPE: ORGANIC DEBRIS — DEAD BRANCHES/TWIGS X LOGS X BOULDERS —
 CUT BANK — OVERHANGING VEGET. X OTHER: _____
 STREAM COVER ABUNDANCE: none low medium high

RIPARIAN VEGETATION (three most abundant plants in order of dominance) within 20m of the banks:
 OVERSTORY: S. Tka spruce
 UNDERSTORY: Elderberry grass spgs Alder
 CANOPY ABOVE STREAM: none low medium high
 GROWTH: mature secondary shrubs meadow muskeg Intertidal

TOTAL BARRIER? yn BARRIER TO SPECIES: chums adults juveniles
 TYPE: fall slide beaverdam logjam spring substrate HEIGHT (m): _____ DIST. FROM UPPER EXTENT (m): 0

PHOTO ROLL(s): <u>J.B.6</u>		VIDEO TAPE(s): _____	
FRAME	DESCRIPTION	DATE	DESCRIPTION
<u>19</u>	<u>Confluence of 3-01 and mainstem</u> <u>note interglacial flow at confluence</u> <u>Stream level looking upstream</u>		
<u>20</u>	<u>15 meters upstream from confluence,</u> <u>looking upstream</u>		

Substrate: Bedrock (solid) Boulder >1' Rubble 6-12" Cobble 2-6" Gravel .1-2" Sand <.1"
 (Please enter comments on the other side)



0903

(B)

Flag at falls

MS

Flag

Flag

A

non trib

no flag

7-0

Flag

last fish flag

Flag

110317

Flag

5-phi

~50m

0329

6-phi

Double-
-flag

110157

4-phi

Flag

Spring flag

3-phi

Flag

2-phi

mainstem


ITZ end: 5957

ends at trees

1-phi

ITZ 5922

Bay



EDIT

241-40-10300

DO NOT ENTER

STREAM HABITAT ASSESSMENT 1993 - STREAMS

STREAM: 10300 Dogfish Bay ^{Trib 3} QUAD: Seldovia AS STAGE: H M L
 LANDOWNER: Chenega CAC Eyak Tatitlek Pt. Graham English Bay (circle one)
 DATE(s): 9/15/93 UTM ZONE: _____
 GPS FILES: _____

SKETCH (indicate UTM zones, if not uniform throughout the stream)

N
↑




PHOTO ROLL(s): _____

VIDEO TAPE(s): _____

FRAME

DESCRIPTION

DATE


(Please enter comments on the other side)

A&Q STREAM 241-40-10300-2007

w/ P₅ CH₅ USE

(SELDOVIA B-6)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY



241-40-10300 Tr 6 3 (3-01)

MEMORANDUM

State of Alaska

DEPARTMENT OF FISH & GAME

TO: Ed Weiss
Habitat Biologist
Region II
Habitat and Restoration Division
Department of Fish and Game

DATE: November 3, 1993

FILE NO.:

TELEPHONE NO.: 267-2295

SUBJECT: Anadromous Stream
Nominations
and Corrections
Project R-51

FROM: Kathrin Sundet *KS*
Habitat Biologist
Region II
Habitat and Restoration Division
Department of Fish and Game

Attached are anadromous stream nominations and corrections to be included in the Anadromous Waters Catalog for 74 streams surveyed in the fall of 1993 on private lands held by the Port Graham, English Bay and Seldovia Native Corporations on the outer Kenai Peninsula.

Streams were surveyed by the Alaska Department of Fish and Game, Habitat and Restoration Division personnel, Kathrin Sundet, Jeff Barnhart, Dan Grey, and Wes Ghormley as part of Exxon Valdez Oil Spill Restoration project R-51 aka SHA (Stream Habitat Assessment).

Streams were surveyed on foot from the intertidal zone to the upper extent of anadromous fish distribution. Adult salmon and Dolly Varden were visually identified and enumerated. Juvenile salmon were visually identified in the stream, and then captured by electroshocking, dipnet, or minnow trap to confirm identification. Sampling was conducted periodically along the stream to determine the presence of juvenile salmon. No attempt was made to determine the rearing population sizes of juvenile salmon, or to determine the total escapement of adult salmon in a stream.

Stream data are on file at the Alaska Department of Fish and Game, Habitat and Restoration office, 333 Raspberry Road, Anchorage, Alaska.

cc: Lance Trasky
Don McKay
Mark Kuwada

ALASKA DEPT. OF
FISH & GAME

NOV 03 1993

REGION II
HABITAT AND RESTORATION
DIVISION