

AWC Volume SE (SC) SW W AR IN USGS Quad ILIAMNA A-4

Anadromous Water Catalog Number of Waterway 243-20-10020

Name of Waterway PAINT RIVER USGS name X Local name \_\_\_\_\_

Addition \_\_\_\_\_ Deletion X Correction X Backup Information \_\_\_\_\_

For Office Use

Nomination # <u>95 024</u>	<u>[Signature]</u>	<u>11/2/95</u>
Revision Year: <u>'95</u>	Regional Supervisor	Date
Revision to: Atlas _____ Catalog _____	<u>[Signature]</u>	<u>12/19/94</u>
Both <u>X</u>	<u>2. Arone</u>	<u>12/22/94</u>
Revision Code: <u>D-1</u>	Drafted	Date

OBSERVATION INFORMATION

Species	Date(s) Observed	Spawning	Rearing	Migration	Anadromous

**IMPORTANT:** Provide all supporting documentation that this water body is important for the spawning, rearing or migration of anadromous fish, including: number of fish and life stages observed; sampling methods, sampling duration and area sampled; copies of field notes; etc. Attach a copy of a map showing location of mouth and observed upper extent of each species, as well as any other information such as: specific stream reaches observed as spawning or rearing habitat; locations, types, and heights of any barriers; etc.

Comments: A natural (37') barrier falls acts as an upstream migrational barrier to anadromous fish. However sockeye fry are being stocked annually in Upper & Lower Paint R. Lakes by Cook Inlet Aquaculture Association. A fish pass (ladder) has also been constructed at the outlet to allow passage back into the system. The ladder has not been opened as of 10/94.

Name of Observer (please print) WESLEY BUCHER ALASKA DEPT. OF FISH & GAME  
 Date: 10/5/94 Signature: [Signature]  
 Address: 329B Douglas St. HOMER, AK. 99603 OCT 12 1994  
 REGION II HABITAT AND RESTORATION INFORMATION


This certifies that in my best professional judgement and belief the above information is evidence that this waterbody should be included in or deleted from the Catalog of Waters Important for Spawning, Rearing or Migration of Anadromous Fishes per AS 16.05.870.

Signature of Area Biologist: [Signature] Rev. 7/93

DELETE UPPER PORTION OF STREAM #  
243-20-10020  
AAA BARRIER SYMBOL 37' FALL.  $\bar{3}$   
USE "♦" SYMBOL FOR SHORELINE. w/ S

ILLIAMNA (A-4) QUADRANGLE  
ALASKA-KENAI PENINSULA BOROUGH  
1:63,360 SERIES (TOPOGRAPHIC)

ILLIAMNA 8-31



1910000  
FEET  
10200

243-30  
243-20

NATURAL 37'  
BARRIER FALLS  
ACTS AS UPSTREAM  
MIGRATIONAL BARRIER  
AT TIDEWATER

2016


AC 7  
CH 7  
CO 9

KAMISHAK


ILLIAMNA 8-31

ILLIAMNA B-5

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY



5  
BARRIER  
FALLS



SOCKEYE FISH  
STAINED ANNUALLY  
IN UPPER &  
LOWER PAINT  
LAKES BY  
CZ. 9A

PAINT  
LAKES

30B1

PAINT  
LAKES

ILLIAMNA A-5

AWC Volume SE (SC) SW W AR IN USGS Quad ILIAMNA A-4

Anadromous Water Catalog Number of Waterway 243-20-10020-2016

Name of Waterway PAINT RIVER TRIBUTARY USGS name X Local name     

Addition      Deletion X Correction X Backup Information     

For Office Use

Nomination # <u>95 024</u>	<u>[Signature]</u>	<u>11/19/95</u>
Revision Year: <u>    </u>	Regional Supervisor	Date
Revision to: Atlas <u>    </u> Catalog <u>    </u>	<u>[Signature]</u>	<u>12/19/94</u>
Both <u>X</u>	<u>[Signature]</u>	<u>12/22/94</u>
Revision Code: <u>A-2</u>	Drafted	Date

OBSERVATION INFORMATION

Species	Date(s) Observed	Spawning	Rearing	Migration	Anadromous

**IMPORTANT:** Provide all supporting documentation that this water body is important for the spawning, rearing or migration of anadromous fish, including: number of fish and life stages observed; sampling methods, sampling duration and area sampled; copies of field notes; etc. Attach a copy of a map showing location of mouth and observed upper extent of each species, as well as any other information such as: specific stream reaches observed as spawning or rearing habitat; locations, types, and heights of any barriers; etc.

Comments: A natural (37') barrier falls acts as an upstream migrational barrier to anadromous fish. However sockeye fry are being stocked annually in Upper & Lower Paint R. Lakes by Cook Inlet Aquaculture Association. A fish pass (ladder) has also been constructed at the outlet to allow passage back into the system. The ladder has not been opened as of 10/94.

Name of Observer (please print) WESLEY BUCHER ALASKA DEPT. OF FISH & GAME  
 Date: 10/5/94 Signature: [Signature]  
 Address: 329B DOUGLAS ST. HOMER, AK. 99603 05 07 1994  
 REGION II HABITAT AND RESTORATION

This certifies that in my best professional judgement and belief the above information is evidence that this waterbody should be included in or deleted from the Catalog of Waters Important for Spawning, Rearing or Migration of Anadromous Fishes per AS 16.05.870.

Signature of Area Biologist: [Signature] Rev. 7/93

DELETE STREAM  
243-20-10020

-2014

FISH PASSAGE IS BLOCKED  
@ PAINT RIVER FALLS



110035

10050

AWC Volume SE (SC) SW N AR IN USGS Quad ILIAMNA A-4

Anadromous Water Catalog Number of Waterway 243-20-10020-2021

Name of Waterway PAINT RIVER USGS name X Local name \_\_\_\_\_

Addition \_\_\_\_\_ Deletion X Correction X Backup Information \_\_\_\_\_

For Office Use

Nomination # <u>95 027</u>	<u>J. O'Connell</u>	<u>11/14/95</u>
Revision Year: <u>95</u>	Regional Supervisor	Date
Revision to: Atlas _____ Catalog _____	<u>Ed Weim</u>	<u>12/19/94</u>
Both <u>X</u>	<u>J. Inoue</u>	<u>12/22/94</u>
Revision Code: <u>D-2</u>	Drafted	Date

OBSERVATION INFORMATION

Species	Date(s) Observed	Spawning	Rearing	Migration	Anadromous

**IMPORTANT:** Provide all supporting documentation that this water body is important for the spawning, rearing or migration of anadromous fish, including: number of fish and life stages observed; sampling methods, sampling duration and area sampled; copies of field notes; etc. Attach a copy of a map showing location of mouth and observed upper extent of each species, as well as any other information such as: specific stream reaches observed as spawning or rearing habitat; locations, types, and heights of any barriers; etc.

Comments: A natural (37') barrier falls acts as an upstream migrational barrier to anadromous fish. However sockeye fry are being stocked annually in Upper & Lower Paint R. Lakes by Cook Inlet Aquaculture Association. A fish pass (ladder) has also been constructed at the outlet to allow passage back into the system. The ladder has not been opened as of 10/94.


Name of Observer (please print) WESLEY BULCHER ALASKA DEPT. OF FISH & GAME  
 Date: 10/5/94 Signature: Wesley Bulcher  
 Address: 329B DOUGLAS ST. HOMER, AK. 99603 REGION II HABITAT AND RESTORATION

This certifies that in my best professional judgement and belief the above information is evidence that this waterbody should be included in or deleted from the Catalog of Waters Important for Spawning, Rearing or Migration of Anadromous Fishes per AS 16.05.870.

Signature of Area Biologist: Wesley Bulcher Rev. 7/93

DELETE STREAM  
243-20-10020

- 2021  
FISH PASSAGE BLOCKED  
@ PAINT RIVER FAN



AC 7  
CA 7  
CO 7  
RM 7

110035

10050

AWC Volume SE (SC) SW W AR IN USGS Quad ILIAMNA A-4

Anadromous Water Catalog Number of Waterway 243-20-10020-2051

Name of Waterway PAINT RIVER USGS name X Local name \_\_\_\_\_

Addition \_\_\_\_\_ Deletion X Correction X Backup Information \_\_\_\_\_

For Office Use

Nomination # <u>95 02+</u>	<u>[Signature]</u>	<u>11/2/95</u>
Revision Year: <u>'95</u>	Regional Supervisor	Date
Revision to: Atlas _____ Catalog _____	<u>Ed Wain</u>	<u>12/19/94</u>
Both <u>X</u>	<u>J. Irvine</u>	<u>12/22/94</u>
Revision Code: <u>D-2</u>	Drafted	Date

OBSERVATION INFORMATION

Species	Date(s) Observed	Spawning	Rearing	Migration	Anadromous

**IMPORTANT:** Provide all supporting documentation that this water body is important for the spawning, rearing or migration of anadromous fish, including: number of fish and life stages observed; sampling methods, sampling duration and area sampled; copies of field notes; etc. Attach a copy of a map showing location of mouth and observed upper extent of each species, as well as any other information such as: specific stream reaches observed as spawning or rearing habitat; locations, types, and heights of any barriers; etc.

Comments: A natural (37') barrier falls acts as an upstream migrational barrier to anadromous fish. However sockeye fry are being stocked annually in Upper & Lower Paint R. Lakes by Cook Inlet Aquaculture Association. A fish pass (ladder) has also been constructed at the outlet to allow passage back into the system. The ladder has not been opened as of 10/94.

Name of Observer (please print) WESLEY BUCHER ALASKA DEPT. OF FISH & GAME  
 Date: 10/5/94 Signature: [Signature]  
 Address: 329B Douglas St. HOMER, AK. 99603 07 1994  
 REGION II HABITAT AND RESTORATION

This certifies that in my best professional judgement and belief the above information is evidence that this waterbody should be included in or deleted from the Catalog of Waters Important for Spawning, Rearing or Migration of Anadromous Fishes per AS 16.05.870.

Signature of Area Biologist: [Signature] Rev. 7/93

