State of Alaska
Department of Fish and Game
Habitat and Restoration Division

Nomination for Waters Important to Anadromous Fish

240

Region: 11 Southcentral

USGS Quad: Cordova (C-3) Cordova (C-2)

Anadromous Water Catalog Number of Waterway: 212-20-10040 [redacted]

Name of Waterway: SHEEP Creek

☒ USGS Name ☐ Local Name

☒ Addition ☐ Deletion ☐ Correction ☐ Backup Information

Nomination # [illegible]	Regional Supervisor: [signature] Date: 12/9/97
Revision Year:	AWC Project Biologist: Date:
Revision to: Atlas N/A Path	Drafted: Date:
Revision Code:	

OBSERVATION INFORMATION

Species	Date(s) Observed	Spawning	Rearing	Present	Anadromous
DV	8/6/97		?	X	☐ ?
					☐
					☐
					☐
					☐

IMPORTANT: Provide all supporting documentation that this water body is important for the spawning, rearing or migration of anadromous fish, including: number of fish and life stages observed; sampling methods, sampling duration and area sampled; copies of field notes; etc. Attach a copy of a map showing location of mouth and observed upper extent of each species, as well as other information such as: specific stream reaches observed as spawning or rearing habitat; locations, types, and heights of any barriers; etc.

Comments: electro shocking See attached

Appeared to be an adult 7-8 inches long. Unsure if anadromous or resident.

Name of Observer (please print): Samantha Greenwood

Signature: Samantha Greenwood

Date: 8/8/97

Address: PO Box 2551
Cordova, AK 99574

This certifies that in my best professional judgment and belief the above information is evidence that this waterbody should be included in or deleted from the Catalog of Waters Important for Spawning, Rearing or Migration of Anadromous Fishes per AS 16.05.870.

Signature of Area Biologist: [signature]

Revision 3/97

ALASKA DEPT. OF FISH & GAME

SEP 12 1997

REGION II
HABITAT & RESTORATION DIVISION

Anadromous Stream Mapping Project

Date: 8/6/97	Time:	Crew: SG, JW
Weather:		Last Precipitation:
Stream ID: 240 - Sheep		Stream Location:

Habitat:

Water Clarity: Muddy Murky - Glacier Stained Clear

Substrate (%): Silt: Sand: Gravel: Cobble: Boulders:

PRR ratio (%): Pool: Riffle: Run:

Riparian Habitat:

Dominant Vegetaion: alder, rocks, salmon

Wildlife Observations:

Physical:

Temperature (C): 11.7 Dissolved Oxygen (mg/L):

Conductivity (µS):

Morphology:

	Present:	Bank Full:	Grade:
Width:			
Depth:	1/4	1/2	3/4
Flow:	1/4	1/2	3/4

Channel Diagram:

See topo

Comments:

Stream has moved to alders now cutting through alders.

(real data sheet at sea)

Fish Sampling:

		Electro-Shocking Time: 177	Netting/Trapping Time:	Visual
Coho Salmon	juv.			
	adult			
Sockeye Salmon	juv.			
	adult			
Pink Salmon	juv.			
	adult			
Chum Salmon	juv.			
	adult			
King Salmon	juv.			
	adult			
Cutthroat Trout	juv.			
	adult			
Dolly Varden	juv.			
	adult	1		
Other				

CACDATA.XLS

Data Collected by PWSSC



Mapped, edited, and published by the Geological Survey

Control by USGS

Topography by photogrammetric methods from aerial photographs taken 1950 and 1957, field annotated 1959. Map not field checked

Universal Transverse Mercator projection, 1927 North American datum
10,000-foot grid based on Alaska coordinate system, zone 3
1000-metre Universal Transverse Mercator grid ticks, zone 6, shown in blue

Land lines represent unsurveyed and unmarked locations predetermined by the Bureau of Land Management Folio CR-6, Copper River Meridian

Swamps, as portrayed, indicate only the wetter areas, usually of low relief, as interpreted from aerial photographs

ROAD CLASSIFICATION

Light-duty

State Route

TRUE NORTH
MAGNETIC NORTH
28°
APPROXIMATE MEAN DECLINATION, 1959

CORDOVA (C-3), ALASKA

N6030—W14445/15X22.5

1951

MINOR REVISIONS 1975

FAIRBANKS, A
A FOLDER

CONT
DOTTED LIN
NATIONAL G

R SALE B
701, DENVE
TOPOGRAP

Cordova C(C-2)

DV [redacted] Shocked