



State of Alaska
Department of Fish and Game
Habitat and Restoration Division

Nomination for Waters
Important to Anadromous Fish

Region SOUTHEAST

USGS Quad Yakutat C-5 & B-5

Anadromous Water Catalog Number of Waterway 182-80-10100-2061

Name of Waterway Tawah - Lost River USGS Name Local Name

Addition Deletion Correction Backup Information

For Office Use

19 *2/15/02*

Nomination #	<u>01 321</u>	<u>Ben Van Dyke</u>	<u>11/9/01</u>
Revision Year:	<u>2001</u>	Regional Supervisor	Date
Revision to:	Atlas _____ Catalog _____ Both <u>X</u>	<u>Ed Win</u>	<u>1/14/01</u>
Revision Code:	<u>A-2</u>	AWC Project Biologist	Date
		<u>J. Irvine</u>	<u>2/27/02</u>
		Drafted	Date

OBSERVATION INFORMATION

Species	Date(s) Observed	Spawning	Rearing	Present	Anadromous
<u>coho</u>	<u>April 24 - May 1, 2001</u>		<u>100+</u>		<input checked="" type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>

IMPORTANT: Provide all supporting documentation that this water body is important for the spawning, rearing or migration of anadromous fish, including: number of fish and life stages observed; sampling methods, sampling duration and area sampled; copies of field notes; etc. Attach a copy of a map showing location of mouth and observed upper extent of each species, as well as other information such as: specific stream reaches observed as spawning or rearing habitat; locations, types, and heights of any barriers; etc.

Comments: Location; Township 28S Range 34E Section SW 1/4 13 ; Latitude N59 degrees 29.172, Longitude W139 degrees 35.378 (NAD27). Stream is number 16 on the map.

Stream characteristics: Width .6 - 1.2 m; depth .3 - 1.0 m; muskeg/wetlands with sand, clay and organic soils, grass/sedge and willow. Extensive beaver ponds with excellent rearing habitat. Affected by Colorado Road interception; some water enters from stream 4. Temp. 8 degrees C.

Stream surveys were part of the Yakutat Fish Habitat and ATV Trail Assessment project. Field crews surveyed streams for fish using baited minnow traps. Soak times for traps were usually less than 30 minutes per trap/ two traps per sample site. Captured fish were identified and released on-site. Field teams were comprised of ADF&G and Yakutat Ranger District personnel.

Name of Observer (please print): Phil Mooney

Signature: ALASKA DEPT. OF FISH AND GAME


Address: 304 LAKE ST. ROOM 103
SITKA, AK 99835-7563

Date: 6/30/2001

This certifies that in my best professional judgment and belief the above information is evidence that this waterbody should be included in or deleted from the Catalog of Waters Important for Spawning, Rearing or Migration of Anadromous Fishes per AS 16.05.870.

Signature of Area Biologist: Phil Mooney


Revision 3/97




3-D TopoQuads Copyright © 1999 DeLorme Yarmouth, ME 04096

300 ft Scale: 1 : 23,125 Detail: 12-7 Datum: NAD27

*ADD Stream 182-80-10100 - w/ COR
2061*







State of Alaska
Department of Fish and Game
Habitat and Restoration Division

Nomination for Waters
Important to Anadromous Fish

Region SOUTHEAST

USGS Quad Yakutat C-5

Anadromous Water Catalog Number of Waterway 182-80-10100-206t

Name of Waterway Tawah-Lost River USGS Name ^{ARC #5798} Local Name

Addition Deletion Correction Backup Information

For Office Use

104 2/5/02

Nomination #	<u>01 309</u>	<u>Ben Kuykendall</u>	<u>4/9/01</u>
Revision Year:	<u>2001</u>	Regional Supervisor	Date
Revision to:	Atlas _____ Catalog _____	<u>Ed Wein</u>	<u>2/1/02</u>
	Both <u>X</u>	AWC Project Biologist	Date
Revision Code:	<u>A-1</u>	<u>2 drone</u>	<u>2/27/02</u>
		Drafted	Date

OBSERVATION INFORMATION

Species	Date(s) Observed	Spawning	Rearing	Present	Anadromous
coho	April 24 - May 1, 2001		100+		<input checked="" type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>

IMPORTANT: Provide all supporting documentation that this water body is important for the spawning, rearing or migration of anadromous fish, including: number of fish and life stages observed; sampling methods, sampling duration and area sampled; copies of field notes; etc. Attach a copy of a map showing location of mouth and observed upper extent of each species, as well as other information such as: specific stream reaches observed as spawning or rearing habitat; locations, types, and heights of any barriers; etc.

Comments: Location; Township 28S Range 34E Section SW 1/4 1 ; Latitude N59 degrees 30.783, Longitude W139 degrees 34.993 (NAD27). Stream is number 4 on the map.

Stream characteristics: Width .6 - 1.2 m; depth .3 - 1.0 m; muskeg/wetlands with sand, clay and organic soils, grass/sedge and willow. Extensive beaver ponds with excellent rearing habitat. Affected by Colorado Road interception. Temp. 8 degrees C.

Stream surveys were part of the Yakutat Fish Habitat and ATV Trail Assessment project. Field crews surveyed streams for fish using baited minnow traps. Soak times for traps were usually less than 30 minutes per trap/ two traps per sample site. Captured fish were identified and released on-site. Field teams were comprised of ADF&G and Yakutat Ranger District personnel.

Name of Observer (please print): Phil Mooney


Signature: ALASKA DEPT. OF FISH AND GAME

Date: 6/30/2001

Address: 304 LAKE ST. ROOM 103
SITKA, AK 99835-7563

This certifies that in my best professional judgment and belief the above information is evidence that this waterbody should be included in or deleted from the Catalog of Waters Important for Spawning, Rearing or Migration of Anadromous Fishes per AS 16.05.870.

Signature of Area Biologist: Phil Mooney



Extend stream 182-80-10100-2061 w/ COR