



State of Alaska
Department of Fish and Game
Habitat and Restoration Division

Nomination for Waters
Important to Anadromous Fish

Region SOUTHEAST USGS Quad Yakutat C-5 & C-4

Anadromous Water Catalog Number of Waterway 182-70-10100-2918

Name of Waterway Sitik River tributary USGS Name Local Name

Addition Deletion Correction Backup Information

For Office Use

Joy 2/5/02

Nomination # <u>01 354</u>	<i>[Signature]</i>	<u>11/06/01</u>
Revision Year: <u>2001</u>	Regional Supervisor	Date
Revision to: Atlas _____ Catalog _____	<i>[Signature]</i>	<u>1/28/02</u>
Both <u>X</u>	AWC Project Biologist	Date
Revision Code: <u>A-2</u>	<i>[Signature]</i>	<u>2/25/02</u>
	Drafted	Date

OBSERVATION INFORMATION

Species	Date(s) Observed	Spawning	Rearing	Present	Anadromous
coho	April 24 - May 1, 2001		26		<input checked="" type="checkbox"/>
steelhead			9		<input checked="" type="checkbox"/>
ly Varden char			5		<input type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>

IMPORTANT: Provide all supporting documentation that this water body is important for the spawning, rearing or migration of anadromous fish, including: number of fish and life stages observed; sampling methods, sampling duration and area sampled; copies of field notes; etc. Attach a copy of a map showing location of mouth and observed upper extent of each species, as well as other information such as: specific stream reaches observed as spawning or rearing habitat; locations, types, and heights of any barriers; etc.

Comments: Location; Township 27S Range 35E Section SW 1/4 32 ; Latitude N59 degrees 31.653, Longitude W139 degrees 31.370 (NAD27). Stream is number 8 on the map.


Stream characteristics: Width .3 - .7m, depth .2 - .6 m, pools. Substrate sand and fine gravel. Part of old river braid now and now active again; isolated from upstream connection. Excellent rearing habitat.

Stream surveys were part of the Yakutat Fish Habitat and ATV Trail Assessment project. Field crews surveyed streams for fish using baited minnow traps. Soak times for traps were usually less than 30 minutes per trap/ two traps per sample site. Captured fish were identified and released on-site. Field teams were comprised of ADF&G and Yakutat Ranger District personnel.

Name of Observer (please print): Phil Mooney
Signature: *Phil Mooney* Date: 6/30/2001
Address: ALASKA DEPT. OF FISH AND GAME
304 LAKE ST. ROOM 103
SITKA, AK 99835-7563

This certifies that in my best professional judgment and belief the above information is evidence that this waterbody should be included in or deleted from the Catalog of Waters Important for Spawning, Rearing or Migration of Anadromous Fishes per AS 16.05.870.

Signature of Area Biologist: *Phil Mooney* Revision 3/97



3-D TopoQuads Copyright © 1999 DeLorme Yarmouth, ME 04096

1000 ft Scale: 1 : 46,375 Detail: 12-1 Datum: NAD27

ADD Stream 182-70-10100-2918 w/ CO₂ SK_R

