



State of Alaska
Department of Fish and Game
Division of Sport Fish

Nomination Form
Anadromous Waters Catalog

ME

Region: Southeastern

USGS Quad(s): CRG D4

0010 - 3011

Anadromous Waters Catalog Number of Waterway: 103-90-10260-2009-XXXX

Name of Waterway: un-named

Is this a USGS Name _____ OR Local Name _____?

Type of Nomination (Circle One): Addition Deletion Correction Backup Information

For Office Use

Nomination # <u>11-453</u>	<u>[Signature]</u> Fisheries Scientist Date <u>10/20/11</u>
Revision Year: <u>2012</u>	<u>[Signature]</u> Habitat Operations Manager Date <u>10/28/11</u>
Revision to: Atlas _____ Catalog _____ Both <u>X</u>	<u>[Signature]</u> AWC Project Biologist Date <u>12/13/11</u>
Revision Code: <u>A-2, B-1</u>	<u>[Signature]</u> Cartographer Date <u>11/19/11</u>

OBSERVATION INFORMATION

Species	Date(s) Observed	Spawning	Rearing	Present	Anadromous
Coho Salmon	7/9/2011		Yes; Count = 4		Yes
Rainbow trout	7/9/2011			Yes; Count = 1	Unknown

*Salmon stream of Lake Salmon Reary
and lake river system, some salmon present, and lake river present*

IMPORTANT: Provide all supporting documentation that this water body is important for the spawning, rearing or migration of anadromous fish, including: number of fish and life stages observed; sampling methods, sampling duration and area sampled; copies of field notes; etc. Attach a copy of a map showing location of mouth and observed upper extent of each species, as well as other information such as: specific stream reaches observed as spawning or rearing habitat; locations, types, and heights of any barriers; etc.

Comments: All fish captures were associated with an AKSSF funded research project (AWC Catalog Inventories in SEAK), which included stream habitat inventory, stream mapping, and identifying fish distribution patterns for updating the AWC and corporate hydrography databases. Fish capture methods employed baited and sterilized Gee Minnow Traps Minnow traps soaked for 1-6 hours or hand dip nets. In this case visual observation was used. All fish captured were identified to species and life stage noted, and released near the point of capture alive. Attachment pages/maps (see below) provide additional specific information regarding the presence of fish species, locations (latitude & longitude coordinates), number & species captured, and additional info.

Name of Observer (please print): Kathy Smikrud

Signature: [Signature]

Date: 9/27/2011


Agency: ADF&G, Sport Fish Division

Address: Southeast Regional Office, 802 3rd Street, PO Box 110024, Douglas, AK 99811-0024

This certifies that in my best professional judgment and belief the above information is evidence that this waterbody should be included in or deleted from the Anadromous Waters Catalog.

Signature of Area Biologist: [Signature] Date 10/3/11 Revision _____

02/08



Upper Extent
 Latitude: 55.90435
 Longitude: -133.12172
 4 juvenile coho salmon,
 1 rainbow trout identified
 by visual observation (photo)

103-90-10260-2009

Lower Extent
 Latitude: 55.905738
 Longitude: -133.119147
 No sampling here for lower
 extent, but tributary flows
 into AWC stream; however
 this AWC arc is only coded
 for Dolly Varden even
 though coho is catalogued in
 the mainstem arc

103-90-10260

**Naukati Watershed (Prince of Wales Island
 Nomination # 103-90-10260-2009-XXX1
 --All coordinate information provided
 in Datum NAD83**

-  Upper Extent-Coho Caught Here
-  Other ADFG Survey Pts-
No Salmon Caught
-  Uncatalogued (AWC nomination)
-  AWC arcs

0 0.1 0.2 Km

Address shown

103-90-10260-2009-3011

W/ Cooks Saloon 1200m

Wald Lake

103-90-10260-2009-2010

W/ Cooks Saloon and

Dairy Under Pier 1 +

Address shown

Front + 0

103-90-10260-2009

