State of Alaska
partment of Fish and Game
Public Review Nomination for Waters
Important to Anadromous Species

84-612
~~84-412~~

ALASKA DEPT. OF
FISH & GAME
OCT - 1 1984
HABITAT
REGIONAL OFFICE

X Addition _____ Deletion

Name of Waterbody (if known): uncataloged

Richard Reed
10/11/84

Location:

Anadromous Waters Catalog Volume and Number Southeastern, Vol. 1

USGS 1:63,360 Quadrangle Craig B-4

or 1:250,000 (if 1:63,360 not available) _____

Species	Date(s) Observed	Stage(s) (Spawning, Rearing, Migration)
Coho	6/6/84	rearing

Comments: Please provide any clarifying information. Also, please include a map of the area identifying the stream reach. This can be a copy of the map from the Anadromous Waters Atlas.

Map and a Copy of the stream survey are attached. Pink and Chum salmon spawning in ITZ and immediate reaches above.

103-40-10110

Drafted
Jew 10/84

Name of Observer (please print) Calvin H. Casipit, Craig R.D., USFS

SJS 10/30/84

Date: 12/8/83 Signature: Donald A. Cornelius Habitat Biologist 9/28/84

Address: Alaska Dept. of Fish and Game, Habitat

Ketchikan

Upper points document limits of fish surveys and usually not the extent of fish habitat.
PRINCE OF WALES ISLAND
10920
10210
10220
10850
10845
10270
10290
2008
10330
2010
10310
10320
10340
10350
10010
10020
10030
10410
103-60
103-50
103-40
103-40
Estrella
Big Bay
Waterfall
Ridge I
Meares Island
Ulloa I
Bush Islets
Tlevak Narrows
Blocks I
Midway Island
DALL ISLAND
MEARES PASSAGE
Perles Pt

STREAM SECTION SURVEY

ROAD/UNIT Shelikof ADF&G #

STREAM # TR 2 AERIAL PHOTO #

VCU # 631 PHOTO #

QUAD Craig B-4 T R S

SURVEYORS Casipit/Ebel DATE 6/6/84

SECTION/REACH TR2 → 1 → 50' → 2 → 200' → 3 → 800'

STREAM CLASS	1	1	1
GRADIENT	1%	1%	1%
FLOW STAGE	N	N	N
CHANNEL WIDTH	8'	4'	3'
WATER WIDTH	5'	4'	3'
INCISEMENT	—	1'	1'
UPPER RIGHT BANK	10%	10%	10%
LEFT BANK	20%	20%	25%
BANK STABILITY	good	good	good
% BANK COVER	100	100	100
SPECIES MIX	Co, Sh, F	←	←
LOD/100 FT.	20%	20%	20%
SIZE	3"	←	←
POOL/RIFFLE RATIO	20/80	35/65	40/60
MAX. POOL DEPTH	1'	1.5'	1'
BOTTOM TYPE % — BEDROCK			
BOTTOM TYPE % — BLDR 20"			
BOTTOM TYPE % — ROCK 6-20"	15	5	2
BOTTOM TYPE % — RBBL 3-6"	20	15	13
BOTTOM TYPE % — GRVL ¼-3"	65	75	20
BOTTOM TYPE % — SAND/SILT		5	65 organic muck
% ASA	80	90	10
QUALITY	good	good	good
REARING QUALITY	fair	good	excellent
FISH SPECIES		Co DV	Co, DV
LENGTH RANGE		Fry	Fry
ABUNDANCE			

COMMENTS (MIGRATION BARRIERS, BLOWDOWN, LEAVE TREES, FLAGGING, TAGS, ENHANCEMENT OPPORTUNITIES, TEMPERATURE SENSITIVITY, RECOMMENDATIONS)

TR2 has good spawning areas below 50' for pinks. habitat in woods mostly a coho rearing stream. Some spawning areas are available to pinks + Coho. stream winds its way through bad blowdown and devil's club.

11 19 shows habitat in woods

very shallow, with very little flow, flagged G/W up ~20', above this point, runs from underground)