Public Review Nomination for Waters
Important to Anadromous Species

84-675

☑ Addition ☐ Deletion

Name of Waterbody (if known): KROGH LAKE CREEK AND TRIBUTARIES

Location:

Anadromous Waters Catalog Volume and Number SOUTHEAST ALASKA

USGS 1:63,360 Quadrangle CRAIG D-1 + D-2

or 1:250,000 (if 1:63,360 not available) _____

Species	Date(s) Observed	Stage(s) (Spawning, Rearing, Migration)
Coho fry	6-5-83	Rearing throughout stream
DV, CT Fry	6-5-83	Spawning in Area 'B'
Pink, Chum	6-5-83	Spawning

Comments: Please provide any clarifying information in addition to identification on Anadromous Waters Catalog Public Review Maps. Add trib #107-10-10650-2008

Coho, Dolly Varden, and Cutthroat Fry were observed through section 6 of survey Area 'B'. Surveyors assumed that DV and CT fry were offspring of anadromous adults since barriers to these species were not noted. A beaver dam at Section 16 of Area 'A' is a probable barrier to pink and chum salmon migration

Name of Observer (please print) GERRY MERRIGAN

Date: 2/9/84

Signature: Donald G. Kelly

Address: P.O. Box 667
Petersburg Ak.
99833

Drafted
JW 10/84

SJS 10/30/84


UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY
132°20'
56°00'
6208m.N
668m.E
CTDVCOCHP
PCHCODVCT
2014
CH
P
10190
ETOLIN ISLAND
COCHP
BROWNSON IS
Brownson Pk
10185
Ps
CTDVCOCHP
COCHP
COCHP
COCHP
10700
10720
10740
10760
DV CT
2008
Mt Shakes
Islands
Stone


Etolin Island
Begin Good ASA
Beaver System
Fed by
Muskeg System
Barrier
Falls
Upper Lake
V-notch
Survey Area
"B"
Krogh
Lake
Beaver Systems
Stone Islands
Krogh Lake Creek
107-10-65

84-677

6208m.N 668m.E

6208m.N 686m.E

Near Island

ETOLIN ISLAND

BROWNSON ISLAND

Brownson Pk

Stone Island

Eagle I

Lemesurier I

Canary Islands

6183m.N 668m.E

6183m.N 686m.E

10190 10150 10170 10185 10700 10720 10740 10760 10090 10100 10120 10140 10160 10180 10240 10250 10220 10200 10270

107-20 107-10 102-80 106-20 106-80

Upper points document limits of fish surveys and usually not the extent of fish habitat.

CONTOUR INTERVAL 100 FEET
DATUM IS MEAN SEA LEVEL
DEPTH CURVES IN FEET - DATUM IS MEAN LOWER LOW WATER
SHORELINE SHOWN REPRESENTS THE APPROXIMATE LINE OF MEAN HIGH WATER
THE AVERAGE RANGE OF TIDE IS APPROXIMATELY 14 FEET

FOR SALE BY U. S. GEOLOGICAL SURVEY
FAIRBANKS, ALASKA, DENVER 25, COLORADO OR WASHINGTON 25, D.C.
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

ROAD CLASSIFICATION

Trails

QUADRANGLE LOCATION

CRAIG (D-1), ALASKA
N6545—W13200/15X20
1949

MAP NO. D-1 OF 3.

LEGEND

		Subscript
S	Sockeye Salmon	s - Known Spawning
K	King Salmon	r - Rearing
CO	Coho Salmon	* m - Migration
P	Pink Salmon	
CH	Chum Salmon	
SH	Steelhead Trout	
DV	Dolly Varden	
AC	Arctic Char	
SF	Sheefish	
W	Whitefish	
C	Cutthroat Trout	

*Migration upstream is assumed for stream reaches where anadromous fish occur.

COMP. DRC
DRAWN CB
REVISED DRC
APPROVED ERL
DATE 4/82
FILE NO.

SCALE 1" = 1 MILE 1 : 63,360

PROJ. TITLE
ANADROMOUS STREAM CATALOG
ANADROMOUS WATERS ARE LISTED PURSUANT TO AS 16.05.870 (a)

MAP TITLE
CRAIG D-1

STATE OF ALASKA
DEPARTMENT OF FISH AND GAME
habitat protection division
JUNEAU, ALASKA

BY	DATE
BG	3/83
REVISIONS	

10/81 BG SS DCS

10/81