State of Alaska
Department of Fish and Game
Nomination for Waters
Important to Anadromous Fish

1986
Year of Revision

86-228

Anadromous Water Catalog Volume Southeastern Region I

USGS Quad Petersburg A-5 (6)

Name of Waterway _____

Anadromous Water Catalog Number of Waterway _____

105-43-10060 - 2014

Change to X Atlas

_____ Catalog

_____ Both

Addition _____

Deletion _____

Correction X

Name addition:

USGS name _____

Local name _____

ALASKA DEPT. OF FISH & GAME
SEP 30 1985
HABITAT
REGIONAL OFFICE

For Office Use

Nomination # _____

Richard Reed — Regional Supervisor — 9/19/85 Date

GR SOS — 10/23/85

TB — Drafted — 10-23-85 Date

| Species | Date(s) Observed | Spawning | Rearing | Migration |
|---|---|---|---|---|
| Coho | 5/29/85 | | X | |
| Dolly Varden | 5/29/85 | | X | |
| Pinks | 9/6/85 | X | | |
| | | | | |

Comments: Provide any clarifying information, including number of fish observed, location of fish survey data, etc.

There isn't a barrier as indicated in the Atlas. There is a small 1 m. bedrock falls. Coho and Dolly Varden fry were abundant. The entire system was flown by helicopter. Pink salmon were abundant throughout the system.

Attach a copy of a map showing location of mouth and upper points of each species, specific stream reaches identified for spawning or rearing, locations of barriers, such as falls. Attach a copy of the fish survey data, if available.

Name of Observer (please print) James P. Coriello

Date: 9/10/85 Signature: James P. Coriello

Address: Box 667 Petersburg, Ak. 99833

Signature of Area Biologist: _____




From Anadromous Stream Atlas
Revised April 1982

CONTOUR INTERVAL 100 FEET




Mapped, edited, and published by the Geological Survey

Control by USC&GS

Topography by photogrammetric methods from aerial photographs taken 1948, field annotated 1949. Map not field checked

Selected hydrographic data compiled from USC&GS Charts 8120 (1951) 817[illegible] (1949), 8172 (1951), and 8201 (1951) (1:217,828-scale)
This information is not intended for navigational purposes

SCALE 1:63360

1 0 1 2 3 4 MILES

3000 0 3000 6000 9000 12000 15000 18000 21000 FEET

1 5 0 1 2 3 4 5 KILOMETERS

SS - Coho Salmon
DV - Dolly Varden

# FISH SAMPLING FORM

Stream Name _____ ADF&G Catalog No. 105-43-06 Date 5/29/85

Identify Survey Area A-F (see map) Water Temp. — Bait Used Eggs

| | Trap | Time In | Time Out | Species | Length | Comments |
|---|---|---|---|---|---|---|
| A | 1 | 30 min. | | 2 DV | | |
| | 2 | " | " | ø | | |
| | 3 | " | " | 30 SS<br>35 DV | | |
| B | 4 | " | " | 18 DV<br>1 SS | | |
| | 5 | " | " | ø | | |
| | 6 | " | " | ø | | |
| C | 7 | " | " | 40 DV<br>2 SS | | |
| | 8 | " | " | 8 DV<br>1 SS | | |
| | 9 | " | " | 10 DV<br>2 SS | | |
| D | 10 | " | " | ø | | |
| | 11 | " | " | 6 DV<br>2 SS | | |
| | 12 | " | " | 8 DV<br>5 SS | | |
| E | 13 | " | " | 1 SS | | Fry were numerous between here and the last trap location |
| | 14 | " | " | ø | | |
| | 15 | " | " | ø | | |
| F | 16 | " | " | ø | | Fry were seen around the traps but it was difficult to find a pool deep enough to see the traps. |
| | 17 | " | " | ø | | |
| | 18 | " | " | ø | | |

This form is used to record fish caught during Level Three, Four, or Five Surveys.