State of Alaska
Department of Fish and Game
Nomination for Waters
Important to Anadromous Fish

1986
~~1985~~
Year of Revision

86-289

Anadromous Water Catalog Volume I

USGS Quad Dixon Entrance C-3 (2)

Name of Waterway

Anadromous Water Catalog Number of Waterway

103-11-10350-2013

Change to X Atlas

Catalog

Both

Addition X

Deletion

Correction

Name addition:

USGS name

Local name

ALASKA DEPT. OF FISH & GAME
SEP 30 1985
REGION II
HABITAT DIVISION

For Office Use

Nomination #

~~Richard Read~~ 9/26/85
Regional Supervisor Date

OK SJS 10/23/85

TB 10-8-85
Drafted Date

Species	Date(s) Observed	Spawning	Rearing	Migration
Coho	8/8/85		✓	

Comments: Provide any clarifying information, including number of fish observed, location of fish survey data, etc.

Small stream branch located approximately 6000' from McLeod Bay on the South side of the main stream #10350. Coho Fry were observed.

Attach a copy of a map showing location of mouth and upper points of each species, specific stream reaches identified for spawning or rearing, locations of barriers, such as falls. Attach a copy of the fish survey data, if available.

Name of Observer (please print) Calvin H Casipit

Date: 9/12/85 Signature: Calvin H. Casipit

Address: Craig Ranger District.
Pouch 500
Craig AK. 99921

Signature of Area Biologist: gA. 9-23-85

Prince William Sound - Milford Bay

STREAM SECTION SURVEY

AD/UNIT _____ ADF&G # 103-11-10350

REAM # _____ AERIAL PHOTO # _____

U # _____ PHOTO # _____

AD _____ T _____ R _____ S _____

RVEYORS Coupitt/Stagner DATE 9/8/85

CTION/REACH	IT2 →	2 →	150' → 3 → 550'
REAM CLASS	1	1	1
ADIENT %	1	2-3	1-2
W STAGE	M	M	M
NNEL WIDTH	50	60	55
WATER WIDTH	20	20	20
ISEMENT		15	1
ER RIGHT BANK		50	Flat
LEFT BANK		20	15
K STABILITY			
NK COVER		100	100
SPECIES MIX		Al Co Sh	Al Co Sh
/100 FT.		3	5
IZE		12"	12"
/RIFFLE RATIO	0/100	20/80	60/40
AX. POOL DEPTH		3'	4'
BEDROCK		75	
BLDR 20"			2
ROCK 5-20"		5	3
RBBL 3-6"	5	5	40
GRVL ¼-3"	90	15	50
SAND/SILT	5		5
A	95	20	20
UALITY			
ING QUALITY	Fair	fair	good
SPECIES	Co	Co	Co
ENGTH RANGE	Fry	Fry	Fry
BUNDANCE			

NTS (MIGRATION BARRIERS, BLOWDOWN, LEAVE TREES, FLAGGING, TAGS, ENHANCEMENT OPPORTUNITIES, TEMPERATURE SENSITIVITY, RECOMMENDATIONS)

IT2 - Excellent spawning and rearing habitat. Reach 2 is a beaver controlled pond. Just above IT2 is a 6' falls. Reach 3 is a beaver controlled pond. Just above IT2 is a 6' falls. Reach 3 is a beaver controlled pond. Just above IT2 is a 6' falls. Reach 3 is a beaver controlled pond. Just above IT2 is a 6' falls.

STREAM SECTION SURVEY

ROAD/UNIT ADE&G # 103-11-10350 (Cont.)

STREAM # AERIAL PHOTO #

CU # PHOTO #

QUAD T R S

SURVEYORS DATE 8/6/85

SECTION/REACH 300' → 4 → 100' → 5 → 1400' → 6 → 3200'

STREAM CLASS	1	1	1
GRADIENT %	1-2	2	2-3
FLOW STAGE	N	N	N
CHANNEL WIDTH	25	20	25
WETTED WIDTH	20	10	20
EMBEDDEDNESS /	1-3	2-3	3
UPPER RIGHT BANK	20	20	10
UPPER LEFT BANK	20	20	10
BANK STABILITY	good	good	good
% BANK COVER	100	100	100
DOM. SPECIES MIX	Co, Al, Sh	Co, Al, Sh	Co, Al, Sh
#/100 FT.	10-15	10	15
MEDIAN SIZE	12"	12"	12"
POOL/RIFFLE RATIO	60/40	60/50	50/50
MAX. POOL DEPTH	3.5'	4'	4'
BEDROCK	"	2	3
BLDR 20"		3	6
ROCK 6-20"	5	5	4
RBBL 3-6"	40	40	40
GRVL ¼-3"	50	45	35
SAND/SILT	5	5	5
ESA	70	60	60
EQUALITY	good	good	good
SPAWNING QUALITY	good	good	good
DOM SPECIES	Co	Co / DV	Co
FISH LENGTH RANGE	Fry	Fry / Juv	Fry
ABUNDANCE			1

COMMENTS (MIGRATION BARRIERS, BLOWDOWN, LEAVE TREES, FLAGGING, TAGS, ENHANCEMENT OPPORTUNITIES, TEMPERATURE SENSITIVITY, RECOMMENDATIONS)

@ 1550 Canopy Closes, upper bank is almost vertical, @ 1700' Large debris jam, pool 3 ft deep, 75 yards long, 20 ft wide, Coho Fry above. Jam. @ 1810' high x 35' wide, ~8 scr mod. wood from the right, At 2525' high bank, stable at 2903. ~2900' right bank 3150', small H2O quality 40-50 ft wide, 3 ft deep, 1 ft/sec, No apparent H2O quality problems, 3500' at 3550' No apparent H2O quality problems

STREAM SECTION SURVEY

ROAD/UNIT _____ ADF&G # 103-41-10350 (cont)

STREAM # _____ AERIAL PHOTO # _____

CU # _____ PHOTO # _____

UAD _____ T _____ R _____ S _____

URVEYORS _____ DATE 8/8/85

ECTION/REACH 2800'-2 [illegible] → 3500' → [illegible]

TREAM CLASS	1	1	1
RADIENT	3	3-1	3-4
OW STAGE	N	N	N
HANNEL WIDTH '	15	15	15
WATER WIDTH '	13	14	15
ICISEMENT	4'	6'	4'
PER RIGHT BANK	[illegible]	[illegible]	[illegible]
LEFT BANK	[illegible]	90	55
NK STABILITY	[illegible]	[illegible]	[illegible]
BANK COVER	100	100	100
SPECIES MIX	Al, Sh, Co	Al, Sh, Co	Al, Sh, Co
D/100 FT.	1-5	2	2
SIZE	12"	18"	12"
OL/RIFFLE RATIO	90/10	2/98	90/10
MAX. POOL DEPTH	3.5'	3.5'	3'
BEDROCK	2	20	25
BLDR 20"	8	25	30
ROCK 6-20"	20	30	35
RBBL 3-6"	30	20	20
GRVL ¼-3"	40	5	
SAND/SILT			
ASA	70	20	20
QUALITY	Fair	Fair	Fair
ARING QUALITY	good	Fair	Fair
SH SPECIES	Co	Co	
LENGTH RANGE	Fry	Fry	
ABUNDANCE		Few	

MENTS (MIGRATION BARRIERS, BLOWDOWN, LEAVE TREES, FLAGGING, TAGS, ENHANCEMENT OPPORTUNITIES, TEMPERATURE SENSITIVITY, RECOMMENDATIONS)

[illegible] 3600' [illegible] log [illegible] [illegible] [illegible]


650m.ET
CO
CH
P
2004
10300
2613
103-11
10350
10350
Islands
Daykoo
Walk Hat
104-10