State of Alaska
Department of Fish and Game
Nomination for Waters
Important to Anadromous Fish

1989
Year of Revision

89-721

Anadromous Water Catalog Volume Southeast Reg I

USGS Quad YAKUTAT-(C-4) ALASKA

Name of Waterway STREAM # 677 (Russell Fjord Proj.)

Anadromous Water Catalog Number of Waterway

183-15-10080

Change to X Atlas
X Catalog
X Both

Addition X
Deletion —
Correction —

Name addition:
USGS name NONE
Local name "

For Office Use
Nomination # 90 395
Richard Reed Regional Supervisor 12/14/88 Date
STS 11/28/89
FI Drafted 11/14/89 Date

Species	Date(s) Observed	Spawning	Rearing	Migration
COHO SALMON (JUV.)	8/16 & 9/1/88		X	
DOLLY VARDEN (JUV)	7/17-8/12 & 8/16 & 9/1		X	

Comments: Provide any clarifying information, including number of fish observed, location of fish survey data, etc.

8 COHO (JUVENILES) CAPTURED ON ABOVE DATES.
56 DOLLY VARDEN (JUV.) CAPTURED ON ABOVE DATES
SEE ~~ACCO~~.
SEE ACCOMPANYING DATA FOR FURTHER ~~DATA~~ INFORMATION.

Attach a copy of a map showing location of mouth and upper points of each species, specific stream reaches identified for spawning or rearing, locations of barriers, such as falls. Attach a copy of the fish survey data, if available.

Name of Observer (please print) G. MARICK, J. LATHAM, J. TURLEY

Date 9/19/88 Signature: G. B. Marick

Address: A.D.F.&G., P.O. Box 68 YAKUTAT, AK. 99564

Signature of Area Biologist:

STREAM #677

COHO (Juveniles)

Dolly VARden



#714 - 8/1/88 (MON) = A.T.= 0° WT = 0° (N/G) Not Taken - Steep Vertical Drop To Beach And Dry @ This Time.

8/2/88 - Tue. No Change

#677 (Bob Johnson Ck) Cont. From Age 32

8/11/88 THURS. AT = 11° WT = 9° 2 Sets (Fresh Bear Sign)

8/12/88 - FRI AT = 11° WT = 11° Yield 10 DV.

8/15/88 - MON AT = 15° WT = 14° / Set 5 Traps Water Level down (Fjord Temp. 12°)

8/16/88 - Tue - AT = 17° WT = 15° Traps yielded starting Fm. down stream #1 = 3 CS. (50/60/70mm) & 4 DVS / #2 = 2 DV. CS @ 60mm / #3 = 2 CS. - 18 DV. / #4 = 4 DVS. & #5 = 10 DVS. (@ 11 60mm) Total Take was 7 Coho & 37 DV. (Sunny Day - Took Stream Photos)

8/17/88 Wed - Fjord Temp @ This Area. 15°

9/1/88 - THURS AT-9° WT-9° Set 3 Traps To 200 feet Above mean High Water Then Hiked ½ mile To Lake - Conducted Spinning - No Adults Recovered or Seen - Returned to

#719 8/1/88 (MON) - AT = 11° WT = 5° (Uniform Temp Throughout Branches) most unusual Formation - main Branch turns Right, then parallels Shoreline forming A Dike For About 150 yds. - A second Stream then flows into this Dike and the gravel on Beach then opens up To the Fjord forming A V-Notch. There's also A 3rd. Stream that is about 3 ft wide About 100 ft South (it was Not investigated @ This Time) Both Streams are Clear, Rapid Velocity, But are Shallow and have Steep gradients. Set one Trap in Southern Stream (Appears To Be different Source) and 3 Traps in The Bigger (#719) Stream. As The Trench is Tide-affected No Traps were Set. Both have gravel Bottoms and Lots of Blowdown.

8/2/88 - Tues Yielded - 18 DV. - 1 Coho - Ø Sculpin Set 3 Traps

8/11/88 - THURS.

8/12/88 - FRI AT. 10° - WT 6° yield = 29 DVS. - 1 Coho & 1 sculp

8/29/88 - MON AT 11° WT = 8° - Set 4 Traps

8/30/88 - Tues AT 10° WT = 8° - Recovered 25 DVS., & 2 Coho - 2 Sculp

FISH FOUND:
DOLLY VARDEN
COHO

STREAM # 677

BOB'S STREAM (formerly 682)

GENERAL CHARACTERISTICS: Stream descends rapidly from one pool to another. Waterfalls are frequent although not great in size. Average width ranges from 6-8 feet and average debth also fluctuates from 6 to 12 inches. The Pools are frequent and fairly deep 1-4 foot on average. Water quality varies from clear to tainted. Bed composition is ledge, boulders, rocks & crushed gravel. Brush overhangs stream. Upstream gradient gets even steeper and a 60+ foot cataract 3/4 of a mile in prevents sea-run salmonoids from reaching Lake.

DATE	WT/OAT	WQ	V	Wd/Db
7/15/	13°/11°	clear (tainted	med	6ft/12 inches
7/18/	15°/20° TAKEN IN SUN	clear	med	6ft/5 inches
8/11/	11°/9°	clear (tainted)	med	8ft/12 inches
8/12/	11°/11°	clear	med	
8/15/	14°/15°	clear	med	6ft/8 inches
8/16/	15°/17°	clear	med	Down a tiny bit @ 1 inch
8/29 - From the air we discovered that 682 is not really cataracts 1/2 - 3/4 of a mile upstream. The lake at some				
9/1	9/9°	tainted (amber)	Water fast + high @ 2-4 inches w/ lots of whitewater.	



small crustaceans caught at the Lake.

Picture taken on 8/16. Water levels are down.

FISH	GENERAL OBSERVATIONS
1 TS @ 20 yards	
TR = Ø Trap is high & dry.	
2 TS # 1 @ 30 yds # 2 @ 70 yds	Kingfisher, Bear ate flogging.
2 TR # 1 = Ø # 2 = 10 Dolly varden	
5 TS. 30 yds - 200 yds	Bear tracks +
5 TR # 1 = 3 COHO (50, 69 70mm) # 2 = 1 Dolly 2 COHO (60 # 3 = 15 Dolly 3 COHO (60mm) # 4 = 4 Dollys (60mm). # 5 =	

682 but 677. It has a rather steep gradient with L... looks intact + healthy. - should be investigated ...

3 Ts for 1 hour. = 19 Dollys - Lake seems shallow w/ mud, gr... bottom + clear water.

1 COHO 80mm - Tried seine netting at Lake 3 times but caught only small crustaceans.