State of Alaska
Department of Fish and Game
Nomination for Waters
Important to Anadromous Fish

1992
Year of Revision

ALASKA DEPT. OF
FISH & GAME

NOV 14 1991

REGION II
HABITAT DIVISION

Anadromous Water Catalog Volume Southeast, Region I

USGS Quad (3) Craig C-2

Name of Waterway see below

Anadromous Water Catalog Number of Waterway

102-70-10550-2030

Change to _____ Atlas

_____ Catalog

✓ Both

Addition ✓

Deletion _____

Correction _____

Name addition:

USGS name _____

Local name Steller's Jay Creek

For Office Use

Nomination # 92 269

Richard Reed 11/12/91
Regional Supervisor Date

Ed Weiss 2/20/92

FI 1/29/92
Drafted Date

Species	Date(s) Observed	Spawning	Rearing	Migration
2 cutthroat trout juveniles many coho salmon fry	6/19/91		X	

Comments: Provide any clarifying information, including number of fish observed, location of fish survey data, etc.

Set one baited minnow trap; captured cutthroat trout juveniles; observed many coho fry, but trap mesh too large to capture

Attach a copy of a map showing location of mouth and upper points of each species, specific stream reaches identified for spawning or rearing, locations of barriers, such as falls. Attach a copy of the fish survey data, if available.

Name of Observer (please print) James D. Durst, Habitat Biologist

Date: 9/11/91 Signature: James D Durst

Address: ADF&G, Habitat Division
Ketchikan

Signature of Area Biologist: Jack Gustafson


(3) Craig C-2
12/89 Version
PRINCE OF WALES ISLAND
THORNE BAY
TOLSTOI BAY
ADL # 20530 W/ CBR
North Pole Hill
Fool Lake
Lake No 8
North Lake
Power Lake
Salt Chuck
Salt Chuck Mine
Rush and Brown Mine
Lake Allen
Loon Lake
Copper Center Lake
Goodman Lake
Angel Lake
Water Lake
Seaplane Base
Thorne Head
Tolstoi I
Snug
Anchorage
Cabin
Salt Chuck

19 June (cont'd)

Stellers Jay Cr.: set trap at crossing of trib near bottom of Setter Lake; ~3 hr soak 2 CT; saw many CO jay (small!)

Wren Cr.: set trap at "crossing" near upper end Setter Lake; no real drainages seen (3 trickle across road) but large beave dam below road; set trap in beaver pond beside logs; 2-3 hr soak, N/C

Grouse Cr.: set trap at crossing of stream flowing into upper end Setter Lake; beaver complex and stream parallel each other; soak of ~30 min in beaver pond: N/C; soak of ~15 min: 2 CO, 1 CT