

AUG 31 1998

REGION II
 HABITAT AND RESTORATION
 DIVISION

Region | SOUTHEAST ▼

USGS Quad Bering Glacier A-7

Anadromous Water Catalog Number of Waterway 192-42-10375 & 0004

Name of Waterway Midtimber Lake USGS Name Local Name

Addition Deletion Correction Backup Information

For Office Use

LLT 1/25/2000

| | | | |
|----------------|---------------------------|-----------------------|-----------------|
| Nomination # | <u>99 027</u> | <u>Janaflanders</u> | <u>8-26-98</u> |
| Revision Year: | <u>00</u> | Regional Supervisor | Date |
| Revision to: | Atlas _____ Catalog _____ | <u>EOW</u> | <u>12/16/99</u> |
| | Both <u>X</u> | AWC Project Biologist | Date |
| Revision Code: | <u>A-2</u> | _____ | _____ |
| | | Drafted | Date |

OBSERVATION INFORMATION

| Species | Date(s) Observed | Spawning | Rearing | Present | Anadromous |
|-------------------|------------------|----------|---------|---------|-------------------------------------|
| Coho | 6/10/98 | | 20+ | | <input checked="" type="checkbox"/> |
| Dolly Varden char | 6/10/98 | | 10+ | | <input type="checkbox"/> |
| stickleback | 6/10/98 | | | 5 | <input type="checkbox"/> |
| | | | | | <input type="checkbox"/> |
| | | | | | <input type="checkbox"/> |

IMPORTANT: Provide all supporting documentation that this water body is important for the spawning, rearing or migration of anadromous fish, including: number of fish and life stages observed; sampling methods, sampling duration and area sampled; copies of field notes; etc. Attach a copy of a map showing location of mouth and observed upper extent of each species, as well as other information such as: specific stream reaches observed as spawning or rearing habitat; locations, types, and heights of any barriers; etc.

Comments: An aerial survey was conducted and videotaped from a low level helicopter flight. Ground surveys included baited minnow traps (set for approx. 30 min.) and the use of minnow nets. Coho, Dolly Varden char and stickleback were trapped, identified and released. The upper extent of the stream flowing into the northeast end of the lake extends into Section 13, Township 21 South, Range 12 East. A series of lakes and streams entering Midtimber Lake from the west in Section 23 were surveyed and only found to have DV and stickleback, although there was evidence that water levels are often 2' higher. SEE Midtimber Lake TRIB 1 INFORMATION.

Name of Observer (please print) Phil Mooney
 Date: 8/11/98 Signature: Phil Mooney
 Address: 304 lake St. Rm. 103
Sitka, AK 99835

This certifies that in my best professional judgment and belief the above information is evidence that this waterbody should be included in or deleted from the Catalog of Waters Important for Spawning, Rearing or Migration of Anadromous Fishes per AS 16.05.870.

Signature of Area Biologist: Phil Mooney

Vnp

Edward W. Weiss

Subject: Icy Bay & Bering Glacier area Stream noms
Entry Type: Phone call
Contact: Philip W Mooney

Start: Mon 12/6/99 3:45 PM
End: Mon 12/6/99 4:00 PM
Duration: 15 minutes

Set down with helicopter at upper most point of water or perceived upper extent then walked downstream dipping, trapping and visually identifying fish. All were positively I.D.'d. Very confident that fish there.