

AUG 31 1998

REGION II  
 HABITAT AND RESTORATION  
 DIVISION

Region | SOUTHEAST ▼

USGS Quad Bering Glacier A-6/A-7

Anadromous Water Catalog Number of Waterway 192-42-10400-2007-3003 & 0010  
AND 3003-4050

Name of Waterway Quonset Hut Lake  USGS Name  Local Name

Addition  Deletion  Correction  Backup Information

For Office Use LT 11/25/2000

Nomination #	<u>99 030</u>	<u>Jana Sanders</u>	<u>8-26-98</u>
Revision Year:	<u>00</u>	Regional Supervisor	Date
Revision to:	Atlas _____ Catalog _____	<u>EO Win</u>	<u>12/17/99</u>
	Both <u>X</u>	AWC Project Biologist	Date
Revision Code:	<u>A-Z</u>		
		Drafted	Date

OBSERVATION INFORMATION

Species	Date(s) Observed	Spawning	Rearing	Present	Anadromous
Coho	6/10/98		75		<input type="checkbox"/>
Dolly Varden	6/10/98		2		<input type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>

**IMPORTANT:** Provide all supporting documentation that this water body is important for the spawning, rearing or migration of anadromous fish, including: number of fish and life stages observed; sampling methods, sampling duration and area sampled; copies of field notes; etc. Attach a copy of a map showing location of mouth and observed upper extent of each species, as well as other information such as: specific stream reaches observed as spawning or rearing habitat; locations, types, and heights of any barriers; etc.

**Comments:** This lake has a seasonal connection to Midtimber Lake. Some of the coho parr were up to 4 inches in length. There were also this year's fry present indicating that coho adults were able to enter the system this past season. The lake water temperature was 20 degrees Celsius while the stream temperature was 6 degrees cooler and well shaded by overhanging vegetation. An aerial survey was conducted and videotaped from a low level helicopter flight and used to determine upper extent from a loss of surface flow. Gradient was less than 2%. Ground surveys included two baited minnow traps (set for approx. 15 min.) and the use of minnow nets. Coho fry and Dolly Varden were captured, identified and released.

Name of Observer (please print) Linda Speerstra-Perkins  
 Date: 8/12/98 Signature: Linda Speerstra-Perkins  
 Address: 304 Lake St. Rm. 103  
Sitka, AK 99835

This certifies that in my best professional judgment and belief the above information is evidence that this waterbody should be included in or deleted from the Catalog of Waters Important for Spawning, Rearing or Migration of Anadromous Fishes per AS 16.05.870.

Signature of Area Biologist: Phil Symey

*MP*



**Edward W. Weiss**

---

**Subject:** Icy Bay & Bering Glacier area Stream noms  
**Entry Type:** Phone call  
**Contact:** Philip W Mooney

**Start:** Mon 12/6/99 3:45 PM  
**End:** Mon 12/6/99 4:00 PM  
**Duration:** 15 minutes

Set down with helicopter at upper most point of water or percieved upper extent then walked downstream dipping, trapping and visually identifying fish. All were positively I.D.'d. Very confident that fish there.