

AUG 31 1998

State of Alaska  
Department of Fish and Game  
Nomination for Waters  
Important to Anadromous Fish

REGION II  
HABITAT AND RESTORATION  
DIVISION

Region SOUTHEAST

USGS Quad Bering Glacier A-8

Anadromous Water Catalog Number of Waterway 192-60-10100-2033-3031

Name of Waterway Kiklukh River (2)

192-60-10100-2033-3031-4020  
 USGS Name  Local Name  
192-60-10100-2033-3071-4020  
LLT 1/25/0000 OE -5010

Addition  Deletion  Correction  Backup Information

For Office Use

Nomination # <u>99 037</u>	<u>Jenny Flanders</u>	<u>8-27-98</u>
Revision Year: <u>900</u>	Regional Supervisor	Date
Revision to: Atlas <u>    </u> Catalog <u>    </u>	<u>Edwin</u>	<u>12/16/99</u>
Both <u>X</u>	AWC Project Biologist	Date
Revision Code: <u>A-2</u>		
	Drafted	Date

OBSERVATION INFORMATION

Species	Date(s) Observed	Spawning	Rearing	Present	Anadromous
Coho	6/9/98	6	23+		<input checked="" type="checkbox"/>
Dolly Varden	6/9/98		1		<input type="checkbox"/>
Cutthroat	6/9/98		1		<input type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>

**IMPORTANT:** Provide all supporting documentation that this water body is important for the spawning, rearing or migration of anadromous fish, including: number of fish and life stages observed; sampling methods, sampling duration and area sampled; copies of field notes; etc. Attach a copy of a map showing location of mouth and observed upper extent of each species, as well as other information such as: specific stream reaches observed as spawning or rearing habitat; locations, types, and heights of any barriers; etc.

Comments: This tributary originates in Sections 25 and 36, Township 20 South, Range 9 East and flows south through Sections 36 and 1 before joining catalogued trib # 2033 in Section 5. Aerial survey and videotaping was done by helicopter. Upper reaches were determined by swampy areas up above flowing water (series of small lakes not interconnected). Baited minnow traps (set for approximately 30 minutes) and minnow nets were used in the ground survey. Coho, Dolly Varden char and cutthroat trout were captured, identified and released. Coho salmon adult remains were found on the streambanks (fins, gill plates, vertebrae). Stream substrate conditions indicate good spawning habitat.

Name of Observer (please print) Linda Speerstra-Perkins  
Date: 8/14/98 Signature: Linda Speerstra Perkins  
Address: 304 Lake St. Rm. 103  
Sitka, AK 99835


This certifies that in my best professional judgment and belief the above information is evidence that this waterbody should be included in or deleted from the Catalog of Waters Important for Spawning, Rearing or Migration of Anadromous Fishes per AS 16.05.870.

Signature of Area Biologist: Phil Mooney

# ADD STREAMS

Kiklukh 2. xls

192-60-10100 - 2033 - 3031 w/ COs  
192-60-10100 - 2033 - 3031 - 4020 w/ COs  
192-60-10100 - 2033 - 3031 - 4020 - 5010 w/ COs



**Edward W. Weiss**

---

**Subject:** Icy Bay & Bering Glacier area Stream noms  
**Entry Type:** Phone call  
**Contact:** Philip W Mooney

**Start:** Mon 12/6/99 3:45 PM  
**End:** Mon 12/6/99 4:00 PM  
**Duration:** 15 minutes

Set down with helicopter at upper most point of water or perceived upper extent then walked downstream dipping, trapping and visually identifying fish. All were positively I.D.'d. Very confident that fish there.