



State of Alaska
Department of Fish and Game
Division of Sport Fish

Fish Survey
Nomination Form
Fish Distribution Database

Region: Southwest

USGS Quad: Dillingham A-6

Fish Distribution Database Number of Waterway: N/A

Status: N/A

Name of Waterway: 325-30-10100-2101-3046

USGS Name Local Name

Addition Deletion

Correction

Backup Information

For Office Use

Nomination #	04 152	<i>[Signature]</i>	5/13/04
Revision Year:	2005	Fisheries Scientist	Date
Revision to:	Atlas _____ Catalog _____	<i>[Signature]</i>	05/10/04
	Both <input checked="" type="checkbox"/>	FDD Project Biologist	Date
Revision Code:	A-2	<i>[Signature]</i>	10/22/04
		Drafted	Date

Site Information Station: FSB0303A01 Date Observed: 8/8/2003 Legal Desc.: Sec 10, T. 11 S., R. 52 W., S.M. Latitude: Longitude: Datum:
Stream Depth (m) Width (m) Water Temp. (C): 6.7 (Transformed) 59.23642 -158.01272 NAD27
Parameters: OHW 0.6 3.7 Stream Stage: Medium
Wetted 0.35 2.5 Dominant Substrate: Cobble (Original) 59.23565 -158.01520 WGS84

Rosgen Channel Type: E3 Low gradient, meandering riffle/pool stream with low width/depth ratio and little deposition. Very efficient and stable. High meander width ratio.

Station Comments: Within 150 m upstream, surface flow becomes discontinuous and discharge is regularly subsurface for next 3.5 km. Upstream of that, channel has surface flow.

Observation Information

Life History: Anadromous

Species\Lifestage: coho salmon juvenile Samp. ID (# Fish): A (4) Barriers: Unknown

Life History: Resident

Species\Lifestage: Alaska blackfish juvenile/adult Samp. ID (# Fish): A (7) Barriers: Unknown

Life History: Unknown

Species\Lifestage: ninespine stickleback adult Samp. ID (# Fish): A (2) Barriers: Unknown

Species\Lifestage: ninespine stickleback juvenile/adult Samp. ID (# Fish): A (9) Barriers: Unknown

Species\Lifestage: coastrange sculpin adult Samp. ID (# Fish): A (1) Barriers: Unknown

Species\Lifestage: coastrange sculpin juvenile/adult Samp. ID (# Fish): A (1) Barriers: Unknown

Species\Lifestage: slimy sculpin carcass Samp. ID (# Fish): A (1) Barriers: Unknown

Key to Samp. ID

Samp. ID: A Method: Portable Electrofisher Electrofisher Time(s): 489 Efficiency: Fair

Comments:

Additional Comments: The nominated waterbody drains directly to the lowwithla River (325-30-10100-2101), in which spawning coho salmon are currently documented. The sampled location is likely near the upstream limit of coho distribution under the current hydrologic regime.

add new stream w/ COR presence of coho salmon documented in streams to north & south.

Name of Observer: Michael Wiedmer

Phone: (907) 267-2292

Date Printed: 12/4/2003

Signature: *[Signature]*

Address: Alaska Department of Fish and Game, Division of Sport Fish
336 Raspberry Road
Anchorage, AK 995181599

12/4/2003

This certifies that in my best professional judgment and belief the above information is evidence that this waterbody should be included in or deleted from the Fish Distribution Database.


Signature of Area Biologist: _____ Date: _____




FSB0303A001.jpg



FSB0303A002.jpg




FSB0303A003.jpg




FSB0303A004.jpg




FSB0303A005.jpg



FSB0303A006.jpg





~~COR 2~~
COR 4

COR 5

375-30-10100-2101

Add COR to
new steaming
375-30-10100-2101-3046

RIVER

COR 3

COR 2

COR 1