



State of Alaska
Department of Fish and Game
Division of Sport Fish

Fish Survey
Nomination Form
Fish Distribution Database

Region: Southwest USGS Quad: Taylor Mts A-4
Fish Distribution Database Number of Waterway: N/A 325-30-10100-2268 Status: N/A
Name of Waterway: USGS Name Local Name
 Addition Deletion Correction Backup Information

Nomination #	04 182	For Office Use	
Revision Year:	2005	<i>[Signature]</i>	5/13/04 Date
Revision to:	Atlas _____ Catalog _____ Both <input checked="" type="checkbox"/>	Fisheries Scientist	
Revision Code:	A-2	<i>[Signature]</i>	5/12/04 Date
		FDD Project Biologist	
		<i>[Signature]</i>	12/10/04 Date
		Drafted	

Site Information Station: FSB0311A05 Date Observed: 8/16/2003 Legal Desc.: Sec 15, T. 1 S., R. 46 W., S.M. Latitude: Longitude: Datum:
Stream Depth (m) Width (m) Water Temp. (C): 11.4 (Transformed) 60.09138 -157.17430 NAD27
Parameters: OHW 0.9 9 Stream Stage: High
Wetted 0.9 9 Dominant Substrate: Gravel (Original) 60.09064 -157.17683 WGS84
Rosgen Channel Type: E4 Low gradient, meandering riffle/pool stream with low width/depth ratio and little deposition. Very efficient and stable. High meander width ratio.
Station Comments: Mostly not wadeable. Immediately downstream of small beaver dam.

Observation Information

Life History: Anadromous	Species\Lifestage: coho salmon juvenile	Samp. ID (# Fish): A (4)	Barriers: Unknown
Life History: Resident	Species\Lifestage: Arctic grayling juvenile/adult	Samp. ID (# Fish): A (2)	Barriers: Unknown
Life History: Unknown	Species\Lifestage: ninespine stickleback adult	Samp. ID (# Fish): A (1)	Barriers: Unknown
	Species\Lifestage: Arctic-Alaskan brook lamprey paired species juvenile (suspected spawning)	Samp. ID (# Fish): A (1)	Barriers: Unknown
	Species\Lifestage: slimy sculpin juvenile (suspected spawning)	Samp. ID (# Fish): A (11)	Barriers: Unknown


Key to Samp. ID
Samp. ID: A Method: Portable Electrofisher Electrofisher Time(s): 315 Efficiency: Poor
Comments: Depth and poor visibility limited efficiency.

Additional Comments: The nominated waterbody flows to the Nushagak River (325-30-10100), in which spawning coho salmon are currently documented. One additional coho salmon stunned, not captured.

Add new stream w/ COR

Name of Observer: Michael Wiedmer Phone: (907)267-2292 Date Printed: 12/9/2003
Signature: *[Signature]*
Address: Alaska Department of Fish and Game, Division of Sport Fish
333 Raspberry Road
Anchorage, AK 995181599

This certifies that in my best professional judgment and belief the above information is evidence that this waterbody should be included in or deleted from the Fish Distribution Database.
Signature of Area Biologist: _____ Date: _____



701-102

MAY

COR

Add new stream
325-39-10100-7288
w/cor

COR

NIBHAGA RIVER

SHELLY MOUNTAIN

SHELLY MOUNTAIN

SHELLY MOUNTAIN

16

16

14

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16

16



FSB0311A026.jpg



FSB0311A027.jpg



FSB0311A028.jpg





State of Alaska
Department of Fish and Game
Division of Sport Fish

Fish Survey
Nomination Form
Fish Distribution Database

Continuation of Station: FSB0311A05 Page: 3

FSB0311A029.jpg





State of Alaska
Department of Fish and Game
Division of Sport Fish

Fish Survey
Nomination Form
Fish Distribution Database

Region: Southwest

USGS Quad: Taylor Mts A-3

Fish Distribution Database Number of Waterway: N/A

Status: N/A

Name of Waterway: _____

USGS Name

Local Name

Addition

Deletion

Correction

Backup Information

For Office Use

Nomination # _____	_____	_____
Revision Year: _____	Fisheries Scientist	Date _____
Revision to: Atlas _____ Catalog _____	_____	_____
Both _____	FDD Project Biologist	Date _____
Revision Code: _____	_____	_____
	Drafted	Date _____

Site Information Station: FSB0311A04 Date Observed: 8/16/2003 Legal Desc.: Sec 7, T. 1 S., R. 45 W., S.M. Latitude: Longitude: Datum:
Stream Depth (m) Width (m) Water Temp. (C): 9.8 (Transformed) 60.09978 -157.09218 NAD27
Parameters: OHW 0.7 3.1 Stream Stage: Medium
Wetted 0.3 3.1 Dominant Substrate: Cobble (Original) 60.09904 -157.09471 WGS84

Rosgen Channel Type: E3 Low gradient, meandering riffle/pool stream with low width/depth ratio and little deposition. Very efficient and stable. High meander width ratio.

Station Comments: Two beaver dams immediately upstream; at least 6 beaver dams (1 large) downstream.

Observation Information

Life History: Resident

Species\Lifestage: Arctic grayling juvenile/adult

Samp. ID (# Fish): A (4)

Barriers: Unknown

Species\Lifestage: Arctic grayling juvenile (suspected spawning)

Samp. ID (# Fish): A (4)

Barriers: Unknown

Life History: Unknown

Species\Lifestage: slimy sculpin juvenile/adult

Samp. ID (# Fish): A (9)

Barriers: Unknown

Species\Lifestage: slimy sculpin juvenile (suspected spawning)

Samp. ID (# Fish): A (10)

Barriers: Unknown

Key to Samp. ID

Samp. ID: A Method: Portable Electrofisher

Electrofisher Time(s): 315 Efficiency: Fair

Additional Comments: Current upstream limit of coho salmon distribution may be between stations FSB0311A04 and FSB0311A05.

Name of Observer: Michael Windmer

Phone: (907)267-2292

Date Printed: 12/9/2003

Signature: _____


Address: Alaska Department of Fish and Game, Division of Sport Fish
333 Raspberry Road
Anchorage, AK 995181599

This certifies that in my best professional judgment and belief the above information is evidence that this waterbody should be included in or deleted from the Fish Distribution Database.

Signature of Area Biologist: _____ Date: _____



FSB0311A022.jpg



FSB0311A023.jpg



FSB0311A024.jpg





State of Alaska
Department of Fish and Game
Division of Sport Fish

Fish Survey
Nomination Form
Fish Distribution Database

Continuation of Station: FSB0311A04 Page: 3

FSB0311A025.jpg

