



State of Alaska
Department of Fish and Game
Division of Sport Fish

Fish Survey
Nomination Form
Fish Distribution Database

Dillingham 3

Region: Southwest

USGS Quad: Taylor Mts A-5

Fish Distribution Database Number of Waterway: N/A 325-30-10100-2280-3211

Status: N/A

Name of Waterway: USGS Name Local Name

Addition Deletion Correction Backup Information

For Office Use

Nomination #	<u>04 183</u>	<i>[Signature]</i>	<u>5/13/04</u>
Revision Year:	<u>2005</u>	Fisheries Scientist	Date
Revision to:	Atlas _____ Catalog _____	<i>[Signature]</i>	<u>5/11/04</u>
	Both <u>X</u>	BDD Project Biologist	Date
Revision Code:	<u>A-2</u>	<i>[Signature]</i>	<u>12/10/04</u>
		Drafted	Date

Site Information Station: FSB0311A06 Date Observed: 8/16/2003 Legal Desc.: Sec 9, T. 2 S., R. 45 W., S.M. Latitude: Longitude: Datum:
Stream Depth (m) Width (m) Water Temp. (C): 9.6 (Transformed) 60.02501 -157.01565 NAD27
Parameters: OHW 0.55 3.3 Stream Stage: Medium
Wetted 0.4 3.2 Dominant Substrate: Gravel (Original) 60.02427 -157.01817 WGS84

Rosgen Channel Type: E4 Low gradient, meandering riffle/pool stream with low width/depth ratio and little deposition. Very efficient and stable. High meander width ratio.

Station Comments: Immediately downstream of one beaver dam. Other tributaries draining Sleitat Mountain appear to provide comparable habitats.

Observation Information

Life History: Anadromous

Species\Lifestage: Chinook salmon juvenile (suspected spawning) Samp. ID (# Fish): A (11) Barriers: Unknown
Species\Lifestage: coho salmon juvenile Samp. ID (# Fish): A (5) Barriers: Unknown

Life History: Resident

Species\Lifestage: Arctic grayling juvenile Samp. ID (# Fish): A (4) Barriers: Unknown
Species\Lifestage: round whitefish juvenile/adult Samp. ID (# Fish): A (1) Barriers: Unknown

Life History: Unknown

Species\Lifestage: ninespine stickleback juvenile/adult Samp. ID (# Fish): A (8) Barriers: Unknown
Species\Lifestage: sculpin-unspecified juvenile (suspected spawning) Samp. ID (# Fish): A (3) Barriers: Unknown
Species\Lifestage: slimy sculpin juvenile/adult Samp. ID (# Fish): A (5) Barriers: Unknown
Species\Lifestage: slimy sculpin juvenile (suspected spawning) Samp. ID (# Fish): A (1) Barriers: Unknown

Key to Samp. ID

Samp. ID: A Method: Portable Electrofisher Electrofisher Time(s): 286 Efficiency: Fair

Additional Comments: The nominated waterbody flows to Harris Creek (325-30-10100-2280), in which spawning coho and Chinook salmon are currently documented. Observations of habitat and captured Chinook salmon strongly suggest adjacent spawning (perhaps coho as well).

Add new stream w/ COP KR

Name of Observer: Michael Wiesner Phone: (907)267-2292 Date Printed: 12/9/2003

Signature: *[Signature]*

Address: Alaska Department of Fish and Game, Division of Sport Fish
333 Raspberry Road
Anchorage, AK 995181599

This certifies that in my best professional judgment and belief the above information is evidence that this waterbody should be included in or deleted from the Fish Distribution Database.


Signature of Area Biologist: _____ Date: _____




FSB0311A030.jpg



FSB0311A031.jpg



FSB0311A032.jpg





State of Alaska
Department of Fish and Game
Division of Sport Fish

Fish Survey
Nomination Form
Fish Distribution Database

Continuation of Station: FSB0311A06 Page: 3



FSB0311A033.jpg

04-184 046-183

↓ COR KR

Add new stream w/COR KR

325-30-10100-2280-3211

COR KR

new stream

