



State of Alaska  
Department of Fish and Game  
Division of Sport Fish

Fish Survey  
Nomination Form  
Fish Distribution Database

Region: Southwest

USGS Quad: Taylor Mts B-6 0-67

Fish Distribution Database Number of Waterway: N/A 325-30-10100-2435-3/16-4021

Status: N/A

Name of Waterway:

USGS Name

Local Name

Addition

Deletion

Correction

Backup Information

For Office Use

Nomination #	<u>04 191</u>	<u>Max Wiedmer</u>	<u>5/13/04</u>
Revision Year:	<u>2005</u>	Fisheries Scientist	Date
Revision to:	Atlas _____ Catalog _____	<u>902</u>	<u>5/12/04</u>
	Both <u>X</u>	FDD Project Biologist	Date
Revision Code:	<u>A-2</u>	<u>Wiedmer</u>	<u>12/13/04</u>
		Drafted	Date

**Site Information** Station: FSB0312A07 Date Observed: 8/17/2003 Legal Desc.: Sec 23, T. 4 N., R. 50 W., S.M. Latitude: Longitude: Datum:  
(Transformed) 60.43001 -157.90749 NAD27  
Stream Depth (m) Width (m) Water Temp. (C): 9.5  
Parameters: OHW 0.3 8 Stream Stage: High  
Wetted 0.3 8 Dominant Substrate: Cobble (Original) 60.42927 -157.91006 WGS84

Rosgen Channel Type: C3 Low gradient, meandering, point-bar, riffle/pool, alluvial channels with broad, well-defined floodplains.

Station Comments: Similar habitat continues upstream for > 1 km; no barriers observed.

**Observation Information**

Life History: Anadromous

Species\Lifestage: Chinook salmon juvenile (suspected spawning) Samp. ID (# Fish): A (13) Barriers: Unknown  
Species\Lifestage: coho salmon juvenile Samp. ID (# Fish): A (1) Barriers: Unknown

Life History: Unknown

Species\Lifestage: Dolly Varden juvenile (suspected spawning) Samp. ID (# Fish): A (14) Barriers: Unknown  
Species\Lifestage: sculpin-unspecified juvenile (suspected spawning) Samp. ID (# Fish): A (6) Barriers: Unknown  
Species\Lifestage: slimy sculpin adult Samp. ID (# Fish): A (5) Barriers: Unknown  
Species\Lifestage: slimy sculpin juvenile/adult Samp. ID (# Fish): A (6) Barriers: Unknown  
Species\Lifestage: slimy sculpin juvenile (suspected spawning) Samp. ID (# Fish): A (5) Barriers: Unknown

**Key to Samp. ID**

Samp. ID: A Method: Portable Electrofisher Electrofisher Time(s): 353 Efficiency: Poor

Comments: Sampling was conducted in main channel, off channel, and in a side channel. The preponderance of fish (including chinook) were captured in the main channel.

**Additional Comments:** The nominated waterbody flows to the King Salmon River (325-30-10100-2435), in which spawning coho and Chinook salmon are currently documented. Observations of collected Chinook salmon and available aquatic habitat strongly suggests adjacent spawning.

*Add new stream w/ KR*

Name of Observer: Michael Wiedmer

Phone: (907)267-2292

Date Printed: 12/9/2003

Signature:

*Michael Wiedmer*

Address: Alaska Department of Fish and Game, Division of Sport Fish  
333 Raspberry Road  
Anchorage, AK 995181599

This certifies that in my best professional judgment and belief the above information is evidence that this waterbody should be included in or deleted from the Fish Distribution Database.

Signature of Area Biologist: \_\_\_\_\_


Date: \_\_\_\_\_




FSB0312A042.jpg



FSB0312A043.jpg



FSB0312A044.jpg





State of Alaska  
Department of Fish and Game  
Division of Sport Fish

Fish Survey  
Nomination Form  
Fish Distribution Database

Continuation of Station: FSB0312A07 Page: 3

FSB0312A045.jpg



