



State of Alaska
Department of Fish and Game
Division of Sport Fish

Fish Survey
Nomination Form
Fish Distribution Database

Region: Southwest
USGS Quad: Taylor Mts C-3
Fish Distribution Database Number of Waterway: N/A 325-30-10100-2555 Status: N/A
Name of Waterway: Polly Creek
 USGS Name Local Name
 Addition Deletion Correction Backup Information

For Office Use

Nomination #	04 197	<i>[Signature]</i>	3/12/04
Revision Year:	2005	Fisheries Scientist	Date
Revision to:	Atlas _____ Catalog _____ Both <u>X</u>	<i>[Signature]</i>	5/11/04
Revision Code:	A-2	FDD Project Biologist	Date
		<i>[Signature]</i>	12/13/04
		Drafted	Date

Site Information Station: FSB0313A07 Date Observed: 8/18/2003 Legal Desc.: Sec 13, T. 6 N., R. 44 W., S.M. Latitude: Longitude: Datum:
Stream Depth (m) Width (m) Water Temp. (C): 7.6 (Transformed) 60.61405 -156.90781 NAD27
Parameters: OHW 0.45 4 Stream Stage: High
Wetted 0.5 4.2 Dominant Substrate: Gravel (Original) 60.61333 -156.91038 WGS84
Rosgen Channel Type: E4 Low gradient, meandering riffle/pool stream with low width/depth ratio and little deposition. Very efficient and stable. High meander width ratio.
Station Comments: Upstream of at least 2 beaver dams.

Observation Information

Life History: Anadromous
Species\Lifestage: coho salmon juvenile (suspected spawning) Samp. ID (# Fish): A (45) Barriers: Specific Barrier Unknown
Life History: Unknown
Species\Lifestage: Dolly Varden juvenile/adult Samp. ID (# Fish): A (2) Barriers: Specific Barrier Unknown
Species\Lifestage: Dolly Varden juvenile Samp. ID (# Fish): A (1) Barriers: Specific Barrier Unknown
Species\Lifestage: sculpin-unspecified juvenile Samp. ID (# Fish): A (1) Barriers: Specific Barrier Unknown
Species\Lifestage: slimy sculpin juvenile/adult Samp. ID (# Fish): A (4) Barriers: None
Species\Lifestage: slimy sculpin juvenile (suspected spawning) Samp. ID (# Fish): A (4) Barriers: None


Key to Samp. ID

Samp. ID: A Method: Portable Electrofisher Electrofisher Time(s): 349 Efficiency: Fair

Additional Comments: The nominated waterbody flows to the Nushagak River (325-30-10100), in which spawning coho salmon are currently documented. The small size and abundance of collected juvenile coho salmon and observed aquatic habitat strongly suggests spawning at site.
Add new stream w/CCR

Name of Observer: Michael Wiedmer Phone: (907)267-2292 Date Printed: 12/10/2003
Signature: *[Signature]*
Address: Alaska Department of Fish and Game, Division of Sport Fish
333 Raspberry Road
Anchorage, AK 995181599

This certifies that in my best professional judgment and belief the above information is evidence that this waterbody should be included in or deleted from the Fish Distribution Database.
Signature of Area Biologist: _____ Date: _____



FSB0313A026.jpg



FSB0313A027.jpg



FSB0313A028.jpg




State of Alaska
Department of Fish and Game
Division of Sport Fish

Fish Survey
Nomination Form
Fish Distribution Database

Continuation of Station: FSB0313A07 Page: 3

FSB0313A029.jpg





State of Alaska
Department of Fish and Game
Division of Sport Fish

Fish Survey
Nomination Form
Fish Distribution Database

Region: Southwest

USGS Quad: Taylor Mts C-3

Fish Distribution Database Number of Waterway: N/A

Status: N/A

Name of Waterway: Polly Creek

USGS Name

Local Name

Addition

Deletion

Correction

Backup Information

For Office Use

Nomination # _____	_____	_____
Revision Year: _____	_____	_____
Revision to: Atlas _____ Catalog _____	_____	_____
Both _____	_____	_____
Revision Code: _____	_____	_____
	Fisheries Scientist	Date
	FDD Project Biologist	Date
	Drafted	Date

Site Information Station: FSB0313A06 Date Observed: 8/18/2003 Legal Desc.: Sec 33, T. 7 N., R. 43 W., S.M. Latitude: Longitude: Datum:

Stream Depth (m) Width (m) Water Temp. (C): 7.2 (Transformed) 60.65591 -156.84645 NAD27

Parameters: OHW 0.8 1.3 Stream Stage: High (Original) 60.65519 -156.84902 WGS84

Wetted 0.7 1.3 Dominant Substrate: Sand/Silt/Clay

Rosgen Channel Type: E6 Low gradient, meandering riffle/pool stream with low width/depth ratio and little deposition. Very efficient and stable. High meander width ratio.

Station Comments: Upstream of at least 3 beaver dams.

Observation Information

Life History: Unknown

Species/Lifestage: slimy sculpin juvenile (suspected spawning)

Samp. ID (# Fish): A (3)

Barriers: Unknown

Key to Samp. ID

Samp. ID: A Method: Portable Electrofisher

Electrofisher Time(s): 160 Efficiency: Poor

Additional Comments: The current upstream limit of salmon in this stream appears to be between stations FSB0313A07 and FSB0313A06.


Name of Observer: Michael Wiedmer Phone: (907)267-2292 Date Printed: 12/10/2003

Signature: *Michael Wiedmer*

Address: Alaska Department of Fish and Game, Division of Sport Fish
333 Raspberry Road
Anchorage, AK 995181599

This certifies that in my best professional judgment and belief the above information is evidence that this waterbody should be included in or deleted from the Fish Distribution Database.

Signature of Area Biologist: _____ Date: _____



FSB0313A022.jpg



FSB0313A023.jpg



FSB0313A024.jpg



State of Alaska
Department of Fish and Game
Division of Sport Fish

Fish Survey
Nomination Form
Fish Distribution Database


Continuation of Station: FSB0313A06 Page: 3

FSB0313A025.jpg



04-197

13404



Add new stream
 335-30-10/100-2555
 w/COR

COR

COR

Bitternile
 Creek

Cabin

B.M. Mt

1311

1000

1100

1200

1000

1000

1000

1000

1100

1200

1300

1400

1500

1600

1700