



State of Alaska
Department of Fish and Game
Division of Sport Fish

Fish Survey
Nomination Form
Fish Distribution Database

Region: Southwest

USGS Quad: Lake Clark C-6, C-7

Fish Distribution Database Number of Waterway: N/A 325-30-10100-2202-3540-4111 Status: N/A

Name of Waterway: USGS Name Local Name

Addition Deletion Correction Backup Information

For Office Use

Nomination #	04 212		5/13/04
Revision Year:	2005	Fisheries Scientist	Date
Revision to:	Atlas _____ Catalog _____		5/11/04
	Both <input checked="" type="checkbox"/>	FDD Project Biologist	Date
Revision Code:	A-Z		12/14/04
		Drafted	Date

Site Information Station: FSB0317A01 Date Observed: 8/22/2003 Legal Desc.: Sec 18, T. 7 N., R. 33 W., S.M. Latitude: Longitude: Datum:
Stream Depth (m) Width (m) Water Temp. (C): 3.1 (Transformed) 60.69047 -155.13925 NAD27
Parameters: OHW 0.4 5 Stream Stage: Medium
Wetted 0.3 5 Dominant Substrate: Sand/Silt/Clay (Original) 60.68978 -155.14179 WGS84

Rosgen Channel Type: E6 Low gradient, meandering riffle/pool stream with low width/depth ratio and little deposition. Very efficient and stable. High meander width ratio.

Station Comments: Spring fed channel with two forks at head. Channels are gravel and cobble substrate for first 100 - 200 m, then transition to sand substrate. Station within 200 m of spring origin. Channel does not continue upstream as depicted on map. Many similar spring fed channels draining to the Mulchatna River between stations 17A01 and 16A03.

Observation Information

Life History: Anadromous

Species\Lifestage: coho salmon juvenile Samp. ID (# Fish): A (4) Barriers: Unknown

Life History: Unknown

Species\Lifestage: slimy sculpin juvenile/adult Samp. ID (# Fish): A (3) Barriers: Unknown

Species\Lifestage: slimy sculpin juvenile (suspected spawning) Samp. ID (# Fish): A (1) Barriers: Unknown

Key to Samp. ID

Samp. ID: A Method: Portable Electrofisher Electrofisher Time(s): 374 Efficiency: Fair

Additional Comments: The waterbody flows to the Mulchatna River (325-30-10100-2202), in which spawning Chinook and coho salmon are documented. Coho salmon likely spawn in portions of the nominated waterbody.

Add new stream (nom # 04-213) as trib w/COR

Name of Observer: Michael Wiedmer

Phone: (907)267-2292 Date Printed: 12/10/2003

Signature:


Address: Alaska Department of Fish and Game, Division of Sport Fish
333 Raspberry Road
Anchorage, AK 995181599

This certifies that in my best professional judgment and belief the above information is evidence that this waterbody should be included in or deleted from the Fish Distribution Database.

Signature of Area Biologist: _____ Date: _____

04-212

04-213



04-212

R

COR

COR

Add new stream

325-30-10100-2202-3540-911

w/COR




FSB0317A017.jpg




FSB0317A018.jpg



FSB0317A019.jpg






FSB0317A022.jpg




FSB0317A023.jpg



FSB0317A024.jpg



FSB0317A025.jpg



FSB0317A026.jpg