



State of Alaska
Department of Fish and Game
Division of Sport Fish

Fish Survey
Nomination Form
Fish Distribution Database

Region: Southwest USGS Quad: Iliamna D-8
Fish Distribution Database Number of Waterway: N/A 325-30-10100-2202-3080-4074 Status: N/A
Name of Waterway: USGS Name Local Name
 Addition Deletion Correction Backup Information

For Office Use

Nomination #	04 222	<i>[Signature]</i>	5/13/04
Revision Year:	2005	Fisheries Scientist	Date
Revision to:	Atlas _____ Catalog _____	<i>[Signature]</i>	13 May 04
	Both <input checked="" type="checkbox"/>	EDD Project Biologist	Date
Revision Code:	A-Z	<i>[Signature]</i>	11/22/04
		Drafted	Date

Site Information Station: FSB0318A08 Date Observed: 8/23/2003 Legal Desc.: Sec 18, T. 4 S., R. 38 W., S.M. Latitude: Longitude: Datum:
Stream Depth (m) Width (m) Water Temp. (C): 6.6 (Transformed) 59.83759 -155.88355 NAD27
Parameters: OHW 0.3 1.5 Stream Stage: Medium
Wetted 0.2 1.5 Dominant Substrate: Cobble (Original) 59.83687 -155.88604 WGS84

Rosgen Channel Type: E3 Low gradient, meandering riffle/pool stream with low width/depth ratio and little deposition. Very efficient and stable. High meander width ratio.

Station Comments: In alpine area, fed by headwater lakes. Upstream of at least 5 beaver dams, at least 1 large.

Observation Information

Life History: Anadromous

Species\Lifestage: coho salmon juvenile Samp. ID (# Fish): A (42) Barriers: Unknown

Life History: Unknown

Species\Lifestage: Dolly Varden juvenile/adult Samp. ID (# Fish): A (4) Barriers: Unknown

Species\Lifestage: Dolly Varden juvenile Samp. ID (# Fish): A (64) Barriers: Unknown

Species\Lifestage: sculpin-unspecified juvenile (suspected spawning) Samp. ID (# Fish): A (4) Barriers: Unknown

Species\Lifestage: slimy sculpin adult Samp. ID (# Fish): A (1) Barriers: Unknown

Species\Lifestage: slimy sculpin juvenile/adult Samp. ID (# Fish): A (7) Barriers: Unknown

Species\Lifestage: slimy sculpin juvenile (suspected spawning) Samp. ID (# Fish): A (2) Barriers: Unknown

Key to Samp. ID

Samp. ID: A Method: Portable Electrofisher Electrofisher Time(s): 312 Efficiency: Fair

Additional Comments: The nominated waterbody flows to the Koptuli River (325-30-10100-2202-3080), in which spawning coho salmon are currently documented. Coho salmon likely spawn in reaches of the nominated waterbody.

Add new stream w/ COR

Name of Observer: Michael Wiedmer Phone: (907)267-2292 Date Printed: 12/11/2003

Signature: *[Signature]*

Address: Alaska Department of Fish and Game, Division of Sport Fish
333 Raspberry Road
Anchorage, AK 995181599

This certifies that in my best professional judgment and belief the above information is evidence that this waterbody should be included in or deleted from the Fish Distribution Database.


Signature of Area Biologist: _____ Date: _____



FSB0318A031.jpg



FSB0318A032.jpg



FSB0318A033.jpg




**State of Alaska
Department of Fish and Game
Division of Sport Fish**


**Fish Survey
Nomination Form
Fish Distribution Database**

Continuation of Station: FSB0318A08 Page: 3

FSB0318A034.jpg



04-272



COR

Address Street

325-30-1000-2202 +
3080-4674
WA COR

COR

