



State of Alaska  
Department of Fish and Game  
Division of Sport Fish

Fish Survey  
Nomination Form  
Fish Distribution Database

Region: Southwest USGS Quad: Dillingham D-3  
 Fish Distribution Database Number of Waterway: N/A Status: N/A  
 Name of Waterway: Cranberry Creek  USGS Name  Local Name  
 Addition  Deletion  Correction  Backup Information

For Office Use

|  |       |                                  |
|--|-------|----------------------------------|
| Nomination # <u>05-266</u>             | _____ | _____                            |
| Revision Year: _____                   | _____ | _____                            |
| Revision to: Atlas _____ Catalog _____ | _____ | _____                            |
| Revision Code: <u>F-3</u>              | _____ | _____                            |
| _____ Fisheries Scientist _____        |       | _____ Date _____                 |
| _____ FDD Project Biologist _____      |       | _____ Date <u>12/25/05</u> _____ |
| _____ Drafted _____                    |       | _____ Date _____                 |

**Site Information** Station: FSN0510A04 Date Observed: 8/19/2005 Legal Desc.: Sec 12, T. 4 S., R. 46 W., S.M. Latitude: 59.84558 Longitude: -157.10713 Datum: NAD27  
 Stream Depth (m) 12.37 Width (m) \_\_\_\_\_ Water Temp. (C): \_\_\_\_\_  
 Parameters: OHW 1.1 15.0 Stream Stage: Medium  
 Wetted 0.5 12.3 Dominant Substrate: Gravel

Rosgen Channel Type: E4 *Low gradient, meandering riffle/pool stream with low width/depth ratio and little deposition. Very efficient and stable. High meander width ratio.*

Station Comments: Channel mostly deep runs with isolated riffles.

**Observation Information**

Life History: Resident

|  |                                 |
|--|---------------------------------|
| Species\Lifestage: <u>Arctic grayling juvenile/adult</u> | Samp. ID (# Fish): <u>A (4)</u> |
| Species\Lifestage: <u>Arctic grayling juvenile</u>       | Samp. ID (# Fish): <u>A (6)</u> |
| Species\Lifestage: <u>longnose sucker juvenile/adult</u> | Samp. ID (# Fish): _____        |
| Species\Lifestage: <u>longnose sucker juvenile</u>       | Samp. ID (# Fish): <u>A (1)</u> |
| Species\Lifestage: <u>slimy sculpin juvenile/adult</u>   | Samp. ID (# Fish): <u>A (1)</u> |
| Species\Lifestage: <u>slimy sculpin juvenile</u>         | Samp. ID (# Fish): <u>A (6)</u> |

**Key to Samp. ID**

Samp. ID: A Method: Portable Electrofisher Electrofisher Time(s): 421 Efficiency: Fair

Additional Comments: No record of earlier observations of anadromous fish in Cranberry Creek are apparently on file. The current formulaic listing of Ss, Ks, COs, CHs, ACp, all to the same upstream point, suggests the original listing was not based on detailed observations.

Name of Observer: Michael Wiedmer Phone: (907) 267-2292 Date Printed: 11/21/2005  
 Signature: [Signature]  
 Address: Alaska Department of Fish and Game  
333 Raspberry Road  
Anchorage, AK 99518-1599

This certifies that in my best professional judgment and belief the above information is evidence that this waterbody should be included in or deleted from the Fish Distribution Database.

Signature of Area Biologist: \_\_\_\_\_ Date: \_\_\_\_\_



20/25/04



FSN0510A04001.JPG



FSN0510A04002.JPG




FSN0510A04003.JPG



**State of Alaska**  
**Department of Fish and Game**  
**Division of Sport Fish**

**Fish Survey**  
**Nomination Form**  
**Fish Distribution Database**

Continuation of Station: FSN0510A04 Page: 3



FSN0510A04004.JPG