



State of Alaska  
Department of Fish and Game  
Division of Sport Fish

Fish Survey  
Nomination Form  
Fish Distribution Database

Region: Southwest

USGS Quad: Taylor Mts A-5, A4

Fish Distribution Database Number of Waterway: 325-30-10100-2299

Status: Cataloged

Name of Waterway: Klutusk Creek

USGS Name  Local Name

Addition  Deletion

Correction

Backup Information

For Office Use

Nomination #	<u>06-831</u>	<u>[Signature]</u>	<u>11/20/06</u>
Revision Year:	<u>2007</u>	ADFG Fisheries Scientist	Date
Revision to:	Atlas _____ Catalog _____	<u>[Signature]</u>	<u>11/20/06</u>
	Both <u>X</u>	ADNR OHMP Operations Mgr.	Date
Revision Code:	<u>B-2</u>	FDD Project Biologist	<u>11/29/06</u>
		<u>[Signature]</u>	Date
		Cartographer	<u>12/5/06</u>
			Date

Site Information Station: FSN0607D02 Date Observed: 8/8/2006 Legal Desc.: Sec 25, T. 1 N., R. 49 W., S.M. Latitude: Longitude: Datum:

Stream Parameters: OHW Depth (m) Width (m) Water Temp. (C): Stream Stage: Medium Upstream 60.15190 -157.70512 WGS84

Wetted Dominant Substrate: Gravel Downstream 60.15121 -157.70249 WGS84

Rosgen Channel Type: C4 Low gradient, meandering, point-bar, riffle/pool, alluvial channels with broad, well-defined floodplains.

Station Comments: See aquatic habitat data 07D01

Observation Information

Life History: Obligate anadromous population

Species/Lifestage: Chinook salmon adult spawning Samp. ID (# Fish): B (2)  
Species/Lifestage: Chinook salmon juvenile Samp. ID (# Fish): A (41)  
Species/Lifestage: coho salmon juvenile Samp. ID (# Fish): A (41)

Life History: Facultative anadromous population, unknown individual life history

Species/Lifestage: Dolly Varden juvenile/adult Samp. ID (# Fish): A (15)

Life History: Resident

Species/Lifestage: slimy sculpin juvenile Samp. ID (# Fish): A (1)

Key to Samp. ID

Samp. ID: A Method: Portable Electrofisher Electrofisher Time(s): 154 Efficiency: Fair

Samp. ID: B Method: Visual Observation, Boat

*Add coho salmon rearing to 325-30-10100-2299*

Additional Comments: This nomination supports adding to the FDD rearing Chinook and coho salmon and rearing Dolly Varden and supports previous observations of spawning Chinook salmon.

Name of Observer: Stewart Seaberg

Phone: (907) 269-6987 Date Printed: 11/1/2006

Signature: [Signature]

Address: Alaska Department of Natural Resources, Office of Habitat Mgmt and Permitting  
550 West 7th Ave., Suite 1420  
Anchorage, AK 99501

This certifies that in my best professional judgment and belief the above information is evidence that this waterbody should be included in or deleted from the Fish Distribution Database.


Signature of Area Biologist: \_\_\_\_\_ Date: \_\_\_\_\_



**State of Alaska  
Department of Fish and Game  
Division of Sport Fish**

**Fish Survey  
Nomination Form  
Fish Distribution Database**

Continuation of Station: FSN0607D02 Page: 2



FSN0607D02007.jpg

# STATE OF ALASKA

FRANK MURKOWSKI, GOVERNOR

## DEPARTMENT OF FISH AND GAME

Division of Sport Fish

333 Raspberry Road  
Anchorage, AK 99518-1599  
PHONE: (907) 267-2292  
FAX: (907) 267-2464  
EMAIL: [mike\\_wiedmer@fishgame.state.ak.us](mailto:mike_wiedmer@fishgame.state.ak.us)

### MEMORANDUM

TO: J. Johnson  
Habitat Biologist

FROM: Michael Wiedmer  
Habitat Biologist  
Region V



DATE: November 2, 2006

SUBJECT: 2006 Klutuspak Creek nominations

Attached are Fish Distribution Database/Anadromous Waters Catalog (FDD/AWC) nominations for Klutuspak Creek (325-30-10100-2299). In 2006, our freshwater fish inventory (Wiedmer 2006) of the Nushagak/Mulchatna drainage yielded 4 fish sampling efforts on this stream. These efforts support previous observations of adult sockeye and spawning Chinook salmon.

Collectively, these 4 sampling efforts support adding to the FDD/AWC rearing Chinook salmon (observed at 4 of 4 sampled locations, Figure 1) upstream to Station FSN0607D01 and rearing coho salmon (observed at 3 of 4 sampled locations, Figure 2) upstream to Station FSN0607D01. Based on experience in the Nushagak drainage, it is highly likely that rearing Chinook and coho salmon distribution continues upstream to the currently documented limit of Chinook and coho salmon spawning (figures 1 and 2). Dolly Varden were observed at 2 of 4 sampled locations. Again, based on experience in the Nushagak drainage, it is highly likely that rearing Dolly Varden distribution continues upstream to the currently documented limit of Dolly Varden presence (Figure 3).

#### References Cited.

Wiedmer, M. 2006. Inventory and modeling of fish distribution in Nushagak—Mulchatna drainage streams: FY 2007 Operational Plan. Alaska Department of Fish and Game, Division of Sport Fish, Anchorage.




Figure 2.- Locations of Klutuspak Creek tributary rearing coho salmon observations.

06-831

ADD COR to

375-30-10100-2299

(COR)

Os Ks Ss ACP

(COR)

CHS COS Ks Ss ACP

